

## **DAFTAR KEPUSTAKAAN**

- Aboud, H.M., A.A. Ali dan A.A. Elbary. 2012. Formulation and optimization of tenoxicam orodispersible tablets by solid deposition technique. *Journal of drug delivery science and technology*, 22(6), 555-561.
- Alladi, S. dan N.R. Shastri. 2015. Semi solid matrix formulations of meloxicam and tenoxicam: an in vitro and in vivo evaluation. *Archives of Pharmacal Research*, 38(5), 801-812.
- Al-Obaid, A.M. dan M.S. Mian. 1993. Tenoxicam. In *Analytical profiles of drug substances and excipients* (Vol. 22, pp. 431-459). Academic Press.
- Aulton, M. E. dan K.M. Taylor. (Eds.). 2013. *Aulton's Pharmaceutics E-Book: The Design and Manufacture of Medicines*. Elsevier Health Sciences.
- Baghel, S., H. Cathcart dan N.J, O'Reilly. . 2016. Theoretical and experimental investigation of drug-polymer interaction and miscibility and its impact on drug supersaturation in aqueous medium. *European Journal of Pharmaceutics and Biopharmaceutics*, 107, 16-31.
- Bird, H.A., J.G. Allen, J.S. Dixon dan V. Wright. 1985. A pharmacokinetic comparison of tenoxicam in plasma and synovial fluid. *Rheumatology*, 24(4), 351-356.
- Bolla, G., P. Sanphui dan A. Nangia. 2013. Solubility advantage of tenoxicam phenolic cocrystals compared to salts. *Crystal growth & design*, 13(5), 1988-2003.
- Chiou, W.L. dan S. Riegelman. 1971. Pharmaceutical applications of solid dispersion systems. *Journal of pharmaceutical sciences*, 60(9), 1281-1302.
- Cid, A.G., A. Simonazzi, S.D. Palma, dan J.M. Bermúdez. 2019. Solid dispersion technology as a strategy to improve the bioavailability of poorly soluble drugs. *Therapeutic delivery*, 10(6), 363-382.
- Clas, S. D., C.R. Dalton., dan B. C. Hancock. 1999. Differential scanning calorimetry: applications in drug development. *Pharmaceutical science & technology today*, 2(8), 311-320.
- Dachriyanus. 2004. *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Padang: Universitas Andalas.
- Dahan, A., J.M. Miller dan G.L. Amidon. 2009. Prediction of solubility and permeability class membership: provisional BCS classification of the world's top oral drugs. *The AAPS journal*, 11(4), 740-746.

Darwish, M.K. dan M.M. Foad. 2009. Enhancement of the dissolution profile of Tenoxicam by a solid dispersion technique and its analytical evaluation using HPLC. Drug discoveries & therapeutics, 3(1).

Departemen Kesehatan Republik Indonesia. Farmakope Indonesia Edisi V. Jakarta: Departemen Kesehatan RI; 2014.

de Villiers, M. M., D. E. Wurster., J. G. Van der Watt dan A. Ketkar. 1998. X-Ray powder diffraction determination of the relative amount of crystalline acetaminophen in solid dispersions with polyvinylpyrrolidone. International journal of pharmaceutics, 163(1-2), 219-224.

Dhirendra, K., S. Lewis, N. Udupa dan K. Atin. 2009. Solid dispersions: a review. Pakistan journal of pharmaceutical sciences, 22(2)..

Elder, D. dan R. Holm. 2013. Aqueous solubility: simple predictive methods (in silico, in vitro and bio-relevant approaches). International journal of pharmaceutics 453(1) : 3-11.

El-Gazayerly, O.N. 2000. Characterization and evaluation of tenoxicam coprecipitates. Drug development and industrial pharmacy, 26(9), 925-930.

Faller, B. dan P. Ertl. 2007. Computational approaches to determine drug solubility. Advanced drug delivery reviews, 59(7), 533-545.

Fitriani, L., I. Afriyanti., F. Ismed dan E. Zaini. 2018. Dispersi padat asam usnat-HPMC 2910 dibuat dengan teknik pengeringan semprot dan pengeringan beku. Jurnal Kimia Oriental , 34 (4), 2083.

Gomtsyan, A. 2012. Heterocycles in drugs and drug discovery. Chemistry of heterocyclic compounds, 48(1), 7-10.

Gonzalez, J. P. dan P.A. Todd,. 1987. Tenoxicam. Drugs, 34(3), 289-310.

Gwak, B.T., M.K. Chun dan H.K. Choi. 2006. Preparation of Tenoxicam Salt with Ethanolamine to Enhance the Percutaneous Absorption. Journal of Pharmaceutical Investigation, 36(3), 169-174.

Haser, A. dan F. Zhang. 2018. New strategies for improving the development and performance of amorphous solid dispersions. Aaps Pharmscitech, 19(3), 978-990.

Hock, F.J. (Ed.). 2016. Drug discovery and evaluation: Pharmacological assays. Springer International Publishing.

Huang, Y. dan W.G. Dai. 2014. Fundamental aspects of solid dispersion technology for poorly soluble drugs. Acta Pharmaceutica Sinica B, 4(1), 18-25..

Ishihara, S., Y. Hattori., M. Otsuka dan T. Sasaki 2020. Cocrystal Formation through Solid-State Reaction between Ibuprofen and Nicotinamide Revealed Using THz and IR Spectroscopy with Multivariate Analysis. Crystals, 10(9), 760.

John P.G. dan P.A. Todd. 1987. Tenoxicam: A Preliminary Review of its Pharmacodynamic Properties and Therapeutic Efficacy. Drugs. ;34(1):289–310

Katzung, Bertram G. (2012). Farmakologi Dasar dan Klinik (Edisi 10). Jakarta: EGC.

Mustchler, E. (2009). Dinamika Obat Buku Ajar Farmakologi dan Toksikologi (Edisi 5). diterjemahkan oleh Widianto, M.B. dan A. S, Ranti. Jakarta: Penerbit ITB.

Kawabata, Y., K. Wada., M. Nakatani., S. Yamada dan S. Onoue. 2011 . Formulation design for poorly water-soluble drugs based on biopharmaceutics classification system: basic approaches and practical applications. International journal of pharmaceutics, 420(1), 1-10.

LaFountaine, J. S., L. K. Prasad., C. Brough., D. A. Miller., J. W. McGinity. Dan R. O. Williams 2016. Thermal processing of PVP-and HPMC-based amorphous solid dispersions. AAPS PharmSciTech, 17(1), 120-132.

Larrucea, E., A. Arellano., S. Santoyo dan P. Ygartua. 2002 . Study of the complexation behavior of tenoxicam with cyclodextrins in solution: improved solubility and percutaneous permeability. Drug development and industrial pharmacy, 28(3), 245-252.

Lipinski, C.A. 2000. Drug-like properties and the causes of poor solubility and poor permeability. Journal of pharmacological and toxicological methods 44(1) : 235-249

Mahato, R.I. dan A. S. Narang. 2018. Pharmaceutical dosage forms and drug delivery. CRC Press.

Meng, F., U. Gala dan H. Chauhan. 2015. Classification of solid dispersions: correlation to (i) stability and solubility (ii) preparation and characterization techniques. Drug Development and Industrial Pharmacy, 41(9), 1401-1415.

National Center for Biotechnology Information. PubChem Database. Tenoxicam, CID=54677971, <https://pubchem.ncbi.nlm.nih.gov/compound/Tenoxicam> (diakses pada tanggal 20 september 2020).

Nilsen, O.G. 1994. Clinical pharmacokinetics of tenoxicam. Clinical pharmacokinetics, 26(1), 16-43.

Olkkola, K.T., A.V. Brunetto dan M.J. Mattila. 1994. Pharmacokinetics of oxicam nonsteroidal anti-inflammatory agents. Clinical pharmacokinetics, 26(2), 107-120.

Patel, J. R., R.A. Carlton, T.E. Needham, C.O. Chichester dan F.G. Vogt. 2012. Preparation, structural analysis, and properties of tenoxicam cocrystals. International journal of pharmaceutics, 436(1-2), 685-706.

Patel, J.R., R.A. Carlton, F. Yuniatine,T.E. Needham, L. Wu dan F.G. Vogt. 2012. Preparation and structural characterization of amorphous spray-dried dispersions of tenoxicam with enhanced dissolution. Journal of pharmaceutical sciences, 101(2), 641-663.

Rodríguez-Barrientos, D., A. Rojas-Hernández, A. Gutiérrez, R. Moya-Hernández, R. Gómez-Balderas, dan M.T. Ramírez-Silva. 2009 . Determination of pKa values of tenoxicam from <sup>1</sup>H NMR chemical shifts and of oxicams from electrophoretic mobilities (CZE) with the aid of programs SQUAD and HYPNMR. Talanta, 80(2), 754-762..

Rowe, R.C., P. Sheskey dan M. Quinn. 2009. Handbook of pharmaceutical excipients. Libros Digitales-Pharmaceutical Press.

Setyawan, D., A. A. Fadhil., D. Juwita., H. Yusuf dan R. Sari. 2017. Enhancement of solubility and dissolution rate of quercetin with solid dispersion system formation using hydroxypropyl methyl cellulose matrix. Thai Journal of Pharmaceutical Sciences, 41(3), 112-116.

Savjani, K.T, A.K. Gajjar dan J.K. Savjani. 2012. Drug solubility: importance and enhancement techniques." ISRN pharmaceuticals.

Shargel, L., B.C. Andrew dan S. Wu-Pong. 2015. Applied biopharmaceutics & pharmacokinetics. Stamford: Appleton & Lange.

Shin, M. S., Yu, J. S., Lee, J., Ji, Y. S., Joung, H. J., Han, Y. M., ... & Kang, K. S. 2019. A hydroxypropyl methylcellulose-based solid dispersion of curcumin with enhanced bioavailability and its hepatoprotective activity. Biomolecules, 9(7), 281

Sinko, P.J. dan S. Yashveer. 2010. Martin's physical pharmacy and pharmaceutical sciences: physical chemical and biopharmaceutical principles in the pharmaceutical sciences. Walter Kluer, .

Stegemann, S., F. Leveiller, D. Franchi,H. De Jong dan H. Lindén. 2007. When poor solubility becomes an issue: from early stage to proof of concept. European journal of pharmaceutical sciences, 31(5), 249-261..

Sweetman. S.C, editor. 2009. Martindale. Thirty Six. London: Pharmaceutical Press.

Tjay, T.H. dan Kirana, Rahardja. (2008). Obat-obat Penting. Jakarta: PT Gramedia.

Tran, P., Y. C. Pyo, D. H. Kim., S. E. Lee., J. K. Kim dan J. S. Park. 2019. Overview of the manufacturing methods of solid dispersion technology for improving the solubility of poorly water-soluble drugs and application to anticancer drugs. Pharmaceutics, 11(3), 132.

Vasconcelos, T., B. Sarmento dan P. Costa. 2007. Solid dispersions as strategy to improve oral bioavailability of poor water soluble drugs. *Drug discovery today* 12.23-24 : 1068-1075.

Vogel, H. G. (Ed.). 2007. *Drug discovery and evaluation: pharmacological assays*. Springer Science & ss MBusineedia.

Yeh, M. K., L. C. Chang dan A. H. J. Chiou. 2009. Improving tenoxicam solubility and bioavailability by cosolvent system. *AAPS PharmSciTech*, 10(1), 166-171.

Yuliandra, Y., L. Fitriani., R. Kurniawan., F. Yasardi dan E. Zaini. 2020. Solid Dispersions of Famotidine: Physicochemical Properties and In Vivo Comparative Study on the Inhibition of Hyperacidity. *ChemistrySelect*, 5(29), 9218-9225.,28,29].

Zhang, J., R. Han., W. Chen., W. Zhang., Y. Li, Y. Ji, L. Chen., H. Pan., X. Yang., W. Pan dan D. Ouyang. 2018. Analysis of the Literature and Patents on Solid Dispersions from 1980 to 2015. *Molecules*, 23(7), 1697.

Zhang, X., H. Xing, Y. Zhao dan Z. Ma. 2018. Pharmaceutical dispersion techniques for dissolution and bioavailability enhancement of poorly water-soluble drugs. *Pharmaceutics*, 10(3), 74.

Zaini, E., N. Novitasari dan M. D., Octavia. 2017. Pembentukan Sistem Dispersi Padat Amorf Azitromisin Dihidrat dengan Hikroksipropil Metilselulosa (HPMC). *Jurnal Sains Farmasi & Klinis*, 3(2), 165-171.

Zaini E, Nisak RK, Utami RD, Fitriani L, Ismed F. Effect of milling on physicochemical properties of usnic acid isolated from usnea sp. *Orient J Chem*. 2017;33(6):3031–6. <https://doi.org/10.13005/ojc/330641>

Zaini. E., Y. S. Wahyuni., A. Halim., Y. Yuliandra. Preparation of eutectic mixture of ketoprofen and nicotinamide for enhanced dissolution rate. *Int J Pharm Sci Rev Res*. 2015;35(1):161–4.