

DAFTAR PUSTAKA

- Abdurachman and S. Askar. 2000. Comparative study of total VFA analysis with distillation methods and gas chromatography (in Indonesian title). Indonesian Agency for Agricultural Research and Development, Ministry of Agriculture, Indonesia.
- Aberle, E.D., J.C. Forrest, D.E. Gerrerd, and E.W. Mills. 2001. Principles of Meat Science. 4th Ed. Dubuque, IA. Kendall/Hunt Publishing Company.
- Abo-Donia, F.M., L.Y. Yang, A.N. Hristov, M. Wang, S.X. Tang, C.S. Zhou, X.F. Han, J.H. Kang, Z.L. Tan, and Z.X. He. 2017. Effects of tannins on the fatty acid profiles of rumen fluids and milk from lactating goats fed a total mixed ration containing rapeseed oil. *Livest. Sci.* 204: 16-24.
- Abuelfatah,, K., M.Z.A.B. Zakaria, G.Y. Meng, and A.Q. Sazili. 2014. Changes in fatty acid composition and distribution of n-3 fatty acids in goat tissues fed different levels of whole linseed. *Sci. World J.* Article ID 934154: 1-10.
- Adeyemi, K.D., A.B. Sabow, M. Ebrahimi, A.A. Samsudin, and A.Q. Sazili. 2016. Fatty acid composition, cholesterol and antioxidant status of infraspinatus muscle, liver and kidney of goats fed blend of palm oil and canola oil. *Ital. J. Anim. Sci.* 15(2):181-190.
- Aghwan, Z.A., A.R. Alimon, Y.M. Goh, K. Nakyinsige, and A.Q. Sazili. 2014. Fatty acids profiles semitendinosus muscles and serum in kacang goats supplemented with inorganic selenium and iodine. *Asian-Australas. J. Anim. Sci.* 27(4): 543-550.
- Alavi, I., Akbari A, and H. Alinejad-Rokny. 2012. Plant type selection for reclamation of Sarcheshmeh copper mine by fuzzy-TOPSIS method. *AETA* 1 (1): 8-13.
- Alfaia, C.P.M., S.P. Alves, S.I.V. Martins, A.S.H.Costa, C.M.G.A. Fontes, J.P.C. Lemos, R.J.B.Bessa, and J.A.M. Prates. 2009. Effect of feeding system on intramuscular fatty acids and conjugated linoleic acid isomers of beef cattle, with emphasis on their nutritional value and discriminatory ability. *Food Chem.* 114:939-46.
- Andrés, A., R. Bodas, M.L. Tejido, F.J. Giráldez, C. Valdés, and S. López. 2016. Effects of the inclusion of flaxseed and quercetin in the diet of fattening lambs on ruminal microbiota, *in vitro* fermentation and biohydrogenation of fatty acids. *J. Agric. Sci.* 154: 542-552.
- ASEAN Manual of Nutrient Analysis. 2011. Determination of cholesterol by gas chromatography method.
- AOAC. 2000. Official mMethods of Analysis, Oil and Fat. 17th ed. The Association of Official Analytical Chemists. Washington, D.C., USA.
- AOAC. 2005. Official Methods of Analysis. 18th ed. Association of Official Analytical, Chemists International, Maryland, USA.

- AOCS. 1993. Preparation of methyl esters of long-chain fatty acid composition by gas chromatography. In: Official methods of analysis. Association of Official Analytical Chemists. 15th ed. The Association of Official Analytical Chemists, USA.
- Arabameri, A., S. Abbasi, S.M. Eftekhari, and H. Amouniya. 2014. Selection the most suitable species type for stabilising sand dunes in dealing with the spread of desertification for environmental sustainability using TOPSIS method (Case study: Chah Jam Erg in South of Haj Ali Gholi Playa in Central part of Semnan Province, Iran). *Elixir Geoscience*. 70: 23793-23798.
- Ariapour, A., F. Veisanloo, and M. Asgari. 2014. An application of fuzzy TOPSIS method for plant selection in rangeland improvement (case study: Boroujerd Rangeland, Lorestan Province, Iran). *J. Range Sci.* 4 (3): 183-194.
- Bakasso, S., A. Lamien-Meda, C.E. Lamien, M. Kiendrebeogo, J. Millogo, A. G. Ouedraogo, and O. G. Nacoulma. 2008. Polyphenol contents and antioxidant activities of five indigofera species (Fabaceae) from Burkina Faso. *Pak. J. Biol. Sci.* 11(11): 1429 - 1435.
- Banskalieva, V., T. Sahl, and A.I. Goetsch. 2000. Fatty acid composition of goat muscles and fat depots: a review. *Small Rumin. Res.* 37: 255–268.
- Barrows, B.R. and E.J. Parks. 2006. Contributions of different fatty acid sources to very lowdensity lipoprotein-triacylglycerol in the fasted and fed states. *J. Clin. Endocrinol. Metab.* 91: 1446–1452.
- Bauman, D.E. and J.M. Griinari. 2003. Nutritional regulation of milk fat synthesis. *Annu. Rev. Nutr.* 23: 203-227.
- Bauman, D.E. and A.L. Lock. 2006. Concepts in lipid digestion and metabolism in dairy cows. *Proceedings of the 2006 Tri-State Dairy Nutrition Conference*. Fort Wayne, Indiana, USA, pp. 1-14.
- Beam, T.M., T.C. Jenkins, P.J. Moate, R.A. Kohn, and D.L. Palmquist. 2000. Effects of amount and source of fat on the rates of lipolysis and biohydrogenation of fatty acids in ruminal contents. *J. Dairy Sci.* 83(11): 2564-2573.
- Beate, Hiller. 2014. Recent developments in lipid metabolism in ruminants – the role of fat in maintaining animal health and performance. *Anim. Prod. Sci.* 54: 1549-1560.
- Berli, F.J., M. Fanzone, P. Piccoli, and R. Bottini. 2011. Solar UV-B and ABA are involved in phenol metabolism of *Vitis vinifera* L. increasing berry skin polyphenols. *J. Agric. Food Chem.* 59: 4874-4884.
- Bhatt, R.S., A. Sahoo, S. Sarkar, L. Soni, P. Sharma, and Y.P. Gadekar. 2020. Dietary supplementation of plant bioactive-enriched aniseed straw and eucalyptus leaves modulates tissue fatty acid profile and nuggets quality of lambs. *Animal*. 14(2):2642-2651.

- Bonanno, A., G. Di Miceli, A. Di Grigoli, A.S. Frenda, G. Tornambe, D. D. Giambalvo, and G. Amato. 2010 Effects of feeding green forage of sulla (*Hedysarum coronarium* L.) on lamb growth and carcass and meat quality. *Animal*. 5(1): 148–154.
- Bonet, M.L., J. Ribot, and A. Palou. 2012. Lipid metabolism in mammalian tissues and its control by retinoic acid. *Biochimica et Biophysica Acta*. 1821: 177-189.
- Buccioni, A., G. Pallara, R. Pastorelli, L. Bellini, A. Cappucci, F. Mannelli, S. Minieri, V. Roscini, S. Rapaccini, M. Mele, L. Giovannetti, C. Viti, and M. Pauselli. 2017. Effect of dietary chestnut or quebracho tannin supplementation on microbial community and fatty acid profile in the rumen of dairy ewes. *Biomed Res. Int*. Article ID 4969076: 1-12.
- Buccioni, A., M. Decandia, S. Minieri, G. Molle, and A. Cabiddu. 2012. Lipid metabolism in the rumen: New insights on lipolysis and biohydrogenation with an emphasis on the role of endogenous plant factors. *Anim. Feed Sci. Technol*. 174(1): 1-25.
- Buccioni, A., M. Pauselli, C. Viti, S. Minieri, G. Pallara, V. Roscini, S. Rapaccini, M. Trabalza Marinucci, P. Lupi, G. Conte, and M. Mele. 2015. Milk fatty acid composition, rumen microbial population, and animal performances in response to diets rich in linoleic acid supplemented with chestnut or quebracho tannins in dairy ewes. *J. Dairy Sci*. 98(2): 1145-1156.
- Cabiddu A., M. Decandia, L. Salis, G. Scanu, M. Fiori, M. Addis, M. Sitzia, and G. Molle. 2009. Effect of species, cultivar and phenological stage of different forage legumes on herbage fatty acid composition, *Ital. J. Anim. Sci*. 8(2):277-279.
- Cabiddu, A., L. Salis, J.K.S. Tweed, G. Molle, M. Decandia, and M.R.F. Lee. 2010. The influence of plant polyphenols on lipolysis and biohydrogenation in dried forages at different phenological stages: *in vitro* study. *J. Sci. Food Agric*. 90(5):829-835.
- Carreño, D., G. Hervás, P.G. Toral, A. Belenguer, and P. Frutos. 2015. Ability of different types and doses of tannin extracts to modulate *in vitro* ruminal biohydrogenation in sheep. *Anim. Feed Sci. Technol*, 202: 42-51.
- Casey, N.H., and E.C. Webb. 2010. Managing goat production for meat quality. *Small Rumin. Res*. 89: 218–244.
- Castillo-González, A.R., M.E. Burrola-Barraza, J. Domínguez-Viveros, and A. Chávez-Martínez. 2014. Rumen microorganisms and fermentation. *Arch. med. vet*. 46(3): 349-361.
- Chen, J and H. Liu. 2020. Nutritional indices for assessing fatty acids: a mini-review. *Int. J. Mol. Sci*. 21: 1-24.
- Chikunya, S., G. Demirel, M. Enser, J.D. Wood, R.G. Wilkinson, and L.A. Sinclair. 2004. Biohydrogenation of dietary n-3 PUFA and stability of ingested vitamin E in the rumen, and their effects on microbial activity in sheep. *Br. J. Nutr*. 91: 539-550.
- Clapham, W., J.G. Foster, J.P.S. Neel, and J.M. Fedders. 2005. Fatty acid composition of traditional and novel forages. *J. Agri. Food Chem*. 53: 10068-10073.

- Conte, G., A. Serra, and M. Melle. 2018. Chapter 2- Dairy Cow Breeding and Feeding on the Milk Fatty Acid Pattern. Editor: Watson R.R., R.J. Collier, and V.R. Preedy. Nutrients in Dairy and Their Implications for Health and Disease. Academic Press.
- Costa, M., S.P. Alves, A. Cappucci, S.R. Cook, A. Duarte, R.M. Caldeira, T.A. McAllister, and R.J.B. Bessa. 2018. Effects of condensed and hydrolyzable tannins on rumen metabolism with emphasis on the biohydrogenation of unsaturated fatty acids. *J. Agric. Food Chem.* 66: 3367-3377.
- Costa, P., L.C. Roseiro, R.J.B. Bessa, M. Padilha, A. Partidario, J.M. de Almeida, C.R. Calkins and C. Santos. 2008. Muscle fiber and fatty acid profiles of Mertolenga-PDO meat. *Meat Sci.* 78:502-512.
- Costa, R.G., N.M. Santos, R.C.R.E. Queiroga, W.H. Sousa, M.S. Madruga, and F.Q. Cartaxo. 2015. Physicochemical characteristics and fatty acid profile of meat from lambs with different genotypes and diets. *Rev. Bras. Zootec.* 44(7):248-254.
- Cox, R.B. 2004. Consumer acceptability of forage or concentrate finished beef in three southeastern U.S. states. M.S. Thesis., Auburn Univ., Alabama.
- Cox R.B., C.R. Kerth, J.G. Gentry, J.W. Prevatt, K.W. Braden, and W.R. Jones. 2006. Determining acceptance of domestic forage or grain finished beef by consumers from three different Southeastern U.S. states. *J. Food Sci.* 71: 542-546.
- Daley, C.A., A. Abbott, P.S. Doyle, G.A. Nader, and S. Larson. 2010. A review of fatty acid profiles and antioxidant content in grass-fed and grain-fed beef. *Nutrition J.* 9(10): 1-12.
- Dannenberger, D., G. Nuernberg, N. Scollan, W. Schabbel, H. Steinhart, K. Ender, and K. Nuernberg. 2004. Effect of diet on the deposition of n-3 fatty acids, conjugated linoleic and C18:1 trans fatty acid isomers in muscle lipids of German holstein bulls. *J. Agric. Food Chem.* 52: 6607-6615.
- Dawson, R.M.C. and N. Hemington. 1974. Digestion of grass lipids and pigments in the sheep rumen. *Br. J. Nutr.* 32:327-340.
- De Neve, N., B. Vlaeminck, F. Gadeyne, E. Claeys, P. Van der Meeren, and V. Fievez 2018. Protection of emulsified polyunsaturated fatty acids against *in vitro* ruminal biohydrogenation by polyphenol oxidase: characterization of the cross-linked emulsion. *Anim. Feed Sci. Technol.* 246: 91-103.
- Delgadillo-Puga, C., M. Cuchillo-Hilario, L. León-Ortiz, A. Ramírez-Rodríguez, A. Cabiddu, A. Navarro-Ocaña, A.M. Morales-Romero, O.N. Medina-Campos, and J. Pedraza-Chaverri. 2019. Goats' feeding supplementation with *Acacia farnesiana* pods and their relationship with milk composition: fatty acids, polyphenols, and antioxidant activity. *Animals.* 9(8): 1-16.
- Department of Health and Social Security. 1984. Report on Health and Social Subjects: Diet and Cardiovascular Disease. Her Majesty's Stationery Office. London.

- Descalzo, A.M., E.M. Insani, A. Biolatto, A.M. Sancho, P.T. Garcia, N.A. Pensel, and J.A. Josifovich. 2005. Influence of pasture or grain-based diets supplemented with vitamin E on antioxidant/oxidative balance of Argentine beef. *Meat Sci.* 70: 35-44.
- Dewhurst, R., Scollan N., Lee M., Ougham H., and Humphreys M. 2003. Forage breeding and management to increase the beneficial fatty acid content of ruminant products. *Proc Nutr Soc.* 62 (2): 329-336.
- Dewhurst, R.J., K.J.Shingfield, M.R.F. Lee, and N.D. Scollan. 2006. Increasing the concentrations of beneficial polyunsaturated fatty acids in milk produced by dairy cows in high-forage systems. *Anim. Feed Sci. Technol.* 131: 168-206.
- Dias, K.M., D. Schmitt, G.R. Rodolfo, F.C. Deschamps, G.N. Camargo, R.S. Pereira, and A.F. Sbrissia. 2017. Fatty acid profile in vertical strata of elephant grass subjected to intermittent stocking. *An. Acad. Bras. Cienc.* 89 (3): 1707-1718.
- Duckett, S.K., J.P.S. Neel, R.M. Lewis, J.P. Fontenot, and W.M. Clapham. 2013. Effects of forage species or concentrate finishing on animal performance, carcass and meat quality. *J. Anim. Sci.* 91: 1454-1467.
- Enjalbert, F., S. Combes, A. Zened, and A. Meynadier. 2017. Rumen microbiota and dietary fat: a mutual shaping. *J. Appl. Microbiol.* 123: 782-797.
- Fakhri, S., A. Jayanegara, and Yurleni. 2017. The inclusion effects of indigofera zollingeriana in oil palm fronds based diet on rumen fermentation kinetics and microbial yields in vitro. *Proceedings the 7th International Seminar on Tropical Animal Production, Yogyakarta, Indonesia.* p. 103-106.
- Faustman, C., W.K.M. Chan, D.M. Schaefer, and A. Havens. 1998. Beef color update: The role for vitamin E. *J. Anim. Sci.* 76:1019-1026.
- Fonteles, N., S.P.Alves, M.S. Madruga, R.R.E. Queiroga, A.P. Andrade, D.S. Silva, A.P. Leal, R.J.B. Bessa, and A.N. Medeiros. 2018. Fatty acid composition of polar and neutral meat lipids of goats browsing in native pasture of Brazilian Semiarid. *Meat Sci.* 139:149-156.
- Francisco, A.E., J.M. Santos-Silva, A.P.V. Portugal, S.P. Alves, and R.J.B. Bessa. 2019. Relationship between rumen ciliate protozoa and biohydrogenation fatty acid profile in rumen and meat of lambs. *PLoS One* 14(9):1-21.
- Fruet, A.P.B., F.S. Stefanello, F. Trombetta, A.N. Motta de Souza, A.G. Rosado, Jr., C.J. Tonetto, A.S. De Mello, and J.L. Nörnberg. 2017. Fatty acids profile and quality attributes of beef from steers finished on legume and grass pasture. *Meat and Muscle Biology* 13(1): 60-61.
- Ginsberg, H.N. and W. Karmally. 2000. Nutrition, Lipids, and Cardiovascular Disease. In: *Biochemical and Physiological Aspects of Human Nutrition.* Editor: Stipanuk M.H. W.B. Saunders Co, Philadelphia. pp. 917-944.

- Ginting, S.P., R. Krisnan, J. Krisnan, J. Sirait, and Antonius. 2010. The utilization of *Indigofera* sp. as the sole foliage in goat diets supplemented with high carbohydrate or high protein concentrate. *Indon. J. Anim. Vet. Sci.* 15 (4): 261-268.
- Glasser, F., P. Schmidely, D. Sauvant, and M. Doreau. 2008. Digestion of fatty acids in ruminants: a meta-analysis of flows and variation factors: 2. C18 fatty acids. *Animal*. 2(5): 691-704.
- Glasser, F., M. Doreau, G. Maxin, and R. Baumont. 2013. Fat and fatty acid content and composition of forages: A metaanalysis. *Anim. Feed Sci. Technol.* 185:19-34.
- Goering, H.K. and P.J. Van Soest. 1970. Forage fiber analyses. (apparatus, reagents, procedures, and some applications). *Agriculture Handbook No. 379*. United States Department of Agriculture, Washington.
- Goss-Sampson, M. 2018. Statistical analysis in JASP 0.9.2: a guide for students. Version 2. <http://jasp-stats.org/jasp-materials/>.
- Goss-Sampson, M. 2020. Statistical analysis in JASP 0.1.3: a guide for students. <http://jasp-stats.org/jasp-materials/>.
- Griffin, C.L., M.W. Orcutt, R.R. Riley, G.C. Smith, J.W. Savell, and M. Shelton. 1992. Evaluation of the palatability of lamb, mutton and chevon by sensory panels of various cultural backgrounds. *Small Rumin. Res.* 8:67-74.
- Gu, Z., K. Shan, H. Chen, and Y.Q. Chen. 2015. n-3 Polyunsaturated fatty acids and their role in cancer chemoprevention. *Curr. Pharmacol. Rep.* 1(5): 283-294.
- Gudla, P., A.A. Abughazaleh, A. Ishlak, and K. Jones. 2012. The effect of level of forage and oil supplement on biohydrogenation intermediates and bacteria in continuous cultures. *Anim. Feed Sci. Technol.* 171(2): 108-116.
- Guerra-Rivas, C., P. Lavín, B. Gallardo, A.R. Mantecón, C. Vieiraand, and T. Manso. 2013. Grape pomace and grape seed extract in lambs diet: meat fatty acid profile and antioxidant activity. In: *Book of Abstract of the 64th Annual Meeting of the European Federation of Animal Science*. Wageningen Academic Publishers, Netherlands.
- Harfoot, C. G. 1981. Anatomy, Physiology and Microbiology of the Ruminant Digestive Tract. In: *Lipid Metabolism in Ruminant Animals*. Editor: W. W. Christie. Pergamon Press. Oxford, United Kingdom.
- He, Q., B. Shi, and K. Yao. 2006. Interactions of gallotannins with proteins, amino acids, phospholipids and sugars. *Food Chem.* 95: 250-254.
- Hiai, S., H. Oura, and T. Nakajima. 1976. Color Reaction of some sapogenins and saponins with vanillin and sulfuric acid. *Planta Med.* 29(2):116-122.

- Hidayawati, S.Y., R. Priyanto dan M. Baihaqi. 2016. Komposisi jaringan karkas Domba Garut umur sebelas bulan dengan ransum penggemukan mengandung limbah taube dan *Indigofera zollingeriana*. Editor: Abdullah L., D.A. Astuti dan Suharlina. Bunga Rampai Hasil Riset dan Pengembangan *Indigofera zollingeriana*. Jilid I. IPB Press, Bogor-Indonesia.
- Hwang, Y.H. and S.T. Joo. 2017. Fatty acid profiles, meat quality, and sensory palatability of Grain-fed and Grass-fed Beef from Hanwoo, American, and Australian Crossbred Cattle. *Korean J. Food Sci. An.* 37(2): 153-161.
- Hwang, Y.H., A. Bakhsh, I. Ismail, J.G. Lee, and S.T. Joo. 2018. Effect of intensive alfalfa feeding on meat quality and fatty acid profile of Korean native black goats. *Korean J. Food Sci. An.* 38(5): 1092-1100.
- Hymøller, L. and S. K. Jensen. 2010. Stability in the rumen and effect on plasma status of single oral doses of vitamin D and vitamin E in high-yielding dairy cows. *J. Dairy Sci.* 93:5748-5757.
- Indah, A.S., I.G. Permana dan Despal. 2020. Model pendugaan total digestible nutrient (TDN) pada hijauan pakan tropis menggunakan komposisi nutrien. *Sains Peternakan.* 18(1): 38-43.
- Irawan, A., C.T. Noviandi, Kustantinah, B.P. Widyobroto, A. Astuti, and S. Ates. 2020. Effect *Leucaena leucocephala* and corn oil on ruminal fermentation, methane production and fatty acid profile: an *in vitro* study. *Anim. Prod. Sci.* 2020.
- Ishlak, A., M. Günal, and A.A. AbuGhazaleh. 2015. The effects of cinnamaldehyde, monensin and quebracho condensed tannin on rumen fermentation, biohydrogenation and bacteria in continuous culture system. *Anim. Feed Sci. Technol.* 207: 31-40.
- Jafari, S., G. Y. Meng, M. A. Rajion, M. F. Jahromi, and M. Ebrahimi. 2016a. Manipulation of rumen microbial fermentation by polyphenol rich solvent fractions from papaya leaf to reduce green-house gas methane and biohydrogenation of C18 PUFA. *J. Agric. Food Chem.* 64:4522-4530.
- Jafari, S., Y.M. Goh, M.A. Rajion, M.F. Jahromi, and M. Ebrahimi. 2016b. Ruminal methanogenesis and biohydrogenation reduction potential of papaya (*Carica papaya*) leaf: An *in vitro* study. *Ital. J. Anim. Sci.* 15(1). 157-165..
- Jafari, S., M. Ebrahimi, G. Y. Meng, M. A. Rajion and M. F. Jahromi. 2017. Dietary supplementation of papaya (*Carica papaya* l.) leaf affects abundance of *Butyrivibrio fibrisolvens* and modulates biohydrogenation of C18 polyunsaturated fatty acids in the rumen of goats, *Ital. J. Anim. Sci.* 17(2): 326-335.
- Jayanegara, A., M. Kreuzer, E. Wina, and L. Florian. 2011. Significance of phenolic compounds in tropical forages for the ruminal bypass of polyunsaturated fatty acids and the appearance of biohydrogenation intermediates as examined *in vitro*. *Anim Prod Sci* 51: 1127-1136.

- Jayanegara, A., M. Kruezer, and F. Leiber. 2012. Ruminant disappearance of polyunsaturated fatty acids and appearance of biohydrogenation products when incubating linseed oil with alpine forage plant species *in vitro*. *Livestock Sci.* 147: 104-112.
- Jayanegara, A., G. Goel, H. P. S. Makkar, and K. Becker. 2015. Divergence between purified hydrolysable and condensed tannin effects on methane emission, rumen fermentation and microbial population *in vitro*. *Anim. Feed Sci. Technol.* 209: 60-68.
- Kalač, P. and E. Samková. 2010. The effects of feeding various forages on fatty acid composition of bovine milk fat: A review. *Czech J. Anim. Sci.* 55(12):521-537.
- Kementrian Kesehatan R.I. 2013. Data Riset Kesehatan Dasar. Pusdatin Kementrian Kesehatan R.I., Jakarta.
- Kerth, C.R., K.W. Braden, R. Cox, L.K. Kerth, and D.L. Rankins Jr. 2007. Carcass, sensory, fat color, and consumer acceptance characteristics of Angus-cross steers finished on ryegrass (*Lolium multiflorum*) forage or on a high-concentrate diet. *Meat Sci.* 75: 324-331.
- Khan, N.A., J.W. Cone, V. Fievez, and W.H. Hendriks. 2012. Causes of variation in fatty acid content and composition in grass and maize silages. *Anim. Feed Sci. Technol.* 174: 36-45.
- Khan, N.A., M.W. Farooq, M. Ali, M. Suleman, N. Ahmad, S.M. Sulaiman, J.W. Cone, and W.H. Hendriks. 2015. Effect of species and harvest maturity on the fatty acids profile of tropical forages. *J. Anim. Plant Sci.* 25(3):739-746.
- Khiaosa-ard, R., S.F. Bryner, M.R.L. Scheeder, H.R. Wettstein, F. Leiber, M. Kreuzer, and C.R. Soliva. 2009. Evidence for the inhibition of the terminal step of ruminal alpha-linolenic acid biohydrogenation by condensed tannins. *J. Dairy Sci.* 92(1):177-188.
- Kleiner, I.S. and L.B. Dotti. 1962 . Laboratory instructions in biochemistry. 6th Edition, The C.V. Mosby Company, New York.
- Kondo, M., Y. Hirano, N. Ikai, K. Kita, A. Jayanegara, and H.O. Yokota. 2014. Assessment of anti-nutritive activity of tannins in tea by-products based on *in vitro* rumen fermentation. *Asian-Australas J. Anim. Sci.* 27(11):1571-1576.
- Koten, B.B., R. Wea, R.D. Soetrisno, N. Ngadiyono, B. Soewignyo. 2014. Konsumsi nutrisi ternak kambing yang mendapatkan hijauan hasil tumpang sari arbila (*Phaseolus lunatus*) dengan sorgum sebagai tanaman sela pada jarak tanam arbila dan jumlah baris sorgum yang berbeda. *Jurnal Ilmu Ternak.* 1: 38-45.
- Liotta L., V. Chiofalo, V. L. Presti, and B. Chiofalo. 2020. Effect of production system on growth performances and meat traits of suckling Messinese goat kids. *Ital. J. Anim. Sci.* 19:1, 245-252.
- Lee, M.R.F., J.K.S. Tweed, A. Cookson, and M.L. Sullivan. 2010. Immunogold labelling to localize polyphenol oxidase (PPO) during wilting of red clover leaf tissue and the

effect of removing cellular matrices on PPO protection of glycerol-based lipid in the rumen. *J. Sci. Food Agric.* 90:503–510.

- Lee, M.R.F., J.K.S. Tweed, N.D. Scollan and M.L. Sullivan. 2008. Mechanism of polyphenol oxidase action in reducing lipolysis and proteolysis in red clover during batch culture incubation. *Proc. Br. Soc. Anim. Sci.* 31.
- Lee, M.R.F., K.J. Shingfield, J.K.S. Tweed, V. Toivonen, S.A. Huws, and N.D. Scollan. 2008. Effect of fish oil on ruminal biohydrogenation of C18 unsaturated fatty acids in steers fed grass or red clover silages. *Animal.* 2(12):1859-1869.
- Leheska, J.M., L.D. Thompson, J.C. Howe, E. Hentges, J. Boyce, J.C. Brooks, B. Shriver, L. Hoover, and M.F. Miller. 2008. Effects of conventional and grass-feeding systems on the nutrient composition of beef. *J. Anim. Sci.* 8:3575–3685.
- Lehninger, A.L. 2004. Principles of Biochemistry (Dasar-dasar Biokimia, alih bahasa Thenawidjaja M.). Edisi ke-2. Erlangga. Jakarta.
- Lejonklev, J., A.C. Storm, M.K. Larsen, G. Mortensen, and M.R. Weisbjerg. 2013. Differences in rate of ruminal hydrogenation of C18 fatty acids in clover and ryegrass. *Animal.* 7(10):1607-1613.
- Lourenco, M., G. Van Ranst, B. Vlaeminck, S. De Smet and V. Fievez. 2007. Influence of different dietary forages on the fatty acid composition of rumen digesta as well as ruminant meat and milk. *Anim. Feed Sci. Technol.* 145:418-437.
- Lourenço, M., E. Ramos-Morales, and R.J. Wallace. 2010. The role of microbes in rumen lipolysis and biohydrogenation and their manipulation. *Animal.* 4(7):1008-1023.
- Lourenço, M., P.W. Cardozo, S. Calsamiglia, and V. Fievez. 2008. Effects of saponins, quercetin, eugenol, and cinnamaldehyde on fatty acid biohydrogenation of forage polyunsaturated fatty acids in dual-flow continuous culture fermenters. *J. Anim Sci.* 86(11):3045-3053.
- Madruça, M.S., F.S. Resosemito, N. Narain, W.H. Souza, M.G.G. Cunha, and J.L. Ramos. 2006. Effect of raising conditions of goats on physio-chemical and chemical quality of its meat. *Food Sci. Technol.* 5: 100-104.
- Madruça, M.S., S.G.B. Arruda, N. Narain, and J.G. Souza. 2000. Castration and slaughter age effects on panel assessment and aroma compounds of the 'mestiço' goat meat. *Meat Sci.* 56:117–125.
- Makkar, H.P.S. 2003. Quantification of tannins in tree and shrub foliage: a laboratory manual. Kluwer Academic Publishers, Dordrecht.
- Makmur, M., M. Zain, F. Agustin, R. Sriagtula, and E.M. Putri. 2020. *In vitro* rumen biohydrogenation of unsaturated fatty acids in tropical grass-legume rations. *Vet. World.* 13(4):661-668.
- Makmur, M., M. Zain, Y. Marlida, Khasrad, and A. Jayanegara. 2019. Fatty acids composition and biohydrogenation reduction agents of tropical forages. *Biodiversitas.* 20(7):1917-1922.

- Mazhangara, I.R., E. Chivandi, J.F. Mupangwa, and V. Muchenje. 2019. The potential of goat meat in the red meat industry. *Sustainability*. 11(3671): 1-12.
- McKain, N., K.J. Shingfield, and R.J. Wallace. 2010. Metabolism of conjugated linoleic acids and 18:1 fatty acids by ruminal bacteria: Products and mechanisms. *Microbiol.* 156:579-588.
- Min, B.R., T.N. Barry, G.T. Attwood, and W.C. McNabb. 2003. The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperate forages: a review. *Anim. Feed Sci. Technol.* 106:3-19.
- Mirdhayati, I., J. Hermanianto, C.H. Wijaya dan D. Sajuthi. 2014. Profil karkas dan karakteristik kimia daging kambing kacang (*Capra aegagrus hircus*) jantan. *JITV* 19(1): 26-34.
- Moss, A.R., J.P. Jouany, and J. Newbold. 2000. Methane Production by ruminants: its contribution to global warming. *Ann. Zootechnol.* 49(3):231-253.
- Mu, J., H. Tan, Q. Zheng, F. Fu, Y. Liang, J. Zhang, X. Yang, T. Wang, K. Chong, X. Wang, and J. Zuo. 2008. Leafy cotyledon1 is a key regulator of fatty acid biosynthesis in *Arabidopsis*. *Plant Physiol.* 148: 1042-1054.
- Nakamura, Y., A. Kaihara, K. Yoshii, Y. Tsumura, S. Ishimitsu, and Y. Tonogai. 2001. Effect of the oral administration of green tea polyphenol and tannic acid on serum and hepatic lipid contents and fecal steroid excretion in rats. *J. Health Sci.* 47:107-117.
- Noci, F., F.J. Monahan, P. French, and A.P. Moloney. 2005. The fatty acid composition of muscle fat and subcutaneous adipose tissue of pasture-fed beef heifers: Influence of the duration of grazing. *J. Anim. Sci.* 83: 1167-1178.
- NRC. 2007. *Nutrient Requirements of Small Ruminants: Sheep, Goats, Cervids and New World Camelids*. National Academy Press. Washington D.C., USA.
- Nuernberg, K., D. Dannenberger, G. Ender, J. Voigt, N.D. Scollan, J.D. Wood, G.R. Nute, and R.I. Richardson. 2005. Effect of a grass-based and a concentrate feeding system on meat quality characteristics and fatty acid composition of *longissimus* muscle in different cattle breeds. *Livest. Prod. Sci.* 94: 137-147.
- Palmquist, D.L. 1988. *The Feeding Value of Fats*. Editor: Ørskov ER, editor. Feed Science. Amsterdam: Elsv. Sci. Pub. BV. pp. 293-312.
- Patino, H.O., F.S Medeiros., C.H. Swanson, K.C. Swanson, and C. McManus. 2015. Productive performance, meat quality and fatty acid profile of steers finished in confinement or supplemented at pasture. *J. Nutrition.* 134: 2407-2414.
- Peña F., M. Juárez, A. Bonvillani, P. García, O. Polvillo and V. Domenech. 2011. Muscle and genotype effects on fatty acid composition of goat kid intramuscular fat, *Ital. J. Anim. Sci.* 10(40): 212-216.

- Petersen, M.B. 2014. The effect of forbs on rumen biohydrogenation of fatty acids and bovine milk fatty acid composition. PhD Thesis. The Department of Animal Science, Faculty of Science and Technology, Aarhus University.
- Poulson, C.S., T.R. Dhiman, A.L. Ure, D. Cornforth, and K. C. Olson. 2004. Conjugated linoleic acid content of beef from cattle fed diets containing high grain, CLA, or raised on forages. *Livest. Prod. Sci.* 91:117-128.
- Pujaningsih, R.I., F. Fani and A.W. Pambudi. 2016. Particle size's effect of application forage processing technology on consumption efficiency, palatability and digestibility of local goat. *Animal Production.* 18(1): 8-13.
- Purslow, P.P. 2017. The Structure and Growth of Muscle. Editor: Fidel Toldrá. *Lawrie's Meat Science.* Eighth Edition. Woodhead Publishing Series in Food Science, Technology and Nutrition. Duxford, United Kingdom.
- Putri, E.M., M. Zain, L. Warly, and H. Hermon. 2019. *In vitro* evaluation of ruminant feed from West Sumatera based on chemical composition and content of rumen degradable and rumen undegradable proteins. *Vet. World.* 12(9):1478-1483.
- Qwele, K., A. Hugo, S.O. Oyedemi, B. Moyo, P.J. Masika, and V. Muchenj. 2013. Chemical composition, fatty acid content and antioxidant potential of meat from goats supplemented with Moringa (*Moringa oleifera*) leaves, sunflower cake and grass hay. *Meat Sci.* 93:455-462.
- Rahman, T.U., M.A. Zeb, W. Liaqat, M. Sajid, S. Hussain, and M.I. Choudhary. 2017. Phytochemistry and pharmacology of genus *Indigofera*: a review. *Rec. Nat. Prod.* 12(1):1-13.
- Ratnayake, W.M.N., S.L. Hansen, and M.P. Kennedy. 2006. Evaluation of the CP-Sil. 88 and SP2560 GC columns used in the recent approval of AOCS Official Method Ce 1h-05: Determination of cis-, trans-, saturated, monounsaturated, and polyunsaturated fatty acids in vegetable or non-ruminant animal oils and fats by capillary GLC method. *J Am Oil Chem Soc,* 83(6): 475-488.
- Rhee, K.S., D.F. Waldron, Y.A. Ziprin, and K.C. Rhee. 2000. Fatty acid composition of goat diets vs intramuscular fat. *Meat Sci.* 54: 313-318.
- Ruechel, J. 2012. *Grass-fed cattle: how to produce and market natural beef.* Storey Books, North Adams, Massachusetts.
- Rusman, Soeparno, Setiyono, and A. Suzuki. 2003. Characteristics of *biceps femoris* and *longissimus thoracis* muscles of five cattle breeds grown in a feedlot system. *Anim. Sci. J.* 74(1): 59-65.
- Sambas, I.D., D.A. Astuti dan L. Abdullah. 2017. Efisiensi penggunaan protein ransum komplit yang mengandung *Indigofera zollingeriana* dan limbah tauge pada penggemukan domba lokal jantan. Editor: L. Abdullah dan Suharlina. *Bunga Rampai Hasil Riset dan Pengembangan Indigofera zollingeriana.* Jilid II. IPB Press, Bogor-Indonesia.

- Sapp, P.H., S.E. Williams, and M.A. McCann. 1999. Sensory attributes and retail display characteristics of pasture- and/or grain-fed beef aged 7, 14, or 21 days. *J. Food Quality*. 22: 257-274.
- Sartika, R.A.D. 2008. Pengaruh asam lemak jenuh, tidak jenuh dan asam lemak trans terhadap kesehatan. *Jurnal Kesehatan Masyarakat Nasional*. 2(4): 154-160.
- Sarvvi, B., C. Zhi-jun, J. Xin, W. Ya-jing, Y. Hongjian, and L. Sheng-li. 2018. The effects of step-wise improvement of forage combination in total mixed rations on fatty acid profile in the rumen and milk of holstein cows. *J. Integr. Agric.* 17(8):1833-1842.
- Scollan, N.D., J.F. Hocquette, K. Nuernberg, D. Dannenberger, I. Richardson, and A. Moloney. 2006. Inovations in beef production systems that enhance the nutritional and health value of beef lipids and their relationship with meat quality. *Meat Sci*. 74:17-33.
- Shingfield, K.J., Bernard L, Leroux C, and Chilliard Y. 2010. Role of trans fatty acids in the nutritional regulation of mammary lipogenesis in ruminants. *Animal*. 4: 1140-1166.
- Sirait, J., K. Simanihuruk dan R. Hutasoit. 2011. Potensi *Indigofera* sp. sebagai pakan kambing: dewproduksi, nilai nutrisi dan palatabilitas. *Pastura*. 1(2):56-60.
- Simanihuruk, K. dan J. Sirait. 2009. Pemanfaatan leguminosa pohon *Indigofera* sp. sebagai pakan basal kambing boerka fase pertumbuhan. *Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner* 449-455.
- Smith, A.H., E. Zoetendal, and R.I. Mackie. 2005. Bacterial mechanisms to overcome the inhibitory effect of dietary tannins. *Microb. Ecol*. 50: 197-20.
- Soeparno. 2011. *Ilmu Nutrisi dan Gizi Daging*. Gadjah Mada University Press, Yogyakarta.
- Suharlina, D.A. Astuti, Nahrowi, A. Jayanegara dan L. Abdullah. 2018. Evaluasi ransum mengandung *Indigofera zollingeriana* terhadap anak kambing lepas sapih. *Pastura*. 7(2): 62-68.
- Suharlina, D.A. Astuti, Nahrowi, A. Jayanegara, and L. Abdullah. 2016. Nutritional evaluation of dairy goat rations containing *Indigofera zollingeriana* by using *in vitro* rumen fermentation technique (RUSITEC). *Intl. J. Dairy Sci*. 11: 100-105.
- Suharlina, S., D.A. Astuti, N. Nahrowi, A. Jayanegara, and L. Abdullah. 2016. *In vitro* evaluation of concentrate feed containing *Indigofera zollingeriana* in goat. *J. Indonesian Trop. Anim. Agric*. 41(4):196-203.
- Suharti, S., A. Banowati, W. Hermana dan K.G. Wiryawan. 2008. Komposisi dan kandungan kolesterol karkas ayam broiler diare yang diberi tepung daun salam (*Syzygium polyanthum* Wight) dalam ransum. *Med. Pet*. 31(2): 138-145.
- Suharti, S., I. Firliani, M. Mawar, V. Sekar, and K.G. Wiryawan. 2019. *In vitro* ruminal fermentation, microbial population, fatty acid profile in cattle in the presence of *Sapindus rarak* extract combined with oils microencapsulation. *Adv. Anim. Vet. Sci*. 7(9):798-805.

- Sultana, N., A.R. Alimon, K.S. Huque, A.Q. Sazili, H. Yaakub, S.M.J. Hussain, and N.G. Das. 2017. Study of anti-nutritional compounds, antioxidant activity and fatty acid composition of Moringa (*Moringa oleifera* Lam.) Foliage. *Asian J Agric Food Sci* 5 (3): 144-150.
- Swatland, H.J., 1984. Structure and development of meat animals. Prentice-Hall Inc. Englewood Cliffs, New Jersey.
- Tahuk, P.K., A.A. Dethan, and S. Sio. 2018. The composition of saturated and unsaturated fatty acids and cholesterol in meat of Bali bull fattened using greenlot system in small holder farming. *Jurnal Kedokteran Hewan*. 12(3): 66-70.
- Tamminga, S. and M. Doreau. 1991. Lipids and rumen digestion. Editor: Jouany J.P. In: *Rumen Microbial Metabolism and Ruminant Digestion*. Paris: INRA. pp. 151-164.
- Tarigan, A., S.P. Ginting, I.I. Arief, D.A. Astuti, and L. Abdullah. 2017. Physical quality and digestibility *in vitro* determination of green concentrate based on *Indigofera zollingeriana*. *Indon. J. Anim. Vet. Sci.* 22 (3): 114-123.
- Tarigan, A. 2018. Green concentrate pellet (GCP) berbasis *Indigofera zollingeriana* sebagai sumber pakan kambing boerka. Disertasi. Sekolah Pascasarjana Institut Pertanian Bogor, Bogor.
- Tarigan, A. dan S.P. Ginting. 2011. Pengaruh taraf pemberian *Indigofera* sp. terhadap konsumsi dan pencernaan pakan serta penambahan bobot hidup kambing yang diberi rumput *Brachiaria ruziziensis*. *JITV* 16(1): 25-32.
- Tarigan, A., S.P. Ginting, I.I. Arief, D.A. Astuti, and L. Abdullah. 2018. Body weight gain, nutrients degradability and fermentation rumen characteristics of boerka goat supplemented green concentrate pellets (gcp) based on *Indigofera zollingeriana*. *Pak. J. Biol. Sci.* 21(2):87-94.
- Teodoro, G.R., K. Ellepol, C.J. Seneviratne, and C.Y. Koga-Ito. 2015. Potential use of phenolic acids as anti-candida agents: a review. *Front. Microbiol.* 6:1420.
- Tilley, J.M.A. and R.A. Terry. 1963. A two-stage technique for the *in vitro* digestion of forage crops. *J. Grass Forage Sci.* 18(2): 104-111.
- Toral, P.G., F.J. Monahan, G. Hervás, P. Frutos, and A.P. Moloney. 2018. Review: Modulating ruminal lipid metabolism to improve the fatty acid composition of meat and milk. challenges and opportunities. *Animal*. 12(2):272-281.
- Toral, P.G., G. Hervás, H. Missaoui, S. Andrés, F.J. Giráldez, S. Jellali, and P. Frutos. 2016. Effects of a tannin-rich legume (*Onobrychis viciifolia*) on *in vitro* ruminal biohydrogenation and fermentation. *Span. J. Agric. Res.* 14(1):1-9.
- Ulbricht, T. and D. Southgate. 1991. Coronary heart disease: seven dietary factors. *Lancet*. 338: 985-992.

- Vahmani, P., C. Mapiye, N. Prieto, D.C. Rolland, T.A. McAllister, J. Aalhus, and M.E.R. Dugan. 2015. The scope for manipulating the polyunsaturated fatty acid content of beef: a review. *J. Anim. Sci. Biotechnol.* 2015: 1-6.
- Van Ranst, G., M. Vandewalle, F. Gadeyne, J. De Riek, and V. Fievez. 2013. Lipid metabolism in mixtures of red clover (*Trifolium repens*) and perennial ryegrass (*Lolium perenne*) in lab scale silages and *in vitro* rumen incubations. *Animal.* 7(9):1454-1463.
- Van Ranst, G., V. Fievez, M. Vandewalle, C. Van Waes, J. De Riek, and E. Van Bockstaele. 2010. Influence of damaging and wilting red clover on lipid metabolism during ensiling and *in vitro* rumen incubation. *Animal.* 4(9):1528-1540.
- Van Soest, P.J., J.B. Robertson, and B.A. Lewis. 1991. Methods for dietary fiber, neutral detergent fiber, and nonstarch polysaccharides in relation to animal nutrition. *J. Dairy Sci.* 74: 3583-3597.
- Vasta, V., H.P.S. Makkar, M. Mele, and A. Priolo. 2009. Ruminant biohydrogenation as affected by tannins *in vitro*. *Br. J. Nutr.* 102: 82-92.
- Vasta, V., D.R. Yanez-Ruiz, M. Mele, A. Serra, G. Luciano, M. Lanza, L. Biondi, and A. Priolo. 2010. Bacterial and protozoal communities and fatty acid profile in the rumen of sheep fed a diet containing added tannins. *Appl. Environ. Microbiol.* 76: 2549-2555.
- Vasta, V., M. Daghigho, A. Cappucci, A. Buccioni, A. Serra, C. Viti, and M. Mele. 2019. Invited review: plant polyphenols and rumen microbiota responsible for fatty acid biohydrogenation, fiber digestion, and methane emission: experimental evidence and methodological approaches. *J. Dairy Sci.* 102(5):3781-3804.
- Wang, B., Y. Tu, S.P. Zhao, Y. H. Hao, J.X. Liu, F.H. Liu, B.H. Xiong, and L.S. Jiang. 2017. Effect of tea saponins on milk performance, milk fatty acids, and immune function in dairy cow. *J. Dairy Sci.* 100(10):8043-8052.
- Wattanachant, C. 2018. Goat meat: Some factors affecting fat deposition and fatty acid composition. *Songklanakarin J. Sci. Technol.* 40(5): 1152-1157.
- Wiardani, N.K., P.P. Sri Sugiani dan N.M. Yuni Gumala. 2011. Konsumsi lemak total, lemak jenuh, dan kolesterol sebagai faktor risiko sindroma metabolik pada masyarakat perkotaan di Denpasar. *Jurnal Gizi Klinik.* 7(3): 121-128.
- Witkowska, I., C. Wever, G. Gort, and A. Elgersma. 2008. Effects of nitrogen rate and regrowth interval on perennial ryegrass fatty acid content during the growing season. *Agron. J.* 100: 1371-1379.
- Yoon, K. and C.L. Hwang. 1981. *Multiple Attribute Decision Making: Methods and Applications.* Springer, Berlin.
- Yusuf, A.L., K.D. Adeyemi, A.A. Samsudin, Y.M. Jafari, A.R. Alimon, and A.Q. Sazili. 2017. Effects of dietary supplementation of leaves and whole plant of *Andrographis paniculata* on rumen fermentation, fatty acid composition and microbiota in goats. *BMC Vet. Res.* 13: 349.

- Zain, M., J. Rahman, Khasrad, and Erpomen. 2016. Supplementation of *Saccharomyces cerevisiae* and *Sapindus rarak* in diet based of oil palm frond (OPF) on nutrient digestibility and daily weight gain of goat. *Asian J. Anim. Vet. Adv.* 11(5): 314-318.
- Zain, M., J. Rahman, Khasrad, and Erpomen. 2015. *In vitro* fermentation characteristics of palm oil byproducts which is supplemented with growth factor rumen microbes. *Pak. J. Nutr.* 14(9): 625-628.
- Zain, M., N. Jamarun, A. Arnim, W.S.N. Ningrat, and R. Herawati 2013. Effect of supplementation *Sacharonyces cerevisiae* and *Leucaena leucocephala* on low quality roughage feed in beef cattle diet. *Pak. J. Nutr.* 12(2): 182-184.
- Zhang, H., D. Yu, J. Sun, X. Liu, L. Jiang, H. Guo, and F. Ren. 2014. Interaction of plant phenols with food macronutrients: characterisation and nutritional–physiological consequences. *Nutr. Res. Rev.* 27(1): 1-15.
- Zhang, J., A.D. Iwaasa, G. Han, C. Gu, H. Wang, P.G. Jefferson, and J. Kusler. 2018. Utilizing a multi-index decision analysis method to overall asses forages yield and quality of C3 grasses in the western Canadian prairies. *Field Crop Res* 222: 12-25.

