

DAFTAR PUSTAKA

- Agarwala, A., Mehta, A., Yang, E., & Parapid, B. (2020). Older Adults and Hypertension: Beyond the 2017 Guideline for Prevention, Detection, Evaluation and Management of High Blood Pressure in Adults. *American College of Cardiology*, 1–13. <https://www.acc.org/latest-in-cardiology/articles/2020/02/26/06/24/older-adults-and-hypertension>
- Ahmadi, R. (2014). Metodologi penelitian kualitatif. Yogyakarta: Ar-Ruzz Media.
- Ashraf, R., Khan, R. A., Ashraf, I., & Qureshi, A. A. (2013). Effects of Allium sativum (Garlic) on systolic and diastolic blood pressure in patients with essential hypertension. *Pakistan Journal of Pharmaceutical Sciences*, 26(5), 859–863.
- Atalay, O. T., & Cavlak, U. (2012). The impact of unsupervised regular walking on health: a sample of Turkish middle-aged and older adults. *European Review of Aging and Physical Activity*, 9(1), 71–79. <https://doi.org/10.1007/s11556-011-0083-z>
- Atibila, F., Ten Hoor, G., Donkoh, E. T., & Kok, G. (2021). Challenges experienced by patients with hypertension in Ghana: A qualitative inquiry. *PloS One*, 16(5), e0250355–e0250355. <https://doi.org/10.1371/journal.pone.0250355>
- Badan Pusat Statistik. (2019). Katalog: 4104001. *Statistik Penduduk Lanjut Usia Di Indonesia 2019*, xxvi + 258 halaman.
- Bahtiar, Sahar, J., & Wiarsih, W. (2018). © 2018 International Journal of Nursing and Health Services " Not able to live anymore ": Reaction of the grieving process of the elderly dealing with chronic disease : A qualitative study.

- International Journal of Nursing and Health Services, 1(1), 24–34.*
- Bank, W. (2019). World Population Ageing 2019. In *World Population Ageing 2019*. http://link.springer.com/chapter/10.1007/978-94-007-5204-7_6
- Barbosa, K. T. F., Oliveira, F. M. R. L. de, & Fernandes, M. das G. M. (2019). Vulnerability of the elderly: a conceptual analysis. *Revista Brasileira de Enfermagem, 72*, 337–344.
- Bavishi, C., Goel, S., & Messerli, F. H. (2016). Isolated Systolic Hypertension: An Update After SPRINT. *American Journal of Medicine, 129*(12), 1251–1258. <https://doi.org/10.1016/j.amjmed.2016.08.032>
- Benetos, A., Petrovic, M., & Strandberg, T. (2019). Hypertension Management in Older and Frail Older Patients. *Circulation Research, 124*(7), 1045–1060. <https://doi.org/10.1161/CIRCRESAHA.118.313236>
- Bergland, A. M. G., Tveit, B., & Gonzalez, M. T. (2016). Experiences of older men living alone: A qualitative study. *Issues in Mental Health Nursing, 37*(2), 113–120. <https://doi.org/10.3109/01612840.2015.1098759>
- Bibbins-Domingo, K., Chertow, G. M., Coxson, P. G., Moran, A., Lightwood, J. M., Pletcher, M. J., & Goldman, L. (2010). Projected effect of dietary salt reductions on future cardiovascular disease. *The New England Journal of Medicine, 362*(7), 590–599. <https://doi.org/10.1056/NEJMoa0907355>
- Birkeland, A., & Natvig, G. K. (2009). Coping with ageing and failing health: A qualitative study among elderly living alone. *International Journal of Nursing Practice, 15*(4), 257–264. <https://doi.org/10.1111/j.1440-172X.2009.01754.x>
- Black, H. K., White, T., & Hannum, S. M. (2007). The lived experience of

- depression in elderly African American women. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 62(6), S392-8. <https://doi.org/10.1093/geronb/62.6.s392>
- Boima, V., Tetteh, J., Yorke, E., Archampong, T., Mensah, G., Biritwum, R., & Yawson, A. E. (2020). Older adults with hypertension have increased risk of depression compared to their younger counterparts: Evidence from the World Health Organization study of Global Ageing and Adult Health Wave 2 in Ghana. *Journal of Affective Disorders*, 277(May), 329–336. <https://doi.org/10.1016/j.jad.2020.08.033>
- Breitholtz, A., Snellman, I., & Fagerberg, I. (2013). Living with Uncertainty: Older Persons' Lived Experience of Making Independent Decisions over Time. *Nursing Research and Practice*, 2013, 1–8. <https://doi.org/10.1155/2013/403717>
- Briggs, M. A., Petersen, K. S., & Kris-Etherton, P. M. (2017). Saturated Fatty Acids and Cardiovascular Disease: Replacements for Saturated Fat to Reduce Cardiovascular Risk. *Healthcare (Basel, Switzerland)*, 5(2), 29. <https://doi.org/10.3390/healthcare5020029>
- Brook, R. D., Appel, L. J., Rubenfire, M., Ogedegbe, G., Bisognano, J. D., Elliott, W. J., Fuchs, F. D., Hughes, J. W., Lackland, D. T., Staffileno, B. A., Townsend, R. R., & Rajagopalan, S. (2013). Beyond medications and diet: alternative approaches to lowering blood pressure: a scientific statement from the american heart association. *Hypertension (Dallas, Tex. : 1979)*, 61(6), 1360–1383. <https://doi.org/10.1161/HYP.0b013e318293645f>
- Burnier, M., Polychronopoulou, E., & Wuerzner, G. (2020). Hypertension and

- Drug Adherence in the Elderly. *Frontiers in Cardiovascular Medicine*, 7.
<https://doi.org/10.3389/fcvm.2020.00049>
- Byeon, H. (2019). Relationship between Physical Activity Level and Depression of Elderly People Living Alone. *International Journal of Environmental Research and Public Health*, 16(20), 4051.
<https://doi.org/10.3390/ijerph16204051>
- Carey, R. M., Muntner, P., Bosworth, H. B., & Whelton, P. K. (2018). Prevention and Control of Hypertension: JACC Health Promotion Series. *Journal of the American College of Cardiology*, 72(11), 1278–1293.
<https://doi.org/10.1016/j.jacc.2018.07.008>
- Carney, R. M., & Freedland, K. E. (2003). Depression, mortality, and medical morbidity in patients with coronary heart disease. *Biological Psychiatry*, 54(3), 241–247. [https://doi.org/10.1016/s0006-3223\(03\)00111-2](https://doi.org/10.1016/s0006-3223(03)00111-2)
- Chang, A. K., & Lee, E. J. (2015). Factors affecting self-care in elderly patients with hypertension in Korea. *International Journal of Nursing Practice*, 21(5), 584–591. <https://doi.org/10.1111/ijn.12271>
- Chesnay, M. De. (2015). Nursing Research Using Phenomenology: Qualitative Designs and Methods in Nursing. In *Classic Writings for a Phenomenology of Practice*. Springer Publishing Company.
<https://doi.org/10.4324/9781003011798-1>
- Chiaranai, C., Chularee, S., & Srithongluang, S. (2018). Older people living with chronic illness. *Geriatric Nursing*, 39.
<https://doi.org/10.1016/j.gerinurse.2018.02.004>
- Chin, Y. R., Lee, I. S., & Lee, H. Y. (2014). Effects of hypertension, diabetes,

- and/or cardiovascular disease on health-related quality of life in elderly Korean individuals: A population-based cross-sectional survey. *Asian Nursing Research*, 8(4), 267–273. <https://doi.org/10.1016/j.anr.2014.10.002>
- Cooper, K., & Gosnell, K. (2019). *Study Guide for Foundations and Adult Health Nursing-E-Book*. Elsevier Health Sciences.
- Creswell, J. W., & Creswell, J. D. (2017). *Research design: Qualitative, quantitative, and mixed methods approaches*. Sage publications.
- Culo, S. (2011). Risk assessment and intervention for vulnerable older adults. *British Columbia Medical Journal*, 53(8), 421–425.
- Dezutter, J., Wachholtz, A., & Corveleyn, J. (2011). Prayer and pain: the mediating role of positive re-appraisal. *Journal of Behavioral Medicine*, 34(6), 542–549. <https://doi.org/10.1007/s10865-011-9348-2>
- Donovan, N. J., & Blazer, D. (2020). Social Isolation and Loneliness in Older Adults: Review and Commentary of a National Academies Report. *The American Journal of Geriatric Psychiatry : Official Journal of the American Association for Geriatric Psychiatry*, 28(12), 1233–1244. <https://doi.org/10.1016/j.jagp.2020.08.005>
- Ettehad, D., Emdin, C. A., Kiran, A., Anderson, S. G., Callender, T., Emberson, J., Chalmers, J., Rodgers, A., & Rahimi, K. (2016). Blood pressure lowering for prevention of cardiovascular disease and death: a systematic review and meta-analysis. *Lancet (London, England)*, 387(10022), 957–967. [https://doi.org/10.1016/S0140-6736\(15\)01225-8](https://doi.org/10.1016/S0140-6736(15)01225-8)
- Fiske, A., Wetherell, J. L., & Gatz, M. (2009). Depression in older adults. *Annual Review of Clinical Psychology*, 5, 363–389.

- <https://doi.org/10.1146/annurev.clinpsy.032408.153621>
- Frisoli, T. M., Schmieder, R. E., Grodzicki, T., & Messerli, F. H. (2012). Salt and hypertension: Is salt dietary reduction worth the effort? *American Journal of Medicine*, 125(5), 433–439. <https://doi.org/10.1016/j.amjmed.2011.10.023>
- Garnett, A., Ploeg, J., Markle-Reid, M., & Strachan, P. H. (2018). Self-Management of Multiple Chronic Conditions by Community-Dwelling Older Adults: A Concept Analysis. *SAGE Open Nursing*, 4, 1–16. <https://doi.org/10.1177/2377960817752471>
- Gholamnejad, H., Kakhki, A. D., Ahmadi, F., & Rohani, C. (2018). Barriers to self-care in elderly people with hypertension: a qualitative study. *Working with Older People*.
- Godfrey, C. M., Harrison, M. B., Lysaght, R., Lamb, M., Graham, I. D., & Oakley, P. (2010). The experience of self-care: a systematic review. *JBI Library of Systematic Reviews*, 8(34), 1351–1460. <https://doi.org/10.11124/01938924-201008340-00001>
- Goswami, S., & Deshmukh, P. (2018). How “Elderly Staying Alone” Cope Up with their Age and Deteriorating Health: A Qualitative Exploration from Rural Wardha, Central India. *Indian Journal of Palliative Care*, 24, 465. https://doi.org/10.4103/IJPC.IJPC_51_18
- Halaweh, H., Svantesson, U., & Willén, C. (2016). Experiences of Habitual Physical Activity in Maintaining Roles and Functioning among Older Adults: A Qualitative Study. *Rehabilitation Research and Practice*, Volume 201, 8 pages. <https://doi.org/10.1155/2016/1459597>
- Harnirattisai, T., & Vuthiarpa, S. (2020). The Perception of Independent Living

- among Thai Older Adults. *Ageing International*, 45(2), 181–190.
<https://doi.org/10.1007/s12126-020-09362-1>
- Haslbeck, J. W., McCorkle, R., & Schaeffer, D. (2012). Chronic Illness Self-Management While Living Alone in Later Life: A Systematic Integrative Review. *Research on Aging*, 34(5), 507–547.
<https://doi.org/10.1177/0164027511429808>
- Heckhausen, J., Wrosch, C., & Schulz, R. (2010). A motivational theory of life-span development. *Psychological Review*, 117(1), 32–60.
<https://doi.org/10.1037/a0017668>
- Hegde, S. M., & Solomon, S. D. (2015). Influence of Physical Activity on Hypertension and Cardiac Structure and Function. *Current Hypertension Reports*, 17(10), 77. <https://doi.org/10.1007/s11906-015-0588-3>
- Help Age Global Network. (2019). Ageing Population in Indonesia.
<Https://Ageingasia.Org/Ageing-Population-Indonesia/>.
- Hillcoat-Nallétamby, S. (2014). The Meaning of “Independence” for Older People in Different Residential Settings. *The Journals of Gerontology: Series B*, 69(3), 419–430. <https://doi.org/10.1093/geronb/gbu008>
- Homan, T. D., Bordes, S., & Cichowski, E. (2020). *Physiology, Pulse Pressure*.
- Hosseini, F. S., Sharifi, N., & Jamali, S. (2021). Correlation Anxiety, Stress, and Depression with Perceived Social Support Among the Elderly: A Cross-Sectional Study in Iran. *Ageing International*, 46(1), 108–114.
<https://doi.org/10.1007/s12126-020-09376-9>
- Huai, P., Xun, H., Reilly, K. H., Wang, Y., Ma, W., & Xi, B. (2013). Physical activity and risk of hypertension: a meta-analysis of prospective cohort

- studies. *Hypertension (Dallas, Tex. : 1979)*, 62(6), 1021–1026.
<https://doi.org/10.1161/HYPERTENSIONAHA.113.01965>
- Hughes, S. J. (2012). Kozier and Erb's Fundamentals of Nursing: Concepts, Process and Practice, A. Berman, S. Snyder (Eds.), –International ed., Pearson, Boston (2011)[Book Review]. *Nurse Education in Practice*, 12(2), e12.
- Hunt, R. (2009). *Introduction to community-based nursing*. Lippincott Williams & Wilkins.
- Hussien, M., Muhye, A., Abebe, F., & Ambaw, F. (2021). The Role of Health Care Quality in Hypertension Self-Management: A Qualitative Study of the Experience of Patients in a Public Hospital, North-West Ethiopia. *Integrated Blood Pressure Control*, 14, 55–68. <https://doi.org/10.2147/IBPC.S303100>
- Irwan, A. M., Kato, M., Kitaoka, K., Kido, T., Taniguchi, Y., & Shogenji, M. (2016). Self-care practices and health-seeking behavior among older persons in a developing country: Theories-based research. *International Journal of Nursing Sciences*, 3(1), 11–23. <https://doi.org/10.1016/j.ijnss.2016.02.010>
- Jahn, W. T. (2011). The 4 basic ethical principles that apply to forensic activities are respect for autonomy, beneficence, nonmaleficence, and justice. *Journal of Chiropractic Medicine*, 10(3), 225–226.
<https://doi.org/10.1016/j.jcm.2011.08.004>
- Jancey, J., Clarke, A., Howat, P., Maycock, B., & Lee, A. (2009). Perceptions of physical activity by older adults: A qualitative study. *Health Education Journal - HEALTH EDUC J*, 68, 196–206.
<https://doi.org/10.1177/0017896909339531>

- Johnstone, G., Dickins, M., Lowthian, J., Renehan, E., Enticott, J., Mortimer, D., & Ogrin, R. (2019). Interventions to improve the health and wellbeing of older people living alone: A mixed-methods systematic review of effectiveness and accessibility. *Ageing and Society*, 1–50.
<https://doi.org/10.1017/S0144686X19001818>
- Jolles, E., Raj, P., Clark, A., & Braam, B. (2013). A Qualitative Study of Patient Perspectives about Hypertension. *ISRN Hypertension*, 2013.
<https://doi.org/10.5402/2013/671691>
- Jors, K., Büsing, A., Hvidt, N. C., & Baumann, K. (2015). Personal prayer in patients dealing with chronic illness: a review of the research literature. *Evidence-Based Complementary and Alternative Medicine : ECAM*, 2015, 927973. <https://doi.org/10.1155/2015/927973>
- Kaplan, D., & Berkman, B. (2016). Social Work in Health and Aging. *Oxford University Press*.
- Kemenkes RI. (2019). *Hipertensi Penyakit Paling Banyak Diidap Masyarakat*.
- Kerr, J., Rosenberg, D., & Frank, L. (2012). The Role of the Built Environment in Healthy Aging: Community Design, Physical Activity, and Health among Older Adults. *SAGE Open Nursing*, February 1, 2012.
<https://doi.org/10.1177/0885412211415283>
- Kim, E. J. (2018). A Study on the Experience of Self-Care in Type II Diabetic Patients. *Asia-Pacific Journal of Multimedia Services Convergent with Art, Humanities, and Sociology*, 8, 743–752.
- Koh, J. J. K., Cheng, R. X., Yap, Y., Haldane, V., Tan, Y. G., Teo, K. W. Q., Srivastava, A., Ong, P. S., Perel, P., & Legido-Quigley, H. (2018). Access

- and adherence to medications for the primary and secondary prevention of atherosclerotic cardiovascular disease in Singapore: a qualitative study. *Patient Preference and Adherence*, 12, 2481–2498.
- <https://doi.org/10.2147/PPA.S176256>
- Kralik, D., Price, K., & Telford, K. (2010). The meaning of self-care for people with chronic illness. *Journal of Nursing and Healthcare of Chronic Illness*, 2, 197–204. <https://doi.org/10.1111/j.1752-9824.2010.01056.x>
- Kubler-Ross, E. (2008). *On Death And Dying: What the Dying Have to Teach Doctors, Nurse, Clergy and Their Own Families*. Taylor & Francis.
- Lapau, B. (2013). Metode Penelitian Kesehatan. *Jakarta: Yayasan Pustaka Obor Indonesia*.
- Lavdaniti, M., & Tsitsis, N. (2015). Definitions and conceptual models of quality of life in cancer patients. *Health Science Journal*, 9.
- LeBlanc, R. G., & Jacelon, C. S. (2018). Self-care among older people living with chronic conditions. *International Journal of Older People Nursing*, 13(3), 1–9. <https://doi.org/10.1111/opn.12191>
- Lee, E. J., & Park, E. (2017). Self-care behavior and related factors in older patients with uncontrolled hypertension. *Contemporary Nurse*, 53(6), 607–621. <https://doi.org/10.1080/10376178.2017.1368401>
- Lee, P. G., Jackson, E. A., & Richardson, C. R. (2017). Exercise Prescriptions in Older Adults. *American Family Physician*, 95(7), 425–432.
- Lekan, D. A., Collins, S. K., & Hayajneh, A. A. (2021). Definitions of Frailty in Qualitative Research: A Qualitative Systematic Review. *Journal of Aging Research*, 2021. <https://doi.org/10.1155/2021/6285058>

- Lionakis, N., Mendrinos, D., Sanidas, E., Favatas, G., & Georgopoulou, M. (2012). Hypertension in the elderly. *World Journal of Cardiology*, 4(5), 135–147. <https://doi.org/10.4330/wjc.v4.i5.135>
- Lisnawati, D. (2017). Kebahagiaan Pada Wanita Lanjut Usia Yang Tinggal Sendiri. *Universitas Muhammadiyah Surakarta*, 4, 9–15.
- Lo, S. H. S., Chau, J. P. C., Woo, J., Thompson, D. R., & Choi, K. C. (2016). Adherence to Antihypertensive Medication in Older Adults With Hypertension. *The Journal of Cardiovascular Nursing*, 31(4), 296–303. <https://doi.org/10.1097/JCN.0000000000000251>
- López-Mateus, M. C., Hernández-Rincón, E. H., Correal-Muñoz, C. A., Cadena-Buitrago, G. P., Galvis-Díaz, I. J., & Romero-Prieto, G. E. (2017). An educational strategy that promotes healthy habits in elderly people with hypertension in a municipality of Colombia: a participatory action research study. *Medwave*, 17(8), e7072. <https://doi.org/10.5867/medwave.2017.08.7072>
- Lukman, N. A., Leibing, A., & Merry, L. (2020). Self-Care Experiences of Adults with Chronic Disease in Indonesia: An Integrative Review. *International Journal of Chronic Diseases*, 2020, 1379547. <https://doi.org/10.1155/2020/1379547>
- Ma, L., Tang, Z., Sun, F., Diao, L., Li, Y., Wang, J., Feng, M., & Qian, Y. (2015). Risk factors for depression among elderly subjects with hypertension living at home in China. *International Journal of Clinical and Experimental Medicine*, 8, 2923–2928.
- Maina, G., Mauri, M., & Rossi, A. (2016). *Anxiety and depression*. 236–250.

- Marshall, I. J., Wolfe, C. D. A., & McKevitt, C. (2012). Lay perspectives on hypertension and drug adherence: systematic review of qualitative research. *BMJ, 345*. <https://doi.org/10.1136/bmj.e3953>
- Mauk, K. L. (2014). *Gerontological nursing: Competencies for care*. Jones & Bartlett Publishers.
- Mizutani, M., Tashiro, J., Maftuhah, Sugiarto, H., Yulaikhah, L., & Carbun, R. (2016). Model development of healthy-lifestyle behaviors for rural Muslim Indonesians with hypertension: A qualitative study. *Nursing & Health Sciences, 18*(1), 15–22. [https://doi.org/https://doi.org/10.1111/nhs.12212](https://doi.org/10.1111/nhs.12212)
- Morrison, A., Stauffer, M. E., & Kaufman, A. S. (2015). Defining medication adherence in individual patients. *Patient Preference and Adherence, 9*, 893–897. <https://doi.org/10.2147/PPA.S86249>
- Nam, E. J., & Lee, J.-E. (2019). Mediating Effects of Social Support on Depression and Suicidal Ideation in Older Korean Adults With Hypertension Who Live Alone. *The Journal of Nursing Research : JNR, 27*(3), e20. <https://doi.org/10.1097/jnr.0000000000000292>
- Nguyen, Q. T., Anderson, S. R., Sanders, L., & Nguyen, L. D. (2012). Managing hypertension in the elderly: a common chronic disease with increasing age. *American Health & Drug Benefits, 5*(3), 146–153. <https://pubmed.ncbi.nlm.nih.gov/24991317>
- Nygard, L., & Starkhammar, S. (2007). The use of everyday technology by people with dementia living alone: Mapping out the difficulties. *Aging & Mental Health, 11*, 144–155. <https://doi.org/10.1080/13607860600844168>
- O'Donnell, M., Mente, A., & Yusuf, S. (2015). Sodium intake and cardiovascular

- health. *Circulation Research*, 116(6), 1046–1057.
<https://doi.org/10.1161/CIRCRESAHA.116.303771>
- Oates, J. R., & Maani-Fogelman, P. A. (2021). *Nursing Grief and Loss*.
- Oktarina, E., Haqiqi, H., & Afrianti, E. (2018). Studi Fenomenologi tentang Pengalaman Pasien Hipertensi terhadap Perawatan Dirinya di Wilayah Kerja Puskesmas Andalas Padang Tahun 2017. *NERS: Jurnal Keperawatan*.
- Oliva, R. V., & Bakris, G. L. (2012). Management of hypertension in the elderly population. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 67(12), 1343–1351. <https://doi.org/10.1093/gerona/gls148>
- Oliveros, E., Patel, H., Kyung, S., Fugar, S., Goldberg, A., Madan, N., & Williams, K. A. (2020). Hypertension in older adults: Assessment, management, and challenges. *Clinical Cardiology*, 43(2), 99–107.
<https://doi.org/10.1002/clc.23303>
- Park, H. Y., Seo, S. A., Yoo, H., & Lee, K. (2018). Medication adherence and beliefs about medication in elderly patients living alone with chronic diseases. *Patient Preference and Adherence*, 12, 175–181.
<https://doi.org/10.2147/PPA.S151263>
- Peberdy, V. (2016). *Hypertension: putting the pressure on the silent killer*. IFPMA.
- Perseguino, M. G., Horta, A. L. de M., & Ribeiro, C. A. (2017). The family in face of the elderly's reality of living alone. *Revista Brasileira de Enfermagem*, 70(2), 235–241. <https://doi.org/10.1590/0034-7167-2016-0398>
- Pinna, G., Pascale, C., La Regina, M., & Orlandini, F. (2012). Hypertension in the elderly. *Italian Journal of Medicine*, 6(4), 285–294.

- Polit, D. F., & Beck, C. T. (2010). *Essentials of nursing research*. Wolters Kluwer Health/Lippincott Williams & Wilkins.
- Polit, D. F., & Beck, C. T. (2012). Nursing Research: Generating and Assessing Evidence for Nursing Practice 9th ed. In *Journal of Chemical Information and Modeling* (9th ed., Vol. 53, Issue 9). Lippincott Williams & Wilkins.
<https://b-ok.africa/book/2849347/04a365>
- Potter, P. A., Perry, A. G., Stockert, P. A., & Hall, A. M. (2015). Fundamental of Nursing 8th Edition. In *Ranking File for the Nurses*.
https://doi.org/10.5005/jp/books/12386_1
- Puspita, J., Safithri, M., & Sugiharti, N. P. (2018). *Current Biochemistry CURRENT BIOCHEMISTRY Antibacterial Activities of Sirih Merah (Piper crocatum) Leaf Extracts*. 5(3), 1–10. <http://biokimia.ipb.ac.id>
- Putra, N. (2012). Metode Penelitian Kualitatif Pendidikan, Jakarta: PT. *RajaGrafindo Persada*.
- Qin, F. Y., Lv, Z. Q., Wang, D. N., Hu, B., & Wu, C. (2020). Health status prediction for the elderly based on machine learning. *Archives of Gerontology and Geriatrics*, 90.
<https://doi.org/10.1016/j.archger.2020.104121>
- Rahman, M. M., Hamiduzzaman, M., Farhana, Z., Medicine, S., Mondal, S. K., & Science, M. B. (2021). *Hypertension and its physio-psychosocial risks factors in elderly people: a cross-sectional study in north-eastern region of Bangladesh*. February. <https://doi.org/10.11909/j.issn.1671-5411.2021.01.011>
- Reher, D., & Requena, M. (2018). Living Alone in Later Life: A Global

- Perspective. *Population and Development Review*, 44(3), 427–454.
<https://doi.org/10.1111/padr.12149>
- Renpenning, M. ., & Taylor, G. . (2011). *Self-care Theory in Nursing*.
- Rodondi, N., Peng, T., Karter, A. J., Bauer, D. C., Vittinghoff, E., Tang, S., Pettitt, D., Kerr, E. A., & Selby, J. V. (2006). Therapy modifications in response to poorly controlled hypertension, dyslipidemia, and diabetes mellitus. *Annals of Internal Medicine*, 144(7), 475–484. <https://doi.org/10.7326/0003-4819-144-7-200604040-00006>
- Rosdahl, C. B., & Kowalski, M. T. (2019). *Buku Ajar Keperawatan Dasar*.
- Sadeghi, M., Shiri, M., Roohafza, H., Rakhshani, F., Sepanlou, S., & Sarrafzadegan, N. (2013). Developing an appropriate model for self-care of hypertensive patients: first experience from EMRO. *ARYA Atherosclerosis*, 9(4), 232–240. <https://pubmed.ncbi.nlm.nih.gov/23970918>
- Saryono, A. (2013). Metodologi penelitian kualitatif dan kuantitatif dalam bidang kesehatan. *Yogyakarta: Nuha Medika*.
- Seesawang, J., & Thongtang, P. (2019). Factors Associated with Self-Management Ability among Older Adults with Hypertension in Asia. *Nursing Science Journal of Thailand*, 37(1), 86–107.
- Setiadi, N. (2013). *Konsep dan praktik penulisan riset keperawatan edisi 2*. Graha ilmu.
- Setiati, S., Laksmi, P. W., Aryana, I. G. P. S., Sunarti, S., Widajanti, N., Dwipa, L., Seto, E., Istanti, R., Ardian, L. J., & Chotimah, S. C. (2019). Frailty state among Indonesian elderly: Prevalence, associated factors, and frailty state transition. *BMC Geriatrics*, 19(1), 1–10. <https://doi.org/10.1186/s12877-019-1186-1>

1198-8

- Setyorini, A., & Setyaningrum, N. (2019). Self Management Experience On Patients With Hypertension In Panggang Ii Community Health Centers Gunungkidul District. *Proceeding The 4th International Nursing Conference*, 45–54.
- Shamsi PhD, A., Dehghan Nayeri PhD, N., & Esmaeili PhD, M. (2017). Living with Hypertension: A Qualitative Research. *International Journal of Community Based Nursing and Midwifery*, 5(3), 219–230.
<https://pubmed.ncbi.nlm.nih.gov/28670584>
- Shima, R., Farizah, M. H., & Majid, H. A. (2014). *A qualitative study on hypertensive care behavior in primary health care settings in Malaysia*. 1597–1609.
- Singh, S., Shankar, R., & Singh, G. P. (2017). Prevalence and Associated Risk Factors of Hypertension: A Cross-Sectional Study in Urban Varanasi. *International Journal of Hypertension*, 2017, 5491838.
<https://doi.org/10.1155/2017/5491838>
- Situngkir, santa ulina apriani, Lubis, namora lumongga, & Siregar, fazidah aguslina. (2019). Factors Associated with Hypertension among Elderly in Medan, Indonesia. *Journal of Epidemiology and Public Health*, 4(3), 215–221. <https://doi.org/10.26911/jepublichealth.2019.04.03.09>
- Sohn, J. (2012). A Study on Factors Influencing the Suicidal Ideation in Elderly People who Live Alone or Live with Family. *Journal of Korean Academy of Psychiatric and Mental Health Nursing*, 21, 118.
<https://doi.org/10.12934/jkpmhn.2012.21.2.118>

- Soltani, S., Arablou, T., Jayedi, A., & Salehi-Abargouei, A. (2020). Adherence to the dietary approaches to stop hypertension (DASH) diet in relation to all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective cohort studies. *Nutrition Journal*, 19(1), 37. <https://doi.org/10.1186/s12937-020-00554-8>
- Spruill, T. M. (2010). Chronic psychosocial stress and hypertension. *Current Hypertension Reports*, 12(1), 10–16. <https://doi.org/10.1007/s11906-009-0084-8>
- Stanhope, M., & Lancaster, J. (2019). *Public health nursing e-book: Population-centered health care in the community*. Elsevier Health Sciences.
- Streubert, H. J., & Carpenter, D. R. (2011). *Qualitative Research in Nursing : Advancing the Humanistic Imperative* (5th ed.). Lippincott Williams & Wilkins.
- Sugiyono. (2012). *Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif dan R & D*. Alfabeta.
- Sundsl, K., Espnes, G. A., & Söderhamn, O. (2013). Lived experiences of self-care among older physically active urban-living individuals. *Clinical Interventions in Aging*, 8, 123–130. <https://doi.org/10.2147/CIA.S39689>
- Sundsl, K., Söderhamn, U., Espnes, G. A., & Söderhamn, O. (2012). Ability for self-care in urban living older people in southern Norway. *Journal of Multidisciplinary Healthcare*, 5, 85–95. <https://doi.org/10.2147/JMDH.S29388>
- Sutipan, P., & Intarakamhang, U. (2017). Healthy Lifestyle Behavioral Needs among the Elderly with Hypertension in Chiang Mai, Thailand. *International*

- Journal of Behavioral Science, 12(1), 1–12.*
- Tajeu, G. S., Booth, J. N. 3rd, Colantonio, L. D., Gottesman, R. F., Howard, G., Lackland, D. T., O'Brien, E. C., Oparil, S., Ravenell, J., Safford, M. M., Seals, S. R., Shimbo, D., Shea, S., Spruill, T. M., Tanner, R. M., & Muntner, P. (2017). Incident Cardiovascular Disease Among Adults With Blood Pressure <140/90 mm Hg. *Circulation, 136(9)*, 798–812.
<https://doi.org/10.1161/CIRCULATIONAHA.117.027362>
- Tan, C. S., Hassali, M. A., Neoh, C. F., & Saleem, F. (2017). A qualitative exploration of hypertensive patients' perception towards quality use of medication and hypertension management at the community level. *Pharmacy Practice, 15(4)*, 1074. <https://doi.org/10.18549/PharmPract.2017.04.1074>
- Tan, J. L., & Thakur, K. (2021). *Systolic Hypertension*.
- Taylor, D. (2014). Physical activity is medicine for older adults. *Postgraduate Medical Journal, 90(1059)*, 26 LP – 32.
<https://doi.org/10.1136/postgradmedj-2012-131366>
- Teerawichitchainan, B., Knodel, J., & Pothisiri, W. (2015). What does living alone really mean for older persons? A comparative study of Myanmar, Vietnam, and Thailand. *Demographic Research, 32(1)*, 1329–1360.
<https://doi.org/10.4054/DemRes.2015.32.48>
- Thomas, P. A., Liu, H., & Umberson, D. (2017). Family Relationships and Well-Being. *Innovation in Aging, 1(3)*. <https://doi.org/10.1093/geroni/igx025>
- Thumala Dockendorff, D. C. (2014). Healthy Ways of Coping With Losses Related to the Aging Process. *Educational Gerontology, 40(5)*, 363–384.
<https://doi.org/10.1080/03601277.2013.822203>

- Tutpai, G., Unja, E., & Nura, F. (2021). Family Support for Controlling Blood Pressure of Elderly Patients in Health Facilities During the Covid-19 Pandemic in Banjarmasin. *KnE Life Sciences*, 268–277.
<https://doi.org/10.18502/cls.v6i1.8614>
- UGM, D. I. G. F. (2016). *Mengonsumsi Daging Merah Berlebih Membahayakan Kesehatan. September.*
- Umpierre, D., Santos, L. P., Botton, C. E., Wilhelm, E. N., Helal, L., Schaun, G. Z., Ferreira, G. D., De Nardi, A. T., Pfeifer, L. O., & da Silveira, A. D. (2019). The “Hypertension Approaches in the Elderly: a Lifestyle study” multicenter, randomized trial (HAEL Study): rationale and methodological protocol. *BMC Public Health*, 19(1), 1–13.
- Unger, T., Borghi, C., Charchar, F., Khan, N. A., Poulter, N. R., Prabhakaran, D., Ramirez, A., Schlaich, M., Stergiou, G. S., & Tomaszewski, M. (2020). 2020 International Society of Hypertension global hypertension practice guidelines. *Hypertension*, 75(6), 1334–1357.
- Utami, P., & Puspaningtyas, D. E. (2013). *The Miracle of Herbs*. Jakarta Agromedia Pustaka.
- Valtorta, N. K., Kanaan, M., Gilbody, S., & Hanratty, B. (2018). Loneliness, social isolation and risk of cardiovascular disease in the English Longitudinal Study of Ageing. *European Journal of Preventive Cardiology*, 25(13), 1387–1396. <https://doi.org/10.1177/2047487318792696>
- Volpe, M., Battistoni, A., Rubattu, S., & Tocci, G. (2019). *Hypertension in the elderly : which are the blood pressure threshold values ?* 21, 105–106.
<https://doi.org/10.1093/eurheartj/suz023>

Wallace, M. (2008). *Essentials of Gerontological Nursing*. Springer Publishing Company.

Wang, Fang, Lee, E.-K. O., Wu, T., Benson, H., Fricchione, G., Wang, W., & Yeung, A. S. (2014). The effects of tai chi on depression, anxiety, and psychological well-being: a systematic review and meta-analysis. *International Journal of Behavioral Medicine*, 21(4), 605–617.

<https://doi.org/10.1007/s12529-013-9351-9>

Wang, Fubaihui, Zhen, Q., Li, K., & Wen, X. (2018). Association of socioeconomic status and health-related behavior with elderly health in China. *PloS One*, 13(9), e0204237.

Weller, R. B. (2016). Sunlight Has Cardiovascular Benefits Independently of Vitamin D. *Blood Purification*, 41(1–3), 130–134.

<https://doi.org/10.1159/000441266>

WHO. (2019). *Hypertension*.

Wong, E. L. Y., Xu, R. H., & Cheung, A. W. L. (2019). Health-related quality of life among patients with hypertension: Population-based survey using EQ-5D-5L in Hong Kong SAR, China. *BMJ Open*, 9(9), 1–10.

<https://doi.org/10.1136/bmjopen-2019-032544>

Yan, L. S., Suharto, F., & Eridia. (2018). Pengalaman Diet Lansia Perempuan Penderita Hipertensi. *Jurnal Ilmiah Keperawatan Indonesia*, 2.