

## DAFTAR PUSTAKA

1. Cutland CL, Lackritz EM, Mallett-Moore T, Bardaji A, Chandrasekaran R, Lahariya C, et al. Low Birth Weight: Case Definition & Guidelines for Data Collection, Analysis, and Presentation of Maternal Immunization Safety Data. *Vaccine*. 2017;35(48):6492–500.
2. Organization. U and WH. Low Birthweight Estimates. *World Heal Organ*. 2019;4(3):3–9.
3. Riskesdas K. Hasil Utama Riset Kesehata Dasar (RISKESDAS). *J Phys A Math Theor*. 2018;44(8):1–200.
4. Marpaung K. Gambaran Faktor Risiko Bayi Berat Lahir Rendah yang Dirawat di RSUP Dr. M. Djamil Padang Tahun 2019. *J Fak Kedokt Univ Andalas*. 2018;6–9.
5. Home M. Year 2019 Position Statement: Principles and Guidelines for Early Hearing Detection and Intervention Programs. 2019;4(2):1–44.
6. Maharani NLP, Haksari EL, Artana IWD. Risk factors for Hearing Loss in Neonates. *Paediatr Indones*. 2016;55(6):328.
7. Engdahl B, Eskild A. Birthweight and the Risk of Childhood Sensorineural Hearing Loss. *Paediatr Perinat Epidemiol*. 2007;21(6):495–500.
8. Zahnert T. The Differential Diagnosis of Hearing Loss. *Dtsch Arztebl*. 2011;108(25):433–44.
9. Dimitrov L GW. *Pediatric Hearing Loss*. Statpearls Publishing. 2020.
10. McFadden D. Masculinization Effects in the Auditory System. *Arch Sex Behav*. 2002;31(1):99–111.
11. American Speech-Language -Hearing Association. *Effects of Hearing Loss Audiology on Development*. *Audiol Inf Ser*. 2011;
12. Fort M. *Newborn Hearing Screening: Making a Difference*. *N C Med J*. 2017;78(2):96–100.
13. Med JC, Health P. *Newborns Hearing Screening with Otoacoustic Emissions and Auditory Brainstem Response*. 2020;1(1).
14. Fang X, Li X, Zhang Q, Wan J, Sun M, Chang F, et al. Universal Neonatal Hearing Screening Program in Shanghai, China: An Inter-regional and International Comparison. *Int J Pediatr Otorhinolaryngol*. 2016;90:77–85.
15. Triono A, Candrawati O, Sudarman K, Intansari US, Haksari EL, Soenarto SY, et al. Congenital Rubella Syndrome Screening for Newborn in Yogyakarta, Indonesia. *J Pediatr Infect Dis*. 2018;13(1):51–6.
16. Kamal N. *Newborn Hearing Screening: Opportunities and Challenges*. *Egypt J Ear, Nose, Throat Allied Sci*. 2013;14(2):55–8.
17. Poonual W, Navacharoen N, Kangsanarak J, Namwongprom S. Risk factors for Hearing Loss in Infants under Universal Hearing Screening Program in Northern Thailand. *J Multidiscip Healthc*. 2015;9:1–5.

18. Moon C. The Role of Early Auditory Development in Attachment and Communication. *Clin Perinatol*. 2011;38(4):657–69.
19. Paul P V., Whitelaw GM. *Hearing and Deafness: An Introduction for Health and Education Professionals*. Jones and Bartlett Publishers, Massachusetts. 2010. 7–10.
20. Bethesda(MD). *Information about Hearing, Communication, and Understanding. Biological*. United State of America: National Institutes of Health (US), Bethesda (MD); 2007.
21. Soepardi EA, Iskandar N, Bashruddin J RR. *Buku Ajar Ilmu Kesehatan THT-KL FKUI*. 7th ed. Jakarta: Badan Penerbit FKUI; 2017. 10–14.
22. Alberti PW. *The Anatomy and Physiology of The Ear and Hearing*. Kanada: Medicine; 2006. 54.
23. Feldman HM. How Young Children Learn Language and Speech. *Pediatr Rev*. 2019;40(8):398–411.
24. Hendryx M, Chojenta C, Byles JE. Latent Class Analysis of Low Birth Weight and Preterm Delivery among Australian Women. *J Pediatr* . 2020;218:42-48.
25. Mishra S, Joshi M. Low Birth Weight Babies-Risk Factors and Complications: A Clinical Study. *Int J Contemp Med Res ISSN*. 2017;4(1):149–50.
26. Laopaiboon M, Lumbiganon P, Rattanakanokchai S, Chaiwong W, Souza JP, Vogel JP, et al. An Outcome-based Definition of Low Birthweight for Births in Low- and Middle-income Countries: A Secondary Analysis of the WHO Global Survey on Maternal and Perinatal Health. *BMC Pediatr*. 2019;19(1):1–9.
27. Hartiningrum I, Fitriyah N. Bayi Berat Lahir Rendah (BBLR) di Provinsi Jawa Timur Tahun 2012-2016. *J Biometrika dan Kependud*. 2019;7(2):97.
28. Ohlenforst B, Zekveld AA, Jansma EP, Wang Y, Naylor G, Lorens A, et al. Effects of Hearing Impairment and Hearing Aid Amplification on Listening Effort: A Systematic Review. *Ear Hear*. 2017;38(3):267–81.
29. Dimitrov L, William G. Gossman. *Pediatric Hearing Loss*. Statpearls. Statpearls Publishing, Treasure Island; 2020. 4.
30. Harpini A. *Infodatin Tunarungu 2019*. Jakarta: Pusat Data dan Informasi Kementerian Kesehatan Republik Indonesia; 2019. 12.
31. Eggermont JJ. Types of Hearing Loss. *Hear Loss*. 2017;129–73.
32. Soepardi EA, Iskandar N, Bashruddin J RR. *Buku Ajar Ilmu Kesehatan THT-KL FK UI*. 7th ed. Jakarta: Badan Penerbit FKUI; 2017. 35.
33. Chang KW, Price M. Hearing Screening. 2009;16(1):17–21.
34. Neumann K, Chadha S, Tavartkiladze G, Bu X, White KR. Newborn and Infant Hearing Screening Facing Globally Growing Numbers of People Suffering from Disabling Hearing Loss. *Int J Neonatal Screen*. 2019;5(1):1–11.

35. Daghistani KJ, Jamal TS, Zakzouk SM. Hearing Impairment in Low Birth Weight Children. *Neurosciences*. 2002;7(2):109–11.
36. Cristobal R, Oghalai JS. Hearing Loss in Children with Very Low Birth Weight: Current Review of Epidemiology and Pathophysiology. *Arch Dis Child Fetal Neonatal Ed*. 2008;93(6):462–8.
37. Cristobal R, Oghalai JS. Hearing Loss in Children with Very Low Birth Weight: Current Review of Epidemiology and Pathophysiology. *Arch Dis Child Fetal Neonatal Ed*. 2008;93(6):462–9.
38. Children H. Effect of Early Intervention on Language Development in. 2016;28(84):13–21.
39. Prawesti G. Proses Mendengar Pada Bayi. *Ikatan Dokter Anak Indonesia*. 2016. . 1.
40. Ricalde RR, Chiong CM, Labra PJP. Current Assessment of Newborn Hearing Screening Protocols. *Curr Opin Otolaryngol Head Neck Surg*. 2017;25(5):370–7.
41. Patel H, Feldman M, Amit M, Cummings C, Gander S, Grueger B, et al. Universal Newborn Hearing Screening. *Paediatr Child Health (Oxford)*. 2011;16(5):301–5.
42. Summary E. American Academy of Audiology Childhood Hearing Screening Guidelines. *Am Acad Audiol*. 2011;(September):33–4.
43. Soepardi EA, Iskandar N, Bashruddin J RR. *Buku Ajar Ilmu Kesehatan THT-KL FKUI*. 7th ed. Jakarta: Badan Penerbit FKUI; 2017. 33–34.
44. Lalwani AK. *Current Diagnosis & Treatment Otolaryngology Head and Neck Surgery*. Second. New Delhi: McGraw-Hill Medical; 2007. 605–606.
45. Mg T, Ts C, Apazidou E, Giannakopoulou C, Ga V, Ce P. Transitory Evoked Otoacoustic Emission ( TEOAE ) and Distortion Product Otoacoustic Emission ( DPOAE ) Outcomes from a Three-stage Newborn Hearing Screening Protocol. 2016;104–9.
46. Maung M, Lwin YY, Aung N, Tar T, Phyu K. Diagnostic Accuracy of Distortion Product Otoacoustic Emissions (DPOAE) and Transient Evoked Otoacoustic Emissions (TEOAE) in High Risk Newborn: A Comparative Study. *Clin Pediatr Open Access*. 2016;01(04):8–11.
47. Silva GC, Delecrode CR, Kemp AT, Martins F, Cardoso ACV. Transient Evoked and Distortion Product Otoacoustic Emissions in a Group of Neonates. *Int Arch Otorhinolaryngol*. 2015;19(3):255–8.
48. Boskabadi H, Zakerihamidi M, Moradi A, Bakhshae M. Risk factors for Sensorineural Hearing Loss in Neonatal Hyperbilirubinemia. *Iran J Otorhinolaryngol*. 2018;30(4):195–202.
49. Hoffman O, Weber JR. Pathophysiology and Treatment of Bacterial Meningitis. *Ther Adv Neurol Disord*. 2009;2(6):401–12.



50. Cakranegara L, Widuri A. Hearing Impairment in Newborn with Risk Factor Low Birth Weight (LBW) in PKU Muhammadiyah Yogyakarta Hospital. Thesis UMY. 2014;148:148–62.
51. Padang DKK. Profil Kesehatan Kota Padang Tahun 2019. Padang.2020
52. Kenna MA. Neonatal Hearing Screening. *Pediatr Clin North Am.* 2003;50(2):301–13.
53. Sari SNL, Memy YD, Ghanie A. Angka Kejadian Delayed Speech Disertai Gangguan Pendengaran pada Anak yang Menjalani Pemeriksaan Pendengaran di Bagian Neurootologi IKTHT-KL. *J Kedokt dan Kesehat.* 2015;2(1):121–7.
54. Article O. Prevalence of Hearing Loss and Associated Factors Among Neonates in Zanzibar. *Med J Zambia.* 2018;45(2):98–105.
55. Xoinis K, Weirather Y, Mayoori H, Shaha SH, Iwamoto LM. Extremely Low Birth Weight Infants are at High Risk for Auditory Neuropathy. *J Perinatol.* 2007;27(11):718–23.
56. Karaca ÇT, Oysu Ç, Toros SZ, Naiboğlu B, Verim A. Is Hearing Loss in Infants Associated with Risk Factors? Evaluation of the Frequency of Risk Factors. *Clin Exp Otorhinolaryngol.* 2014;7(4):260–3.
57. Chamarelza S. Fakultas Kedokteran Universitas Andalas 1. *J Fak Kedokt Univ Andalas.* 2019. Gambaran Otoacoustic Emission pada Berat Lahir Rendah di RSUP Dr. M. Djamil Padang Tahun 2017-2018 ;29–30.
58. Sreedharan T, C.R N, Sukumaran S, Vasu S. Role of Two Stage Otoacoustic Emissions Test for Screening of Hearing Impairment in High Risk Neonates - A Prospective Observational Study. *J Evid Based Med Healthc.* 2020;7(42):2404–8.
59. Setiani P, Widyastuti K, Witari NP. Drug Induced Vestibulotoksik dan Ototoksik. *Univ Udayana.* 2017;1–28.

