



UNIVERSITAS ANDALAS

STUDI META-ANALISIS FAKTOR-FAKTOR YANG
BERHUBUNGAN DENGAN PEMBERIAN



Dr. Helmizar, SKM, M. Biomed.

FAKULTAS KESEHATAN MASYARAKAT

UNIVERSITAS ANDALAS

PADANG, 2021

FAKULTAS KESEHATAN MASYARAKAT

UNIVERSITAS ANDALAS

Skripsi, Juni 2021

CHICHA NAHDATUL HUDA, No.BP : 1611221004

“STUDI META-ANALISIS FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN PEMBERIAN MP-ASI DINI DI INDOESIA”

Xii + 79 halaman, 6 tabel, 10 gambar, 8 lampiran

ABSTRAK

Tujuan Penelitian

Data WHO menyebutkan pada tahun 2020 lebih dari 40% ibu-ibu di Indonesia telah memberikan makanan selain ASI ketika bayi berusia kurang dari 6 bulan. Berbagai faktor dapat menyebabkan kejadian pemberian MP-ASI dini di Indonesia. Penelitian mengenai faktor-faktor yang berhubungan dengan pemberian MP-ASI dini telah banyak dilakukan tetapi didapatkan hasil yang bervariasi. Tujuan penelitian ini adalah untuk mengetahui faktor-faktor yang berhubungan dengan pemberian MP-ASI dini di Indonesia.

Metode

Penelitian ini merupakan penelitian dengan desain kuantitatif dan menggunakan teknik analisis meta-analisis. Penelusuran melalui *database* Google Scholar, Portal Garuda dan ISJD. Waktu publikasi penelitian yaitu tahun 2010-2020. Artikel yang sesuai dengan kriteria inklusi dan eksklusi di analisis secara statistik menggunakan aplikasi Revman 5.3 untuk mendapatkan nilai efek gabungan (*pooled odds ratio*).

Hasil

Sebanyak artikel 1.157 Identifikasi, terdapat 15 artikel yang ditelaah sistematis dan dimasukkan kedalam meta-analisis. Pengetahuan ibu yang rendah beresiko 2.63 kali (95% CI 1,14-6,09) untuk memberikan MP-ASI dini kepada bayi. Tidak adanya hubungan yang signifikan tingkat pendidikan ibu, dukungan keluarga, dukungan petugas kesehatan dan budaya dengan pemberian MP-ASI dini di Indonesia.

Kesimpulan

Pengetahuan ibu yang rendah mengenai ASI eksklusif dan MPASI merupakan salah satu faktor pemberian MPASI dini di Indonesia. Diharapkan untuk dinas kesehatan untuk terus meningkatkan pengetahuan ibu mengenai pentingnya memberikan ASI eksklusif dan pemberian MPASI yang benar kepada bayi dengan memberikan berbagai penyuluhan atau konseling mulai sejak ibu hamil, nifas sampai ibu menyusui.

Daftar pustaka :

Kata kunci : faktor-faktor, MP-ASI dini, dan meta-analisis

FACULTY OF PUBLIC HEALTH

ANDALAS UNIVERSITY

Under Thesis, June 2021

CHICHA NAHDATUL HUDA .No. BP : 1611211004

META-ANALYSIS OF FACTORS ASSOCIATED TO EARLY INTRODUCTION OF COMPLEMENTARY FEEDING IN INDONESIA

Xii + 79 pages, 6 tables, 10 pictures, 8 attachments

ABSTRACT

Research Objectives

WHO states that in 2020 more than 40% of Indonesian mothers have given food other than breast milk when the baby is less than 6 months old. Various factors can cause the incidence of early complementary feeding in Indonesia. Numerous studies have been carried out on the factors associated with early complementary feeding, but variable results have been obtained. The purpose of this study was to determine the factors associated with early complementary feeding in Indonesia.

Method

This research is quantitative design and uses meta-analytical analysis technique. Search through Google Scholar database, Garuda Portal and ISJD. Research publication time is 2010-2020. Articles that met the inclusion and exclusion criteria were statistically analyzed using the Revman 5.3 application to obtain the pooled odds ratio.

Results

A total of 1,157 identification articles, of which 15 were systematically reviewed and included in the meta-analysis. When mother's knowledge is low at 2.63 times (95% CI 1.14-6.09) has the risk to early introduction of complementary feeding for baby. There is no significant relationship between maternal education level, family support, support from health workers and culture with early complementary feeding in Indonesia.

Conclusion

Mother's low knowledge about exclusive breastfeeding and complementary feeding is one of the factors of early complementary feeding in Indonesia. It is hoped that the health office will continue to increase mother's knowledge about the importance of exclusive breastfeeding and proper complementary feeding to babies by providing various counseling or counseling from pregnant women, postpartum to breastfeeding mothers.

Bibliography :

Keywords : factors, early complementary feeding, and meta-analysis