

DAFTAR PUSTAKA

- Abedi, S., Zavvar Mousavi, H. & Asghari, A. 2016. Investigation of heavy metal ions adsorption by magnetically modified aloe vera leaves ash based on equilibrium, kinetic and thermodynamic studies. *Desalination and Water Treatment*, 57(29): 13747–13759.
- Abid, M.F., Zablouk, M.A. & Abid-Alameer, A.M. 2012. Experimental study of dye removal from industrial wastewater by membrane technologies of reverse osmosis and nanofiltration. *Iranian Journal of Environmental Health Science and Engineering*, 9(17): 1.
- Abiodun, O.O., Rodríguez-Nogales, A., Algeri, F., Gomez-Caravaca, A.M., Segura-Carretero, A., Utrilla, M.P., Rodríguez-Cabezas, M.E. & Galvez, J. 2016. Antiinflammatory and immunomodulatory activity of an ethanolic extract from the stem bark of *Terminalia catappa* L. (Combretaceae): In vitro and in vivo evidences. *Journal of Ethnopharmacology*, 192: 309–319.
- Ahmad, R., Kumar, R. & Haseeb, S. 2012. Adsorption of Cu²⁺ from aqueous solution onto iron oxide coated eggshell powder: Evaluation of equilibrium, isotherms, kinetics, and regeneration capacity. *Arabian Journal of Chemistry*, 5(3): 353–359.
- Ahmed, M.A., brick, A.A. & Mohamed, A.A.A. 2017. An efficient adsorption of indigo carmine dye from aqueous solution on mesoporous Mg/Fe layered double hydroxide nanoparticles prepared by controlled sol-gel route. *Chemosphere*, 174: 280–288.
- Al-Mahmoud, S.M. 2019. Adsorption of some aliphatic dicarboxylic acids on zinc oxide: A kinetic and Thermodynamic Study. *Baghdad Science Journal*, 16(4): 892–897.
- Ali, A., Bilal, M., Khan, R., Farooq, R. & Siddique, M. 2018. Ultrasound-assisted adsorption of phenol from aqueous solution by using spent black tea leaves. *Environmental Science and Pollution Research*, 25(23): 22920–22930.
- Aljeboree, A.M., Alshirifi, A.N. & Alkaim, A.F. 2017. Kinetics and equilibrium study for the adsorption of textile dyes on coconut shell activated carbon. *Arabian Journal of Chemistry*, 10: S3381–S3393.
- Almoisheer, N., Alseroury, F.A., Kumar, R., Aslam, M. & Barakat, M.A. 2019. Adsorption and anion exchange insight of indigo carmine onto CuAl-LDH/SWCNTs nanocomposite: kinetic, thermodynamic and isotherm analysis. *RSC Advances*, 9: 560–568.
- Amode, J.O., Santos, J.H., Md. Alam, Z., Mirza, A.H. & Mei, C.C. 2016. Adsorption of methylene blue from aqueous solution using untreated and

- treated (Metroxylon spp.) waste adsorbent: equilibrium and kinetics studies. *International Journal of Industrial Chemistry*, 7: 333–345.
- Anastopoulos, I. & Kyzas, G.Z. 2014. Agricultural peels for dye adsorption: A review of recent literature. *Journal of Molecular Liquids*, 200(PB): 381–389.
- Annur, A., Farma, R. & Deraman, M. 2017. Effect of Microwave Irradiation Time on The Physical Properties of Terminalia catappa Fruit Shells-based Activated Carbon. *AIP Conference Proceedings 1801*, 1801(040002): 1–6.
- Ayawei, N., Ebelegi, A.N. & Wankasi, D. 2017. Modelling and Interpretation of Adsorption Isotherms. *Journal of Chemistry*, 2017.
- Azeredo, H.M.C. & Waldron, K.W. 2016. Crosslinking in polysaccharide and protein films and coatings for food contact - A review. *Trends in Food Science and Technology*, 52: 109–122.
- Azuan, N.F., Sambasevam, K.P., Jamion, N.A. & Yong, S.K. 2020. Turbidity removal of kaolin wastewater using polyacrylamide-grafted egg white. *Malaysian Journal of Chemistry*, 22(1): 56–68.
- Bacelo, H.A.M., Santos, S.C.R. & Botelho, C.M.S. 2016. Tannin-based biosorbents for environmental applications – A review. *Chemical Engineering Journal*, 303: 575–587.
- Badruddoza, A.Z.M., Tay, A.S.H., Tan, P.Y., Hidajat, K. & Uddin, M.S. 2011. Carboxymethyl- β -cyclodextrin conjugated magnetic nanoparticles as nano-adsorbents for removal of copper ions: Synthesis and adsorption studies. *Journal of Hazardous Materials*, 185(2–3): 1177–1186.
- Balasubramani, U., Subramaniam, S., Mitu, L. & Sundararajan, V. 2016. Batch and column studies on methylene blue using activated carbon / Al₂O₃ nano-composite and its impregnated calcium alginate beads. *Journal of Advances in Chemistry*, 12(12): 5599–5612.
- Banat, F., Al-Asheh, S., Al-Ahmad, R. & Bni-Khalid, F. 2007. Bench-scale and packed bed sorption of methylene blue using treated olive pomace and charcoal. *Bioresource Technology*, 98(16): 3017–3025.
- Benbettaïeb, N., Gay, J.P., Karbowiak, T. & Debeaufort, F. 2016. Tuning the Functional Properties of Polysaccharide–Protein Bio-Based Edible Films by Chemical, Enzymatic, and Physical Cross-Linking. *Comprehensive Reviews in Food Science and Food Safety*, 15(4): 739–752.
- Betz, S.F. 1993. Disulfide bonds and the stability of globular proteins. *Protein Science*, 2(10): 1551–1558.
- Bharali, R.K. & Bhattacharyya, K.G. 2015. Journal of Environmental Chemical

Engineering Biosorption of fluoride on Neem (*Azadirachta indica*) leaf powder. *Biochemical Pharmacology*.

- Bilge, D., Sahin, I., Kazanci, N. & Severcan, F. 2014. Interactions of tamoxifen with distearoyl phosphatidylcholine multilamellar vesicles: FTIR and DSC studies. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 130: 250–256.
- Burhenne, L., Messmer, J., Aicher, T. & Laborie, M.P. 2013. The effect of the biomass components lignin, cellulose and hemicellulose on TGA and fixed bed pyrolysis. *Journal of Analytical and Applied Pyrolysis*, 101: 177–184.
- De Carvalho, T.E.M., Fungaro, D.A., Magdalena, C.P. & Cunico, P. 2011. Adsorption of indigo carmine from aqueous solution using coal fly ash and zeolite from fly ash. *Journal of Radioanalytical and Nuclear Chemistry*, 289(2): 617–626.
- De Castro, M.L.F.A., Abad, M.L.B., Sumalinog, D.A.G., Abarca, R.R.M., Paoprasert, P. & de Luna, M.D.G. 2018. Adsorption of Methylene Blue dye and Cu(II) ions on EDTA-modified bentonite: Isotherm, kinetic and thermodynamic studies. *Sustainable Environment Research*, 28(5): 197–205.
- Chaidir, Z., Furqani, F., Zein, R. & Munaf, E. 2015. Utilization of *Annona muricata* L. seeds as potential adsorbents for the removal of rhodamine B from aqueous solution. *Journal of Chemical and Pharmaceutical Research*, 7(4): 879–888.
- Chaidir, Z., Sagita, D.T., Zein, R. & Munaf, E. 2015. Bioremoval of methyl orange dye using durian fruit (*Durio zibethinus*) Murr seeds as biosorbent. *Journal of Chemical and Pharmaceutical Research*, 7(1): 589–599.
- Chen, W., Lu, W., Yao, Y. & Xu, M. 2007. Highly efficient decomposition of organic dyes by aqueous-fiber phase transfer and in situ catalytic oxidation using fiber-supported cobalt phthalocyanine. *Environmental Science and Technology*, 41(17): 6240–6245.
- Chiang, H.M., Wen, K.C., Shih, I.C., Hu, J.C., Liao, S.T. & Su, T.W. 2011. Inhibitory effects of *Terminalia catappa* on UVB-induced photodamage in fibroblast cell line. *Evidence-based Complementary and Alternative Medicine*, 2011.
- Clancy, T.M., Hayes, K.F. & Raskin, L. 2013. Arsenic waste management: A critical review of testing and disposal of arsenic-bearing solid wastes generated during arsenic removal from drinking water. *Environmental Science and Technology*, 47(19): 10799–10812.
- Croguennec, T., Nau, F. & Brule, G. 2002. Influence of pH and Salts on Egg White Gelation. *Journal of Food Science*, 67(2): 608–614.

- Dallel, R., Kesraoui, A. & Seffen, M. 2018. Biosorption of cationic dye onto »phragmites australis» fibers: Characterization and mechanism. *Journal of Environmental Chemical Engineering*, 6(6): 7247–7256.
- Daneshvar, E., Vazirzadeh, A., Niazi, A., Kousha, M., Naushad, M. & Bhatnagar, A. 2017. Desorption of Methylene blue dye from brown macroalga: Effects of operating parameters, isotherm study and kinetic modeling. *Journal of Cleaner Production*, 152: 443–453.
- Darmawan, E. 2016. Pemanfaatan Biji Ketapang (*Terminalia catappa*) sebagai sumber protein dan serat pada produk makanan stik. *Agrotech*, 1(1): 27–33.
- Dastgerdi, Z.H., Meshkat, S.S. & Esrafil, M.D. 2019. Enhanced adsorptive removal of Indigo carmine dye performance by functionalized carbon nanotubes based adsorbents from aqueous solution: equilibrium, kinetic, and DFT study. *Journal of Nanostructure in Chemistry*, 9(4): 323–334.
- Devi, N., Sarmah, M., Khatun, B. & Maji, T.K. 2017. Encapsulation of active ingredients in polysaccharide–protein complex coacervates. *Advances in Colloid and Interface Science*, 239: 136–145.
- Dotto, G.L., Buriol, C. & Pinto, L.A.A. 2014. Diffusional mass transfer model for the adsorption of food dyes on chitosan films. *Chemical Engineering Research and Design*, 92(11): 2324–2332.
- Eletta, O.A.A., Adeniyi, A.G., Ighalo, J.O., Onifade, V., Ayandele, F.O., Eletta, O.A.A., Adeniyi, A.G. & Ighalo, J.O. 2020. Valorisation of Cocoa (*Theobroma cacao*) pod husk as precursors for the production of adsorbents for water treatment. *Environmental Technology Reviews*, 9(1): 20–36.
- Fatombi, J.K., Idohou, E.A., Osseni, S.A., Agani, I., Neumeyer, D., Verelst, M., Mauricot, R. & Aminou, T. 2019. Adsorption of Indigo Carmine from Aqueous Solution by Chitosan and Chitosan/Activated Carbon Composite: Kinetics, Isotherms and Thermodynamics Studies. *Fibers and Polymers*, 20(9): 1820–1832.
- Fauzia, S., Aziz, H., Dahlan, D., Namieśnik, J. & Zein, R. 2019. Adsorption of Cr(VI) in aqueous solution using sago bark (metroxylyon sagu) as a new potential biosorbent. *Desalination and Water Treatment*, 147: 191–202.
- Fauzia, S., Furqani, F., Zein, R. & Munaf, E. 2015. Adsorption and reaction kinetics of tatrazine by using *Annona muricata* L seeds. *Journal of Chemical and Pharmaceutical Research*, 7(1): 573–582.
- Fernandes, L.L., Resende, C.X., Tavares, D.S., Soares, G.A., Castro, L.O. & Granjeiro, J.M. 2011. Cytocompatibility of Chitosan and Collagen-Chitosan Scaffolds for Tissue Engineering. , 21: 1–6.

- Ferreira, R.M., de Oliveira, N.M., Lima, L.L.S., Campista, A.L.D.M. & Stapelfeldt, D.M.A. 2019. Adsorption of indigo carmine on Pistia stratiotes dry biomass chemically modified. *Environmental Science and Pollution Research*, 26(28): 28614–28621.
- Fosso-Kankeu, E., Mittal, H., Waanders, F. & Ray, S.S. 2017. Thermodynamic properties and adsorption behaviour of hydrogel nanocomposites for cadmium removal from mine effluents. *Journal of Industrial and Engineering Chemistry*, 48: 151–161.
- Fosso-Kankeu, E., Webster, A., Ntwampe, I.O. & Waanders, F.B. 2017. Coagulation/Flocculation Potential of Polyaluminium Chloride and Bentonite Clay Tested in the Removal of Methyl Red and Crystal Violet. *Arabian Journal for Science and Engineering*, 42(4):1389–1397.
- Freundlich, H.M.F. 1906. Over the adsorption in solution. *J. Phys. Chem*, 57(385471): 1100–1107.
- Goncalves, D. 2016. Preparation and characterization of cellulose paper/polypyrrole/bromophenol blue composites for disposable optical sensors. *Open Chemistry*, 14(1): 404–411.
- Gong, R., Zhu, S., Zhang, D., Chen, J., Ni, S. & Guan, R. 2008. Adsorption behavior of cationic dyes on citric acid esterifying wheat straw: kinetic and thermodynamic profile. *Desalination*, 230(1–3): 220–228.
- Güler, M., Çetintaş, S. & Bingöl, D. 2019. Cinnamon bark as low-cost and eco-friendly adsorbent for the removal of indigo carmine and malachite green dyestuffs. *International Journal of Environmental Analytical Chemistry*, 00(00): 1–23.
- Gulnaz, O., Kaya, A., Matyar, F. & Arikan, B. 2004. Sorption of basic dyes from aqueous solution by activated sludge. *Journal of Hazardous Materials*, 108(3): 183–188.
- Gupta, N.K., Gupta, A., Ramteke, P., Sahoo, H. & Sengupta, A. 2019. Biosorption-a green method for the preconcentration of rare earth elements (REEs) from waste solutions: A review. *Journal of Molecular Liquids*, 274: 148–164.
- Gupta, T.B. & Lataye, D.H. 2018. Adsorption of indigo carmine and methylene blue dye: Taguchi's design of experiment to optimize removal efficiency. *Sadhana - Academy Proceedings in Engineering Sciences*, 43(10).
- Gupta, V.K., Jain, R., Malathi, S. & Nayak, A. 2010. Journal of Colloid and Interface Science Adsorption – desorption studies of indigocarmine from industrial effluents by using deoiled mustard and its comparison with

- charcoal. *Journal of Colloid And Interface Science*, 348(2): 628–633.
- Gupta, V.K. & Suhas. 2009. Application of low-cost adsorbents for dye removal - A review. *Journal of Environmental Management*, 90(8): 2313–2342.
- Han, Y., Cao, X., Ouyang, X., Sohi, S.P. & Chen, J. 2016. Adsorption kinetics of magnetic biochar derived from peanut hull on removal of Cr (VI) from aqueous solution: Effects of production conditions and particle size. *Chemosphere*, 145: 336–341.
- Handayani, P.A., Nurjanah, E. & Rengga, W.D.P. 2014. Pemanfaatan Limbah Sekam Padi Menjadi Silika Gel. *Jurnal Bahan Alam Terbarukan*, 3(2): 928–938.
- He, X., Male, K.B., Nesterenko, P.N., Brabazon, D., Paull, B. & Luong, J.H.T. 2013. Adsorption and desorption of methylene blue on porous carbon monoliths and nanocrystalline cellulose. *ACS Applied Materials and Interfaces*, 5(17): 8796–8804.
- Hevira, L., Munaf, E. & Zein, R. 2015. The use of *Terminalia catappa* L. fruit shell as biosorbent for the removal of Pb(II), Cd(II) and Cu(II) ion in liquid waste. *Journal of Chemical and Pharmaceutical Research*, 7(10): 79–89.
- Hevira, L., Rahmi, A. & Zein, R. 2020. The fast and of low-cost-adsorbent to the removal of cationic and anionic dye using chicken eggshell with its membrane. , 10(3): 294–301.
- Hevira, L., Zein, R. & Ramadhani, P. 2019. Review Metoda Adsorpsi pada penyerapan ion logam dan zat warna dalam limbah cair. *Jurnal Sains dan Terapan Kimia*, 13(1): 39–58.
- Higarashi, M.M. & Mattei, R.M. 2009. Application of natural adsorbents to remove nutrients from swine facility effluent. *Livestock Research for Rural Development*, 21(10).
- Ho, Y.S. 2003. Removal of copper ions from aqueous solution by tree fern. *Water Research*, 37(10): 2323–2330.
- Ho, Y.S. & McKay, G. 1999. Pseudo-second order model for sorption processes. *Process Biochemistry*, 34: 451–465.
- Holle, R.B., Wuntu, A.D. & Sangi, M.S. 2013. Kinetika Adsorpsi Gas Benzene Pada Karbon Aktif Tempurung Kelapa. *Jurnal MIPA*, 2(2): 100.
- Huang, D., Xu, B., Wu, J., Brookes, P.C. & Xu, J. 2019. Adsorption and desorption of phenanthrene by magnetic graphene nanomaterials from water: Roles of pH, heavy metal ions and natural organic matter. *Chemical Engineering Journal*, 368: 390–399.

- Ighalo, J.O. & Adeniyi, A.G. 2020a. A mini-review of the morphological properties of biosorbents derived from plant leaves. *SN Applied Sciences*, 2(3): 1–16.
- Ighalo, J.O. & Adeniyi, A.G. 2020b. Mitigation of Diclofenac Pollution in Aqueous Media by Adsorption. *ChemBioEng Reviews*, (2): 1–15.
- Igwegbe, C.A., Onukwuli, O.D., Ighalo, J.O. & Okoye, P.U. 2020. Adsorption of Cationic Dyes on Dacryodes edulis Seeds Activated Carbon Modified Using Phosphoric Acid and Sodium Chloride. *Environmental Processes*, 7(4): 1151–1171.
- Iqbal, J., Wattoo, F.H., Wattoo, M.H.S., Malik, R., Tirmizi, S.A., Imran, M. & Ghangro, A.B. 2011. Adsorption of acid yellow dye on flakes of chitosan prepared from fishery wastes. *Arabian Journal of Chemistry*, 4(4): 389–395.
- Jadav, J.N., Maind, S.D. & Bhalerao, S.A. 2015. Use of Terminalia catappa l. leaves for effective removal of chromium (VI) from aqueous solutions. *Int. J. Curr.Res.Chem.Pharma.Sci*, 2(4): 48–62.
- Jain, N., Dwivedi, M.K. & Waskle, A. 2016. Adsorption of Methylene Blue Dye from Industrial Effluents Using Coal Fly Ash. *International Journal of Advanced Engineering Research and Science*, 3(4): 9–16.
- Jamaludin, A. & Adiantoro, D. 2012. Analisis Kerusakan X-Ray Fluoresence (XRF). *PIN Pengelolaan Instalasi Nuklir*, 9–10: 19–28.
- Jawad, A.H. & Abdulhameed, A.S. 2020. Statistical modeling of methylene blue dye adsorption by high surface area mesoporous activated carbon from bamboo chip using KOH-assisted thermal activation. *Energy, Ecology and Environment*, 5(6): 456–469.
- Jawad, A.H., Rashid, R.A., Mahmood, R.M.A., Ishak, M.A.M., Kasim, N.N. & Ismail, K. 2016. Adsorption of methylene blue onto coconut (Cocos nucifera) leaf: optimization, isotherm and kinetic studies. *Desalination and Water Treatment*, 57(19): 8839–8853.
- Jia, P., Tan, H., Liu, K. & Gao, W. 2018. Removal of methylene blue from aqueous solution by bone char. *Applied Sciences (Switzerland)*, 8(10): 1–11.
- Kamal. 2011. Kecap Ketapang Bergizi Tinggi sebagai Pemanfaatan dari Buah yang Terbuang. *PKM Kewirausahaan*.
- Katiki, L.M., Gomes, A.C.P., Barbieri, A.M.E., Pacheco, P.A., Rodrigues, L., Veríssimo, C.J., Gutmanis, G., Piza, A.M., Louvandini, H. & Ferreira, J.F.S. 2017. Terminalia catappa: Chemical composition, in vitro and in vivo effects on Haemonchus contortus. *Veterinary Parasitology*, 246(October): 118–123.

- Kemp, B.S., Harrison, R. & Hider, R.N. 2011. Effect of protein-tannin ratio and tannin concentration on the bovine serum albumin (BSA)-Based precipitation method for red wine tannin concentration. *Journal International des Sciences de la Vigne et du Vin*, 45(1): 39–46.
- Khalfaoui, M., Nakhli, A., Aguir, C., Omri, A., M’Henni, M.F. & Lamine, A. Ben. 2014. Study of equilibrium isotherms of biosorption of lead ions onto *Posidonica oceanica* biomass: Estimation of steric and energetic parameters using a statistical mechanics approach. *Canadian Journal of Physics*, 92(10): 1185–1195.
- Khopkar, S.M. 2004. *Basic Concepts of Analytical Chemistry*.
- Khraisheh, M.A.M., Al-Ghouti, M.A., Allen, S.J. & Ahmad, M.N.M. 2004. The Effect of pH, Temperature, and Molecular Size on the Removal of Dyes from Textile Effluent Using Manganese Oxides-Modified Diatomite. *Water Environment Research*, 76(7): 2655–2663.
- Krishnaveni, M. & Dhanalakshmi, R. 2015. Phytonutrient analysis in *Terminalia Catappa* fruit flesh, nut, shell. *International Journal of Current Pharmaceutical Review and Research*, 6(1): 28–35.
- Kristianingrum, S. 2016. *Handout Spektroskopi Infra Merah (Infrared Spectroscopy, IR)*.
- Kulchaiyawat, C. 2015. Modification of egg albumen to improve thermal stability. *IOWA State University*: 1–132.
- Kumar, C.H., R, S., Rai V, R. & S, A. 2017. Electrochemical Degradation of indigo carmine Dye at Pd/graphite Modified Electrode in Aqueous Solution Shilpa.R., *IOSR Journal of Applied Chemistry*, 10(12): 47–61.
- Kuo, C.Y., Wu, C.H. & Wu, J.Y. 2008. Adsorption of direct dyes from aqueous solutions by carbon nanotubes: Determination of equilibrium, kinetics and thermodynamics parameters. *Journal of Colloid and Interface Science*, 327(2): 308–315.
- Kurniawan, M.I., Abdullah, Z., Rahmadani, A., Zein, R. & Munaf, E. 2014. Isotherm and kinetic modeling of Pb(II) and Cu(II) uptake by *annona muricata* L. seeds. *Asian Journal of Chemistry*, 26(12): 3588–3594.
- Kyzas, G.Z., Lazaridis, N.K. & Mitropoulos, A.C. 2012. Removal of dyes from aqueous solutions with untreated coffee residues as potential low-cost adsorbents: Equilibrium, reuse and thermodynamic approach. *Chemical Engineering Journal*, 189–190: 148–159.
- Lagergren, S.K. 1898. About the theory of so-called adsorption of soluble

- substances. *Journal of Chemical Information and Modeling*, 24: 1–39.
- Laksono, E.W. 2002. Analisis Daya Adsorpsi Suatu Adsorben. *Pendidikan Kimia FMIPA UNY*: 1–7.
- Langmuir, I. 1916. The constitution and fundamental properties of solids and liquids. Part I. Solids. *The Journal of the American Chemical Society*, 38(11): 2221–2295.
- Largitte, L., Brudey, T., Tant, T., Dumesnil, P.C. & Lodewyckx, P. 2016. Comparison of the adsorption of lead by activated carbons from three lignocellulosic precursors. *Microporous and Mesoporous Materials*, 219: 265–275.
- Latupeirissa, J., Tanasale, M.F.J.D.P. & Musa, S.H. 2018. Kinetika Adsorpsi Zat Warna Metilen Biru Oleh Karbon Aktif Dari Kulit Kemiri (*Aleurites moluccana* (L) Willd). *Indo. J. Chem. Res.*, 6(1): 12–21.
- Lebkiri, I., Abbou, B., Kadiri, L., Ouass, A., Essaadaoui, Y., Habssaoui, A., Rifi, E.H. & Lebkiri, A. 2019. Removal of methylene blue dye from aqueous solution using a superabsorbant hydrogel the polyacrylamide: Isotherms and kinetic studies. *Mediterranean Journal of Chemistry*, 9(5): 337–346.
- Li, J., Zhao, Z., Li, D., Tang, X., Feng, H., Qi, W. & Wang, Q. 2017. Multifunctional walnut shell layer used for oil/water mixtures separation and dyes adsorption. *Applied Surface Science*, 419: 869–874.
- Li, M., Wang, H., Wu, S., Li, F. & Zhi, P. 2012. Adsorption of hazardous dyes indigo carmine and acid red on nanofiber membranes. *RSC Advances*, 2(3): 900–907.
- Li, Xiaojuan, Wang, Z., Ning, J., Gao, M., Jiang, W., Zhou, Z. & Li, G. 2018. Preparation and characterization of a novel polyethyleneimine cation- modified persimmon tannin bioadsorbent for anionic dye adsorption. *Journal of Environmental Management*, 217: 305–314.
- Li, Xiaoli, Wei, Y., Xu, J., Xu, N. & He, Y. 2018. Quantitative visualization of lignocellulose components in transverse sections of moso bamboo based on ftr macro- and micro-spectroscopy coupled with chemometrics. *Biotechnology for Biofuels*, 11(1): 1–16.
- Liu, L., Fan, S. & Li, Y. 2018. Removal behavior of methylene blue from aqueous solution by tea waste: Kinetics, isotherms and mechanism. *International Journal of Environmental Research and Public Health*, 15(7): 1–16.
- De Luna, M.D.G., Murniati, Budianta, W., Rivera, K.K.P. & Arazo, R.O. 2017. Removal of sodium diclofenac from aqueous solution by adsorbents derived from cocoa pod husks. *Journal of Environmental Chemical Engineering*,

5(2): 1465–1474.

- Mahmoodi, N.M., Arami, M., Bahrami, H. & Khorramfar, S. 2011. The Effect of pH on the Removal of Anionic Dyes from Colored Textile Wastewater Using a Biosorbent. *Journal of Applied Polymer Science*, 120: 2996–3003.
- Makvandi, P., Iftekhar, S., Pizzetti, F., Zarepour, A., Zare, E.N., Ashrafizadeh, M., Agarwal, T., Padil, V.V.T., Mohammadinejad, R., Sillanpaa, M., Maiti, T.K., Perale, G., Zarrabi, A. & Rossi, F. 2020. Functionalization of polymers and nanomaterials for water treatment, food packaging, textile and biomedical applications: a review. *Environmental Chemistry Letters*, (0123456789).
- Manna, S., Roy, D., Saha, P., Gopakumar, D. & Thomas, S. 2017. Rapid methylene blue adsorption using modified lignocellulosic materials. *Process Safety and Environmental Protection*, 107: 346–356.
- Mathews, S.L., Pawlak, J. & Grunden, A.M. 2015. Bacterial biodegradation and bioconversion of industrial lignocellulosic streams. *Applied Microbiology and Biotechnology*, 99(7): 2939–2954.
- Mikati, F.M., Saade, N.A., Slim, K.A. & El, M.M. 2013. Biosorption of methylene blue on chemically modified chaetophora elegans alga by hcl and citric acid. *Journal of Chemical Technology and Metallurgy*, 48(1): 61–71.
- Milonjić, S.K. 2007. A consideration of the correct calculation of thermodynamic parameters of adsorption. *Journal of the Serbian Chemical Society*, 72(12): 1363–1367.
- Mittal, A., Mittal, J., Malviya, A. & Gupta, V.K. 2009. Adsorptive removal of hazardous anionic dye ‘Congo red’ from wastewater using waste materials and recovery by desorption. *Journal of Colloid and Interface Science*, 340(1): 16–26.
- Mohamed El-Rafie, H. & Abdel-Aziz Hamed, M. 2014. Antioxidant and anti-inflammatory activities of silver nanoparticles biosynthesized from aqueous leaves extracts of four Terminalia species. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 5(3).
- Mohammad, N., Hayati, B., Arami, M. & Lan, C. 2011. Adsorption of textile dyes on Pine Cone from colored wastewater: Kinetic, equilibrium and thermodynamic studies. *Desalination*, 268(1–3): 117–125.
- Mohan, C. 2003. *A guide for the preparation and use of buffers in biological systems*, EMD Biosciences, Germany.
- Musić, S., Filipović-Vinceković, N. & Sekovanić, L. 2011. Precipitation of amorphous SiO₂ particles and their properties. *Brazilian Journal of*

Chemical Engineering, 28(1): 89–94.

- Nagappa, A.N., Thakurdesai, P.A., Rao, N.V. & Singh, J. 2003. Antidiabetic activity of Terminalia catappa Linn fruits. *Journal of Ethnopharmacology*, 88(1): 45–50.
- Nakano, Y., Takeshita, K. & Tsutsumi, T. 2001. Adsorption mechanism of hexavalent chromium by redox within condensed-tannin gel. *Water Research*, 35(2): 496–500.
- Namal, O.O. & Kalipci, E. 2019. Adsorption kinetics of methylene blue removal from aqueous solutions using potassium hydroxide (KOH) modified apricot kernel shells. *International Journal of Environmental Analytical Chemistry*: 1–17.
- Nguyen, H., You, S. & Hosseini-bandegharai, A. 2017. Mistakes and inconsistencies regarding adsorption of contaminants from aqueous solutions: A critical review. *Water Research*, 120: 88–116.
- No.13, P. 2019. Industri tekstil pencelupan, pencapan, dan penyempurnaan.
- Ocholi, O., E, G.C., G.I, N., M, T., S.E, A. & P.R.O, E. 2016. Effect of Time on the Adsorption of Methylene Blue, Methyl Orange and Indigo Carmine onto Activated Carbon. *IOSR Journal of Applied Chemistry*, 09(09): 55–62.
- Olatunji, O.O., Akinlabi, S.A., Mashinini, M.P., Fatoba, S.O. & Ajayi, O.O. 2018. Thermo-gravimetric characterization of biomass properties: A review. *IOP Conference Series: Materials Science and Engineering*, 423(1).
- de Oliveira Brito, S.M., Andrade, H.M.C., Soares, L.F. & de Azevedo, R.P. 2010. Brazil nut shells as a new biosorbent to remove methylene blue and indigo carmine from aqueous solutions. *Journal of Hazardous Materials*, 174(1–3): 84–92.
- Oymak, T. & Esra Bağda. 2018. Crosslinked Egg White as Eco-Friendly, Reusable and Cost-effective Biosorbent for Rapid Removal of Indigo Carmine. *Clean - Soil, Air, Water*, 46(6): 1–18.
- Oz, M., Lorke, D.E. & Petroianu, G.A. 2009. Methylene blue and Alzheimer's disease. *Biochemical Pharmacology*, 78: 927–932.
- Postai, D.L., Demarchi, C.A., Zanatta, F., Melo, D.C.C. & Rodrigues, C.A. 2016. Adsorption of rhodamine B and methylene blue dyes using waste of seeds of Aleurites Moluccana, a low cost adsorbent. *Alexandria Engineering Journal*, 55(2): 1713–1723.
- Putri, F.A. 2015. Analisis Vibrasi Molekul Pada Gas Rumah Kaca. *Berita Dirgantara*, 16(1): 9–16.

- Pyrzyska, K. 2019. Removal of cadmium from wastewaters with low-cost adsorbents. *Journal of Environmental Chemical Engineering*, 7(1).
- Rahmayeni, Arief, S., Jamarun, N., Emriadi & Stiadi, Y. 2017. Magnetically separable ZnO-MnFe₂O₄ nanocomposites synthesized in organic-free media for dye degradation under natural sunlight. *Oriental Journal of Chemistry*, 33(6): 2758–2765.
- Ramadhani, P., Chaidir, Z., Zilfa, Z., Tomi, Z.B., Rahmiarti, D. & Zein, R. 2020. Shrimp shell (*Metapenaeus monoceros*) waste as a low-cost adsorbent for metanil yellow dye removal in aqueous solution. *Desalination and Water Treatment*, 197: 413–423.
- Ramakul, P., Yanachawakul, Y., Leepipatpiboon, N. & Sunsandee, N. 2012. Biosorption of palladium(II) and platinum(IV) from aqueous solution using tannin from Indian almond (*Terminalia catappa* L.) leaf biomass: Kinetic and equilibrium studies. *Chemical Engineering Journal*, 193–194: 102–111.
- Ramesh, T.N., Kirana, D. V, Kumari, T.N.M. & Ashwini, A. 2013. Adsorption studies of indigo carmine dye by magnesium oxide. *International Journal of Science Research*, 01(04): 495–501.
- Ramesh, T.N., Kirana, D.V., Ashwini, A. & Manasa, T.R. 2017. Calcium hydroxide as low cost adsorbent for the effective removal of indigo carmine dye in water. *Journal of Saudi Chemical Society*, 21(2): 165–171.
- Ramesh, T.N., Kirana, D.V., Ashwini, A. & Manasa, T.R. 2015. Calcium hydroxide as low cost adsorbent for the effective removal of indigo carmine dye in water. *Journal of Saudi Chemical Society*: 1–7.
- Réhault-Godbert, S., Guyot, N. & Nys, Y. 2019. The golden egg: Nutritional value, bioactivities, and emerging benefits for human health. *Nutrients*, 11(3): 1–26.
- Rohayati, M. 2015. Pemanfaatan biji ketapang sebagai bahan alternatif pembuatan tahu dengan lama perendaman dan koagulan yang berbeda (doctoral dissertation, Universitas Muhammadiyah Surakarta. *Disertasi*, (Universitas Muhammadiyah Surakarta).
- Saheed, I.O., Adekola, F.A. & Olatunji, G.A. 2016. Sorption study of methylene blue on activated carbon prepared from *Jatropha curcas* and *Terminalia catappa* seed coats. *Journal of the Turkish Chemical Society, Section A: Chemistry*, 4(1): 375–375.
- Saini, J.K., Patel, A.K., Adsul, M. & Singhanian, R.R. 2016. Cellulase adsorption on lignin: A roadblock for economic hydrolysis of biomass. *Renewable Energy*, 98: 29–42.

- Salazar-Rabago, J.J., Leyva-Ramos, R., Rivera-Utrilla, J., Ocampo-Perez, R. & Cerino-Cordova, F.J. 2017. Biosorption mechanism of Methylene Blue from aqueous solution onto White Pine (*Pinus durangensis*) sawdust: Effect of operating conditions. *Sustainable Environment Research*, 27(1): 32–40.
- Salimi, F., Tahmasobi, K., Karami, C. & Jahangiri, A. 2017. Preparation of Modified nano-SiO₂ by Bismuth and Iron as a novel Remover of Methylene Blue from Water Solution. *Journal of the Mexican Chemical Society*, 61(3): 250–259.
- Sanjaya, H. 2012. Analisa Instrumen 2 : XRD, XRF, SEM, DTA, TGA, dan DSC. *Fakultas Matematika dan Ilmu Pengetahuan Alam (FMIPA) Universitas Negeri Padang*.
- Sari, M. 2010. Removal of acidic indigo carmine textile dye from aqueous solutions using radiation induced cationic hydrogels. *Water Science & Technology*—: 2097–2104.
- Sathishkumar, P., Arulkumar, M., Ashokkumar, V., Mohd Yusoff, A.R., Murugesan, K., Palvannan, T., Salam, Z., Ani, F.N. & Hadibarata, T. 2015. Modified phyto-waste *Terminalia catappa* fruit shells: A reusable adsorbent for the removal of micropollutant diclofenac. *RSC Advances*, 5(39): 30950–30962.
- Seenivasan, A. & Panda, T. 2017. Protein Characterization by Thermal Property Measurement. *Glass Transition and Phase Transitions in Food and Biological Materials*, (Cd): 305–391.
- Sellaoui, L., Guedidi, H., Knani, S., Reinert, L., Duclaux, L. & Ben Lamine, A. 2015. Application of statistical physics formalism to the modeling of adsorption isotherms of ibuprofen on activated carbon. *Fluid Phase Equilibria*, 387: 103–110.
- Setiabudi, H.D., Jusoh, R., Suhaimi, S.F.R.M. & Masrur, S.F. 2016. Adsorption of methylene blue onto oil palm (*Elaeis guineensis*) leaves: Process optimization, isotherm, kinetics and thermodynamic studies. , 0: 1–8.
- Shaabani, Y., Sirousazar, M. & Kheiri, F. 2016a. Crosslinked swellable clay/egg white bionanocomposites. *Applied Clay Science*, 126: 287–296.
- Shaabani, Y., Sirousazar, M. & Kheiri, F. 2016b. Crosslinked swellable clay/egg white bionanocomposites. *Applied Clay Science*, 126: 287–296.
- Sharma, K., Dalai, A. & Vyas, R. 2017. Removal of synthetic dyes from multicomponent industrial wastewaters. *Reviews in Chemical Engineering*, 34(1): 107–134.

- Shortsleeve, C. 2019. Are Eggs Healthy? Here's What Experts Say. *TIME*.
- Singh, N., Mittal, A.K., Cornel, P. & Rother, E. 2006. Biosorption of dyes using dead macro fungi: Effect of dye structure, ionic strength and pH. *Bioresource Technology*, 97: 512–521.
- Sudarlin, S. 2012. *Prinsip dan teknik penggunaan gas sorption analyzer (GSA)*.
- Sufriyadi, Zakir, M. & Maming. 2018. Adsorpsi Gas Buang Silena Dengan Menggunakan Karbon Aktif dari Biomassa Limbah Tempurung Kemiri (Aleuritas Moluccana L). *Universitas Hasanuddin*: 1–11.
- Sullivan, C., Tyrer, M., Cheeseman, C.R. & Graham, N.J.D. 2010. Disposal of water treatment wastes containing arsenic - A review. *Science of the Total Environment*, 408(8): 1770–1778.
- Suseno, J.E. & Firdausi, K.S. 2008. Rancang Bangun Spektroskopi FTIR (Fourier Transform Infrared) untuk Penentuan Kualitas Susu Sapi. *Berkala Fisika*, 11(1): 23–28.
- Szygula, A., Ruiz, M., Guibal, E. & Sastre, A.M. 2008. Removal of an Anionic Reactive Dye by Chitosan and its Regeneration. *Energy And Environmental Engineering Series*, (1): 24–30.
- Tan, K.B., Vakili, M., Horri, B.A., Poh, P.E., Abdullah, A.Z. & Salamatinia, B. 2015. Adsorption of dyes by nanomaterials: Recent developments and adsorption mechanisms. *Separation and Purification Technology*, 150: 229–242.
- Terças, A.G., Monteiro, A. de S., Moffa, E.B., dos Santos, J.R.A., de Sousa, E.M., Pinto, A.R.B., Costa, P.C. d. S., Borges, A.C.R., Torres, L.M.B., Barros Filho, A.K.D., Fernandes, E.S. & Monteiro, C. de A. 2017. Phytochemical characterization of *Terminalia catappa* Linn. extracts and their antifungal activities against *Candida* spp. *Frontiers in Microbiology*, 8(APR): 1–13.
- Thomson, L.A.J. & Evans, B. 2006. *Terminalia catappa* (tropical almond) Combretaceae (combretum family). *Species Profiles for Pacific Island Agroforestry*, ver.2.2(April): 1–20.
- Tran, H.N., Nguyen, H.C., Woo, S.H., Nguyen, T.V. & Vigneswaran, S. 2019. Removal of various contaminants from water by renewable lignocellulose-derived biosorbents: a comprehensive and critical review. *Environmental Science and Technology*, 49(23): 2155–2219.
- Udotong, J.I.R. & Bassey, M.I. 2015. Evaluation of the Chemical Composition, Nutritive Value and Antinutrients of *Terminalia catappa* L. Fruit (Tropical Almond). *International Journal of Engineering and Technical Research (IJETR)*, 3(9): 96–99.

- Ur Rehman, M.Z., Aslam, Z., Shawabkeh, R.A., Hussein, I.A. & Mahmood, N. 2020. Concurrent adsorption of cationic and anionic dyes from environmental water on amine functionalized carbon. *Water Science and Technology*, 81(3): 466–478.
- Utami, R.P., Hastuti, R. & Khabibi, K. 2015. Pengaruh H₂SO₄ pada PVA dalam Modifikasi Tongkol Jagung-Bulu Ayam sebagai Adsorben Campuran Logam Pb(II) dan Cd(II). *Jurnal Kimia Sains dan Aplikasi*, 18(2): 44–49.
- Utomo, S.B. 2016. Aplikasi lignoselulosa sulfonat ampas tebu untuk adsorpsi zat warna tekstil kationik basic violet. *Jurnal Kimia Dan Pendidikan Kimia (JKPK)*, 1(1): 11–19.
- Velkova, Z., Kirova, G., Stoytcheva, M. & Gochev, V. 2018. Biosorption of Congo Red and Methylene Blue by pretreated waste *Streptomyces fradiae* biomass - Equilibrium, kinetic and thermodynamic studies. *Journal of the Serbian Chemical Society*, 83(1): 107–120.
- Voutou, B. & Stefanaki, E. 2008. *Electron Microscopy: The Basics*.
- Wang, W., Huang, G., An, C., Xin, X., Zhang, Y. & Liu, X. 2017. Transport Behaviors of Anionic Azo Dyes at Interface between Surfactant-Modified Flax Shives and Aqueous Solution: Synchrotron Infrared and Adsorption Studies. *Applied Surface Science*.
- Weng, C., Lin, Y. & Tzeng, T. 2009. Removal of methylene blue from aqueous solution by adsorption onto pineapple leaf powder. *Journal of Hazardous Materials journal*, 170: 417–424.
- Wongtangtintan, S., Neeratanaphan, L., Ruchuwarak, P., Suksangawong, S., Tengjaroenkul, U., Sukon, P. & Tengjaroenkul, B. 2016. Comparative study of aflatoxin B1 adsorption by Thai bentonite and commercial toxin binders at different temperatures in vitro. *Livestock Research for Rural Development*, 28(4): 1–8.
- Wu, Yunhai, Wen, Y., Zhou, J., Cao, J., Jin, Y. & Wu, Yunying. 2013. Comparative and competitive adsorption of Cr(VI), As(III), and Ni(II) onto coconut charcoal. *Environmental Science and Pollution Research*, 20(4): 2210–2219.
- Xu, X., Zou, J., Zhao, X.R., Jiang, X.Y., Jiao, F.P., Yu, J.G., Liu, Q. & Teng, J. 2019. Facile assembly of three-dimensional cylindrical egg white embedded graphene oxide composite with good reusability for aqueous adsorption of rare earth elements. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 570(January): 127–140.
- Yadav, N., Maddheshiaya, D.N., Rawat, S. & Singh, J. 2020. Adsorption and

equilibrium studies of phenol and para-nitrophenol by magnetic activated carbon synthesised from cauliflower waste. *Environmental Engineering Research*, 25(5): 742–752.

- Yenti, S.R., Fadli, A. & Hamdani, M. 2019. Model Kesetimbangan Dubinin-Radushkevich Pada Adsorpsi Doxorubicin Menggunakan Partikel Hidroksiapatit. *Prosiding Seminar Nasional Fisika Universitas Riau IV*, (September): 10041–10045.
- Yu, J.X., Wang, L.Y., Chi, R.A., Zhang, Y.F., Xu, Z.G. & Guo, J. 2013. A simple method to prepare magnetic modified beer yeast and its application for cationic dye adsorption. *Environmental Science and Pollution Research*, 20(1): 543–551.
- Yu, J.X., Zhu, J., Feng, L.Y. & Chi, R.A. 2015. Simultaneous removal of cationic and anionic dyes by the mixed sorbent of magnetic and non-magnetic modified sugarcane bagasse. *Journal of Colloid and Interface Science*, 451: 153–160.
- Yuan, N., Cai, H., Liu, T., Huang, Q. & Zhang, X. 2019. Adsorptive removal of methylene blue from aqueous solution using coal fly ash-derived mesoporous silica material. *Adsorption Science and Technology*, 37(3–4): 333–348.
- Yuniati, H. & Almasyhuri. 2012. Kandungan vitamin B6, B9, B12 dan E beberapa jenis daging, telur, ikan dan udang laut di Bogor dan sekitarnya. *Penelitian Gizi dan Makanan*, 35(1): 78–89.
- Zahedi, P. & Fallah-Darrehchi, M. 2015. Electrospun egg albumin-PVA nanofibers containing tetracycline hydrochloride: Morphological, drug release, antibacterial, thermal and mechanical properties. *Fibers and Polymers*, 16(10): 2184–2192.
- Zein, R., Astuti, A.W., Wahyuni, D., Firda Furqani, K. & Munaf, E. 2015. Removal of methyl red from aqueous solution by *Nepthelium lappaceum*. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 6(3): 86–97.
- Zein, R., Billian, Z., Syiffa, T. & Zilfa, F. 2020. Modification of rice husk silica with bovine serum albumin (BSA) for improvement in adsorption of metanil yellow dye. *Journal of the Iranian Chemical Society*, (0123456789).
- Zein, R., Hidayat, D.A., Elfia, M., Nazarudin, N. & Munaf, E. 2014. Sugar palm *Arenga pinnata* Merr (Magnoliophyta) fruit shell as biomaterial to remove Cr (III), Cr (VI), Cd (II) and Zn (II) from aqueous solution. *Journal of Water Supply: Research and Technology—AQUA*, 63(7): 553–559.
- Zhai, Q.-Z., Dong, Y., Liu, H. & Wang, Q.-S. 2019. Adsorption of Methylene Blue onto nano SBA-15 mesoporous material from aqueous media: kinetics,

isotherms and thermodynamic studies. *Desalination and Water Treatment*, 158: 330-342.

Zhou, Z., Liu, F., Huang, Y., Wang, Z. & Li, G. 2015. Biosorption of palladium(II) from aqueous solution by grafting chitosan on persimmon tannin extract. *International Journal of Biological Macromolecules*, 77: 336–343.

Zhu, Y., Yi, B., Yuan, Q., Wu, Y., Wang, M. & Yan, S. 2018. Removal of methylene blue from aqueous solution by cattle manure-derived low temperature biochar. *RSC Advances*, 8(36): 19917–19929.

Zilfa, Rahmayeni, Stiadi, Y. & Adril. 2018. Utilization of natural zeolite clinoptilolite-Ca as a support of ZnO catalyst for congo-red degradation and congo-red waste applications with photolysis. *Oriental Journal of Chemistry*, 34(2): 887–893.

