

## DAFTAR PUSTAKA

- Adawiyah S.R, Shuhaimi M, Yazid A.M.M, Manaf A.A, Rosli N, Sreeramanan (2011) Molecular cloning and sequence analysis of an inulinase gene from an *Aspergillus* sp. *World J Microbiol Biotechnol*, 27:2173-2185
- Admin (2003). *Dahlia cantik bunganya manis umbinya*. Halal MUI
- Ahmed Z (2006) Optimization of PCR condition *in vitro* for maximum amplification of DNA from *Xanthomonas campestris* 13551. *Journal of Applied Sciences Research* 2:112-122
- Allais JJ, Hoyos-Lopez G, Kammoun S, Baratti JC (1987). Isolation and characterization of the thermophilic bacterial strain with inulinase activity. *Applied and Environmental Microbiology*, 153:942-945.
- Alberto F, Bignon C, Sulzenbacher, Henrissat B, Czjzek M. (2004). The three-dimensional structure of invertase ( $\beta$ -fructosidase) from *Thermotoga maritima* reveals a bimodular arrangement and an evolutionary relationship between retaining and inverting glycosidases. *The Journal of Biological Chemistry*, 279:18903-18910.
- Amann RI, Ludwig W, Schleifer KH (1995). Phylogenetic identification and in situ detection of individual microbial cells without cultivation. *Microbiology Reviews*, 59:143-169.
- Andyani NF (2001). Produksi sirup fruktosa dari inulin *Dahlia Pinata* Cav secara hidrolisis asam. *Skripsi*. Fakultas Teknologi Pangan IPB. Bogor.
- Arand M, Golubev AM, Neto JRB, Polikarpov I, Wattiez R, Korneeva OS, Eneskaya EV, Kulminskaya AA, Shabalin KA, Shishliannkov SM, Chepunaya OV and, Neustroev, KN (2002). Purification, characterization, gene cloning and preliminary X-ray data of the exo-inulinase from *Aspergillus awamori*. *Biochem J*, 362:131-135.
- Armougom F, Raoult D (2009). Exploring microbial diversity using 16S rRNA high-throughput methods. *JCSB*, 2:074-092'
- Azhar M. (2007). Aktivitas enzim inulinase yang diekstraksi dengan etanol dari umbi tanaman dahlia. *Jurnal Sainsteks.vol.x.no.1*:11-23.
- Azhar M, Iryani (2007). Karakteristik set yoghurt dari susu skim akibat penambahan inulin. *Makalah pada Semirata ke-20 PTN Wilayah Barat*. UIN, Jakarta
- Azhar M (2009). Kadar lemak, kadar protein, dan uji organoleptik set yoghurt akibat penambahan prebiotik inulin. *Jurnal Sainstek. vol.xi, no.2*:183-189.

Azhar M, Syukur S, Natalia D, Vovien, Jamsari, Munaf E (2013) Characterization of extracellular enzyme and identification of inulin degrading bacteria from hot spring West Sumatra. *International Journal of Chemistry* (accepted on January 22 2013)

Azhar M, Syukur S, Natalia D, Vovien, Jamsari (2011). Skrining dan identifikasi bakteri pendegradasi inulin dari sumber air panas Padang Balimbiang di Solok. *Jurnal Riset Kimia*. vol.5.no.1: 32-39.

Azhar M, Syukur S, Natalia D, Jamsari (2012). Cloning and characterization of partial nucleotide sequence of levanase gene from a thermotolerant *Bacillus licheniformis*. Poster pada 1<sup>st</sup> *Regional Symposium on Sciences and Biotechnology for Public Health*. Andalas University, Padang November 1<sup>st</sup> 2012.

Baker GC, Gaffar S, Cowan DA, Suharto AR (2001) Bacterial community analysis of Indonesian hot springs. *FEMS Microbiology Letters*. 200:103-109

Baker GC, Smith JJ, Cowan DA (2003) Review and re-analysis of domain-specific 16S primers. *Journal of Microbiological Methods*, 55:541-555.

Banguela A, Hernandez L (2006). Fructan: from natural sources to transgenic plant. *Biotecnologia Aplicada* 23:202-210.

Baratti JC, Ettalibi M (1987). Purification, properties and comparison of invertase, exo-inulinase and endo-inulinase of *Aspergillus ficuum*. *Appl Microbiol Biotechnol*. 26:13-20

Barton HA (2006). Introduction to cave microbiology: a review for the non-specialist. *Journal of Cave and Karst Studies*, 68:43-54.

Basran NF, Mustafa S, Shamsuddin RA, Ali AM, Subramaniam S. (2010). Isolation and cloning of an inulinase gene from an endophytic bacteria. *Advances in Environmental Biology*, 4:392-396.

Bendtsen JD, Nielsen H, Heijne GV, Brunak S (2004). Improved prediction of signal peptides-SignalP 3.0. *Journal of Molecular Biology*, 340:783-795.

Benson DA, Karsch-Mizrachi I, Lipman DJ, Ostell J, Wheeler DL (2008). GenBank. *Nucleic Acid Research*, 36:D25-D30.

Bohm A, Kaiser I, Trebstein A, Henle T (2005). Heat-induced degradation of inulin. *Eur Food Res Technol*, 220:466-471.

Boraston AB, Bolam DN, Gilbert HJ, Davies GJ (2004). Carbohydrate-binding modules:fine-tuning polysaccharide recognition. *Biochem. J*, 382:769-781.

Buttrose MS (1963). Electron-microscopy of acid-degraded starch granules. *Starch/Staerke*, 15:85-92

Case RJ, Boucher Y, Dahllof I, Holmstrom C, Doolittle WF, Kjelleberg S (2007). Use 16S rRNA and *rpoB* genes as molecular markers for microbial ecology studies. *Applied and Environmental Microbiology*, 73:278-288.

Castro GR, Baigori MD, Sineriz, F (1995) A plate technique for screening of inulin degrading microorganisms. *Journal of Microbiological Methods*, 22:51-56.

Coussemant PAA (1999) Inulin and oligofructose: safe intakes and legal status. *American Society for Nutritional Sciences*, 129:1412S-1417S.

Davies G, Henrissat B (1995) Structure and mechanisms of glycosyl hydrolase. *Structure*, 3:853-859.

DeLano WL (2008). The PyMOL Molecular graphics system. Schroedinger, LLC, Palo Alto, USA

Ertan F, Ekinci F, Aktac T (2003). Production of inulinase from *Penicillium spinulasum*, *Aspergillus parasiticus* NRRL 2999 and *Trichoderma viride*. *Pakistan Journal of Biological Sciences*, 6:1332-1335.

Ertan F, Sanal FE, Kaboglu AC, Aktac T, Bakar E. (2005). Some properties of inulinase from *Rhizoctonia solani*. *Journal of Biological Sciences*, 5:330-334.

Ertan F, Ekinci F (2002). The Production of inulinase from *Alternaria alternate*, *Aspergillus niger*, *Trichoderma harzianum*. *Journal of Marmara for Pure and Applied Sciences*, 18:7-15.

Ertan F, Aktac T, Kaboglu AC, Ekinci F, Bakar E. (2003). Determination of optimum cultivation condition on the production of inulinase from *Rhizoctonia solani*. *Pakistan Journal of Biological Sciences*, 6:1386-1388.

Franck A (2006). *Food polysaccharides and their application*. CRC Press.

Gao W, Bao Y, Liu Y, Zhang X (2008). Characterization of thermo-stable endo-nulinase from a new strain *Bacillus Smithii* T7. *Appl Biochem Biotechnol*, 157:498-506.

Georgescu LA, Stoica I (2005). Studies concerning the dynamic of enzyme hydrolyse on the Jerusalem artichoke (*Helianthus tuberosus*) inulin. The Annal of the University Dunarea de Jos of Galati-no1.*Fascicle VI-Food Technology* :77-80

Gill PK, Manhas RK, Singh P (2006). Hydrolysis of inulin by immobilized thermostable extracellular exoinulinase from *Aspergillus fumigatus*. *Journal of Food Engineering* 76:369-375.

Goosen C (2007) Identification and characterization of glycoside hydrolase family 32 enzymes from *Aspergillus niger*. *PhD Thesis*. Rijksuniversitet Groningen

- Goosen C, Van der maarel M.J.E.C, Dijkhuizen L (2008) Exo-inulinase of *Aspergillus niger* N402: A hydrolytic enzyme with significant transfructosylating activity. *Biocatalysis and Biotransformation* 26:49-58
- Haki GD, Rakshit SK (2003). Development in industrially important thermostable enzyme: a review. *Bioresource Technology* 89:17-34
- Holt JG, Krieg NR, Sneath PHA, Staley JT , William ST (1994). *Bergey's manual of determinative bacteriology*, edition 9<sup>th</sup>. The William & Wilkin Co. Inc. USA
- Ibrahim ASS and El-diwany A (2007). Isolation and identification of new cellulases producing thermophilic bacteria from Egyptian Hot Spring and some properties of the crude enzyme. *Australian Journal of Basic and Applied Sciences* I(4):473-478.
- IRIS Biotech (2008). Immobilized enzymes for biocatalysis, unusual enzymes & special proteins.
- Kaplan H, Hutchins, RW (2003). Metabolism of fructooligosaccharides by *Lactobacillus paracasei* 1195. *Appl Environ Microbiol.* 69:2217-2222.
- Kelley LA and Sternberg MJE (2009). Protein structure prediction on the web: a case study using the Phyre server. *Nature Protocols*, 4:363-371.
- Khyami-Horami H (1996) Thermotolerant strain of *Bacillus licheniformis* producing lipase. *World Journal of Microbiology & Biotechnology*, 12:339-401.
- Kim Kyoung-Yun, Koo BS, Jo D, Kim SI (2004). Cloning, expression and purification exoinulinase from *Bacillus* sp sru7'. *Microbial Biotechnol*, 14:344-349.
- Kochhar A, Gupta AK, Kaur (1999). Purification and immobilization of inulinase from *Aspergillus candidus* for producing fructose. *Journal of the Science of Food and Agriculture*, 79:549-554.
- Kramer MF, Coen DM (2003). Enzymatic amplification of DNA by PCR: standard procedures and optimization. *Current Protocols in Immunology*. John Wiley and Sons, Inc
- Kulminskaya AA, Arand M, Eneyskaya, EV, Ivanen DR, Shabalina KA, Shishlyannikov, SM; Saveliev, AN; Korneeva, OS; Neustroev, KN. (2003). Biochemical characterization of *Aspergillus awamori* exoinulinase: substrate binding characteristics and regioselectivity of hydrolysis. *Biochimica et Biophysica Acta*, 1650:22-29.
- Kumar GP, Kunamneni A, Prabhakar T, Ellaiah P (2005). Optimization of process parameter for production of inulinase from a newly isolated *Aspergillus niger* AUP19. *World Journal of Microbiology and Biotechnology*, 21:1359-1361.
- Kwon HJ, Jeon SJ, You DJ, Kim KH, Jeong YK, Kim YH, Kim YM, Kim BW (2003). Cloning and characterization of exoinulinase from *Bacillus polymyxa*. *Biotechnology Letter*, 25:155-159.

Laemmli UK (1970) .Cleavage of structural protein during the assembly of the head of bacteriophage T4. *Nature*, 277:680-685.

Leite JTC, Martinelli P, Murr FEX, Park KJ (2004).Study of the inulin concentration by physical method. *Proceedings of the 14th internasional drying symposium Brazil*, 8:868-875.

Madigan MT, Martinko JM (2006). *Brock biology of microorganism*. Pearson Education Inc.USA.

Martel CM, Parker JE, Jackson CJ, A.G.S. Warrilow AGS, Rolley N, Greig C, Morris S.M, Donnison I.S, Kelly D.E, Kelly S.L (2011). Expression of bacterial levanase in yeast enables simultaneous saccharification and fermentation of grass juice to bioethanol. *Bioresource Technology*, 102:1503-1508

Marchessault RH, Bicha T, Deslandes Y, Revol JF.(1980) *Can. J.Chem*, 58:2415.

Menendez C, Hernandez L, Selman G, Mendoza, M.F, Hevia P, Sotolongo M, Arrieta J.G (2002) Molecular cloning and expression in *Escherichia coli* of an exo-lavanase gene from the endophytic bacterium *Gluconacetobacter diazotrophicus* SRT4. *Current Microbiology*, 45:5-12

Niness KR (1999). Inulin and oligofructose: what are they. *Journal of Nutrition*, 129:1402S-1406S.

Nagem RAP, Rojas A.L, Golubev AM, Korneeva O.S (2004). Crystal structure of exo-inulinase from *Aspergillus awamori*: the enzyme fold and structural determinant of substrate recognition. *J.Mol.Biol*, 344:471-480.

Ohta K, Akimoto H, Matsuda S, Toshimitsu D, Nakamura T (1998). Molecular cloning and sequence analysis of two endoinulinase genes from *Aspergillus niger*. *Biosci. Biotechnol. Biochem*, 62:1731-1738.

Ohta K, Akimoto H, Moriyama S (2004). Fungal inulinases: enzymology, molecular biology and biotechnology. *J.Appl.Glyosci*, 51:247-254.

Peer de YV, Chapelle S, Wachter RD (1996). A quantitative map of nucleotide substitution rates in bacteria rRNA. *Nucleatic Acid Research*. 24:338-391.

Pessoa V (1999). Inulinase from *Kluyveromyces marxianus*: culture medium composition and enzyme extraction. *Braz. J. Chem Eng*. 16:237-245

Phelps CF (1965). The physical properties of inulin solution. *Biochem.J*, 95:41-47.

Pouyez J, Mayard A, Vandamme AM, Roussel G, Perpete, EA, Wouters J, Housen I, Michaux C (2012). First crystal structure of an endo-inulinase, INU2, from *Aspergillus ficuum*: discovery of an extra-pocket in the catalytic responsible for its endo-activity. *Biochimie*. 94:2423-2430.

Promega (2007). *pGEM-T and pGEM-T Easy Vector Systems*. Technical Manual. Promega.

Ricca E, Calabro V, Curcio S, Iorio G (2007). The state of the art in the production of fructose from inulin enzymatic hydrolysis. *Critical Reviews in Biotechnology*, 27:129-145.

Roberfroid, MB (1993). Diatery fiber, inulin, and oligofructose: a review comparing physiological effect. *Crit Rev Food Sci Nutr*. 33:103-48.

Roberfroid, MB, Loo AEV, Gibson GR (1998). The bifidogenic nature of chicory inulin and Its hydrolysis products. *J. Nutr*, 126:11-19.

Roberfroid, MB (2001). Prebiotics: preferential substrates specific germs. *American Journal of Clinical Nutrition*, 73:406S-409S.

Rukmana R (2004). *Dahlia Prospek Agribisnis dan Teknik Budi Daya*. Yogyakarta: Kanisius.

Rulis AM (2003). Center for food safety and applied nutrition office of food additive safety. Diakses 3 April 2004.

Saengthongpinit W, Sajjaanantakul (2005). Influence of harvest time and stroge temperature on characteristics of inulin from Jerusalem artichoke (*Helianthus tuberosus L.*) tubers. *Postharverst Biology and Technology*, 37:93-100.

Sambrook J, Fritsch EF, Maniatis T (1989). *Molecular Cloning a Laboratory Manual* 2<sup>nd</sup> ed vol.1-3.Gold Spring. Habor laboratory. Press.USA.

Sanal FE, Ertan F, Aktac T (2005). Production of exo-inulinase from *Alternaria alternate* growth on Jerusalem artichoke and some biochemical properties. *Journal of Biological Sciences*. 5:497-505.

Simanjuntak P, Rachmat J, Rosalinda N (2004).Tumbuhan Indonesia sebagai sumber inulin. *Alchemy*, 13:8-14.

Singh P, Gill PK (2006). Production of inulinase: recent advances. *Food Technol Biotechnol*, 44:151-162.

Sirisansaneeyakul S, Worawuthiyanan N, Vanichsriratana W, Srinophakum P, Chisti Y (2007). Production of fructose from inulin mixed inulinases from *Aspergillus niger* and *Candida guilliermondii*. *World J Microbial Biotechnol*, 23:543-552.

Soheir HA, Foda MS, Magdy AA, Sanaa TE (2007). Production of extracellular thermostable inulinase by *Rhizopus oligosporus* using Artichokes leaves as a potential substrat. *Advances in Food Sciences*, 29:84-89.

Somogyi, M (1952). Notes on sugar determination. *J Biol.Chem*.195:19-23.

- Souza AN, Martins MLL (2001). Isolation, properties, and kinetics of growth of a thermophilic *Bacillus*. *Brazillian Journal of Microbiology*. 32:271-275.
- Stackebrandt E, Goebel BM (1994). Taxonomic note: A place for DNA-DNA reassociation and 16S rRNA sequence analysis in the present species definition in bacteriology. *International Journal of Systematic Bacteriology*, 44:846-849.
- Studholme DJ, Jackson RA, Leak DJ (1999). Phylogenetic analysis of transformable strains of thermophilic *Bacillus* Species. *FEMS Microbiology Letters*, 172: 83-90.
- Tamura K, Peterson D, Peterson N, Stecher G, Nei M, Kumar S (2011). MEGA5: Molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance, and maximum parsimony method. *Mol. Biol. Evol* 28:2731-2739.
- Thermo Scientific (2011). Dream Tag DNA polymerase. Thermo Fisher Scientific Inc.
- Tohamy EY (2006). Purification and characterization of exoinulinase enzyme from *Sterptomyces grisenus*. *Pakistan Journal of Biological Sciences*, 9:911-916.
- Tsujimoto Y, Watanabe A, Nakano K, Watanabe K, Matsui H, Tsuji K, Tsukihara T, Suzuki Y (2003). Gene cloning, expression, and crystallization of a thermostable exo-inulinase from *Geobacillus stearothermophilus* KP1289. *Appl Microbiol Biotechnol*, 62:180-185.
- Wada T, Sugatani J, Terada E, Ohguchi M, Miwa M (2005). Physicochemical characterization and biological effects of inulin enzymatically synthesized from sucrose. *Journal of Agricultural and Food Chemistry*, 53:1246-1253.
- Wanker E, Huber A, Schwab H (1995) Purification and characterization of *Bacillus subtilis* levanase produced in *Escherichia coli* *Applied and Environmental Microbiology*, 61:1953-1958.
- Wattiau P, Renard M.E, Ledent P, Debois V (2001) A PCR test to identify *Bacillus subtilis* and closely related species and its application to the monitoring of wastewater biotreatment. *Appl Microbiol Biotechnol*, 56:816-819.
- Widowati S, Sunarti TC, Zharani A (2005). Ekstraksi, karakterisasi, dan kajian potensi prebiotik inulin dari umbi dahlia (*Dahlia pinnata* L). Seminar Rutin Puslitbang Tanaman Pangan.Bogor 16 Juni
- Woodmen ME (2008). Direct PCR of intact bacteria (Colony PCR). *Current Protocols in Microbiology*. Wiley Interscience ([www.interscience.wiley.com](http://www.interscience.wiley.com)). John Wiley & Sons,Inc . A.3D.1-6
- Vandamme P, Plot B, Gillis M, deVos P, Kersters K, Swing J (1996). Polyphasic taxonomy, a consensus approach to bacterial systematics. *Microbiological Reviews*, 60:407-438.

Vaseekaran S, Balakumar S, Arasaratnam V (2010). Isolation and identification of a bacterial strain producing thermostable  $\alpha$ -amylase. *Tropical Agricultural Research*, 22:1-11.

Verhaest M, Ende WV, Roy KL, Ranter CJD, Laere AV, Rabijns A (2005) X-ray diffraction structure of a plant glycosyl hydrolase family 32 protein: fructan 1-exohydrolase IIa of *Cichorium intybus*. *The Plant Journal*, 41:400-411.

Vieille C, Zeikus GJ (2001). Hyperthermophilic enzymes: sources, uses, and molecular mechanisms for thermostability. *Microbiology and Molecular Biology Reviews*. American Society for Microbiology, 1-43.

Vijayaraghavan K, Yamini D, Ambika V, Sowdamini NS (2009). Trends in inulinase production-a review. *Critical Reviews in Biotechnology*, 29:67-77.

Vollu R.E, Santos S.C.C, Seldin L (2003). 16S rDNA targeted PCR for the detection of *Paenbacillus macerans*. *Letters in Applied Microbiology*, 37:415-420

Yadid I, Taufik DS (2010). Functional  $\beta$ -propeller lectins by tandem duplications of repetitive units. *Protein Engineering, Design & Selection*, 24:185-195

Yuan XL, Goosen C, Kools H, Maarel MJEC, Hondel CAMJJ, Dijkhuizen L Ram AFJ. (2006). Database mining and transcriptional analysis of genes encoding inulin-modifying enzymes of *Aspergillus niger*. *Microbiology*, 152:3061-3073.

Yurmizar. (1989). Penandaan inulin dengan radionuklida teknesium-99m dan biodistribusinya pada tikus putih. *Skripsi* FMIPA. Padang: Universitas Andalas.

Zhang T, Gong F, Chi Z, Liu G, Chi Z, Sheng J, Li J, Wang X. (2009). Cloning and characterization of inulinase gene from a marine yeast *Pichia guilliermondii* and its expression in *Pichia pastoris*. *Antonie van Leeuwenhoek*, 95:13-22

Zittan L, (1981). Enzymatic hydrolysis of inulin-an aternative way to fructose production. *Starch*, 33:373-377.