

DAFTAR PUSTAKA

- Achari, G.A and Ramesh, R. 2014. Diversity, Biocontrol, and Plant Growth Promoting Abilities of Xylem Residing Bacteria from Solanaceous Crops. *International Journal of Microbiology*, 2014; 1-14
- Agrios, G..N. 2005. *Plant Pathology*. 5th edition. Academic Press Inc. San Diego, New York, Boston, London, Sydney, Tokyo, Toronto.
- Alameda, M and Rivera, L. 2007. Endophytic and pathogenic bacteria isolated from onion seeds in Puerto Rico. Abstrak. Resumenes sociedad puertorriquena de ciencias Agricolas Reunion Cientifica Annual. Puerto Rico.
- Aravind, R., Antony, D., Eapen, S.J., Kumar, A. and Ramana, K.V. 2009, Isolation and evaluation of endophytic bacteria against plant parasitic nematodes infesting black pepper (*Piper nigrum* L.) *Indian J. Nematol.*, 39: 211-217.
- Ardebili, Z.O., Ardebili, N.O., Hamdi, S.M.M. 2011. Physiological effect of *Pseudomonas fluorescens* CHAO on tomato (*Lycopersicum esculentum* Mill) plants and its possible impact on *Fusarium oxysporum f.sp lycopersici*. *Australian Journal of Crop Science (AJCS)* 5 (12): 1631-1638
- Ariwiyanto, T. 1998. pengendalian Secara Hayati Penyakit Layu Bakteri Pada Tembakau. Laporan riset Unggulan Terpadu IV (1996-1998) Kantor Menteri Negara Riset dan Teknolgoi Dewan Riset Nasional
- Audipudi, A.V., Allu, S., Kumar, N.P, and Chowdappa, P. 2014. Plant growth promoting potential of a novel endophytic curtobacterium CEG: Isolation, evaluation and formulation. *Annals of Biological Research*. 5 (5):15-21
- Avdiushiko, S.A, Ye, X.S., and Kuc, J. 1993. Detection of several enzymatic activities in leaf print cucumber plant. *Physiol. Mol. Plant Pathol* 42: 441-445
- Backman, P.A., Wilson, M., Murphy, J.F. 1997. Bacteria for biological control of plant diseases. In: Rechcigl, J.E., (Eds), *Enviromentally safe Approaches to plant disease control*. CRC/Lewis press, Boca Raton, FL, pp 95-109.
- Backman P.A and Sikora R.A. 2008. Endophytes: An emerging tool for biological control. *Biol*. 46: 1–3.
- Bakker, P.A.H.M., Pieterse, C.M.J., Van Loon, L.C. 2007. Induced systemic resistance by Fluorescent *Pseudomonas spp.*, *Phytopathology* 97, 239-243
- Baldani J.I and Baldani V.L.D. 2005. History on the biological nitrogen fixation research in graminaceous plants:special emphasis on the Brazilian experience. *Anais da Academia Brasileira de Ciências*. 77: 549-579.

- Bandara, W.M.M.S., Seneviratne, G., Kulasooriya., S.A. 2006. Interaction among endophytic bacteria and fungi; effects and potentials. *J. Biosci* 31 (5). : 645-650.
- BPS {Badan Pusat Statistik} Produksi sayuran Indonesia 2012. Laporan tahunan produksi pangan 2012.
- Barka, E.A., Gognies, S., Nowak, J., Audran, J.C., Belarbi, A. 2002, Inhibitory effect of endophytic bacteria on *Botrytis cinerea* and its influence to promote the grapevine growth. *Biological control* 24, 135-142.
- Benhamou, N., Gagné S., Quéré D.L., Dehbi L. 2000. Bacterial-mediated induced resistance in cucumber: beneficial effect of the endophytic bacterium *Serratia plymuthica* on the protection against infection by *Pythium ultimum*. *Biochem. Cell Biol.* 90: 45-56.
- Berg, G., Hallmann, J. 2006. Control of plant pathogenic fungi with bacterial endophytes. In: *Microbial root endophytes*. Schulz B, Boyle C, Sieber TN, eds. Springer, Berlin. Pp. 53–67.
- Berg, G. 2009. Plant-microbe interactions promoting plant growth and health: perspectives for controlled use of microorganisms in agriculture. *Appl. Microbiol. Biotech.* 84: 11-18.
- Bertalan, M., Albano R., de Pádua, V., Rouws, L., Rojas, C., Hemerly, A., Teixeira, K. 2009. Complete genome sequence of the sugarcane nitrogen-fixing endophyte *Gluconacetobacter diazotrophicus* Pal5. *BMC Genomics* 10: 450.
- Binutu, O.A and Cordell, G.A. 2000. Gallic acid derivative from *Mezoneuron benthamianum* leaves. *Pharmacol Biol* 38:284–286.
- Boddey, R.M. 1995. Biological nitrogen fixation in sugarcane: a key to energetically viable biofuel production. *Crit. Rev Plant Sci.* 14:209-266.
- Boyetchko, S.M. and Peng, G. 2004. Challenges and strategies for development of mycoherbicides. In: *Fungal Biotechnology in Agricultural, Food, and Environmental Applications* (ed. by Arora D.K.). Marcel Dekker, New York, 11–121
- Bric, J.M., Bostock, R.M., Silverstone, S.E. 1991. Rapid in situ assay for indoleacetic acid production by bacteria immobilized on a nitrocellulose membrane. *Applied and environmental microbiology* 57: 535-538.
- Centre for microbial and plant genetics. 2006. Plant growth promoting rhizobacteria dan biodegradasi. Katolike Universiteit Leuven, Netherland.

- Chen, C., Bauske, E.M., Musson, G., Rodriguez, K.R., Kloepper, J.W. 1995, Biological control of *Fusarium* wilt on cotton by use of endophytic bacteria. *Biol. Control.* 5:83–91.
- Chen, F., Wang, M., Zheng, Y., Luo, J., Yang, X., Wang, X. 2010. Quantitative changes of plant defense enzymes and phytohormone in biocontrol of cucumber *Fusarium* wilt by *Bacillus subtilis* B579. *World J. Microbiol. Biotechnol.* 26: 675-684
- Cook, R.J., Baker, K. F. 1989. The nature and practice of biological control of plant pathogens. APS Press. St. Paul Minnesota.
- Compant, S., Reiter, B., Sessitsch, A., Nowak, J., Clement, C., Barka, E.A. 2004. Endophytic colonization of *Vitis vinifera* L. by plant growth promoting bacterium *Burkholderia* sp. Strain PsJN. *Applied and Environmental Microbiology*: 1685-1693.
- Compant, S., Duffy, B., Nowak, J., Clément, C., and Barka, E. A. 2005. Use of plant growth-promoting bacteria for biocontrol of plant diseases: principles, mechanisms of action, and future prospects. *Appl. Environ. Microb.* 71:4951–4 959.
- Compant, S., Clément, C., Sessitsch, A. 2010. Plant growth-promoting bacteria in the rhizo- and endosphere of plants: Their role, colonization, mechanisms involved and prospects for utilization. *Soil Biol. Biochem.* 42: 669-678
- Crozier, A., Arruda, P., Jasmim, J.M., Monteiro, A.M., Sandberg, G. 1998, Analysis of Indole-3-Acetic Acid and related indoles in culture media from *Azospirillum lipoferum* and *Azospirillum brasilense*. *Appl. Environ. Microbiol.* 54: 2833-2837.
- Dalal, J. and Kulkarni, N. 2015. Antagonistic and Plant Growth Promoting potential of indigenous endophytic bacteria of Soybean (*Glycine max* (L) Merrill). *Currents research and biotechnology.* 1 (2): 62-69.
- Dawwan, G.E., Elbeltagy, A., Emara, H.M., Abbas, I.H., Hassan, M.M. 2013. Beneficial effect of plant growth promoting bacteria isolated from the roots of potato plant. *Annals of Agricultural Science.* 58(2): 195–201
- De-Bashan, L.E., Hernandez, J.P., and Bashan, Y. 2012. The potential contribution of plant growth-promoting bacteria to reduce environmental degradation– A comprehensive evaluation. *Appl. Soil Ecol.* 61:171–189
- Deepa, C.K., Dastager, S.G., Pandey, A. 2010. Plant growth-promoting activity in newly isolated *Bacillus thioparus* (NII-0902) from Western ghat forest, India. *World J Microbiol Biotechnol* 26(12):2277–2283. doi:10.1007/s11274-010- 0418-3

- Delannoy, E., Jalloul, .A., Assigbetse, K., Mammev, P., Geiger, J.P., Lhemnier, J., Daniel, J.F., Martinez, C. and Nicole, M. 2003. Activity of Class III Peroxidases in the defense of cotton of bacterial blight. *Mol. Plant-Microbe Interact.* 16(11): 1030-1038
- De Meyer, G., Hofte, M. 1997 Salicylic acid produced by the rhizobacterium *Pseudomonas aeruginosa* 7NSK2 induces resistance to leaf infection by *Botrytis cinerea* on bean. *Phytopathology* 87:588–593
- Deng, Y., Zhu, Y., Wang, P., Zhu, L., Zheng, J., Li, R., Ruan, L, Peng, D., Sun, M. 2011. Complete genome sequence of *Bacillus subtilis* BSn5, an endophytic bacterium of *Amorphophallus konjac* with antimicrobial activity for the plant pathogen *Erwinia carotovora* subsp. *carotovora*. *J. Bacteriol.* 193: 2070-2071.
- De Weger, L.A., Van Der Bij, J., Dekkers, L.C., Simons, M., Wijffelman, C.A., and Lugtenberg, B.J. 1995. Colonization of the rhizosphere of crop plants by plant beneficial *Pseudomonas*. *FEMS Microbiol. Ecol.* 17: 221-228.
- Dinas Pertanian Tanaman Pangan Jawa Barat. 2013. Budidaya bawang merah di Jawa Barat.
- Direktorat Jendral Hortikultura. 2008. Upaya terobosan pengembangan bawang merah. www.hortikultura.deptan.go.id.
- Dixon, R.A., Harrison, M.J., Lamb, C.J. 1994. Early events in the activation of plant defense responses. *Annu Rev Phytopathology*, 32:479-501.
- Dobbelaere, S., Vanderleyden, J., Okon, Y. 2003. Plant growth Promoting effects of diazotrophs in the rhizosphere. *Crit.Rev. Plant. Sci.* 22:107-149.
- Dragana, L.J., Jovic, N. Radmila, P., Pavlovic, S.D., Stojonaic, S.D., Aleksic, G.A., Mira, S.S. 2011. Antifungal activity of indigenous *Bacillus Sp* isolate Q3 against marshmallow mycobiota. *Proc, Nat. SCI. Man srpska Novi.sad.* No.109-118
- Durham, M.L. 2013. Characterization of root colonization by the biocontrol bacterium *Bacillus firmus* strain GB126. (Thesis). Faculty of Auburn University. Auburn, Alabama 81 pp
- Edwards, U., Rogal, T., Bloecker, M., Boettger, E.C. 1989. Isolation and direct complete nucleotide determination of entire genes. Characterization of a gene coding for 16 S ribosomal RNA. *Nucl.Acids.Res.* 17 (19): 7843-7853
- Fernandes, T.P., Nietsch, S., Costa, M.R., Xavier, A.A., Pereira, D.F.G.S, and Pereira, M.C.T. 2013. Potencial use of endophytic bacteria to promote the plant growth of micropegated banana cultivar Rtata Ana, *African Journal of Biotechnology.* 12 (3); 4915-4919.

- Ferreira, P.A.A., Bomfeti C.A., Soares. B.L., Moreira, F.M.S. .2011. Efficient nitrogen-fixing Rhizobium strains isolated from amazonian soils are highly tolerant to acidity and aluminium. World J Microbiol Biotechnol. doi:10.1007/s11274-011-0997-7
- Fishal, E.M., Meon, S., Yun,W.M. 2010. Induction of tolerance to fusarium wilt and defense-related mechanisms in the plantlets of susceptible Berangan Banana pre-inoculated with *Pseudomonas* sp. (UPMP3) and *Burkholderia* sp. (UPMB3). Agricul. Sci. China 9: 1140-1149.
- Forchetti, G., Masciarelli, O., Izaguirre, M.J., Alemano, S., Alvarez, D., Abdala, G. 2010. Endophytic bacteria improve seedling growth of sunflower under water stress, produce salicylic acid, and inhibit growth of pathogenic fungi. Curr Microbiol 61:485–493
- Gent, D.H., Schwart, H.F., Ishimaru, C.A., Louws, F.J., Cramer, R.A., dan Lawrence C.B. 2004. Polyphasic Charaterizion of *Xanthomonas* Strain Onion. Phytophatology. 94: 184 -195.
- Gent, D.H., and Schwart, H.F. 2005. Effect of nitrogen fertilization and seed contamination on epiphytic population of *Xanthomonas axonopodis pv allii* and development of *Xanthomonas* leaf blight of onion. Online. Plant health progress. Doi: 10.1094/php-2005-0331-01-RS
- Goodman, R.N., Kiraly, Z., Wood, K.R. 1986. The biochemistry and physiology of plant disease. Columbia: University of Missouri Press. p. 433.
- Habazar, T., Rivai, F., Husin, E.F., Bakhtiar, A., Primaputera, D.P., Haliaturrahma, Resti, Z., Winarto, Febriani, L. 2000a). Aplikasi *Pseudomonas* yang berfluoresensi pada benih untuk pengendalian penyakit yang disebabkan oleh *Xanthomonas campestiris* pathovars. Makalah dalam Prosiding Seminar Nasional Pengelolaan Sumberdaya Alam untuk Mencapai Produktivitas Optimum Berke I anj utan, Bandar Lampung 26-27 Juni 2001. hal.75-82.
- Habazar, T. 2001. Aspek imunisasi dalam pengendalian penyakit tanaman secara hayati. Disampaikan pada Rapat Senat Terbuka Fakultas Pertanian Universitas Andalas Dalam Rangka Dies Natalis ke 47 pada tanggal 30 November
- Habazar, T. 2006a. Penyakit baru oleh bakteri pada tanaman tomat dan bawang. Makalah dalam pertemuan PFI Kornda Sumbar dan Jambi tgl. 7 AgUStUs di Padang.
- Habazar, T., Rivai, F., Bakhtiar, A., and Haliaturrahma. 2000b. -Study of induced systemic resistance of soybean to bacterial pustule by the root colonizing fluorescGent pseudomonads. Paper presGented in International Symposium Cum Workshop:"Suistanable DevelopmGent in the Context of

- Globalization and Locality: Challenges and options for Networking southeast Asia. September, 1822, Bogor.
- Habazar, T., Winarto, Jurnjunidang, Lusya, D. 2006. Induksi Ketahanan sisternis bibit pisang terhadap nematoda busuk akar melalui penggunaa bakteri pseudomonad fluoresen. *Manggaro* 7(2): 13- 19
- Habazar. T., Yaherwandi., 2006. Pengendalian hayati hama dan penyakit tumbuhan. Andalas University Press. Padang. 390 Hal.
- Habazar., T., Nasrun, Jamsari, Rusli, I. 2007. Pola penyebaran penyakit hawar daun bakteri (*Xanthomonas axonopodis* pv *allii*) pada bawang merah dan upaya pengendaliannya melalui imunisasi menggunakan rhizobacteria. Laporan hasil penelitian KKP3T. Universitas Andalas bekerjasama dengan Sekretariat Badan Penelitian dan Pengembangan Pertanian.
- Habazar, T. 2014. In Planta Technique for Screening of Rhizobacteria to Control Bacterial Plant Pathogens. Paper presented in: Internasional Seminar of Indonesian Society of Microbiology (ISISM), Padang. October 15 -18th.
- Hadiwiyono and Widono, S. 2012. Endophytic Bacillus: the Potentiality of Antagonism to Wilt Pathogen and Promoting Growth to Micro-Plantlet of Banana in Vitro. *Biomirror* 3 (06): 1-4.
- Hallmann, J., Quadt- Hallmann, Q.A., Mahaffee, W.F., and Kloepper, J.W. 1997. Bacterial endophytes in agricultural crops. *Can J Microbiol.* 43:895–914
- Hammerschmidt, R. and Kuc, J. 1995. Induced Resistance to Disease in Plants. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Han, J.G., Sun, L., Dong, X.Z., Cai, Z.Q., Sun, X.L., Yang, H.L., Wang, Y.S., Song, W. 2005. Characterization of a novel plant growth-promoting bacteria strain biocontrol agent against various plant pathogens. *Syst Appl Microbiol* : 28:66-76.
- Harni, R., Supramana, Sinaga, M.S., Giyono, dan Supriadi. 2012. Mekanisme bakteri endofit mengendalikan nematode *Prathylenchus brachyurus* pada tanaman nilam. *Bul. Littro.* 23 (1): 102-114.
- Harish, S., Kavino, M., Kumar, N., Saravanakumar, D., Soorianaihasundaram, K, and Samiyappn, R. 2008. Biohardening with plant growth promoting rhizosphere and endophytic bacteria induces systemic resistance against banana bunchy top virus. *Appl. Soil Ecol.*, 39: 187 – 200.
- Harish, S., Kavino, M., Kumar, N., Balasubramanian, P. and Samiyappan, R. 2009, Induction of defense-related proteins by mixtures of plant growth promoting endophytic bacteria against Banana bunchy top virus. *Biol. Control.*, 51:16–25

- Harrison, M.J., Van Buuren, M.L. 1995. A phosphate transporter from the mycorrhiza fungus *Globus versiforma*. *Nature*. 378: 626-629
- Hastuti, R.D., Lestari, Y., Suwanto, A., Saraswati, R. 2012. Endophytic *Streptomyces* spp as biocontrol agents of rice bacterial leaf blight pathogen (*Xanthomonas oryzae* pv *oryzae*). *Hayati journal of biosciences*. 19 (4): 155-162.
- Heil, M. and Bostock, R.M. 2002. Induced Systemic Resistance (ISR) Against Pathogens in the Context of Induced Plant Defences. *Ann. Bot.* 89 (5): 503-512
- Henom, M.R., Rider, S.D., Ogas, J., Murry, D.J., and Chapple, C. 2004. Light induces phenylpropanoid metabolism in *Arabidopsis* root. *Plant J.* 38:765-778.
- Hoffland, E., Hakulinen, I., and van Pelt, J.A. 1996. Comparison of systemic resistance induced by avirulent and non pathogenic *Pseudomonas* species. *Phytopathology* 86:757-762.
- Huang, J.S. 2001. *Plant pathogenesis and resistance : Biochemistry and physiology of plant-microbe interaction*. Kluwer academic Publisher, Netherland.
- Hung, P.Q., and Annapurna, K. 2004, Isolation and characterization of endophytic bacteria in soybean (*Glycine* sp.). *Omonrice.*, 12: 92-101
- Ikeda, S, Okubo, T., Anda, M., Nakashita, H., Yasuda, M., Sato, S., Kaneko, T., Tabata, S., Eda, S., Momiyama, A., Terasawa, K., Mitsui, H., Minamisawa, K. 2010. Community- and genome-based views of plant-associated bacteria: plant-bacterial interactions in soybean and rice. *Plant Cell Physiol.* 51(9):1398–1410.
- Illmer, P., Barbat, A., Schinner, F. 1995. Solubilization of hardy-soluble AiPO_4 with P-solubilizing microorganisms. *Soil. Biol. Biochem.* 27:265-27
- Jalgaonwala, R.E., and Mahajan, R.T. 2011, Isolation and characterization of endophytic bacteria from roots of *Pongamia glabra* Vent . *Int. J. Pharma and Bio Sci.*, 1: 280-287.
- James, E.K., Reis, V.M., Olivares, F.L., Baldani, J.I., Döbereiner, J. 1994. Infection of sugar cane by the nitrogen-fixing bacterium *Acetobacter diazotrophicus*. *J. Exp. Botany* 45: 757-766.
- James, E.K., Gyaneshwar, P., Mathan, N., Barraquio, W.L., Reddy, P.M., Iannetta, P.P.M., Olivares, F.L., Ladha, J.K. 2002. Infection and colonization of rice seedlings by the plant growth-promoting bacterium *Herbaspirillum seropedicae* Z67. *Mol. Plant-Microbe Interact.* 15: 894-906.

- Jha, P.N., Kumar, A. 2007. Endophytic colonization of *Typha australis* by a plant growth-promoting bacterium *Klebsiella oxytoca* GR-3, *Journal of Applied Microbiology* 103, 1311-1320.
- Ji, X., Lu, G., Ga, Y., Gao, H., Lu, B., Kong, L., Mu, Z. 2010. Colonization of *Morus alba* L. by the plantgrowth-promoting and antagonistic bacterium *Burkholderia cepacia* strain Lu10-1. *BMC Microbiology* : 10:243
- Khan, A.A., Jilani, G., Akhtar, M.S., Naqvi, S.M.S., and Rasheed, M. 2009. Phosphorus solubilizing bacteria: occurrence, mechanisms and their role in crop production. *J Agric. Biol. Sci.* 1:48-58.
- Kang, S.C, Ha, C.G, Lee, T.G., Maheshwari D.K. 2002. Solubilization of insoluble inorganic phosphates by a soil-inhibiting fungus *Fomitopsis* sp. PS 102, *Current Science.* 82 (4) :439-442.
- Klement, Z.K., Rudolph, and Sand, D.C. 1990. *Methodes in phytobacteriology.* Academic Kiado. Budapest.
- Kloepper, J.W. 1993. Plant growth-promoting rhizobacteria as biocontrol agents. In: Metting FB Jr (ed) *soil microbial ecology-applications in agricultural and environmental management.* Marcel Dekker, Inc., New York, pp 255-274.
- Kloepper, J.W., Leong, J., Teintze, M, and Schorth, M. N. 1999. Enhanced plant growth by siderophores produced by plant growth promoting rhizobacteria. *Nature.* 1980, 286:885-886.
- Kloepper, J.W., Rodríguez-Káana, R., Zehnder, G.W., Murphy, J.F., Sikora, E., Fernández, C. 1999. Plant root-bacterial interactions in biological control of soilborne diseases and potential extension to systemic and foliar diseases. *Australas Plant Path* 28:21-26.
- Kloepper, J.W., Ryu, C.M., Zhang, S. 2004. Induced systemic resistance and promotion of plant growth by *Bacillus spp.* *Phytopathology.* 94: 1259-1266.
- Krause, A., Ramakumar, A., Bartels, D., Battistoni, F., Bekel, T., Boch, J., Böhm, M. 2006. Complete genome of the mutualistic, N₂-fixing grass endophyte *Azoarcus* sp. strain BH72. *Nature Biotech.* 24: 1385-1391.
- Kloepper, J.W. and Ryu, C.M. 2006. Microbial root endophytes. In: B.Schulz, C, Boyle, T.N. Sieber Editor. *Soil Biology* volume 9. Springer-Verlag. Berlin Heidelberg. pp: 35-52.
- Kuc, J. 1995. Induced systemic resistance an Overview. In: Hammerschmidt, R, & Kuc, J. (Eds.): *Induced Resistance to disease in Plants.* Kluwer Academic Publishers, Dordrecht, Boston and London. pp. 169-175.

- Kumar, H.B. 2005. Effect of *Pseudomonas fluorescent* on bean common mosaic potyvirus incidence in French bean. *Int. J. of Botany*, 1(2):163-167
- Lama-cabanas, C.G., Schilirio, E., Volverde-Corredor, A., Mercado-Blanco, J. 2010. The biocontrol endophytic bacterium *Pseudomonas fluorescens* PICF7 induces systemic defence responses in aerial tissues upon colonization of olive roots. *Frontiers in Microbiology | Plant-Microbe Interaction*.5: 1-14
- Lavana, M., Cauhan, P.S., Chauhan, S.V.S., Singh, H.B., Nautiyal, C.S. 2006. Induction of plant defense enzymes and phenolics by treatment with Plant Growth-Promoting Rhizobacteria *Serratia marcescens* NBRI1213. *Current Microbiology* 52: 363-368
- Leon, M., Yaryura, P.M., Montecchia, M.S., Hernandez, A.I., Correa, O.S., Puchev, N.I., Kerber, N.L. And Gracia, A.F. 2009. Antifungal activity of selected indigenous *Pseudomonas* and *Bacillus* from soybean rhizosphere. *International Journal of Microbiology*: 10: 1155-1164.
- Li, L. and Steffens, J. C. 2002. Over expression of polyphenol oxidase in transgenic tomato plants results in enhanced bacterial disease resistance. *Planta* 215:239-247.
- Liu, L., Kloepper, W., Tuzun, S. 1995. Induction of systemic resistance in cucumber against *Fusarium* wilt by plant growth promoting rhizobacteria. *Phytopathology* 85, 695-698.
- Liu, B., Qiao, H., Huang, L., Buchenauer, H., Han, Q., Kang, Z., Gong, Y. 2009. Biological control of take-all in wheat by endophytic *Bacillus subtilis* E1R-j and potential mode of action. *Biol. Control* 49: 277-285.
- Long, H.H., Schmidt, D.D. and Baldwin, I.T. 2008, Native bacterial endophytes promote host growth in a species-specific manner; phytohormone manipulations do not result in common growth responses. *PLoS ONE* 3: e 2702 .doi: 10.1371 / journal.pone.0002702
- Long, H.H., Furuya, N., Karose, D., Yamamoto, I., Takeshi, M. and Takanami, Y. 2004. Identification of the endophytic bacterial isolate and their in vitro and in vivo antagonist against *Ralstonia solanacearum*. *J. Fac. Agr. Kyushu Univ.*49(2):233-241
- López-Bucio, J., Campos-Cuevas, J.C., Hernández-Calderón, E., Velásquez-Becerra, C., Farías-Rodríguez, R., Macías-Rodríguez, L.I. and Valencia-Cantero, E. 2007. *Bacillus megaterium* rhizobacteria promote growth and alter root system architecture through an auxin- and ethylene-independent signaling mechanism in *Arabidopsis thaliana*. *Mol Plant-Microbe* 20:207-217.

- Lodewyckx, C., Vangronsveld, J., Porteous, F., Moore, E.R.B., Taghavi, S., Mezgeay, M. and van der Lelie, D. 2002. Endophytic bacteria and their potential application. *Crit.Rev.Plant Sci* 21: 583-606.
- Lugtenberg, B.J.J., Dekkers, L., Bloemberg, G.V. 2001. Molecular determinants of rhizosphere colonization by *Pseudomonas*. *Annu. Rev. Phytopathol.* 39: 461–490.
- Lugtenberg, B. and Kamilova, F. 2009. Plant-growth-promoting Rhizobacteria. *Annu Rev Microbiol.* 63:541–56.
- Lyon, G. 2007. Agents that can elicit induced resistance. *In* : Walters D, Newton A, Lyon G. Editor. *Induced Resistance for Plant Defence : Sustainable Approach to Crop Protection*. Blackwell Publishing. pp.9-30.
- Malfanova, N., Kamilova, F., Validov, S., Chebotar, V. and Lugtenberg, B. 2013. L-arabinose important for the endophytic lifestyle of *Pseudomonas* spp.? *Arch Microbiol.* 195: 9-17.
- Mallinowski, D.P., Alloush, G.A., Belesky, D.P. 2000., Leaf endophyte *Neotyphodium caenophialum* modifies mineral uptake in tall fescue. *Plant and Soil* 227: 115-126.
- Martinez, C., Baccou, J.C., Bresson, E., Baissac, Y., Daniel, J.F., Jallovi, A., Montillet, J.L., Geiger, J.P., Assigblse, K. and Nicole, M. 2000. Salicylic acid mediated by the oxidative burst in key molecule in local and systemic response of cotton challenged by an avirulent race of *Xanthomonas campestris malvacearum*. *Plant Physiol.* 122: 757-766.
- Mascarua-Esparza, M.A., Villa-Gonzalez, R., Caballero-Melado, J. 1998. Acetylene reduction and indolacetic acid production by *Azospirillum* isolates from *cactaceous* plants. *Plant and Soil.* 106:91-95
- Maurhofer, M., Hase, C., Meuwly, P., Mettraux, J.P., Defago, G. 1994. Induction of systemic resistance of tobacco to tobacco necrosis virus by the root-colonizing *Pseudomonas yuorescens* strain CHAO: influence of the *gacA* gene and of pyoverdine production. *Phytopathology* 84: 139-146.
- Marwan, H.. 2014. Pengimbasan ketahanan tanaman pisang terhadap penyakit darah (*Ralstonia solanacearum* phylotipe IV) menggunakan bakteri endofit. *JHPT Tropika* 14(2):128-136.
- Melnick, R.L., Zidack, N.K., Bailey, B.A., Maximova, S.N., Gultinan, M., Backman, P.A. 2008. Bacterial endophytes: *Bacillus* spp. from annual crops as potential biological control agents of black pod rot of cacao. *Biological control.* 46: 46–56

- Meneses. C.H.S.G., Rouws, L.F.M., Simoes-Araujo, J.L., Vidal, M.S., Baldani, J.I. 2011. Exopolysaccharide production is required for biofilm formation and plant colonization by the nitrogen-fixing endophyte *Gluconacetobacter diazotrophicus*. *Mol. Plant-Microbe Interact.* 24: 1448-1458.
- Miller, F.H. and Berg, G. 2009. Characterization of plant growth promoting bacteria from crops in Bolivia. *Journal of Plant Diseases and Protection*, 116 (4):149–155.
- Munif, A., Wiyono, S., Suwarno. 2014. Isolasi Bakteri Endofit Asal Padi Gogo dan Potensinya sebagai Agens Biokontrol dan Pemacu Pertumbuhan . *Jurnal Fitopatologi Indonesia*. 8 (3): 57-64
- Nasrun. 2005. Studi pengendalian hayati penyakit layu bakteri (*Ralfsonia solanacearum*) Nilam dengan *Pseudomonas fluorescens*. {Disertasi}. Pasca sarjana Universitas Gajah Mada. Yogyakarta. 118 hal.
- Nawangsing, A.A., Damayanti, I., Wiyono, S., Kartika, J.G. 2011. Selection and characterization of endophytic bacteria as biocontrol agents of tomato bacterial wilt disease. *Hayati. journal of biosciences*. 18 (2) : 66-70.
- Nicholson, R I. and Hammerschmidt, R. 2002. Phenolic compounds and their role in disease resistance. *Annual Review of Phytopathology*. 30: 369-389
- Nowak, J. and Shulaev, V. 2003. Priming for transplant stress resistance in in vitro propagation. *In Vitro Cell. Dev. Biol.- Plant*. 39:107–124
- Numberger, T., Brunner, F., Kemmerling, B., Plater, L. 2004. Innate immunity in plant and animal: Striking similarities and obvious differences. *Immunol, Rev.* 198: 249-266.
- O'Garro, L. W. and Paulraj, L.P. 1997. Onion leaf blight caused by *Xanthomonas campestris*: Alternative hosts and resistant onion genotypes. *Plant Dis.* 81:978-982
- Ongena, M., Jourdan, E., Adam, A., Paquot, M., Brans, A., Joris, B., Arpigny, J-L., Thonart, P. 2007. Surfactin and fengycin lipopeptides of *Bacillus subtilis* as elicitors of induced systemic resistance in plants. *Environ. Microbiol.* 9: 1084-1090.
- Pal, A., Chattopadhyayand, A., and Paul, K. 2012. Diversity and antimikroba spectrum of endophytic bacteria isolated from *Paederia foetida*.L, *Int J Curr Pharm Res.* 3(4): 123-127
- Pal, K. K. and Gardener, B. M. S. 2006. Biological Control of Plant Pathogens. *The Plant Health Instructor* DOI: 10.1094/PHI-A-2006-1117-02.
- Paulraj, L. dan O' Garro, L. W. 1993. Leaf Bliight of Onion in Barbados Caused By *Xanhomonas campestris*. *Plant Dis.* 86:3330.

- Pedrosa, F.O., Monteiro, R.A., Wassem, R., Cruz, L.M., Ayub, R.A., Colauto, N.B., Fernandez, M.A. 2011. Genome of *Herbaspirillum seropedicae* strain SmR1, a specialized diazotrophic endophyte of tropical grasses. *PLoS genetics* 7: 100-106.
- Pieterse, C.M.J., van Wees, S.C.M., van Pelt, J.A., Knoester, M., Laan, R., Gerrits, H., Weisbeek, P.J, van Loon, L.C. 1998. A novel signaling pathway controlling induced systemic resistance in *Arabidopsis*. *Plant Cell* 10:1571–1580
- Porwal, S., Lal, S., Cheema, S., Kalia, V.C. 2009. Phylogeny in aid of the present and novel microbial lineages: diversity in *Bacillus*. *PLoS ONE* 4(2):e4438. doi:10.1371/journal.pone.0004438
- Postma, J., Montanari, M., and Van Den Boogert, P.H.J.F. 2003. Microbial enrichment to enhance the disease suppressive activity of compost. *Eur.J. Soil Biol.* 39:157-163.
- Press, C.M., Wilson, M., Tuzun, S., Kloepper, J.W. 1997. Salicylic Acid Produced by *Serratia marcescens* 90-166 Is Not the Primary Determinant of Induced Systemic Resistance in Cucumber or Tobacco. *The American Phytopathological Society. MPMI.* 10(6) : 761–768.
- Premono, E. 1998. Mikroba pelarut fosfat untuk mengefisienkan pupuk fofpor dan prospeknya di Indonesia. *Hayati.* 5 (4): 89-94.
- Purnawati, A., Sasrahidayat, I.R., Abadi, A.L., Hadiastono, T. 2014. Endophytic bacteria as biocontrol agents of tomato bacterial wilt disease. *Journal of Tropical life science.* 4 (1) : 33 – 36.
- Rajendran, L. and Samiyappan, R. 2008. Endophytic *Bacillus* species confer increased resistance in cotton against damping off disease caused by *Rhizoctonia solani*, *Plant Pathology Journal* 7: 1–12.
- Rajkumar, M., Prasad, M.N.V. and Freitas, H. 2010. Potential of siderophore-producing bacteria for improving heavy metal phytoextraction. *Trends Biotechnol.* 28:142-149.
- Raupach, G. S. and Kloepper, J. W. 2000. Biocontrol of cucumber disuases in the field by plant growth-promoting rhizobacteria with and Without methyl bromide fumigation. *Plant Disease* 84:1073-1075
- Reinhardt, D., Pesce, E.R., Stieger, P., Mandel, T., Baltensperger, K., Bernnet, M., Traas, J., Firlml, J., Kuhlemeier, C. 2005. Regulation of phyllotoxis by polar auxin transport, *Nature.* 426:255-260.
- Reinhold-Hurek, B. and Hurek, T. 2011. Living inside plants: bacterial endophytes. *Curr Opin Plant Biol.* 14:435–443.

- Resti, Z., Yanti, Y., Rahma, H. 2007. Distribusi Penyakit Hawar Daun Bakteri Pada tanaman Bawang (*Xanthomonas axonopodis pv allii*) Sebagai Penyakit Baru di Sumatera Barat. Laporan Penelitian DIPA Unand. Universitas Andalas. Padang.
- Resti, Z., Khairul, U., dan Yanti, Y. 2010. Pemetaan Penyakit Hawar Daun Bakteri : Penyakit Baru Pada Tanaman Bawang Merah di Indonesia. Jurnal Manggaro, 11 (2) : 40-45.
- Resti, Z., Habazar, T., Putra, D.P. and Nasrun. Skrining dan identifikasi isolat bakteri endofit untuk mengendalikan penyakit hawar daun bakteri pada bawang merah. J.HPT Tropika. 13(2) : 167 –178.
- Ribeiro do valei, F.X., Parlevliet, J.E. and Zambolimi, L. 2001. Concepts in Plant Disease Resistance. *Fitopatol. bras.* 26(3): 577-589
- Rosenblueth, M. and Martinez-Romero, E. 2006. Bacterial endophytes and their interactions with hosts. *Mol. Plant-Microbe Interact.*, 19: 827–837.
- Roumagnac, P., Pruvost, O., Chiroleu, F. dan Hughes, H. 2004. Spatial and Temporal Analysis of Bacterial Blight of Onion Caused By *Xanthomonas axonopodis pv allii*. *Phytopathology*. 94 : 138 - 146.
- Roumagnac, P., Gagnevin, L., Gardan, L., Sutra, L., Manceau, C., Dickstein, E.R., Jones, J.B., Rott, P., Pruvost, O. 2004. Polyphasic characterization of xanthomonads isolated from onion, garlic, and welsh onion (*Allium* spp) and their relatedness to different *Xanthomonas* species. *International journal of Systemic and Evolutionary microbiology*. 54 : 15-24.
- Ryan, R.P., Monchy, S., Cardinale, M., Taghavi, S., Crossman, L., Avison, M.B., Berg, G., van der Lelie, D., Dow, J.M. 2009. The versatility and adaptation of bacteria from the genus *Stenotrophomonas*. *Nat. Rev. Microbiol.* 7: 514-525.
- Ryu, C.M., Farag, M.A., Hu, C.H., Reddy, M.S., Wei, H.X., Pare, P.W. and Kloepper, J.W. 2003 Bacterial volatiles promote growth in *Arabidopsis*. *Proc. Natl. Acad. Sci. U.S.A.* 100: 4927-4932.
- Saikia, R., Sing, T., Kumar, R., Srivatsvs, J., Srivastava, A.K., Singh, K. 2003. Role of salicylic acid in systemic resistance induced by *Pseudomonas fluorescens* against *Fusarium oxysporum* f. sp. *ciceri* in chickpea. *Microbiol. Rev.* 158:203 – 213.
- Sanger, F., Nicklen, S., Coulson, A.R. 1997. DNA Sequencing with chain terminating inhibitor. *Proc. Natl. Acad. Sci. USA.* 74 : 5463 – 5467.

- Saravanan, T., Bhaskaran, R., Muthusamy, M. 2004. *Pseudomonas fluorescens* induced enzymatological changes in banana roots again *Fusarium* wilt disease. *Plant Pathology*. J. 3 (2) : 72-80.
- Schaad, N.W., Jones, J.B., Chun, W. 2001. *Laboratory Guide for Identification of Plant Pathogenic Bacteria*. St Paul: The American Phytopatology Society.
- Schwartz, I.F. dan Otto, K. 2000. First Report Of a Leaf Blight Of Onion Caused By *Xanthomonas campestris* in Colorado. *Plant Dis*. 84:922
- Schwartz, I.F. and Gent, D.H. 2006. *Xanthomonas* Leaf Blight Of Onion (<http://www.Extcolestate.edu/push/gorden.html> access 22-02-2006).
- Sekhon, B.S. 2011. An overview of capillary electrophoresis : Pharmaceutical, biopharmaceutical and biotechnology application. *J. Pham. Educ. Res*: 2(2): 2-36
- Selin, C., Habibian, R., Poritsanos, N., Sarangi, N.P.A., Fernando, D. and de Kievit, T.R. 2010. Phenazines are not essential for *Pseudomonas chlororaphis* PA23 biocontrol of *Sclerotinia sclerotiorum*, but do play a role in biofilm formation. *FEMS Microbiol Ecol*. 71:73-83.
- Sessitsch, A., Reiter, B., Pfeifer, U., Wilhelm, P. 2002. Cultivation-independent population analysis of bacterial endophytes in three potato varieties based on eubacterial and *Actinomyces*-specific PCR of 16S rRNA genes. *FEMS Microbiol. Ecol*. 39: 23-32
- Sessitsch, A, Reiter, B. and Berg, G. 2004. Endophytic bacterial communities of field-grown potato plants and their plant-growth-promoting and antagonistic abilities. *Can. J. Microbiol* 50:239-249.
- Shiomi, F.H., Silva, H.S.A., de Melo, I. S., Nunes, F.V., Bettiol, W. 2006. Bioprospecting endophytic bacteria for biological control of coffee leaf rust. *Sci Agric*. 63:32-39.
- Silva, H.S.A., Romeiro, R.S., Macagnan, D. 2004. Rhizobacterial and induction of systemic resistance in tomato plant: non-specific protection and increase in enzyme activities. *Biological Control*. 29: 288-295
- Silverman, P., Seskar, M., Kanter, D., Schweizer, P., Metraux, J. 1995. Salicylic acid in rice. *Plant Physiology* 108:633-639.
- Sivakamasundari, R. and Usharrani, G. 2013. Effect of endophytic *Pseudomonas fluorescens* and *Glomus fasciculatum* on the maximization of growth and yield of (*Zea mays*. L). *Int. J. Curr. Microbial. App.Sci*. 2 (11): 96-104.

- Spaepen, S., Vanderleyden, J. and Remans, R. 2007. Indole-3-acetic acid in microbial and microorganism-plant Signaling. *FEMS Microbiol Rev.* 31:425–448.
- Stoltzfus, J.R., So, R., Malarvizhi, P.P., Ladha, J.K. and De Bruijn, F.J. 1997. Isolation of endophytic bacteria from rice assessment of their potential for supplying rice with biologically fixed nitrogen. *Plant Soil.*, 194 : 25-36.
- Strange, R.N. 2003. Introduction to plant pathologi. John Willey and Sons Ltd. England.
- Sullivan, T.J., Rodstrom, J., Vandop, J., Librizzi, J., Graham, C., Schardi, C.L., Bultman, T.L. 2007. Symbion-mediated change in *Lolium arundinaceae* defense: evidence from changes in gene expression and leaf composition. *New phytologist* 176: 673-679.
- Sumardiono, C., Hadisutrisno, B., Widyastuti, S.M. 2000. Mekanisme pengendalian penyakit layu bakteri *Pseudomonas solanacearum* dan layu Fusarium (*Fusarium oxysporum f.sp. cubense*) pada pisang dengan rhizobacteria. Lembaga penelitian Universitas Gajah Mada.
- Sun, L., Qiu, F., Zhang, X., Dai, X. 2008. Endophytic bacterial diversity in rice (*Oryza sativa* L.) roots estimated by 16S rDNA sequence analysis. *Microb. Ecol.* 55: 415-424.
- Sunaina, V., Ajay, S. and Dureja, P. 2005. Bacterial metabolites from *Bacillus cereus* B4 responsible for potato plant growth. *Potato J.* 32 (3-4): 187-188.
- Suriaman, E., Surtiningsih, T., Matuzahroh, N. 2012. Eksplorasi dan identifikasi bakteri endofit diazotrof dari bawang merah (*Allium ascalonicum*. L) kultivar Bima. Proceeding seminar Natural Biodiversity IV. ISBN : 978-979-9810. Universitas Airlangga Surabaya.
- Suzuki, T., Shimizu, M., Meguro, A., Hasegawa, S., Nishimura, T., Kunoh, H. 2005. Visualization of infection of an endophytic Actinomycete *Streptomyces galbus* in leaves of tissue-cultured *Rhododendron*. *Actinomycetologica* 19: 7–12.
- Stermer, B.A., Hammerschmidt, R. 1984. Heat shock induces resistance to *Cladosporium cucumerinum* and enhances peroxidase activity in cucumber. *Physiol Plant Pathol.* 25:239–249.
- Taghavi S, van der Lelie, D., Hoffman, A., Zhang, Y.B., Walla, M.D., Vangronsveld, J., Newman, L., Monchy, S. 2010. Genome sequence of the plant growth promoting endophytic bacterium *Enterobacter* sp. *PLoS genetics* 6: 943-951

- Thipyapong, P. and Steffens, J.C. 1992. Tomato polyphenol oxidase. *Plant Physiol.* 100:1885-1890.
- Tian, F., Ding, Y., Zhu, H., Yao, L., Du, B. 2009. Genetic diversity of siderophore-producing bacteria of tobacco rhizosphere. *Braz J Microbiol* 40(2):276–284
- Timmusk, S., Grantcharova, N., Wagner, E.G.H. 2005. *Paenibacillus polymyxa* invades plant roots and forms biofilms. *Appl. Environ. Microbiol.* 71: 7292-7300.
- Ting, A.S.Y., Meon, S., Kadir, J. and Singh, G. 2010. Induction of host defence enzymes by the endophytic bacterium *Serratia marcescens*, in banana plantlets. *International Journal of Pest Management.* 56, (2): 183–188
- Tuzun, S. and Kuc, J. 1991. Plant Immunization an Alternative to Pesticides for Control of Plant Disease in the Greenhouse and Field. Proc. Of the International Seminar" Biological Control of Plant Disease and Virus Vector" Food and Fertilizer tech Centre for the Asian and Pacific Region.
- Vanitha, S.C., Niranjana, S.R. and Umesha, S. 2009. Role of phenylalanine ammonia lyase and polyphenol oxidase in host resistance to bacterial wilt of tomato. *J. Phytopathol.* 157:552-557.
- Van Loon, L.C. 1997. Induced resistance in plant and the role of pathogenesis-related protein. *Eur J Plant Pathol.* 103: 753-765.
- Van Loon, L.C. 2007. Plant responses to plant growth-promoting rhizobacteria. *Eur J Plant Pathol.* 119:243–254.
- Vessey, J.K. 2003. Plant growth promoting rhizobacteria as biofertilizers. *Plant and soil.* 255:571-586.
- Vicente, M.R.S. and Plasencia, J. 2011. Salicylic acid beyond defence: its role in plant growth and development. *Journal of experimental botany.* 62 (10): 3321-3338
- Vidan, R.T., Yu, Y.J., Lee, S.H. and Rhee, Y.H. 2012. Diversity of Endophytic Bacteria in Ginseng and Their Potential for Plant Growth Promotion. *The Journal Microbiology.* 48(5): 559-565.
- Vidhyasekaran, P. 2004. Concise encyclopedia of plant pathology. Food Product Press and Howard Reference Press. London.
- Vitorino, L.C., Silva, F.G., Soares, M.A., Souchie, E.L, Costa, A.C., Lima, W.C. 2012. Solubilization of calcium and iron phosphate and in vitro production of indoleacetic acid by endophytic isolates of *Hyptis marrubioides* epling (*Lamiaceae*). *Biotech* 3(4): 47-54.

- Wang, Y., Zeng, Q., Zhang, Z. 2010. Antagonistic bioactivity of an endophytic bacterium H-6. *African Journal of Biotechnology*, 9(37):6140-6145.
- Weller, D.M. 1988. Biological control of soilborne plant pathogens in the rhizosphere with bacteria. *AIM. Rev. Phytol-w1hol*. 26: 379-407.
- Wei, G., Kloepper, J.W., Tuzun, S. 1991. Induction of systemic resistance of cucumber to *Colletotrichum orbiculare* by select strains of plant growth-promoting rhizobacteria. *Phytopathol*. 81:1508–1512
- Weilharter, A., Mitter, B., Shin, M.V., Chain, P.S.G., Nowak, J., Sessitsch, A. 2011. Complete genome sequence of the plant growth-promoting endophyte *Burkholderia phytofirmans* strain PsJN. *J. Bacteriol*. 193: 3383-3384.
- Wojtaszek, P. 1997. The oxidative burst plants early response against infection. *Biochemecal Journal*. 322: 681-692.
- Zachow, C., Fatehi, J., Cardinale, M., Tilcher, R. and Berg, G. 2010. Strain-specific colonization pattern of *Rhizoctonia* antagonists in the root system of sugar beet. *FEMS Microbiol. Ecol*. 74: 124-130
- Zhang, H., Xie, X., Kim, M., Kornyejev, D.A., Holaday, S. and Pare, W. 2008. Soil bacteria augment *Arabidopsis* photosynthesis by decreasing glucose sensing and abscisic acid levels in plant. *Plant J*. 56:264–273.
- Zinniel, D.K., Pat Lambrecht, B., Harris, Z., Feng, D., Kuczmarski, P., Higley, C.A., Ishimaru, A., Arunakumari, R.G., Barletta and Vidaver, A.K. 2002. Isolation dan Characterization of Endophytic Colonizing Bacteria From Agronomic Crops and Prairie Plants. *Applied and Enviromental Mycrobiology*. P. 2198-2208.

