

## DAFTAR PUSTAKA

- Adelina, R., & Kurniatri, A. A. (2018). Mekanisme Katekin Sebagai Obat Antidislipidemia (Uji In Silico). *Bul. Penelit. Kesehat.*, 46(3), 147–154. <https://doi.org/10.22435/bpk.v46i3.899>
- Ain Baziz, H., Geraert, P. A., Padilha, J. C. F., & Guillaumin, S. (1996). Chronic heat exposure enhances fat deposition and modifies muscle and fat partition in broiler carcasses. *Poultry Science*, 75(4), 505–513. <https://doi.org/10.3382/ps.0750505>
- Alarcón De La Lastra, C., & Villegas, I. (2007). Resveratrol as an antioxidant and pro-oxidant agent: Mechanisms and clinical implications. *Biochemical Society Transactions*, 35(5), 1156–1160. <https://doi.org/10.1042/BST0351156>
- Alegantina, S., & Setyorini, H. A. (2017). Gambaran Cemaran dan Kadar Metil Galat pada Tiga Mutu Ekstrak Gambir (Uncaria gambir Roxb.). *Jurnal Kefarmasian Indonesia*, 7(1), 10–18.
- Amir, M., Mujeeb, M., Khan, A., Ashraf, K., Sharma, D., & Aqil, M. (2012). Phytochemical analysis and in vitro antioxidant activity of Uncaria gambir. *International Journal of Green Pharmacy*, 6(1), 67. <https://doi.org/10.4103/0973-8258.97136>
- Anonymous. (1985). *Chemisch-Technologisches Spezial Praktikum Fuer Holzwirte. Ordinariat Fuer Holztechnologie. Universitaet Hamburg.*
- Anulika, N. P., Ignatius, E. O., Raymond, E. S., Osasere, O.-I., & Abiola, A. H. (2016). The Chemistry Of Natural Product: Plant Secondary Metabolites. *International Journal of Technology Enhancements and Emerging Engineering Research*, 4(8), 1–8.
- AOAC. (1990). *Official Methods of Analysis* (15th editi). Association of Official Analytical Chemists.
- Arbain, D., Bakhtiar, A., Putra, D., & Nurainas. (2014). *Review Tumbuhan Obat Sumatera*. UPT Sumber Daya Hayati Sumatera Universitas Andalas.
- Atmomarsono, U. (2004). *Upaya Menghasilkan Daging Broiler Aman dan Sehat. Universitas Diponegoro.*
- Awad, E. A., Najaa, M., Zulaikha, Z. A., Zulkifli, I., & Soleimani, A. F. (2020). Effects of heat stress on growth performance , selected physiological and immunological parameters , caecal microflora , and meat quality in two broiler strains. *Asian-Australian J. Anim. Sci.*, 33(5), 778–787. <https://doi.org/https://doi.org/10.5713/ajas.19.0208>
- Azad, M. A. K., Kikusato, M., Sudo, S., Amo, T., & Toyomizu, M. (2010). Comparative Biochemistry and Physiology , Part A Time course of ROS production in skeletal muscle mitochondria from chronic heat-exposed broiler chicken. *Comparative Biochemistry and Physiology, Part A*, 157(3), 266–271. <https://doi.org/10.1016/j.cbpa.2010.07.011>

- Azizova, O. A., Panasenko, O. M., Vol'nova, T. V., & Vladimirov, Y. A. (1989). Original Contribution. *Free Radic. Biol. Med.*, 7, 251–257.
- Azwanida, N. N. (2015). Medicinal & Aromatic Plants A Review on the Extraction Methods Use in Medicinal Plants , Principle , Strength and Limitation. *Med Aromat Plants*, 4(3), 3–8. <https://doi.org/10.4172/2167-0412.1000196>
- Barseghian, A., Gawande, D., & Bajaj, M. (2011). Adiponectin and vulnerable atherosclerotic plaques. *Journal of the American College of Cardiology*, 57(7), 761–770. <https://doi.org/10.1016/j.jacc.2010.11.011>
- Biswas, M. A. H., & Wakita, M. (2001). Effect of Dietary Japanese Green Tea Powder Supplementation on Feed Utilization and Carcass Profiles in Broilers Md . Abdul Hai Biswas \* and Masaaki Wakita Faculty of Bioresources , Mie Responses of broiler to dietary Japanese green tea powder ( GTP ) wer. *Journal of Poultry Science*, 38, 50–57.
- Borges, S. A., Fischer da Silva, A. V., Maiorka, A., Hooge, D. M., & Cummings, K. R. (2004). Effects of diet and cyclic daily heat stress on electrolyte, nitrogen and water intake, excretion and retention by colostomized male broiler chickens. *International Journal of Poultry Science*, 3(5), 313–321. <https://doi.org/10.3923/ijps.2004.313.321>
- BPS. (2017a). *Provinsi Sumatera Barat dalam Angka*. BPS Provinsi Sumatera Barat.
- BPS. (2017b). *Statistik Peternakan dan Kesehatan Hewan*. Direktorat Jenderal Peternakan dan Kesehatan Hewan Kementerian Pertanian.
- BPS. (2018a). *Provinsi Sumatera Barat dalam Angka*. BPS Provinsi Sumatera Barat. <https://sumbar.bps.go.id/publication/2018/08/16/63b9859a011a94de01105f45/provinsi-sumatera-barat-dalam-angka-2018.html>
- BPS. (2018b). *Statistik Peternakan dan Kesehatan Hewan 2018/ Livestock and Animal Health Statistics 2018*. Direktorat Jendral Peternakan dan Kesehatan Hewan.
- BPS. (2020). Sumatera Barat Province in Figures. In *BPS-Statistics of Sumatera Barat Province*. <https://sumbar.bps.go.id/publication/2020/04/27/0bde2141fda787c1f0e923bf/provinsi-sumatera-barat-dalam-angka-2020.html>
- Buharman, Bharnel, & Ali, M. (2001). Kelayakan finansial Usaha Gambir Perkebunan Rakyat Kabupaten Lima Puluh Kota, Sumatera Barat. *Stigma*, 9(1), 62–68.
- Cao, G., Sofic, E., & Prior, R. L. (1997). Antioxidant and prooxidant behavior of flavonoids: Structure-activity relationships. *Free Radic. Biol. Med.*, 22(5), 749–760. [https://doi.org/10.1016/S0891-5849\(96\)00351-6](https://doi.org/10.1016/S0891-5849(96)00351-6)
- Carocho, M., & Ferreira, I. C. F. R. (2013). A review on antioxidants, prooxidants and related controversy: Natural and synthetic compounds, screening and

- analysis methodologies and future perspectives. *Food and Chemical Toxicology*, 51(1), 15–25. <https://doi.org/10.1016/j.fct.2012.09.021>
- Charles, D. R. (2002). *Responses to the thermal environment*. Nottingham University Press.
- Choi, E. J., Chee, K. M., & Lee, B. H. (2003). Anti- and prooxidant effects of chronic quercetin administration in rats. *European Journal of Pharmacology*, 482(1–3), 281–285. <https://doi.org/10.1016/j.ejphar.2003.09.067>
- Ciftci, M., Simsek, U. G., Yuce, A., Yilmaz, O., & Dalkilic, B. (2010). Effects of Dietary Antibiotic and Cinnamon Oil Supplementation on Antioxidant Enzyme Activities, Cholesterol Levels and Fatty Acid Compositions of Serum and Meat in Broiler Chickens The ban on the use of antibiotics as growth promoters has stimulated the. *Acta Vet. Brno*, 79, 33–40. <https://doi.org/10.2754/avb201079010033>
- Cobb-Vantress. (2018). Broiler Performance & Nutrition Supplement Cobb500. *Cobb Vantres.Com*, 14. [http://www.cobb-vantress.com/docs/default-source/cobb-500-guides/cobb500-broiler-performance-nutrition-supplement-\(english\).pdf](http://www.cobb-vantress.com/docs/default-source/cobb-500-guides/cobb500-broiler-performance-nutrition-supplement-(english).pdf)
- Cobb. (2013). COBB Broiler Management Guide. In *Cobb-vantress Incorporation*. [www.cobb-vantress.com](http://www.cobb-vantress.com) rev 2012 L-1020-05
- Denian, A., Hadad, M., & Wahyuni, S. (2008). Karakteristik Pohon Induk Gambir ( *Uncaria gambir* ( Hunter ) Roxb.) Di Sentra Produksi Sumatra Brat dan Riau. *Bul. Littro*, 19(1), 18–38.
- Dhalimi, A. (2006). Permasalahan Gambir (*Uncaria gambir* L.) di Sumatera Barat dan Alternatif Pemecahannya. *Perspektif*, 5(1), 46–59. <https://doi.org/10.21082/p.v5n1.2006>
- Duraisamy, K., Senthilkumar, M., & Mani, K. (2013). Effect of saturated and unsaturated fat on the performance, serum and meat cholesterol level in broilers. *Veterinary World*, 6(3), 159–162. <https://doi.org/10.5455/vetworld.2013.159-162>
- Effendi, H. (2013). *Uji Aktivitas Antidiabetes dan Antidislipidemia “Kalincuang” pada Mencit Putih Jantan Diabetes Dislipidemia*. Universitas Andalas.
- Emami, N. K., Jung, U., Voy, B., & Dridi, S. (2021). Radical Response : Effects of Heat Stress-Induced Oxidative Stress on Lipid Metabolism in the Avian Liver. *Antioxidants*, 10(35), 1–15. <https://doi.org/doi.org/10.3390/antiox10010035>
- Etches, R., John, T., & Gibbins, A. (2008). Behavioural, Physiological, Responses to Heat Stress R.J. Etches et al. Neuroendocrine and Molecular Responses to Heat Stress. In N. Dagher (Ed.), *Poultry Production in Hot Climates* (Second Edi, pp. 48–79). Cromwell Press. [https://www.itpnews.com/uploads/2014/02/ITP\\_FILE\\_07\\_1.pdf?direct\\_access\\_media=1#page=62](https://www.itpnews.com/uploads/2014/02/ITP_FILE_07_1.pdf?direct_access_media=1#page=62)
- Evelyn, S. R., Maihs, E. A., & Roux, D. G. (1960). condensed Tannins. *Biochem. J.*,



76(23), 23–27.

- Farahat, M. H., Abdallah, F. M., Ali, H. A., & Hernandez-Santana, A. (2017). Effect of dietary supplementation of grape seed extract on the growth performance, lipid profile, antioxidant status & immune response of broiler chickens. *Animal*, 11(5), 771–777. <https://doi.org/10.1017/S1751731116002251>
- Fathanah, U., & Sofyana, S. (2013). Pembuatan Papan Partikel (Particle Board) dari Tandan Kosong Sawit dengan Perikat Kulit Akasia dan Gambir. *Jurnal Rekayasa Kimia & Lingkungan*, 9(3), 138. <https://doi.org/10.23955/rkl.v9i3.783>
- Feng, J., Zhang, M., Zheng, S., Xie, P., & Ma, A. (2008). Effects of high temperature on multiple parameters of broilers in vitro and in vivo. *Poultry Science*, 87(10), 2133–2139. <https://doi.org/10.3382/ps.2007-00358>
- Ghazi, S., Amjadian, T., & Norouzi, S. (2015). Single and combined effects of vitamin C and oregano essential oil in diet, on growth performance, and blood parameters of broiler chicks reared under heat stress condition. *Int. J. Biometeorol*, 59, 1019–1024. <https://doi.org/10.1007/s00484-014-0915-4>
- Goldstein, J. L., & Brown, M. S. (1990). Regulation of The Mevalonate Pathway. *Nature*, 343, 425–430. <https://doi.org/10.2307/3280933>
- Griffiths, L., Leeson, S., & Summers, J. D. (1978). Studies on Abdominal Fat with Four Commercial Strains of Male Broiler Chicken. *Poultry Science*, 57(5), 1198–1203. <https://doi.org/10.3382/ps.0571198>
- Halliwell, B., & Chirico, S. (1993). Lipid peroxidation: significance and its mechanism. *The American Journal of Clinical Nutrition*, 57, 715–725.
- Halliwell, B., & Gutteridge, J. M. C. (1995). The Definition and Measurement of Antioxidant in Biological Systems. *Free Radical Biology and Medicine*, 18(I), 125–126.
- Hathway, D. E., & Seakins, J. W. T. (1957). Enzymic Oxidation of Catechin to a Polymer Structurally Related to some Phlobatannins. *Biochem. J.*, 67, 239–245. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1200140/pdf/biochemj00840-0066.pdf>
- He, S., Zhao, S., Dai, S., Liu, D., & Bokhari, S. G. (2015). Effects of dietary betaine on growth performance, fat deposition and serum lipids in broilers subjected to chronic heat stress. *Animal Science Journal*, 86(10), 897–903. <https://doi.org/10.1111/asj.12372>
- Hemphill, R., & Martin, L. W. (1992). Microwave Oven-drying Method for Determining Total Solids of Strawberries. *HortScience*, 27(12), 1326. [https://d1wqtxts1xzle7.cloudfront.net/55502714/microwave\\_oven-drying\\_method\\_for\\_determining\\_total\\_solids\\_of\\_strawberries.pdf?1515604833=&response-content-disposition=inline%3B+filename%3DMicrowave\\_Oven\\_drying\\_Method\\_for\\_Determi.pdf&Expires=1621208815&Sign](https://d1wqtxts1xzle7.cloudfront.net/55502714/microwave_oven-drying_method_for_determining_total_solids_of_strawberries.pdf?1515604833=&response-content-disposition=inline%3B+filename%3DMicrowave_Oven_drying_Method_for_Determi.pdf&Expires=1621208815&Sign)

- Hosen, N. (2017). Profil Sistem Usaha Pertanian Gambir di Sumatera Barat Profile of Agribusiness of Smallholder Gambier Plantation in West Sumatra. *Jurnal Penelitian Pertanian Terapan*, 17(2), 124–131.
- Hu, H., Dai, S., Li, J., Wen, A., & Bai, X. (2020). Glutamine improves heat stress – induced oxidative damage in the broiler thigh muscle by activating the nuclear factor erythroid 2 – related 2 / Kelch-like ECH-associated protein 1 signaling pathway. *Poultry Science*, 99(3), 1454–1461. <https://doi.org/10.1016/j.psj.2019.11.001>
- Hu, R., He, Y., Arowolo, M. A., Wu, S., & He, J. (2019). Polyphenols as Potential Attenuators of Heat Stress in Poultry Production. *Antioxidants*, 8(67), 1–11. <https://doi.org/10.3390/antiox8030067>
- Isnawati, A., Raini, M., Sampurno, O., Mutiatikum, D., Widowati, L., & Gitawati, R. (2012). Karakterisasi Tiga Jenis Ekstrak Gambir (*Uncaria gambir* Roxb) dari Sumatera Barat. *Bul. Penelit. Kesehat.*, 40(4), 201–208.
- Iswari, R. S. (2010). *Biokimia dan Fisiologi Lipid*. Karya Putra Darwati.
- Jaisinghani, R. N. (2017). Antibacterial properties of quercetin. *Microbiology Research*, 8(6877), 13–14. <https://doi.org/10.4081/mr.2017.6877>
- Kabera, J. N., Semana, E., Mussa, A. R., & He, X. (2014). Plant Secondary Metabolites: Biosynthesis, Classification, Function and Pharmacological Properties. *Journal of Pharmacy and Pharmacology*, 2(7), 377–392. [https://www.researchgate.net/profile/Justin-Kabera/publication/277776550\\_Plant\\_Secondary\\_Metabolites\\_Biosynthesis\\_Classification\\_Function\\_and\\_Pharmacological\\_Classification\\_Function\\_and\\_Pharmacological\\_Properties/links/5a55ceabaca272bb6962b4f1/Plant-Second](https://www.researchgate.net/profile/Justin-Kabera/publication/277776550_Plant_Secondary_Metabolites_Biosynthesis_Classification_Function_and_Pharmacological_Classification_Function_and_Pharmacological_Properties/links/5a55ceabaca272bb6962b4f1/Plant-Second)
- Kadim, I. T., Al-Qamshui, B. H. A., Mahgoub, O., Al-Marzooqi, W., & Johnson, E. H. (2008). The effects of ascorbic acid and seasonal temperatures on meat quality characteristics of broiler chickens maintained in open-sided and closed houses. *International Journal of Poultry Science*, 8(8), 733–739. <https://doi.org/10.3923/ijps.2009.733.739>
- Kalavathy, R., Abdullah, N., Jalaludin, S., & Ho, Y. W. (2003). Effects of Lactobacillus cultures on growth performance, abdominal fat deposition, serum lipids and weight of organs of broiler chickens. *British Poultry Science*, 44(1), 139–144. <https://doi.org/10.1080/0007166031000085445>
- Kalt, W., Forney, C. F., Martin, A., & Prior, R. L. (1999). Antioxidant Capacity , Vitamin C , Phenolics , and Anthocyanins after Fresh Storage of Small Fruits. *J. Agric. Food Chem.*, 47, 4638–4644.
- Kasim, A. (2011). *Proses Produksi dan Industri Hilir Gambir*. Andalas Press.
- Kasim, A., Asben, A., & Mutiar, S. (2015). Kajian kualitas gambir dan hubungannya dengan karakteristik kulit tersamak. *Majalah Kulit, Karet, Dan Plastik*, 31(1), 55–64.
- Kasim, A., & Ihsan, I. (2000). Senyawa Utama Gambir yang Terekstraksi pada Cara

- Pengolahan Menggunakan Kempa Hidrolik. *Sigma*, 8(3), 241–245. [http://repository.unand.ac.id/3510/1/Jurnal\\_18.pdf](http://repository.unand.ac.id/3510/1/Jurnal_18.pdf)
- Kasim, A., Novia, D., Mutiar, S., & Pinem, J. (2013). Karakterisasi kulit kambing pada persiapan penyamakan dengan gambir dan sifat kulit tersamak yang dihasilkan. *Majalah Kulit, Karet, Dan Plastik*, 29(1), 1. <https://doi.org/10.20543/mkkp.v29i1.213>
- Kassim, M. J., Hussin, M. H., Achmad, A., Dahon, N. H., Suan, T. K., & Hamdan, H. S. (2011). Determination of total phenol, condensed tannin and flavonoid contents and antioxidant activity of Uncaria gambir extracts. *Majalah Farmasi Indonesia*, 22(1), 50–59.
- Kesuma, S., & Yenrina, R. (2015). *Antioksidan Alami dan Sintetik* (Cetakan 1). Andalas University Press.
- Khanbabaee, K., & van Ree, T. (2001). Tannins: Classification and definition. *Natural Product Reports*, 18(6), 641–649. <https://doi.org/10.1039/b1010611>
- Khattak, F., Ronchi, A., Castelli, P., & Sparks, N. (2014). Effects of natural blend of essential oil on growth performance, blood biochemistry, cecal morphology, and carcass quality of broiler chickens. *Poultry Science*, 93, 132–137. <https://doi.org/10.3382/ps.2013-03387>
- Khlebnikov, A. I., Schepetkin, I. A., Domina, N. G., Kirpotina, L. N., & Quinn, M. T. (2007). Improved quantitative structure-activity relationship models to predict antioxidant activity of flavonoids in chemical, enzymatic, and cellular systems. *Bioorganic and Medicinal Chemistry*, 15(4), 1749–1770. <https://doi.org/10.1016/j.bmc.2006.11.037>
- Kleiner, I. S., & Dotti, L. B. (1962). *Laboratory Instructions in Biochemistry* (6th Editio). The C.V. Mosby Company.
- Kusnadi, E. (2006). Suplementasi vitamin C sebagai penangkal cekaman panas pada ayam broiler. *Jitv*, 11(4), 249–253.
- Kusnadi, E., Widjajakusuma, R., Sutardi, T., Hardjosworo, P., & Habibie, A. (2005). Effect of Antanan (*Centella Asiatica*) and Vitamin C on the Bursa of Fabricius, Liver Malonaldehyde and Performance of Heat-Stressed Broilers. *Biotropia*, 24, 46–53.
- Kutlu, H. R., & Forbes, J. M. (1993). Changes in growth and blood parameters in heat-stressed broiler chicks in response to dietary ascorbic acid. *Livestock Production Science*, 36(4), 335–350. [https://doi.org/10.1016/0301-6226\(93\)90050-R](https://doi.org/10.1016/0301-6226(93)90050-R)
- Kutyavin, V. I., & Chawla, A. (2018). Aster: A New Star in Cholesterol Trafficking. *Cell*, 175(2), 307–309. <https://doi.org/10.1016/j.cell.2018.09.025>
- Lara, L. J., & Rostagno, M. H. (2013). Impact of heat stress on poultry production. *Animals*, 3, 356–369. <https://doi.org/10.3390/ani3020356>
- Lesjak, M., Beara, I., Simin, N., Pintać, D., Majkić, T., Bekvalac, K., Orčić, D., & Mimica-Dukić, N. (2018). Antioxidant and anti-inflammatory activities of



- quercetin and its derivatives. *Journal of Functional Foods*, 40(November 2016), 68–75. <https://doi.org/10.1016/j.jff.2017.10.047>
- Li, X., Jiang, H., Pu, Y., Cao, J., & Jiang, W. (2019). Inhibitory Effect of Condensed Tannins from Banana Pulp on Cholesterol Esterase and Mechanisms of Interaction. *Journal of Agricultural and Food Chemistry*, 67, 14066–14073. <https://doi.org/10.1021/acs.jafc.9b05212>
- Li, Y., Yao, J., Han, C., Yang, J., Chaudhry, M. T., Wang, S., Liu, H., & Yin, Y. (2016). Quercetin, inflammation and immunity. *Nutrients*, 8(3), 1–14. <https://doi.org/10.3390/nu8030167>
- Liu, H. S., Mahfuz, S. U., Wu, D., Shang, Q. H., & Piao, X. S. (2020). Effect of chestnut wood extract on performance, meat quality, antioxidant status, immune function, and cholesterol metabolism in broilers. *Poultry Science*, 99, 4488–4495. <https://doi.org/10.1016/j.psj.2020.05.053>
- Lohakare, J. D., Chae, B. J., & Hahn, T. (2004). Effects of Feeding Methods (Water vs. Feed) of Vitamin C on Growth Performance and Carcass Characteristics in Broiler Chickens. *Asian-Aust. J. Anim. Sci.*, 17(8), 1112–1117.
- Lu, Z., He, X. F., Ma, B. B., Zhang, L., Li, J. L., Jiang, Y., Zhou, G. H., & Gao, F. (2019). Increased fat synthesis and limited apolipoprotein B cause lipid accumulation in the liver of broiler chickens exposed to chronic heat stress. *Poultry Science*, 98, 3695–3704. <https://doi.org/10.3382/ps/pez056>
- Lu, Z., He, X., Ma, B., Zhang, L., Li, J., Jiang, Y., & Zhou, G. (2018). Serum metabolomics study of nutrient metabolic variations in chronic heat-stressed broilers. *British Journal of Nutrition*, 119, 771–781. <https://doi.org/10.1017/S0007114518000247>
- Luo, J., Song, J., Liu, L., Xue, B., Tian, G., & Yang, Y. (2017). Effect of epigallocatechin gallate on growth performance and serum biochemical metabolites in heat-stressed broilers. *Poultry Science*, 97(2), 599–606. <https://doi.org/10.3382/ps/pex353>
- Malik, A., Zahid, S., Jamil, U., Zahid, A., & Ali, Q. (2018). Phytochemical Potential of  $\beta$ -Sitosterol,  $\beta$ -Amyrin and Epiafzelechin in Nickel Intoxicated Multiple Organ Damage in Rat. *International Journal of Biology, Pharmacy and Allied Sciences*, 7(12), 2090–2103. <https://doi.org/10.31032/ijbpas/2018/7.12.4599>
- Marinova, D., Ribarova, F., & Atanassova, M. (2005). Total Phenolics and Flavonoids in Bulgarian Fruits and Vegetables. *Journal of the University of Chemical Technology and Metallurgy*, 40(3), 255–260.
- Materska, M. (2008). Quercetin and Its Derivatives: Chemical Structure and Bioactivity -a Review. *Pol. J. Food Nutr. Sci.*, 58(4), 407–413.
- Mathew, B. C., Yoseph, B. A., Dessale, T., Daniel, R. S., Alemayehu, A., Campbell, I. W., & Augusti, K. T. (2012). Hypolipidaemic effect of leucodelphinidin derivative from *Ficus bengalensis* Linn on cholesterol fed rats. *Research Journal of Chemical Sciences*, 2(2), 54–60.

- Melia, S., Novia, D., & Juliyarsi, I. (2015). Antioxidant and antimicrobial activities of gambir (*Uncaria gambir* Roxb) extracts and their application in rendang. *Pakistan Journal of Nutrition*, *14*(12), 938–941. <https://doi.org/10.3923/pjn.2015.938.941>
- Molyneux, P. (2004). The use of the stable free radical diphenylpicryl- hydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*, *26*(2), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Musdja, M. Y., Hapsari, M. A., & Agusta, A. (2017). Comparison of Activity and Inhibitory Mechanism between (+)-Catechin and Water Extract of Gambier (*Uncaria Gambir* Roxb.) Against Some Bacteria. *Scientific Journal of PPI - UKM*, *4*(2), 55–60. <https://doi.org/10.27512/sjppi-ukm/se/a29012018>
- Nasrul, W., & Masrin, I. (2015). Faktor-faktor Penentuan Harga Gambir (Studi Kasus: Pasar Gambir Nagari Lubuak Alai Kec. Kapur IX Lima Puluh Kota). *Menara Ekonomi*, *1*(1), 77–82.
- Nawaz, S., shareef, M., shahid, H., Mushtaq, M., & sarfraz, M. (2017). A Review of antihyperlipidemic effect of synthetic phenolic compounds. *Matrix Science Medica*, *1*(1), 22–26. <https://doi.org/10.26480/msm.01.2017.22.26>
- Nes, W. D. (2011). Biosynthesis of cholesterol and other sterols. *Chemical Reviews*, *111*, 6423–6451. <https://doi.org/10.1021/cr200021m>
- Nireesha, G. R., Divya, L., Sowmya, C., Venkateshan, N., Babu, M. N., & Lavakumar, V. (2013). Lyophilization / Freeze Drying - An Review. *International Journal of Novel Trends In Pharmaceutical Sciences*, *3*(4), 87–98.
- Njoku, P. (1986). Effect of Dietary Ascorbid Acid (Vitamin C) Supplementation on The Performance of Broiler Chikens In A Tropical Environment. *Animal Feed Science and Technology*, *16*, 17–24.
- Ohkawa, H., Ohishi, N., & Yagi, K. (1979). Assay for Lipid Peroxides in Animal Tissues Thiobarbituric Acid Reaction. *Analytical Biochemistry*, *95*(2), 351–358. [https://doi.org/https://doi.org/10.1016/0003-2697\(79\)90738-3](https://doi.org/https://doi.org/10.1016/0003-2697(79)90738-3)
- Olawuni, S. O., Oyewole, B. O., Okpe, A. A., Amana, C., & Osagiri, I. (2019). Carcass characteristics and cost benefits of two broiler strains as affected by duration of feed withdrawal at finisher phase. *Journal of Scientific Agriculture*, *3*, 64–67. <https://doi.org/10.25081/jsa.2019.v3.5721>
- Oliver, S., Yee, E., Kavallaris, M., Vittorio, O., & Boyer, C. (2018). Water Soluble Antioxidant Dextran–Quercetin Conjugate with Potential Anticancer Properties. *Macromol. Biosci.*, *18*(4), 1–11. <https://doi.org/10.1002/mabi.201700239>
- Packialakshmi, N., & Naziya, S. (2014). Fourier transform infrared spectroscopy analysis of various solvent extracts of *Caralluma fimbriata*. *Asian j. Biomed. Pharm. Sci.*, *4*(36), 20–25. <https://doi.org/10.15272/ajbps.v4i36.569>
- Pambayun, R., Gardjito, M., Sudarmadji, S., & Kuswanto, K. R. (2007).



- Kandungan fenol dan sifat antibakteri dari berbagai jenis ekstrak produk gambir (*Uncaria gambir* Roxb). *Majalah Farmasi Indonesia*, 18(3), 141–146.
- Panaite, T. D., Saracila, M., Papuc, C. P., Predescu, C. N., & Soica, C. (2020). Influence of Dietary Supplementation of *Salix alba* Bark on Performance , Oxidative Stress Parameters in Liver and Gut Microflora of Broilers. *Animals*, 10(6), 958. <https://doi.org/https://doi.org/10.3390/ani10060958>
- Patel, R. V., Mistry, B. M., Shinde, S. K., Syed, R., Singh, V., & Shin, H. S. (2018). Therapeutic potential of quercetin as a cardiovascular agent. *European Journal of Medicinal Chemistry*, 155, 889–904. <https://doi.org/10.1016/j.ejmech.2018.06.053>
- Pavia, D. L., Lampman, G. M., & Kriz, G. S. (2001). *Introduction to Spectroscopy: A Guide for Student of Organic Chemistry* (J. Vondeling & P. Kiselica (eds.); Third Edit). Brooks/Cole Thomson Learning. <https://doi.org/10.1201/9781420050691.pt1>
- Poncet-Legrand, C., Cabane, B., & Bautista-Ortín, A. (2010). Tannin Oxidation : Intra- versus Intermolecular Reactions. *Biomacromolecules*, 11(9), 2376–2386.
- Prieur, C., Rigaud, J., Cheynier, V., & Moutounet, M. (1994). OLIGOMERIC AND POLYMERIC FROM GRAPE SEEDS. *Phytochemistry*, 36(3), 781–784.
- Qiao, L., Lewis, R., Hooper, A., Morphet, J., Tan, X., & Yu, K. (2013). *Using Natural Products Application Solution with UNIFI for the Identification of Chemical Ingredients of Green Tea Extract*. 1–6. <https://www.waters.com/content/dam/waters/en/app-notes/2013/720004837/720004837-en.pdf>
- Rachek, L. I., Thornley, N. P., Grishko, V. I., Ledoux, S. P., & Wilson, G. L. (2006). Apoptosis by Targeting hOGG1 to Mitochondria. *Diabetes*, 55, 1022–1028.
- Rahman, H. A. (2016). *Uji Aktivitas Antioksidan Isolat Katekin Gambir (Uncaria gambier Roxb) Pada Tikus Putih (Rattus norvegicus) Jantan Galur Sprague Dawley Dengan Diberi Beban Aktivitas Fisik Maksimal*. UIN Syarif Hidayatu.
- Rahmawati, N., Bakhtiar, A., & Putra, P. (2012). Isolasi Katekin dari Gambir ( *Uncaria gambir* ( Hunter ). Roxb ) untuk Sediaan Farmasi dan Kosmetik. *Jurnal Penelitian Farmasi Indonesia*, 1(1), 6–10.
- Rajiv, P., Deepa, A., Vanathi, P., & Vidhya, D. (2016). Screening for Phytochemicals and Ftir Analysis of Myristica Dactyloids Fruit Extracts. *Int. J. Pharm. Pharm. Sci.*, 9(1), 315. <https://doi.org/10.22159/ijpps.2017v9i1.11053>
- Ramakrishnan, K., & Krishnan, M. R. V. (1994). Tannin – classification, Analysis and Applications. *Ancient Science of Life*, 13(3 & 4), 232–238.
- Rauf, A., Imran, M., Khan, I. A., ur-Rehman, M., Gilani, S. A., Mehmood, Z., & Mubarak, M. S. (2018). Anticancer potential of quercetin: A comprehensive review. *Phytotherapy Research*, 32(11), 2109–2130.

<https://doi.org/10.1002/ptr.6155>

- Rege, S. U., & Yang, R. T. (2001). A novel FTIR method for studying mixed gas adsorption at low concentrations: H<sub>2</sub>O and CO<sub>2</sub> on NaX zeolite and  $\gamma$ -alumina. *Chem. Eng. Sci.*, *56*(12), 3781–3796. [https://doi.org/10.1016/S0009-2509\(01\)00095-1](https://doi.org/10.1016/S0009-2509(01)00095-1)
- Rehman, Z. ur, Chand, N., & Khan, R. U. (2017). The effect of vitamin E, l-carnitine, and ginger on production traits, immune response, and antioxidant status in two broiler strains exposed to chronic heat stress. *Environ. Sci. Polluti. Res.*, *24*, 26851–26857. <https://doi.org/10.1007/s11356-017-0304-8>
- Rizal, Y. (2015). *Buku Ajar Ilmu Nutrisi Unggas* (Revisi). Andalasa University Press.
- Rosmiati, W., Sandiah, N., & Aka, R. (2017). Penampilan Produksi Ayam Broiler yang Diberi Tepung Gambir (*Uncaria Gambir Roxb*) sebagai Feed Additive dalam Pakan. *JITRO*, *4*(1), 1–5.
- Sabarni. (2015). Teknik Pembuatan Gambir (*Uncaria gambir Roxb*) Secara Tradisional. *Journal of Islamic Science and Technology*, *1*(1), 105–112.
- Sachdev, S., & Davies, K. J. A. (2008). Production, detection, and adaptive responses to free radicals in exercise. *Free Radical Biology and Medicine*, *44*, 215–223. <https://doi.org/10.1016/j.freeradbiomed.2007.07.019>
- Sahin, K., Sahin, N., & Kucuk, O. (2003). Effects of chromium , and ascorbic acid supplementation on growth , carcass traits , serum metabolites , and antioxidant status of broiler chickens reared at a high ambient temperature ( 32 ° C ). *Nutrition Research*, *23*(2), 225–238. [https://doi.org/https://doi.org/10.1016/S0271-5317\(02\)00513-4](https://doi.org/https://doi.org/10.1016/S0271-5317(02)00513-4)
- Sahin, N., Hayirli, A., Orhan, C., Tuzcu, M., Akdemir, F., Komorowski, J. R., & Sahin, K. (2017). Effects of the supplemental chromium form on performance and oxidative stress in broilers exposed to heat stress. *Poultry Science*, *96*(12), 4317–4324. <https://doi.org/10.3382/ps/pex249>
- Salam, S., Fatahilah, A., Sunarti, D., & Isroli, I. (2017). Berat Karkas dan Lemak Abdominal Ayam Broiler yang diberi Tepung Jintan Hitam (*Nigella sativa*) dalam Ransum selama Musim Panas. *Sains Peternakan*, *11*(2), 84. <https://doi.org/10.20961/sainspet.11.2.84-90>
- Salma, U., Miah, A. G., Maki, T., Nishimura, M., & Tsujii, H. (2007). Effect of Dietary *Rhodobacter capsulatus* on Cholesterol Concentration and Fatty Acid Composition in Broiler Meat. *Postharvest Biology and Technology*, *86*, 1920–1926.
- Sazwi, N. N., Nalina, T., Haji, Z., & Rahim, A. (2013). Antioxidant and cytoprotective activities of Piper betle , Areca catechu , *Uncaria gambir* and betel quid with and without calcium hydroxide. *BMC Complement. Altern. Med.*, *13*(351), 1–12. <http://www.biomedcentral.com/1472-6882/13/351>
- Scheidt, H. A., Müller, P., Herrmann, A., Arnold, K., Gawrisch, K., & Huster, D.

- (2005). Comparing the biophysical properties of sterols in lipid membranes – what is special about cholesterol? *Diffusion Fundamentals* 2, 2, 132.1-132.2. [http://www.qucosa.de/recherche/frontdoor/?tx\\_slubopus4frontend%5Bid%5D=urn:nbn:de:bsz:15-qucosa-197061](http://www.qucosa.de/recherche/frontdoor/?tx_slubopus4frontend%5Bid%5D=urn:nbn:de:bsz:15-qucosa-197061)
- Sharma, P., Joshi, T., Joshi, T., Chandra, S., & Tamta, S. (2020). In silico screening of potential antidiabetic phytochemicals from *Phyllanthus emblica* against therapeutic targets of type 2 diabetes. *Journal of Ethnopharmacology*, 248, 112268. <https://doi.org/10.1016/j.jep.2019.112268>
- Shi, J., Wang, Y., Wei, H., Hu, J., & Gao, M. T. (2020). Structure analysis of condensed tannin from rice straw and its inhibitory effect on *Staphylococcus aureus*. *Industrial Crops and Products*, 145(October 2019), 112130. <https://doi.org/10.1016/j.indcrop.2020.112130>
- Shishikura, Y., Khokhar, S., & Murray, B. S. (2006). Effects of Tea Polyphenols on Emulsification of Olive Oil in a Small Intestine Model System. *Journal of Agricultural and Food Chemistry*, 54, 1906–1913.
- Singleton, V. L., & Rossi, J. A. J. (1965). Colorimetry of Total Phenolics with Phosphomolybdic-phosphotungstic Acid Reagents. *Amer. J. Enol. Viticul.*, 16, 144–158.
- Slimen, B. I., Najjar, T., Ghram, A., & Abdrrabba, M. (2016). Heat stress effects on livestock: Molecular, cellular and metabolic aspects, a review. *Journal of Animal Physiology and Animal Nutrition*, 100, 401–412. <https://doi.org/10.1111/jpn.12379>
- Sofyan, S., Failisnur, F., & Salmariza, S. (2015). Pengaruh Perlakuan Limbah dan Jenis Mordan Kapur, Tawas, dan Tunjung Terhadap Mutu Pewarnaan Kain Sutera dan Katun Menggunakan Limbah Cair Gambir (*Uncaria gambir* Roxb). *J. Litbang Ind.*, 5(2), 79–89. <https://doi.org/10.24960/jli.v5i2.668.79-89>
- Sohail, M. U., Ijaz, A., Younus, M., Shabbir, M. Z., Kamran, Z., Ahmad, S., Anwar, H., Yousaf, M. S., Ashraf, K., Shahzad, A. H., & Rehman, H. (2013). Effect of supplementation of mannan oligosaccharide and probiotic on growth performance, relative weights of viscera, and population of selected intestinal bacteria in cyclic heat-stressed broilers. *Journal of Applied Poultry Research*, 22(3), 485–491. <https://doi.org/10.3382/japr.2012-00682>
- Souza, L. F. A. de, Espinha, L. P., Almeida, E. A. de, Lunedo, R., Furlan, R. L., & Macari, M. (2016). How heat stress (continuous or cyclical) interferes with nutrient digestibility, energy and nitrogen balances and performance in broilers. *Livestock Science*, 192, 39–43. <https://doi.org/10.1016/j.livsci.2016.08.014>
- Steel, & Torrie. (1991). *Prinsip dan Prosedur Statistika. Diterjemahkan oleh Bambang Sumantri*. PT. Gramedia Pustaka Utama.
- Su, L. Y., Leung, L., Huang, Y., & Chen, Z.-Y. (2003). Stability of tea theaflavins and catechins. *Food Chemistry*, 83(2), 189–195. [https://doi.org/10.1016/S0308-8146\(03\)00062-1](https://doi.org/10.1016/S0308-8146(03)00062-1)



- Sumiati, Tera, F. R., Made, J. A. N., & Rita, M. (2015). Effect of Gambir extract ( *Uncaria gambir* Roxb ) Supplementation as Antioxidant on Performance of ISA-Brown Laying Hens of 40-43 Weeks Old. *Proceeding of the 3rd International Seminar on Animal Industry, September*, 17–18. [https://fapet.ipb.ac.id/~isai/pdf/ISAI\\_2015\\_3\\_2015.pdf](https://fapet.ipb.ac.id/~isai/pdf/ISAI_2015_3_2015.pdf)
- Syukri, S. (1999). *Kimia Dasar 1*. Penerbit ITB.
- Tamzil, M. H. (2014). Stres Panas pada Unggas : Metabolisme , Akibat dan Upaya Penanggulangannya. *Wartazoa*, 24(2), 57–66. <https://doi.org/http://dx.doi.org/10.14334/wartazoa.v24i2.1049> Stres
- Tapas, A. R., Sakarkar, D. M., & Kakde, R. B. (2008). Flavonoids as nutraceuticals: A Review. *Trop. J. Pharm. Res.*, 7(3), 1089–1099. [https://doi.org/10.1007/978-0-387-28822-2\\_8](https://doi.org/10.1007/978-0-387-28822-2_8)
- Tiwari, A. K., & Rao, J. M. (2002). Diabetes mellitus and multiple therapeutic approaches of phytochemicals: Present status and future prospects. *Current Science*, 83(1), 30–38.
- Tomaszewska, E., Dobrowolski, P., Klebaniuk, R., Tomczyk, A., Kowalik, S., Milczarek, A., & Management, F. (2018). The influence of dietary replacement of soybean meal with high-tannin faba beans on gut-bone axis and metabolic response in broiler chickens\* \*. *Ann. Anim. Sci.*, 18(3), 801–824. <https://doi.org/10.2478/aoas-2018-0019>
- Torres, de C., Díaz-Maroto, M. C., Hermosín-Gutiérrez, I., & Pérez-Coello, M. S. (2010). Effect of freeze-drying and oven-drying on volatiles and phenolics composition of grape skin. *Anal. Chim. Acta.*, 660(1–2), 177–182. <https://doi.org/10.1016/j.aca.2009.10.005>
- Tugiyanti, E., Susanti, E., & Sulistyawan, I. H. (2019). Effect of Tea Dregs Form and Different Fermentation Process on the Nutrient , Tannin , Saponin , flavonoid content and Antioxidant Activity Elly Tugiyanti , Emmy Susanti and Ibnu Hari Sulistyawan. *Pak. J. Nutr.*, 18(1), 25–33. <https://doi.org/10.3923/pjn.2019.25.33>
- Twining, P. F., Lillie, R. J., Robel, E. J., & Denton, C. A. (1965). Calcium and Phosphorus Requirements of Broiler Chickens. *Poultry Science*, 44, 283–296. <https://doi.org/10.3382/ps.0440283>
- Udarno, M. ., & Wowon, B. . (2013). Udarno dan wowon perkebunan\_TanGambir.pdf. *Warta Penelitian Dan Pengembangan Tanaman Industri*, 19(1), 17–19.
- Vega-Gálvez, A., Di Scala, K., Rodríguez, K., Lemus-Mondaca, R., Miranda, M., López, J., & Perez-Won, M. (2009). Effect of air-drying temperature on physico-chemical properties, antioxidant capacity, colour and total phenolic content of red pepper (*Capsicum annuum*, L. var. Hungarian). *Food Chemistry*, 117(4), 647–653. <https://doi.org/10.1016/j.foodchem.2009.04.066>
- Vuong, Q. V, Golding, J. B., Nguyen, M., & Roach, P. D. (2010). Extraction and isolation of catechins from tea. *J. Sep. Sci.*, 33, 3415–3428.

<https://doi.org/10.1002/jssc.201000438>

- Waani, O. T. (2016). Gambaran kadar kolesterol total darah pada pekerja kantor. *Jurnal E-Biomedik*, 4(2), 1–6. <https://ejournal.unsrat.ac.id/index.php/ebiomedik/article/viewFile/14606/14174>
- Wahju, J. (1985). *Ilmu Nutrisi Unggas*. UGM Press.
- Wang, J. P., Zhang, Z. F., Yan, L., & Kim, I. H. (2016). Effects of dietary supplementation of emulsi fi er and carbohydrase on the growth performance , serum cholesterol and breast meat fatty acids pro fi le of broiler chickens. *Animal Science Journal*, 87, 250–256. <https://doi.org/10.1111/asj.12412>
- Wong, K. C., Cao, S., Dong, X., Law, M. C., Chan, T. H., & Wong, M. S. (2017). (—)-Epiarzewicidin protects against ovariectomy-induced bone loss in adult mice and modulate osteoblastic and osteoclastic functions in vitro. *Nutrients*, 9(5), 1–14. <https://doi.org/10.3390/nu9050530>
- Yamane, T., Imai, M., Handa, S., Yamada, K., Sakamoto, T., Ishida, T., Inui, H., Yamamoto, Y., Nakagaki, T., & Nakano, Y. (2019). Reduction of blood glucose and HbA1c levels by cyanidin 3,5-diglucoside in KKAY mice. *Journal of Functional Foods*, 58, 21–26. <https://doi.org/10.1016/j.jff.2019.04.038>
- Yang, L., Tan, G. Y., Fu, Y. Q., Feng, J. H., & Zhang, M. H. (2010). Effects of acute heat stress and subsequent stress removal on function of hepatic mitochondrial respiration, ROS production and lipid peroxidation in broiler chickens. *Comparative Biochemistry and Physiology - C Toxicology and Pharmacology*, 151, 204–208. <https://doi.org/10.1016/j.cbpc.2009.10.010>
- Yeni, G., Syamsu, K., Suparno, O., Mardiyati, E., & Muchtar, H. (2014). Repeated extraction process of raw gambiers (*Uncaria gambier* Robx.) for the catechin production as an antioxidant. *International Journal of Applied Engineering Research*, 9(24), 24565–24578. <https://doi.org/10.1016/j.jclepro.2017.02.134>
- Yu, J., & Chuang, S. S. C. (2016). The Structure of Adsorbed Species on Immobilized Amines in CO<sub>2</sub> Capture: An in Situ IR Study. *Energy & Fuels*, 30(9), 7579–7587. <https://doi.org/10.1021/acs.energyfuels.6b01423>
- Yunarto, N., & Aini, N. (2015). Effect of purified gambir leaves extract to prevent atherosclerosis in rats. *Health Science Journal of Indonesia*, 6(2), 105–110.
- Zangeneh, S., Torki, M., Lotfollahian, H., & Abdolmohammadi, A. (2018). Effects of dietary supplemental lysophospholipids and vitamin C on performance, antioxidant enzymes, lipid peroxidation, thyroid hormones and serum metabolites of broiler chickens reared under thermoneutral and high ambient temperature. *Journal of Animal Physiology and Animal Nutrition*, 102(6), 1521–1532. <https://doi.org/10.1111/jpn.12935>
- Zeng, X., Su, W., Zheng, Y., Liu, H., Li, P., Zhang, W., Liang, Y., Bai, Y., Peng, W., & Yao, H. (2018). UFLC-Q-TOF-MS/MS-Based Screening and Identification of Flavonoids and Derived Metabolites in Human Urine after Oral Administration of *Exocarpium Citri Grandis* Extract. *Molecules*, 23(895),

1–15. <https://doi.org/10.3390/molecules23040895>

Zhao, S., Ma, H., Zou, S., Chen, W., & Zhao, R. (2007). Hepatic Lipogenesis in Broiler Chickens with Different Fat Deposition during Embryonic Development. *J. Vet. Med. A.*, 54(1), 1–6. <https://doi.org/https://doi.org/10.1111/j.1439-0442.2007.00898.x>

Zheng, K., Guo, K., Xu, J., Liu, W., Chen, J., Xu, C., & Chen, L. (2020). Study on the interaction between catechin and cholesterol by the density functional theory. *Open Chemistry*, 18(1), 357–368. <https://doi.org/10.1515/chem-2020-0038>

Zhu, Q. Y., Zhang, A., Tsang, D., Huang, Y., & Chen, Z. (1997). Stability of Green Tea Catechins. *J. Agric. Food Chem.*, 45, 4624–4628.

