

DAFTAR PUSTAKA

- Abdeldaiem, A. M dan Kh. I. Blassy. 2019. Effect of replacing skim milk powder by sweet lupine powder on characteristics of zebda-mango yoghurt drink. *Ismailia Journal of Dairy Science and Technology Suez Canal University*, 6: 9-17.
- Afzal, A., M. S. Mahmood., I. Hussain dan M. Akhtar. 2011. Adulteration and microbiological quality of milk. A Review. *Pakistan J. Nutrition*. Vol. 10 No. 12: 1195-1202.
- Al Baarri, N. A., A. D. Setianingsih dan B. Y. Pramono. Deteksi ragi pada kefir rasa mangga daripabrik skala kecil di Semarang, Jawa Tengah, Indonesia. Jurusan teknologi pangan , Fakultas Peternakan dan Ilmu Pertanian, Universitas Diponegoro, Indonesia: 12-14.
- Almeida, E. G., C. C. T. C. Rachid dan R. F. Schwan . 2007. Microbial Population Present Inferred Beverage 'Caum' Produced by Brazillian Amerindians. *Int J Food Microbial* 120:146-151
- Angelillo, I. F., N. M. A. Viggiani., L. Rizzo dan A. Bianco. 2005. Food and lersnand foodborne diseases: Knowledge, attitudes, and reported behavior in Italy. *Jurnal Food Prot*. Vol. 63: 381-385.
- Aristya, A. L., M. Legowo dan A. N. Albaarri. 2013. Total Asam, Total Khamir, dan Profil Kefir Susu Kambing dengan Penambahan Jenis dan Konsentrasi Gula yang Berbeda. *Jurnal Pangan dan Gizi*. 4 (7): 139-143
- Aritonang, N. S. 2009. *Susu dan Teknologi*. Swagati Press. Cirebon.
- Arslan, S. 2015. A review: Chemical, microbiological dan nutritional characteristics of kefir. *CYTA J. Food* Vol. 13: 340-345.
- Ashwell, M. 2002. *Functional food concept*. Washington: ILSI Press.
- Astawan, M. 2011. *Pangan Fungsional untuk Kesehatan yang Optimal*. Fakultas Teknologi Pertanian IPB, Bogor.
- Badan Standardisasi Nasional. 2009. SNI 7382:2009. Sari buah mangga. Jakarta.
- Badan Standardisasi Nasional. 2011. SNI 01-3141-2011. Susu segar. Jakarta.
- Badan Standardisasi Nasional. 2009. SNI 1-7552-2009. Susu Fermentasi Berperisa. Pusat Standarisasi Industri. Departemen Perindustrian dan Perdagangan. Jakarta.
- Barry, C. S., J. J. Giovannoni. 2007. Ethylene and fruit ripening. *J. Plant Growth Regul.* 26, 143-159.

- Beshkova, D. M., E. D. Simova., G. I. Frengova., Z. I. Simov dan Z. P. Dimitrov. 2003. Production of volatile flavor compounds by using kefir starter cultures. *Int. Dairy J.* 13: 529–535.
- Blassy, K., M. Osman., A. Gouda dan M. Hamed. 2020. Functional Properties of Yoghurt Fortified with Fruits Pulp. Dairy Departement, Faculty of Agriculture, Suez Canal University, Ismailia 41522, Egypt. Vol. 7 (1) : 1-9
- Codex Alimentarius Committee. 2003. Codex standard for fermented milks. Codex STAN 243. FAO/WHO Food Standards.
- Cultures for Health. 2013. A where healthy food starts guide “milk kefir”. Cultures for Health. Sioux Falls.
- Dâmaso, A. 2001. Nutrition and exercise in disease prevention. *Thex*, Hal: 335-362.
- Dorta, E., M. G. Lobo dan M. Gonzalez. 2012. Reutilization of Mango Byproducts: Study of the Effect of Extraction Solvent and Temperature on Their Antioxidant Properties. *Journal of Food Science*, 77(1), C80-C88.
- Dick ,M., T. Costa., A. Gomaa., M. Subirade., A. O.Rios dan S. H. Flôres. 2015. Edible film production of chia seed slime: Effect of glycerol concentration on its physicochemical and mechanical properties. *Carbohydrate Polym.* 130: 198-205.
- Farnworth, E. R. 2008. *Handbook of fermented functional foods* (2nd ed.). Boca RatonI: CRC.
- Ferawati., Erpomen., S. Melia., Y. F. Kurnia., E. L. S. Suharto., A. Rastosari dan L. Suhartati. 2019. Diseminasi pengolahan susu kefir sari buah di nagari sungai kamuyang kabupaten limapuluh kota. *Jurnal Hilirisasi IPTEKS*. Vol. 2 No. 4a: 343 – 353.
- Ferreira, C. 2010. Quefir como alimento funcional. Dalam *Alimentos Funcionais - Komponen Bioativos e Efeitos Fisiológicos (Quefir as a functional food. In Functional Foods - Bioactive Components and Physiological Effects)*, vol. 1, hlm. 111–122 Rio de Janeiro: Editora Rubio LTDA.
- Fischer, U. A., R. Carle dan D. R. Kammere. 2011. Identification and quantification of phenolic compounds from pomegranate (*Punica granatum L.*) peel, mesocarp, aril and differently produced juices by HPLC-DAD-ESI/MSn. *Food Chemistry*, 127, 807-821.
- Gaware, V., K. Kiran., D. Ramdas., D. Kiran., S. Sachin., N. Vikrant., K. Atul dan K.Vivekanand. 2011. The Magic of Kefir: A Review. *Pharmacologyonline* 1: 376-386

- Gao, X dan B. Li. 2016. Chemical and microbiological characteristics of kefir grains and their fermented dairy products: A review. *Cogent food and agriculture* 2 (1),1272152.
- Guzel-Seydim, Z. B., Wyffels, J. T., Seydim, A. C., Greene, A. K. 2005. Turkish kefir and kefir grains: Microbial enumeration and electron microscopic observation. *International Journal of Dairy Technology*, 58(1), 25-29
- Guzel-Seydim, Z., T. Kok-Tas dan A. K. Greene. 2011. Review: Functional properties of kefir. *Critical review in food Science and Nutrition*, 51 (3), 261-268.
- Hadisaputro S., R. R. Djokomoeljanto dan Judiono. 2012. Pengaruh suplementasi kefir biasa oral pada sifat sitokin pro-inflamasi tikus hiperglikemia Wistar yang diinduksi oleh streptozotocin. *Acta Med Indones* 44, 100–104.
- Harley, J. P dan L. M. Prescott. 1993. *Laboratory Exercises in Microbiology*. Second Edition. C Brown Publishers, New York
- Hendra, R., S. Ahmad., A. Sukari., M. E. Shukor dan E. Oskoueian. 2011. Flavonoid analyses and antimicrobial activity of various parts of *Phaleria macrocarpa* (Scheff.) boerl fruit. *International Journal of Molecular Sciences* 12 (6): 3422–3431.
- Hertzler, S. R dan S. M. Clancy. 2003. Kefir improves lactose digestion and tolerance in adults with lactose maldigestion. *J Am Diet Assoc*. May;103 (5):582–87.
- Hidayat, A. 2010. *Metode Penelitian Kesehatan Paradigma Kuantitatif*. Jakarta: Heat Books. Institut Adolfo Lutz. *Metode fisikokimia untuk analisis makanan*. Edisi pertama. Digital. São Paulo: Institut Adolfo Lutz; 2008, 1018p.
- Irigoyen, A., I. Arana., M. Castiella., P. Torre dan F. C. Ibáñez. 2005. Microbiological, physicochemical, and sensory characteristics of kefir during storage. *Food Chem*. 90 (4):613–20.
- Jahrul, M. H. A., I. S. M Zaidul., K. Ghafoor., F. Y. Al-Juhaimi., K. L. Nyam., N. A. N Norulaini., ... dan A. M Omar. 2015. Mango (*Mangifera Indica* L.) By-Products and Their Valuable Components: a Review. *Food Chemistry*, 183, 173-180.
- Julianto, B., E. Rossi dan Yusmarini. 2016. Karakteristik kimiawi dan mikrobiologi kefir susu sapi dengan penambahan susu kedelai. *Jom Faperta* 3 (1).
- Kabakci, S. A., M. Türkyılmaz dan M. Özkan. 2020. Changes in the quality of

kefir fortified with anthocyanin-rich juices during storage. *Food Chemistry*, 326, 126977.

Kartikasari, D. I dan F. C. Nisa. 2014. Pengaruh penambahan sari buah sirsak dan lama fermentasi terhadap karakteristik fisik dan kimia yoghurt. *J. Pangan dan Agroindustri*. 2 (4) : 239-248.

Kopjar, M., M. Orsolic dan V. Pilizota. 2014. Anthocyanins, phenols, and antioxidant activity of sour cherry puree extracts and their stability during storage. *International Journal of Food Properties* 17 (6): 1393–1405.

Leite, A. M. O., B. Mayoá., C. T. Rachid., R. S. Peixoto., J. T. Silvia., V. M Paschoalin dan S. Delgona. 2012. Assessment of the microbial diversity of Brazilian kefir grains by PCR-DGGE and pyrosequencing analysis. *Food Microbiology* 31, 215–221.

Liutkevičius. A dan A. Šarkinas. 2004. A Studies on the growth conditions and composition of kefir grains as a food and forage biomass. *Dairy Science Abstracts*, 66:903.

Lopitz-Otsoa, F., A. Rementeria., N. Elguezabal dan J. Garaizar. 2006. Kefir: A Symbiotic Yeasts-Bacteria Community with Alleged Healthy Capabilities, *Revista Iberoamericana de Micologia*, 23 (2), pp. 67-74.

Ma, C. M., T. Abe., T. Komiyama., W. Wang., M. Hattor dan M. Daneshtalab. (2010). Synthesis, antifungal and 1,3-beta-Dglucan synthase inhibitory activities of caffeic and quinic acid derivatives. *Bioorganic and Medicinal Chemistry* 18: 7009 –7014.

Magalhaes, G. K. T., I. T. Barreto., P. P. L. G. Tavares., P. Q. M. Bezzera., M. R. Silva., I. L. Nunes dan R. F. Schwan, 2020. Effect of kefir biomass on nutritional, microbiological, and sensory properties of mango-based popsicles. *Journal International Food Research*. 27(3), 536 – 545.

Manisha, W. H., R. Rajak dan Jat, D. 2017. Oxidative stress and antioxidants: an overview. *International Journal of Advanced Research and Review*, 2: 110-119.

Mehta, I. 2017. History of mango – ‘King of Fruits’. *International Journal of Engineering Science Invention*. 6(7): 20-24.

Moreno de LeBlanc, A., S. Chaves., E. Carmuega., R. Weill., J. Antóine dan G. Perdigón. 2008. Effect of long-term continuous consumption of fermented milkcontaining probiotic bacteria on mucosal immunity and theactivity of peritoneal macrophages *Immunobiology*. 213 (2), 97-108.

- Mubin, M. F dan E. Zubaidah. 2016. Studi pembuatan kefir nira siwalan (*Borassus flabellifer* L.) (Pengaruh pengenceran nira siwalan dan metode inkubasi). *J. Pangan dan Agroindustri*. 4 (1) : 291-301.
- Nogay, N. H. 2019. *Kefir Beverage and its Effects on Health*. Elsevier Inc. Kayseri, Turkey
- Noordiana, N dan A. B. M. Fatimah. 2013. Antibacterial agents produced by lactic acid bacteria isolatd from threadfin salmon and grass shrimp. *International Food Research Journal* 20 (1): 117-124.
- Nunes, M. C. N., J. P. Emond, J. K. Brecht, S. Dea dan E. Proulx. 2007. Quality curves for mango fruit (*cv. Tommy Atkins and Palmer*) stored at chilling and nonchilling temperatures. *Journal of Food Quality*, 30: 104-120.
- Otles, S dan O. Cagindi. 2003. Kefir: A Probiotic dairy composition, nutritional and therapeutic aspects. *Pakistan J Nutr* 2, 54–59.
- Oksilia. 2005. Hubungan Karakteristik Fisik dan Kimia Beberapa Jenis Buah Mangga (*Mangifera indica* L.) Terhadap Penerimaan Konsumen. Universitas Taman Siswa. Palembang.
- Palafox-Carlos, H., E. M. Yahia., M. Islas-Osuna., P. Gutierrez-Martinez., M. Robles-Sánchez dan G. González-Aguilar . 2012. Effect of the level of maturity of mangoes (*Mangifera indica* L., cv. 'Ataulfo') regarding physiological parameters and antioxidant activity. *Sci. Hort.* 135, 7–13.
- Parra, V. M., A. Mayra., M. Maritza., S. T. Y. Diego dan R. Jenny. 2021. Characterization and quantification of bioactive compounds and antioxidant activity in three different varieties of mango (*Mangifera indica* L.) peel from the Ecuadorian region using HPLC-UV/VIS and UPLC-PDA. *NFS Journal*. No. 23: 1–7.
- Peng, Y dan Y. Li . 2014. The combined effect of the two types of essential oil on the physical, mechanical and structural properties of the chitosan film. *Food Hidrokoloid*. 36: 287-293.
- Peng, Y., L. Yin dan Y. Li. 2013. The combined effect of lemon essential oil and surfactants on the physical properties and structure of the chitosan film. *Int J Food Sci Technol*. 48: 44-50.
- Pinho, E., I. C. F. R. Ferreira., L. Barros., A. M. Carvalho., G. Soares dan M. Henriques. 2014. Antibacterial potential of Northeastern Portugal wild

plant extracts and respective phenolic compounds. *BioMed Research International*. pp. 1– 8.

Powell, J. E. 2006. Bacteriocins and bacteriocin producers present in kefir and kefir grains. MSc Food Science, University of Stellenbosch.

Purwantiningsih, L. J., Y.Y. Suranindyah dan Widodo. 2014. Aktivitas senyawa fenol dalam buah mengkudu (*Morinda citrifolia*) sebagai antibakteri alami untuk penghambatan bakteri penyebab mastitis. *Buletin Peternakan* 38(1): 59–64.

Purwati, E., Z. Hidayat dan S. Syukur. 2005. *Lactobacillus* sp. Isolasi dari Biovicophitomega Sebagai Probiotik. Lembaga Ilmu Pengetahuan Indonesia, Jakarta, Bandung.

Purwati, E., N. Salam., Aritonang., S. Melia., I. Juliyarsi dan H. Purwanto. 2016. Manfaat Probiotik Bakteri Asam Laktat Dadih Menunjang Kesehatan Masyarakat. Penerbit Lembaga Literasi Dayak dan Universita Andalas. Padang.

Rodrigues, K. L., L. R. G Caputo dan J. C. T Carvalho. 2005. Antimicrobial and healing activity of kefir and kefir extract. *Int. J. Antimicrob. Agents*. 25, 404–408.

Rodrigues, K. L., J. A. Curiel dan R. Muñoz. 2009. Food phenolics and lactic acid bacteria. *Int. J. of Food Microbiology*. 132, 79–90.

Rosa, D. D., M.S.D. Manoela., M. Lukasz., Grzes'kowiak., A. Sandra., L.L. Reis., Conceicao dan D.C.G.P. Maria. 2017. Milk kefir: nutritional, microbiological and health benefits. *Nutrition Research Reviews*. Vol. 30. No. 1: 82-96

Safitri, M. F dan A. Swarastuti. 2011. Kualitas Kefir Berdasarkan Konsentrasi Kefir Grain. Indonesian Food Technologi Community. Semarang.

Sanam, A. B., N. S. Ida dan K. A. Kadek. 2014. Ketahanan Susu Kambing Peranakan Etawa Post-Thawing pada penyimpana Lemari Es Ditinjau dari Uji Didih dan Alkohol. *Indonesia Medicus Veterinus*. Vol 3(1) : 1-8.

Santos, J. P. V. 2008. Avaliação da microbiota e efeito antagonista de kefir (Evaluation of the microbiota and antagonistic effects of kefir). Mestrado, Universidade Federal de Viçosa

Sarkar, S. 2008. Biotechnological innovations in kefir production: an overview. *Br food J* 110, 283–295.

- Singh, N., A. Mahato., P. Jayaswal., A. Singh., S. Singh., N. Singh., V. Rai dan A. Mithra. 2016. Origin, diversity and genome sequence of mango (*Mangifera indica* L.). *Indian J. Hist. Sci.* 51.
- Siswanto, E. 2007. Pembuatan Minuman Kefir dari Susu Kacang Merah dengan menggunakan Kultur Starter *Lactobacillus bulgaricus* dan *Saccaromyces cereviceae* Kajian Pengaruh Konsentrasi Starter dan Lama Inkubasi. Skripsi. Fakultas Teknologi Pertanian. Untag Semarang.
- Soeparno., S. Rihastuti., Triatmojo dan Indratiningsih. 2011. Dasar Teknologi Hasil Ternak. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.
- Susilorini, T. E dan M. E. Sawitri. 2007. Produk Olahan Susu. Penebar Swadaya. Jakarta.
- Taylor, G. R. J dan C. M. Williams. 1998. Effects of probiotics and prebiotics on blood lipids. *Review. Br J Nutr* 80 (4):S225-30.
- Teodoro, G. R., K. Ellepola dan C. J. Seneviratne. 2015. Potential use of phenolic acids as anti-candida agents: A Review. *Frontier in Microbiology* 6:1–11.
- Urnemi, S. Syukur, E. Purwati, I. Sanusi dan Jamsari. 2012. Potensi bakteri asam laktat sebagai kandidat probiotik penghasil bakteriosin terhadap mikroba patogen asal fermentasi kakao varietas Criollo. *Jurnal Riset teknologi Industri (LIPI)*. 6 (13).
- Usmiati, S. 2007. Kefir Susu Fermentasi dengan Rasa Menyegarkan. *Warta Penelitian dan Pengembangan Pasca Panen Pertanian*. 29 (2): 12-17.
- Vazquez-Olivo, G., M. Antunes-Ricardo, J. A. Gutiérrez-Urbe, T. Osuna-Enciso, J. León- Félix and J. B. Heredia. 2019. Cellular antioxidant activity and in vitro intestinal permeability of phenolic compounds from four varieties of mango bark (*Mangifera indica* L.). *Journal of the Science of Food and Agriculture*, 99: 3481-3489.
- Vithana, M. D. K., Z. Singh., S. K. Johnson dan R. Gupta. 2018. Concentrations of health-promoting phytochemicals in ripemango fruit triggered by postharvest application of elicitors. *Journal of the Science of Food and Agriculture*. 99 (3): 1126-1134
- Witthuhn, R. C., A. Cilliers dan T.J. Britz. 2005. Evaluation of different techniques on the storage potential of kefir grains. *Milk Res* 72, 125–128.

- Wszolek, M., B. Kupiec-Teahan., H. S. Guldager dan A. Y. Tamime. 2006. Production of kefir. Koumiss and other related products. Fermented Milk. Blackwell Publishing, Oxford, pp. 174-216.
- Wulandari, A. O dan F. Purwadi. 2017. Penambahan madu bunga kopi (*coffea sp*) terhadap kualitas kefir ditinjau dari karakteristik mikrobiologi. Jurnal Ilmu dan Teknologi Hasil Ternak. Vol. 12. No. 2: 83-88.
- Wyk, J. V. 2019. Kefir: The Champagne of Fermented Beverages. Bellville. South Africa.
- Yahia, E. M. 2011. Postharvest Biology and Technology of Tropical and Subtropical Fruits: Cocona to Mango. Woodhead Publishing Limited, p. 492B - 586.

