

Daftar Pustaka

- Abubakar, A. N. F., Achmadi, S. S., & Suparto, I. H. (2017). Triterpenoid of avocado (*Persea americana*) seed and its cytotoxic activity toward breast MCF-7 and liver HepG2 cancer cells Authors: *Asian Pacific Journal of Tropical Biomedicine*. <https://doi.org/10.1016/j.apjtb.2017.01.010>
- Al-Saeedi, A. H., Al-Ghafri, M. T. H., & Hossain, M. A. (2017). Brine shrimp toxicity of various polarities leaves and fruits crude fractions of *Ziziphus jujuba* native to Oman and their antimicrobial potency. *Sustainable Chemistry and Pharmacy*, 5(March), 122–126. <https://doi.org/10.1016/j.scp.2017.03.003>
- Alice da Cruz Lima Gerlacha, b, A. G., Silveirab, R. M. B. da, Clerca, P., & Dévéhat, & F. L. (2018). The Use of Anisaldehyde Sulfuric Acid as an Alternative Spray Reagent in TLC Analysis Reveals Three Classes of Compounds in the Genus *Usnea* Adans. (Parmeliaceae, lichenized Ascomycota). *Journal of Pharmaceutical Sciences*, 2(2), 1–9. <https://doi.org/10.20944/preprints201802.0151.v1>
- Faustina, F. C., & Santoso, F. (2014). Extraction of Fruit Peels of *Pometia Pinnata* and Its Antioxidant and Antimicrobial Activities. *Journal Penelitian Pascapanen Pertanian*, 11(2), 80–88. <https://doi.org/DOI:http://dx.doi.org/10.21082/jpasca.v11n2.2014.80-88>
- Gelani, C. D., & Uy, M. M. (2016). Cytotoxicity to *Artemia salina* L. of marine sponge extracts from Surigao del Norte, Philippines. *Bulletin of Environment, Pharmacology and Life Sciences*, 5(April), 14–18. <https://doi.org/http://www.bepls.com>
- Haerudin, A., & Farida, F. F. (2017). Limbah Serutan Kayu Matoa (*Pometia pinnata*) Sebagai Zat Warna Alam Pada Kain Batik Serat Selulosa. *Dinamika Kerajinan Dan Batik: Majalah Ilmiah*, 34(1), 43. <https://doi.org/10.22322/dkb.v34i1.2759>
- Irawan, C., Hanafi, H., Sulistiawaty, L., & Rochaeni, H. (2017). Phytochemistry and total phenolic content of methanol extract of *Pometia pinata* J.R. Forst. & G. Forst. fruit flesh from Papua, Indonesia. *Tropical Plant Research*, 4(3), 401–404. <https://doi.org/10.22271/tpr.2017.v4.i3.053>
- Janackovic, P., Gavrilovic, M., Rakic, B., Tesevic, V., & Marin, P. (2017). Brine shrimp lethality bioassay of selected gymnosperm and angiosperm species. *Zbornik Matice Srpske Za Prirodne Nauke Matica Srpska Journal for Natural Sciences*, (131), 109–119. <https://doi.org/10.2298/zmspn1631109j>
- Jinming, G., Lin, H., & Jikai, L. (2001). A novel sterol from Chinese truffles *Tuber indicum*. *Steroids*, 66(10), 771–775. [https://doi.org/10.1016/S0039-128X\(01\)00105-2](https://doi.org/10.1016/S0039-128X(01)00105-2)
- Kementerian Pertanian. (2014). *Buku 1 : Matoa*. (49).
- Kuspradini, H., Pasedan, W. F., & Kusuma, I. W. (2016). Aktivitas Antioksidan dan Antibakteri Ekstrak Daun *Pometia pinnata*. *Jurnal Jamu Indonesia*, 1(1), 26–34. <https://doi.org/10.29244/jji.v1i1.5>
- Lely, N., Ayu, A. M., & Adrimas. (2016). *Efektifitas Beberapa Fraksi Daun Matoa*. 1(1),

- Martiningsih, N. W., Widana, G. A. B., & Kristiyanti, P. L. P. (2016). Skrining fitokimia dan uji aktivitas antioksidan ekstrak etanol daun Matoa (*Pometia pinnata*) dengan metode DPPH. *Prosiding Seminar Nasional MIPA*, 332–338.
- Mataputun, S. P., Johnly A. Rorong, & Julius Pontoh. (2013). Aktivitas Inhibitor α -Glukosidase Ekstrak Kulit Batang Matoa (*Pometia Pinnata*. Spp.) Sebagai Agen Antihiperqlikemik. *Jurnal Mipa Unsrat Online*, 2(2), 119–123.
- Mohammad, F. V., Ahmad, V. U., Noorwala, M., & Lajis, N. H. (2010). A New Triterpenoid Saponin from the Stem Bark of *Pometia pinnata*. *Natural Product Communications*, 5(2), 1934578X1000500. <https://doi.org/10.1177/1934578x1000500204>
- Mohammad, F. V., Noorwala, M., Ahmad, V. U., Zahoor, A., & Nordin, H. (2012). A New Monodesmosidic Triterpenoid Saponin from the Leaves of *Pometia Pinnata*. *Natural Product Communications*, 7(11), 1934578X1200701. <https://doi.org/10.1177/1934578x1200701105>
- Musa, A. A. (2012). Cytotoxicity activity and phytochemical screening of *Cochlospermum tinctorium* perr ex A. Rich rhizome. *Journal of Applied Pharmaceutical Science*, 2(7), 155–159. <https://doi.org/10.7324/JAPS.2012.2723>
- Olowa, L. F., & Nuneza, O. M. (2013). Brine Shrimp Lethality Assay of the Ethanolic Extracts of Three Selected Species of Medicinal Plants from Iligan City, Philippines. *International Research Journal of Biological Sciences*, 2(11), 74–77.
- Palaniappan, S., Panchanathan, M., Packiyaraj, V., Kannan, S., Shanmugam, S., Subramaniam, P., ... Balasubramanian, T. (2013). Antibacterial and brine shrimp lethality effect of marine actinobacterium *Streptomyces* sp. CAS72 against human pathogenic bacteria. *Asian Pacific Journal of Tropical Disease*, 3(4), 286–293. [https://doi.org/10.1016/S2222-1808\(13\)60071-7](https://doi.org/10.1016/S2222-1808(13)60071-7)
- Pratiwi, A., & Ersam, T. (2013). Uji Kemurnian Dua Senyawa dari Ekstrak Metanol Kayu Batang *Garcinia cylindrocarpa*. *Sains Dan Seni Pomits*, 2(2), 1–4.
- R. Hamidi, M., Jovanova, B., & Kadifkova Panovska, T. (2014). Toxicological evaluation of the plant products using Brine Shrimp (*Artemia salina* L.) model. *Macedonian Pharmaceutical Bulletin*, 60(01), 9–18. <https://doi.org/10.33320/maced.pharm.bull.2014.60.01.002>
- Rohmawati, D., & Sutoyo, S. (2018). Steroid Isolated from the Dichlorometane Extract of Matoars Stem Bark (*Pometia pinnata*) and Toxicity Tests Against *Artemia salina* Leach. 171(Snk), 103–105. <https://doi.org/10.2991/snk-18.2018.25>
- Sangi, M., Runtuwene, M. R. J., Simbala, H. E. I., & Makang, V. M. A. (2008). Analisis Tumbuhan Obat di Kabupaten Minahasa Utara. 1(1), 47–53.
- Suedee, A., Tewtrakul, S., & Panichayupakaranant, P. (2013). Anti-HIV-1 integrase compound from *Pometia pinnata* leaves. *Pharmaceutical Biology*, 51(10), 1256–1261. <https://doi.org/10.3109/13880209.2013.786098>
- Trimedona, N., Nurdin, H., Darwis, D., & Efdi, M. (2015a). Isolation of triterpenoid from

stem bark of *Pometia pinnata*, forst & forst. *Journal of Chemical and Pharmaceutical Research*, 7(11), 225–227.

Trimedona, N., Nurdin, H., Darwis, D., & Efdi, M. (2015b). Isolation of triterpenoid from stem bark of *Pometia pinnata*, forst & forst. *Journal of Chemical and Pharmaceutical Research*, 7(11), 225–227.

Trimedona, N., Nurdin, H., Darwis, D., & Efdi, M. (2018a). *AKTIFITAS SITOTOKSIK EKSTRAK DAN SENYAWA HASIL ISOLASI DARI KULIT BATANG MATOA (POMETIA PINNATA FORST & FORST)*. (August).

Trimedona, N., Nurdin, H., Darwis, D., & Efdi, M. (2018b). *Matoa (Pometia pinnata Forst & Forst) sebagai sumber senyawa antibakteri potensial*. (December).

Utari, F., Itam, A., Syafrizayanti, S., Putri, W. H., Ninomiya, M., Koketsu, M., ... Efdi, M. (2019). Isolation of flavonol rhamnosides from *Pometia pinnata* leaves and investigation of α -glucosidase inhibitory activity of flavonol derivatives. *Journal of Applied Pharmaceutical Science*, 8(8), 001–011. <https://doi.org/10.7324/JAPS.2018.8801>

Vajha, M., Siva, C., & Krishna, R. (2014). Evaluation of cytotoxicity in selected species of *Caralluma* and *Boucerosia*. *Pelagia Research Library Asian Journal of Plant Science and Research*, 4(4), 44–47.

