

DAFTAR PUSTAKA

1. Tiwari A, Mahadik KR, Gabhe SY. Piperine: A comprehensive review of methods of isolation, purification, and biological properties. *Med Drug Discov* [Internet]. 2020;7(100027):1–18. Available from: <https://doi.org/10.1016/j.medidd.2020.100027>
2. Stojanović-Radić Z, Pejčić M, Dimitrijević M, Aleksić A, Anil Kumar N V., Salehi B, et al. Piperine-A Major Principle of Black Pepper: A review of its bioactivity and studies. *Appl Sci*. 2019;9(20):1–29.
3. Gorgani L, Mohammadi M, Najafpour GD, Nikzad M. Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. *Compr Rev Food Sci Food Saf*. 2017;16(1):124–40.
4. Elkady AA, Tawfik SS. Anti-inflammatory role of piperine against rat lung tissue damage induced by gamma-rays. *Int J Radiat Res*. 2018;16(1):75–84.
5. Wang-sheng C, Jie A, Jian-jun L, Lan H, Zeng-bao X, Chang-qing L. Piperine attenuates lipopolysaccharide (LPS)-induced inflammatory responses in BV2 microglia. *Int Immunopharmacol* [Internet]. 2017;42:44–8. Available from: <http://dx.doi.org/10.1016/j.intimp.2016.11.001>
6. Prewitt EM. Fever: facts, fiction, physiology. *Crit Care Nurse*. 2005;Suppl(1):617–27.
7. Son DJ, Akiba S, Hong JT, Yun YP, Hwang SY, Park YH, et al. Piperine Inhibits the Activities of Platelet Cytosolic Phospholipase A2 and Thromboxane A2 Synthase without Affecting Cyclooxygenase-1 Activity: Different Mechanisms of Action Are Involved in the Inhibition of Platelet Aggregation and Macrophage Inflammation. *Nutrients*. 2014;6(8):3336–52.
8. Bang JS, Oh DH, Choi HM, Sur BJ, Lim SJ, Yeon JY, et al. Anti-inflammatory and antiarthritic effects of piperine in human interleukin 1 β -stimulated fibroblast-like synoviocytes and in rat arthritis models. *Arthritis Res Ther*. 2009;11(2):1–9.
9. Li Y, Li K, Hu Y, Xu B, Zhao J. Piperine mediates LPS induced inflammatory and catabolic effects in rat intervertebral disc. *Int J Clin Exp Pathol*. 2015;8(6):6203–13.
10. Ferreira C, Soares DC, Barreto-Junior CB, Nascimento MT, Freire-De-Lima L, Delorenzi JC, et al. Leishmanicidal effects of piperine, its derivatives, and analogues on *Leishmania amazonensis*. *Phytochemistry* [Internet]. 2011;72(17):2155–64. Available from: <http://dx.doi.org/10.1016/j.phytochem.2011.08.006>
11. Lin Y, Xu J, Liao H, Li L, Pan L. Piperine induces apoptosis of lung cancer A549 cells via p53-dependent mitochondrial signaling pathway. *Tumor Biol*. 2014;35(4):3305–10.
12. Lai LH, Fu QH, Liu Y, Jiang K, Guo QM, Chen QY, et al. Piperine suppresses tumor growth and metastasis in vitro and in vivo in a 4T1 murine breast cancer model. *Acta Pharmacol Sin* [Internet]. 2012;33(4):523–30. Available from: <http://dx.doi.org/10.1038/aps.2011.209>
13. Greenshields AL, Doucette CD, Sutton KM, Madera L, Annan H, Yaffe PB, et al. Piperine inhibits the growth and motility of triple-negative breast cancer cells.

- Cancer Lett [Internet]. 2015;357(1):129–40. Available from: <http://dx.doi.org/10.1016/j.canlet.2014.11.017>
14. Veerasha C, Sujath S, Rani TS. Effect of piperine on the pharmacokinetics and pharmacodynamics of glimepiride in normal and streptozotocin - Induced diabetic rats. *Nat Prod Commun.* 2012;7(10):1283–6.
 15. Jwa H, Choi Y, Park UH, Um SJ, Yoon SK, Park T. Piperine, an LXR α antagonist, protects against hepatic steatosis and improves insulin signaling in mice fed a high-fat diet. *Biochem Pharmacol* [Internet]. 2012;84(11):1501–10. Available from: <http://dx.doi.org/10.1016/j.bcp.2012.09.009>
 16. Atal S, Agrawal RP, Vyas S, Phadnis P, Rai N. Evaluation of the effect of piperine per se on blood glucose level in alloxan-induced diabetic mice. *Acta Pol Pharm - Drug Res.* 2012;69(5):965–9.
 17. Park UH, Jeong HS, Jo EY, Park T, Yoon SK, Kim EJ, et al. Piperine, a component of black pepper, inhibits adipogenesis by antagonizing PPAR γ activity in 3T3-L1 cells. *J Agric Food Chem.* 2012;60(15):3853–60.
 18. Shah SS, Shah GB, Singh SD, Gohil P V., Chauhan K, Shah KA, et al. Effect of piperine in the regulation of obesity-induced dyslipidemia in high-fat diet rats. *Indian J Pharmacol.* 2011;43(3):296–9.
 19. Tunsophon S, Chootip K. Comparative effects of piperine and simvastatin in fat accumulation and antioxidative status in high fat-induced hyperlipidemic rats. *Can J Physiol Pharmacol.* 2016;94(12):1344–8.
 20. Pathak N, Khandelwal S. Immunomodulatory role of piperine in cadmium induced thymic atrophy and splenomegaly in mice. *Environ Toxicol Pharmacol.* 2009;28(1):52–60.
 21. Kumar A, Sasmal D, Sharma N. Immunomodulatory role of piperine in deltamethrin induced thymic apoptosis and altered immune functions. *Environ Toxicol Pharmacol* [Internet]. 2015;39(2):504–14. Available from: <http://dx.doi.org/10.1016/j.etap.2014.12.021>
 22. Aswar U, Shintre S, Chepurwar S, Aswar M. Antiallergic effect of piperine on ovalbumin-induced allergic rhinitis in mice. *Pharm Biol* [Internet]. 2015;53(9):1358–66. Available from: <http://dx.doi.org/10.3109/13880209.2014.982299>
 23. Fu M, Sun ZH, Zuo HC. Neuroprotective effect of piperine on primarily cultured hippocampal neurons. *Biol Pharm Bull.* 2010;33(4):598–603.
 24. Rout J, Swain BC, Tripathy U. In silico investigation of spice molecules as potent inhibitor of SARS-CoV-2. *J Biomol Struct Dyn* [Internet]. 2020;1–15. Available from: <https://doi.org/10.1080/07391102.2020.1819879>
 25. Maurya VK, Kumar S, Prasad AK, Bhatt MLB, Saxena SK. Structure-based drug designing for potential antiviral activity of selected natural products from Ayurveda against SARS-CoV-2 spike glycoprotein and its cellular receptor. *VirusDisease* [Internet]. 2020;31(2):179–93. Available from: <https://doi.org/10.1007/s13337-020-00598-8>
 26. Alagu Lakshmi S, Shafreen RMB, Priya A, Shunmugiah KP. Ethnomedicines of Indian origin for combating COVID-19 infection by hampering the viral

replication: using structure-based drug discovery approach. *J Biomol Struct Dyn* [Internet]. 2020;0(0):1–16. Available from: <https://doi.org/10.1080/07391102.2020.1778537>

27. Kumar S, Kashyap P, Chowdhury S, Kumar S, Panwar A, Kumar A. Identification of phytochemicals as potential therapeutic agents that binds to Nsp15 protein target of coronavirus (SARS-CoV-2) that are capable of inhibiting virus replication. *Phytomedicine* [Internet]. 2020;(153317):1–10. Available from: <https://doi.org/10.1016/j.phymed.2020.153317>
28. Sharma S, Kalia NP, Suden P, Chauhan PS, Kumar M, Ram AB, et al. Protective efficacy of piperine against *Mycobacterium tuberculosis*. *Tuberculosis* [Internet]. 2014;94(4):389–96. Available from: <http://dx.doi.org/10.1016/j.tube.2014.04.007>
29. Song L, Wu X. Development of efflux pump inhibitors in antituberculosis therapy. *Int J Antimicrob Agents* [Internet]. 2016;47(6):421–9. Available from: <http://dx.doi.org/10.1016/j.ijantimicag.2016.04.007>
30. Pule CM, Sampson SL, Warren RM, Black PA, van Helden PD, Victor TC, et al. Efflux pump inhibitors: Targeting mycobacterial efflux systems to enhance TB therapy. *J Antimicrob Chemother*. 2016;71(1):17–26.
31. Sharma S, Kumar M, Sharma S, Nargotra A, Koul S, Khan IA. Piperine as an inhibitor of Rv1258c, a putative multidrug efflux pump of *Mycobacterium tuberculosis*. *J Antimicrob Chemother*. 2010;65(8):1694–701.
32. Johnson JJ, Nihal M, Siddiqui IA, Scarlett CO, Bailey HH, Mukhtar H, et al. Enhancing the bioavailability of resveratrol by combining it with piperine. *Mol Nutr Food Res*. 2011;55(8):1169–76.
33. Ray L, Karthik R, Srivastava V, Singh SP, Pant AB, Goyal N, et al. Correction to: Efficient antileishmanial activity of amphotericin B and piperine entrapped in enteric coated guar gum nanoparticles (Drug Delivery and Translational Research, (2020), 10.1007/s13346-020-00712-9). *Drug Deliv Transl Res*. 2020;
34. Barve K, Ruparel K. Effect of bioenhancers on amoxicillin bioavailability. *ADMET DMPK*. 2015;3(1):45–50.
35. Bhardwaj RK, Glaeser H, Becquemont L, Klotz U, Gupta SK, Fromm MF. Piperine, a major constituent of black pepper, inhibits human P-glycoprotein and CYP3A4. *J Pharmacol Exp Ther*. 2002;302(2):645–50.
36. Boddupalli BM, Anisetti RN, Ramani R, Malothu N. Enhanced pharmacokinetics of omeprazole when formulated as gastroretentive microspheres along with piperine. *Asian Pacific J Trop Dis*. 2014;4(S1):129–33.
37. Basu S, Jana S, Patel VB, Patel H. Effects of piperine, cinnamic acid and gallic acid on rosuvastatin pharmacokinetics in rats. *Phyther Res*. 2013;27(10):1548–56.
38. Rathee P, Kamboj A, Sidhu S. Enhanced oral bioavailability of nisoldipine-piperine-loaded poly-lactic-co-glycolic acid nanoparticles. *Nanotechnol Rev*. 2017;6(6):517–26.
39. Ding Y, Ding Y, Wang Y, Wang C, Gao M, Xu Y, et al. Soluplus®/TPGS mixed micelles for co-delivery of docetaxel and piperine for combination cancer therapy. *Pharm Dev Technol* [Internet]. 2020;25(1):107–15. Available from: <http://dx.doi.org/10.1080/10837450.2019.1679834>

40. Singh A, Thotakura N, Singh B, Lohan S, Negi P, Chitkara D, et al. Delivery of Docetaxel to Brain Employing Piperine-Tagged PLGA-Aspartic Acid Polymeric Micelles: Improved Cytotoxic and Pharmacokinetic Profiles. *AAPS PharmSciTech*. 2019;20(6):1–9.
41. Raza K, Kumar D, Kiran C, Kumar M, Guru SK, Kumar P, et al. Conjugation of docetaxel with multiwalled carbon nanotubes and codelivery with piperine: Implications on pharmacokinetic profile and anticancer activity. *Mol Pharm*. 2016;13(7):2423–32.
42. Pachauri M, Gupta ED, Ghosh PC. Piperine loaded PEG-PLGA nanoparticles: Preparation, characterization and targeted delivery for adjuvant breast cancer chemotherapy [Internet]. Vol. 29, *Journal of Drug Delivery Science and Technology*. Elsevier Ltd; 2015. 269–282 p. Available from: <http://dx.doi.org/10.1016/j.jddst.2015.08.009>
43. Burande AS, Viswanadh MK, Jha A, Mehata AK, Shaik A, Agrawal N, et al. Correction to: EGFR Targeted Paclitaxel and Piperine Co-loaded Liposomes for the Treatment of Triple Negative Breast Cancer (*AAPS PharmSciTech*, (2020), 21, 5, (151), 10.1208/s12249-020-01671-7). *AAPS PharmSciTech*. 2020;21(6):221005.
44. Burande AS, Viswanadh MK, Jha A, Mehata AK, Shaik A, Agrawal N, et al. EGFR Targeted Paclitaxel and Piperine Co-loaded Liposomes for the Treatment of Triple Negative Breast Cancer. *AAPS PharmSciTech*. 2020;21(5):1–12.
45. Bolat ZB, Islek Z, Demir BN, Yilmaz EN, Sahin F, Ucisik MH. Curcumin- and Piperine-Loaded Emulsomes as Combinational Treatment Approach Enhance the Anticancer Activity of Curcumin on HCT116 Colorectal Cancer Model. *Front Bioeng Biotechnol*. 2020;8(February):1–21.
46. Kazi M, Shahba AA, Alrashoud S, Alwadei M, Sherif AY, Alanazi FK. Bioactive self-nanoemulsifying drug delivery systems (Bio-SNEDDS) for combined oral delivery of curcumin and piperine. *Molecules*. 2020;25(7):1–24.
47. Chen S, Li Q, McClements DJ, Han Y, Dai L, Mao L, et al. Co-delivery of curcumin and piperine in zein-carrageenan core-shell nanoparticles: Formation, structure, stability and in vitro gastrointestinal digestion. *Food Hydrocoll* [Internet]. 2020;99(May 2019):105334. Available from: <https://doi.org/10.1016/j.foodhyd.2019.105334>
48. Baspinar Y, Üstündas M, Bayraktar O, Sezgin C. Curcumin and piperine loaded zein-chitosan nanoparticles: Development and in-vitro characterisation. *Saudi Pharm J*. 2018;26(3):323–34.
49. Chen S, McClements DJ, Jian L, Han Y, Dai L, Mao L, et al. Core-Shell Biopolymer Nanoparticles for Co-Delivery of Curcumin and Piperine: Sequential Electrostatic Deposition of Hyaluronic Acid and Chitosan Shells on the Zein Core. *ACS Appl Mater Interfaces*. 2019;11(41):38103–15.
50. Ratanavaraporn J, Kanokpanont S, Damrongsakkul S. The development of injectable gelatin/silk fibroin microspheres for the dual delivery of curcumin and piperine. *J Mater Sci Mater Med*. 2014;25(2):401–10.
51. Stasiłowicz A, Tykarska E, Lewandowska K, Kozak M, Miklaszewski A, Kobus-Cisowska J, et al. Hydroxypropyl- β -cyclodextrin as an effective carrier of curcumin–piperine nutraceutical system with improved enzyme inhibition

- properties. *J Enzyme Inhib Med Chem* [Internet]. 2020;35(1):1811–21. Available from: <https://doi.org/10.1080/14756366.2020.1801670>
52. Tu YS, Fu JW, Sun DM, Zhang JJ, Yao N, Huang DE, et al. Preparation, characterisation and evaluation of curcumin with piperine-loaded cubosome nanoparticles. *J Microencapsul*. 2014;31(6):551–9.
 53. Li Q, Zhai W, Jiang Q, Huang R, Liu L, Dai J, et al. Curcumin-piperine mixtures in self-microemulsifying drug delivery system for ulcerative colitis therapy. *Int J Pharm* [Internet]. 2015;490(1–2):22–31. Available from: <http://dx.doi.org/10.1016/j.ijpharm.2015.05.008>
 54. Abolhassani H, Safavi MS, Handali S, Nosrati M, Shojaosadati SA. Synergistic Effect of Self-Assembled Curcumin and Piperine Co-Loaded Human Serum Albumin Nanoparticles on Suppressing Cancer Cells. *Drug Dev Ind Pharm* [Internet]. 2020;46(10):1647–55. Available from: <http://dx.doi.org/10.1080/03639045.2020.1820032>
 55. Moorthi C, Krishnan K, Manavalan R, Kathiresan K. Preparation and characterization of curcumin-piperine dual drug loaded nanoparticles. *Asian Pac J Trop Biomed* [Internet]. 2012;2(11):841–8. Available from: [http://dx.doi.org/10.1016/S2221-1691\(12\)60241-X](http://dx.doi.org/10.1016/S2221-1691(12)60241-X)
 56. Slika L, Moubarak A, Borjac J, Baydoun E, Patra D. Preparation of curcumin-poly (allyl amine) hydrochloride based nanocapsules: Piperine in nanocapsules accelerates encapsulation and release of curcumin and effectiveness against colon cancer cells [Internet]. Vol. 109, *Materials Science and Engineering C*. Elsevier B.V.; 2020. 110550 p. Available from: <https://doi.org/10.1016/j.msec.2019.110550>
 57. Quijia CR, Araujo VH, Chorilli M. Piperine: Chemical, biological and nanotechnological applications. *Acta Pharm*. 2021;71(2):185–213.
 58. Haris P, Mary V, Haridas M, Sudarsanakumar C. Energetics, Thermodynamics, and Molecular Recognition of Piperine with DNA. *J Chem Inf Model*. 2015;55(12):2644–56.
 59. Kim HG, Han EH, Jang WS, Choi JH, Khanal T, Park BH, et al. Piperine inhibits PMA-induced cyclooxygenase-2 expression through downregulating NF- κ B, C/EBP and AP-1 signaling pathways in murine macrophages. *Food Chem Toxicol* [Internet]. 2012;50(7):2342–8. Available from: <http://dx.doi.org/10.1016/j.fct.2012.04.024>
 60. Gorgani L, Mohammadi M, Najafpour GD, Nikzad M. Piperine-The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. *Compr Rev Food Sci Food Saf* [Internet]. 2017 Jan [cited 2019 May 9];16(1):124–40. Available from: <http://doi.wiley.com/10.1111/1541-4337.12246>
 61. Kozukue N, Park MS, Choi SH, Lee SU, Ohnishi-Kameyama M, Levin CE, et al. Kinetics of light-induced cis-trans isomerization of four piperines and their levels in ground black peppers as determined by HPLC and LC/MS. *J Agric Food Chem*. 2007;55(17):7131–9.
 62. Hashimoto K, Yaoi T, Koshiba H, Yoshida T, Maoka T, Fujiwara Y, et al. Photochemical Isomerization of Piperine, a Pungent Constituent in Pepper. *Food Sci Technol Int Tokyo*. 1996;2(1):24–9.
 63. Vasavirama K, Upender M. Piperine: A Valuable Alkaloid from Piper Species. *Int*

- J Pharm Pharm Sci. 2014;6(4):34–8.
64. Randhawa GK, Kullar J, Rajkumar. Bioenhancers from Mother Nature and their applicability in modern medicine. International journal of applied and basic medical research. Int J Appl Basic Med Res. 2011;1(1):5–10.
 65. Maitra J, Shilpi. Antibacterial Activity Of Piperine Extracted From Piper Nigrum Against E.Coli And Bacilus Subtilis. Eur J Biomed Pharm Sci. 2016;3(6):497–500.
 66. Kim SH, Lee YC. Piperine inhibits eosinophil infiltration and airway hyperresponsiveness by suppressing T cell activity and Th2 cytokine production in the ovalbumin-induced asthma mode. J Pharm Pharmacol. 2009;61:353–9.
 67. Vijayakumar RS, Surya D, Nalini N. Antioxidant efficacy of black pepper (Pipernigrum L.) and piperine in rats with high fat diet induced oxidative stress. Redox Rep. 2004;9(2):105–10.
 68. Tasleem F, Azhar I, Ali SN, Perveen S, Mahmood ZA. Analgesic and anti-inflammatory activities of Piper nigrum L. Asian Pac J Trop Biomed. 2014;7.
 69. Li S, Wang C, Wang M, Li W, Matsumo K, Tang Y. Antidepressant like effects of piperine in chronic mild stress treated mice and its possible mechanisms. Life Sci. 2007;80:1373–81.
 70. Katiyar SS, Muntimadugu E, Rafeeqi TA, Domb AJ, Khan W. Co-delivery of rapamycin- and piperine-loaded polymeric nanoparticles for breast cancer treatment. Drug Deliv [Internet]. 2016;23(7):2608–16. Available from: <http://dx.doi.org/10.3109/10717544.2015.1039667>
 71. Singh S, Kumar P. Neuroprotective potential of curcumin in combination with piperine against 6-hydroxy dopamine induced motor deficit and neurochemical alterations in rats. Inflammopharmacology. 2017;25(1):69–79.
 72. Athukuri BL, Neerati P. Enhanced oral bioavailability of domperidone with piperine in male wistar rats: Involvement of CYP3A1 and P-gp inhibition. J Pharm Pharm Sci. 2017;20(1):28–37.
 73. Hegeto LA, Caleffi-Ferracioli KR, Nakamura-Vasconcelos SS, Almeida AL de, Baldin VP, Nakamura CV, et al. In vitro combinatory activity of piperine and anti-tuberculosis drugs in Mycobacterium tuberculosis. Tuberculosis. 2018;111(February):35–40.
 74. Pubchem. Piperine. National Library of Medicine. 2021.
 75. Febriyanti AP, Iswarin SJ, Susanti S. PENETAPAN KADAR PIPERIN DALAM EKSTRAK BUAH LADA HITAM (Piper nigrum Linn.) MENGGUNAKAN LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY (LC-MS/MS). J Ilm Farm Farmasyifa. 2018;1(2):69–79.
 76. Lizarme-Salas Y, Ariawan AD, Ratnayake R, Luesch H, Finch A, Hunter L. Vicinal difluorination as a C=C surrogate: an analog of piperine with enhanced solubility, photostability, and acetylcholinesterase inhibitory activity. Beilstein J Org Chem. 2020;16:2663–70.
 77. Mondong FR. Skrining Fitokimia dan Uji Aktivitas Antioksidan Ekstrak Etanol Daun Patikan Emas (Euphorbia prunifolia Jacq.) dan Bawang Laut (Proiphys amboinensis (L.) Herb). J MIPA. 2015;4(1):81.

78. Alyaseen FF, Hassan BA, Abdulhussein HS. Extraction, isolation and chemical identification of piperine alkaloid from black pepper seeds and its antibacterial activity. *Plant Arch.* 2018;18(2):2171–6.
79. Harborne JB. *Phytochemical Methods: A Guide To Modern Techniques of Plant Analysis*. Third Edit. London: Chapman & Hall; 1998. 203–213 p.
80. Suresh D, Srinivasan K. Tissue distribution & elimination of capsaicin, piperine & curcumin following oral intake in rats. *Indian J Med Res.* 2010 May;131:682–91.
81. Liu H, Luo R, Chen X, Liu J, Bi Y, Zheng L, et al. Tissue distribution profiles of three antiparkinsonian alkaloids from *Piper longum* L. in rats determined by liquid chromatography-tandem mass spectrometry. Vol. 928, *Journal of chromatography. B, Analytical technologies in the biomedical and life sciences*. Netherlands; 2013. p. 78–82.
82. Dogra RKS, Khanna S, Shanker R. Immunotoxicological effects of piperine in mice. *Toxicology.* 2004 Mar;196(3):229–36.
83. FDA D of H and HS. Waiver of In Vivo Bioavailability and Bioequivalence Studies for Immediate-Release Solid Oral Dosage Forms Based on a Biopharmaceutics Classification System. Food and Drug Administration. 2017.
84. Yazdani M, Briggs K, Jankovsky C, Hawi A. The “High Solubility” Definition of the Current FDA Guidance on Biopharmaceutical Classification System May Be Too Strict for Acidic Drugs. *Pharm Res.* 2004;21(2).
85. Food and Drug Administration. *Biopharmaceutics Classification System-Based Biowaivers*. M9 ed. 2018.
86. Yasir M, Asif M, Kumar A, Aggarwal A. Biopharmaceutical classification system: An account. *Int J PharmTech Res.* 2010;2.
87. Badan Pengawas Obat dan Makanan. Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia tentang Pedoman Uji Bioekivalensi. BPOM Jakarta: Badan Pengawas Obat dan Makanan; 2005 p. HK .00.05.3.1818.
88. Shargel, L & YU ABC. *Applied Biopharmaceutics and Pharmacokinetics*. Fifth Edit. Singapore: McGraw-Hill Companies; 2005.
89. Wagner JG. *Fundamentals of Clinical Pharmacokinetics*. First Edit. Illinois: Drug Intelligence Inc.; 1975.
90. S. G. Proudfoot. Factors affecting bioavailability: Factors influencing drug absorption from gastrointestinal tract. In: Aulton ME, editor. *Pharmaceutics: The Science of Dosage Form Design*. Edinburgh: Churchill Livingstone; 1991. p. 135–73.
91. Savjani KT, Gajjar AK, Savjani JK. *Drug Solubility: Importance and Enhancement Techniques*. ISRN Pharm. 2012;2012.
92. Sinko P j. *Martin Farmasi Fisika dan Ilmu Farmasetika*. Jakarta: EGC; 2011.
93. Depkes RI. *Farmakope Indonesia edisi V*. Jakarta; 2014.
94. Dressman J, Krämer J. *Pharmaceutical dissolution testing. Pharmaceutical Dissolution Testing*. 2005.
95. Siregar CJ. *Teknologi Farmasi Sediaan Tablet*. Jakarta: EGC; 2010.

96. World Health Organization. The International Pharmacopoeia. third ed. Switzerland: WHO publication; 2003.
97. Banakar U. Pharmaceutical Dissolution Testing. New York: Marcel Dekker Inc; 1991.
98. Shargel, L & YU ABC. Applied Biopharmaceutics & Pharmacokinetics. Seventh Ed. New York: McGraw-Hill Companies;
99. Bunaciu, A. A, Udriștioiu E gabriela, Aboul-Enein HY. X-Ray Diffraction: Instrumentation and Applications. Crit Rev Anal Chem. 2015;45.
100. Setyawan D, Zaini E. Polimorfisme Bahan Aktif Farmasi. surabaya: Airlangga University press; 2018.
101. Shi Q, Moinuddin SM, Cai T. Advances in coamorphous drug delivery systems. Acta Pharm Sin B [Internet]. 2019;9(1):19–35. Available from: <http://dx.doi.org/10.1016/j.apsb.2018.08.002>
102. Yadav S, Gupta P, Sharma N, Kumar J. Cocrystals : An alternative Approach to Modify Physicochemical Properties of Drugs. Am J PharmTech Res. 2014;4.
103. Setiabudi A, Hardiann R, Mudzakir A. karakterisasi material;prinsip dan aplikasinya dalam penelitian kimia. UPI Press; 2012.
104. Watson DG. Analisis Farmasi. Hanindita amalia SF, editor. EGC; 2010.
105. Sopyan I, N FD, HS I, KY N, TW O, Sarah D. a Review on Solids State of Characterization Method in Pharmaceuticals. Int Res J Pharm. 2019;10(1).
106. Prof. Dr. Harmita Apt. Analisis Fisikokimia Potensiometri & Sspektroskopi. Depok, Indonesia: EGC; 2015.
107. Behera S. UV-Visible Spectrophotometric Method Development and Validation of Assay of Paracetamol Tablet Formulation. J Anal Bioanal Tech. 2012;3.
108. Prof.Dr.Dachriyanus. Analisis Struktur Senyawa Organik degan Spektroskopi. Padang: LPTIK Universitas Andalas; 2004.
109. Akash MSH, Rehman K. Essential Of Pharmaceutical Analysis. Singapore: Springer; 2018.
110. Censi R, Di Martino P. Polymorph impact on the bioavailability and stability of poorly soluble drugs. Molecules. 2015;20(10):18759–76.
111. Pfund LY, Chamberlin BL, Matzger AJ. The bioenhancer piperine is at least trimorphic. Cryst Growth Des. 2015;15(5):2047–51.
112. Kennedy AR, King NLC, Oswald IDH, Rollo DG, Spiteri R, Walls A. Structural study of salt forms of amides; paracetamol, benzamide and piperine. J Mol Struct [Internet]. 2018;1154:196–203. Available from: <https://doi.org/10.1016/j.molstruc.2017.10.047>
113. Murdande SB, Pikal MJ, Shanker RM, Bogner RH. Aqueous solubility of crystalline and amorphous drugs: Challenges in measurement. Pharm Dev Technol. 2011;16(3):187–200.
114. He H, Zhang Q, Wang JR, Mei X. Structure, physicochemical properties and pharmacokinetics of resveratrol and piperine cocrystals. CrystEngComm.

2017;19(41):6154–63.

115. Zaini E, Riska D, Oktavia MD, Ismed F, Fitriani L. Improving Dissolution Rate of Piperine by Multicomponent Crystal Formation with Saccharin. *Res J Pharm Technol*. 2019;13(4):1926–30.
116. Zaini E, Afriyani, Fitriani L, Ismed F, Horikawa A, Uekusa H. Improved solubility and dissolution rates in novel multicomponent crystals of piperine with succinic acid. *Sci Pharm*. 2020;88(21):1–12.
117. Childs SL, Stahly GP, Park A. The salt-cocrystal continuum: The influence of crystal structure on ionization state. *Mol Pharm*. 2007;4(3):323–38.
118. Cruz-Cabeza AJ. Acid-base crystalline complexes and the pKa rule. *CrystEngComm*. 2012;14(20):6362–5.
119. Callender SP, Mathews JA, Kobernyk K, Wettig SD. Microemulsion utility in pharmaceuticals: Implications for multi-drug delivery. *Int J Pharm* [Internet]. 2017;526(1–2):425–42. Available from: <http://dx.doi.org/10.1016/j.ijpharm.2017.05.005>
120. Etman SM, Elnaggar YSR, Abdelmonsif DA, Abdallah OY. Oral Brain-Targeted Microemulsion for Enhanced Piperine Delivery in Alzheimer's Disease Therapy: In Vitro Appraisal, In Vivo Activity, and Nanotoxicity. *AAPS PharmSciTech*. 2018;19(8):3698–711.
121. Motta MH, Schneider A, Codevilla CF, Menezes C, Da Silva CDB. Analytical Method By Liquid Chromatography To Assay Piperine Associated in Nanoemulsions. *Drug Anal Res*. 2018;2(1):1–7.
122. Shao B, Cui C, Ji H, Tang J, Wang Z, Liu H, et al. Enhanced oral bioavailability of piperine by self-emulsifying drug delivery systems: In vitro, in vivo and in situ intestinal permeability studies. *Drug Deliv*. 2015;22(6):740–7.
123. Patil SC, Tagalpallewar AA, Kokare CR. Natural anti-proliferative agent loaded self-microemulsifying nanoparticles for potential therapy in oral squamous carcinoma. *J Pharm Investig* [Internet]. 2019;49(5):527–41. Available from: <http://dx.doi.org/10.1007/s40005-018-00415-x>
124. Rao Z, Si L, Guan Y, Pan H, Qiu J, Li G. Inhibitive effect of cremophor RH40 or tween 80-based self-microemulsifying drug delivery system on cytochrome P450 3A enzymes in murine hepatocytes. *J Huazhong Univ Sci Technol - Med Sci*. 2010;30(5):562–8.
125. Prabhakar K, Afzal SM, Surender G, Kishan V. Tween 80 containing lipid nanoemulsions for delivery of indinavir to brain. *Acta Pharm Sin B* [Internet]. 2013;3(5):345–53. Available from: <http://dx.doi.org/10.1016/j.apsb.2013.08.001>
126. Yadav N, Khatak S, Singh Sara UV. Solid lipid nanoparticles- A review. *Int J Appl Pharm*. 2013;5(2):8–18.
127. Ghasemiyeh P, Mohammadi-Samani S. Solid lipid nanoparticles and nanostructured lipid carriers as novel drug delivery systems: applications, advantages and disadvantages. *Res Pharm Sci*. 2018 Aug;13(4):288–303.
128. Yusuf M, Khan M, Khan RA, Ahmed B. Preparation, characterization, in vivo and biochemical evaluation of brain targeted Piperine solid lipid nanoparticles in an experimentally induced Alzheimer's disease model. *J Drug Target*.

2013;21(3):300–11.

129. Nobari Azar FA, Pezeshki A, Ghanbarzadeh B, Hamishehkar H, Mohammadi M. Nanostructured lipid carriers: Promising delivery systems for encapsulation of food ingredients. *J Agric Food Res* [Internet]. 2020;2(100084):1–8. Available from: <https://doi.org/10.1016/j.jafr.2020.100084>
130. Chaudhari VS, Murty US, Banerjee S. Nanostructured lipid carriers as a strategy for encapsulation of active plant constituents: Formulation and in vitro physicochemical characterizations. *Chem Phys Lipids* [Internet]. 2021;235(105037). Available from: <https://www.sciencedirect.com/science/article/pii/S0009308420301687>
131. Kalepu S, Manthina M, Padavala V. Oral lipid-based drug delivery systems – an overview. *Acta Pharm Sin B* [Internet]. 2013;3(6):361–72. Available from: <http://dx.doi.org/10.1016/j.apsb.2013.10.001>
132. Kuche K, Bhargavi N, Dora CP, Jain S. Drug-Phospholipid Complex—a Go Through Strategy for Enhanced Oral Bioavailability. *AAPS PharmSciTech*. 2019;20(2):1–13.
133. Biswas S, Mukherjee PK, Kar A, Bannerjee S, Charoensub R, Duangyod T. Optimized piperine–phospholipid complex with enhanced bioavailability and hepatoprotective activity. *Pharm Dev Technol* [Internet]. 2021;26(1):69–80. Available from: <http://dx.doi.org/10.1080/10837450.2020.1835956>
134. Liu X, Huang G. Formation strategies, mechanism of intracellular delivery and potential clinical applications of pH-sensitive liposomes. *Asian J Pharm Sci* [Internet]. 2013;8(6):319–28. Available from: <https://www.sciencedirect.com/science/article/pii/S1818087613000640>
135. Kalepu S, Nekkanti V. Insoluble drug delivery strategies: Review of recent advances and business prospects. *Acta Pharm Sin B*. 2015;5(5):442–53.
136. Daeihamed M, Dadashzadeh S, Haeri A, Akhlaghi MF. Potential of Liposomes for Enhancement of Oral Drug Absorption. *Curr Drug Deliv*. 2017;14(2):289–303.
137. Lee MK. Liposomes for enhanced bioavailability of water-insoluble drugs: In vivo evidence and recent approaches. *Pharmaceutics*. 2020;12(3):264–94.
138. Dutta S, Bhattacharjee P. Nanoliposomal encapsulates of piperine-rich black pepper extract obtained by enzyme-assisted supercritical carbon dioxide extraction. *J Food Eng* [Internet]. 2017;201:49–56. Available from: <http://dx.doi.org/10.1016/j.jfoodeng.2017.01.006>
139. Pentak D. In vitro spectroscopic study of piperine-encapsulated nanosize liposomes. *Eur Biophys J*. 2016;45(2):175–86.
140. Karami Z, Hamidi M. Cubosomes: remarkable drug delivery potential. *Drug Discov Today* [Internet]. 2016;21(5):789–801. Available from: <https://www.sciencedirect.com/science/article/pii/S1359644616000209>
141. Karami Z, Hamidi M. Cubosomes: Remarkable drug delivery potential. *Drug Discov Today* [Internet]. 2016;21(5):789–801. Available from: <http://dx.doi.org/10.1016/j.drudis.2016.01.004>
142. Barriga HMG, Holme MN, Stevens MM. Cubosomes: The Next Generation of Smart Lipid Nanoparticles? *Angew Chem Int Ed*. 2019;58(10):2958–78.

143. Elnaggar YSR, Etman SM, Abdelmonsif DA, Abdallah OY. Novel piperine-loaded Tween-integrated monoolein cubosomes as brain-targeted oral nanomedicine in Alzheimer's disease: Pharmaceutical, biological, and toxicological studies. *Int J Nanomedicine*. 2015;10:5459–73.
144. Octavia MD, Halim A, Zaini E. Preparation of Simvastatin- β -Cyclodextrin inclusion complexes using co-evaporation technique. *J Chem Pharm Res [Internet]*. 2015;7(2):740–7. Available from: www.jocpr.com
145. Qi C, Liu H, Deng S, Yang AH, Li Z. A modeling study by response surface methodology (RSM) on Th(IV) adsorption optimization using a sulfated β -cyclodextrin inclusion complex. *Res Chem Intermed [Internet]*. 2018;44(4):2889–911. Available from: <https://doi.org/10.1007/s11164-018-3286-3>
146. Kulkarni AS, Dias RJ, Ghorpade VS, Mali KK. Freeze dried multicomponent inclusion complexes of piperine with cyclodextrin and hydrophilic polymers: Physicochemical characterization and In vivo anti-inflammatory activity. *Res J Pharm Technol*. 2020;13(10):4916.
147. Ezawa T, Inoue Y, Murata I, Takao K, Sugita Y, Kanamoto I. Evaluation of the Molecular State of Piperine in Cyclodextrin Complexes by Near-Infrared Spectroscopy and Solid-State Fluorescence Measurements. *Int J Med Chem*. 2019;2019(7530480):1–14.
148. Liu K, Liu H, Li Z, Li W, Li L. In vitro dissolution study on inclusion complex of piperine with ethylenediamine- β -cyclodextrin. *J Incl Phenom Macrocycl Chem [Internet]*. 2020;96(3–4):233–43. Available from: <https://doi.org/10.1007/s10847-020-00980-5>
149. Quilaqueo M, Millao S, Luzardo-Ocampo I, Campos-Vega R, Acevedo F, Shene C, et al. Inclusion of piperine in β -cyclodextrin complexes improves their bioaccessibility and in vitro antioxidant capacity. *Food Hydrocoll [Internet]*. 2019;91:143–52. Available from: <https://doi.org/10.1016/j.foodhyd.2019.01.011>
150. Ezawa T, Inoue Y, Tunvichien S, Suzuki R, Kanamoto I. Changes in the Physicochemical Properties of Piperine/ β -Cyclodextrin due to the Formation of Inclusion Complexes. *Int J Med Chem*. 2016;2016(8723139):1–9.
151. Ezawa T, Inoue Y, Murata I, Takao K, Sugita Y, Kanamoto I. Characterization of the Dissolution Behavior of Piperine/Cyclodextrins Inclusion Complexes. *AAPS PharmSciTech*. 2018;19(2):923–33.
152. Imam SS, Alshehri S, Alzahrani TA, Hussain A, Altamimi MA. Formulation and Evaluation of Supramolecular Food-Grade Piperine HP β CD and TPGS Complex: Dissolution, Physicochemical Characterization, Molecular Docking, In Vitro Antioxidant Activity, and Antimicrobial Assessment. *Molecules*. 2020;25(20):4716–37.
153. Alshehri S, Imam SS, Hussain A, Altamimi MA. Formulation of Piperine Ternary Inclusion Complex Using β CD and HPMC: Physicochemical Characterization, Molecular Docking, and Antimicrobial Testing. *Processes*. 2020;8(11):1450–65.
154. Tong W-Q (Tony), Wen H. Application of Complexation in Drug Development for Insoluble Compounds. In: Liu R, editor. *Water-Insoluble Drug Formulation*. Third edit. Boca Raton: CRC Press; 2018. p. 150–70.
155. Mohanty B, Suvitha A, Venkataramanan NS. Piperine Encapsulation within

- Cucurbit[n]uril (n=6,7): A Combined Experimental and Density Functional Study. *ChemistrySelect*. 2018;3(6):1933–41.
156. Simanjuntak N, Levita J, Subarnas A. Inclusion of biopiperine in the kappa-carrageenan complex might improve its bioaccessibility and in vivo anti-inflammatory activity in edema-induced wistar rats. *J Appl Pharm Sci*. 2020;10(6):39–43.
157. Fitriani L, Afriyanti I, Afriyani, Ismed F, Zaini E. Solid dispersion of usnic acid–HPMC 2910 prepared by spray drying and freeze drying techniques. *Orient J Chem*. 2018;34(4):2083–8.
158. Deng Y, Liang Q, Wang Y, Zhang X, Yan C, He Y. The inhibiting role of hydroxypropylmethylcellulose acetate succinate on piperine crystallization to enhance its dissolution from its amorphous solid dispersion and permeability. *RSC Adv*. 2019;9(67):39523–31.
159. Ashour EA, Majumdar S, Alsheteli A, Alshehri S, Alsulays B, Feng X, et al. Hot melt extrusion as an approach to improve solubility, permeability and oral absorption of a psychoactive natural product, piperine. *J Pharm Pharmacol*. 2016;68(8):989–98.
160. Thenmozhi K, Yoo YJ. Enhanced solubility of piperine using hydrophilic carrier-based potent solid dispersion systems. *Drug Dev Ind Pharm* [Internet]. 2017;43(9):1501–9. Available from: <http://dx.doi.org/10.1080/03639045.2017.1321658>
161. Zhu Y, Yu J, Zhou G, Gu Z, Adu-Frimpong M, Deng W, et al. Piperine fast disintegrating tablets comprising sustained-release matrix pellets with enhanced bioavailability: formulation, in vitro and in vivo evaluation. *Pharm Dev Technol* [Internet]. 2020;25(5):617–24. Available from: <https://doi.org/10.1080/10837450.2020.1725892>
162. Sedeky AS, Khalil IA, Hefnawy A, El-Sherbiny IM. Development of core-shell nanocarrier system for augmenting piperine cytotoxic activity against human brain cancer cell line. *Eur J Pharm Sci* [Internet]. 2018;118:103–12. Available from: <https://doi.org/10.1016/j.ejps.2018.03.030>
163. Qiu LY, Bae YH. Polymer architecture and drug delivery. *Pharm Res*. 2006;23(1):1–30.
164. Guineo-Alvarado J, Quilaqueo M, Hermosilla J, González S, Medina C, Rolleri A, et al. Degree of crosslinking in β -cyclodextrin-based nanosponges and their effect on piperine encapsulation. *Food Chem* [Internet]. 2021;340(128132):1–7. Available from: <https://doi.org/10.1016/j.foodchem.2020.128132>
165. Laha A, Sharma CS, Majumdar S. Electrospun gelatin nanofibers as drug carrier: Effect of crosslinking on sustained release. *Mater Today Proc* [Internet]. 2016;3(10):3484–91. Available from: <http://dx.doi.org/10.1016/j.matpr.2016.10.031>
166. Laha A, Majumdar S, Sharma CS. Controlled drug release formulation by sequential crosslinking of multilayered electrospun gelatin nanofiber mat. *MRS Adv*. 2016;1(29):2107–13.
167. Laha A, Sharma CS, Majumdar S. Sustained drug release from multi-layered sequentially crosslinked electrospun gelatin nanofiber mesh. *Mater Sci Eng C*

- [Internet]. 2017;76:782–6. Available from: <http://dx.doi.org/10.1016/j.msec.2017.03.110>
168. Chen S, Zhang Y, Qing J, Han Y, McClements DJ, Gao Y. Core-shell nanoparticles for co-encapsulation of coenzyme Q10 and piperine: Surface engineering of hydrogel shell around protein core. *Food Hydrocoll* [Internet]. 2020;103(105651):1–11. Available from: <https://doi.org/10.1016/j.foodhyd.2020.105651>
169. Paul W, Sharma CP. Inorganic nanoparticles for targeted drug delivery. In: Sharma CP, editor. *Biointegration of Medical Implant Materials: Science and Design*. Cambridge: Woodhead Publishing Limited; 2010. p. 204–35.
170. AbouAitah K, Stefanek A, Higazy IM, Janczewska M, Swiderska-Sroda A, Chodara A, et al. Effective targeting of colon cancer cells with piperine natural anticancer prodrug using functionalized clusters of hydroxyapatite nanoparticles. *Pharmaceutics*. 2020;12(1):1–28.
171. Zhu D, Zhang W guang, Nie X dan, Ding S wen, Zhang D tai, Yang L. Rational design of ultra-small photoluminescent copper nano-dots loaded PLGA microvessels for targeted co-delivery of natural piperine molecules for the treatment for epilepsy. *J Photochem Photobiol B Biol* [Internet]. 2020;205(111805):1–8. Available from: <https://doi.org/10.1016/j.jphotobiol.2020.111805>
172. Miller JM, Beig A, Carr RA, Spence JK, Dahan A. A win-win solution in oral delivery of lipophilic drugs: Supersaturation via amorphous solid dispersions increases apparent solubility without sacrifice of intestinal membrane permeability. *Mol Pharm*. 2012;9(7):2009–16.
173. Miller JM, Beig A, Krieg BJ, Carr RA, Borchardt TB, Amidon GE, et al. The solubility-permeability interplay: Mechanistic modeling and predictive application of the impact of micellar solubilization on intestinal permeation. *Mol Pharm*. 2011;8(5):1848–56.
174. Mehta M, Kothari K, Ragoonanan V, Suryanarayanan R. Effect of Water on Molecular Mobility and Physical Stability of Amorphous Pharmaceuticals. *Mol Pharm*. 2016;13(4):1339–46.
175. El-Laithy HM, Badawi A, Abdelmalak NS, Elsayyad NME. Stabilizing excipients for engineered clopidogrel bisulfate prodrug derived in situ cubosomes for enhanced intestinal dissolution: Stability and bioavailability considerations. *Eur J Pharm Sci* [Internet]. 2019;136(104954):1–11. Available from: <https://doi.org/10.1016/j.ejps.2019.06.008>
176. Janga KY, Jukanti R, Velpula A, Sunkavalli S, Bandari S, Kandadi P, et al. Bioavailability enhancement of zaleplon via proliposomes: Role of surface charge. *Eur J Pharm Biopharm* [Internet]. 2012;80(2):347–57. Available from: <http://dx.doi.org/10.1016/j.ejpb.2011.10.010>
177. Nekkanti V, Venkatesan N, Betageri G. Proliposomes for Oral Delivery: Progress and Challenges. *Curr Pharm Biotechnol*. 2015;16(4):303–12.
178. Jong WH De, Paul JB. Drug delivery and nanoparticles: Applications and hazards. *Int J Nanomedicine*. 2008;3(2):133–49.
179. Nogueira DR, Carmen Morán M Del, Mitjans M, Pérez L, Ramos D, De Lapuente J, et al. Lysine-based surfactants in nanovesicle formulations: the role of cationic

charge position and hydrophobicity in in vitro cytotoxicity and intracellular delivery. *Nanotoxicology*. 2014;8(4):404–21.

180. Zhang XQ, Xu X, Bertrand N, Pridgen E, Swami A, Farokhzad OC. Interactions of nanomaterials and biological systems: Implications to personalized nanomedicine. *Adv Drug Deliv Rev* [Internet]. 2012;64(13):1363–84. Available from: <http://dx.doi.org/10.1016/j.addr.2012.08.005>
181. Watkins R, Wu L, Zhang C, Davis RM, Xu B. Natural product-based nanomedicine: Recent advances and issues. *Int J Nanomedicine*. 2015;10:6055–74.
182. Dahan A, Zimmermann EM, Ben-Shabat S. Modern prodrug design for targeted oral drug delivery. *Molecules*. 2014;19(10):16489–505.
183. Huttunen KM, Raunio H, Rautio J. Prodrugs-from serendipity to rational design. *Pharmacol Rev*. 2011;63(3):750–71.
184. Stella VJ, Nti-Addae KW. Prodrug strategies to overcome poor water solubility. *Adv Drug Deliv Rev*. 2007;59(7):677–94.
185. Zafar F, Jahan N, Khalil-Ur-Rahman, Bhatti HN. Increased Oral Bioavailability of Piperine from an Optimized Piper nigrum Nanosuspension. *Planta Med*. 2019;85(3):249–57.
186. Ding Y, Wang C, Wang Y, Xu Y, Zhao J, Gao M, et al. Development and evaluation of a novel drug delivery: Soluplus®/TPGS mixed micelles loaded with piperine in vitro and in vivo. *Drug Dev Ind Pharm* [Internet]. 2018;44(9):1409–16. Available from: <http://dx.doi.org/10.1080/03639045.2018.1472277>
187. Rani R, Kumar S, Dilbaghi N, Kumar R. Nanotechnology enabled the enhancement of antitrypanosomal activity of piperine against *Trypanosoma evansi*. *Exp Parasitol* [Internet]. 2020;219(108018):1–8. Available from: <https://doi.org/10.1016/j.exppara.2020.108018>
188. Chong W-H, Chin S-F, Pang S-C, Kok K-Y. Synthesis and Characterisation of Piperine-loaded Starch Nanoparticles. *J Phys Sci*. 2020;31(1):57–68.
189. Pachauri M, Gupta ED, Ghosh PC. Piperine loaded PEG-PLGA nanoparticles: Preparation, characterization and targeted delivery for adjuvant breast cancer chemotherapy. *J Drug Deliv Sci Technol* [Internet]. 2015;29:269–82. Available from: <http://dx.doi.org/10.1016/j.jddst.2015.08.009>
190. Abolhassani H, Shojaosadati SA. A comparative and systematic approach to desolvation and self-assembly methods for synthesis of piperine-loaded human serum albumin nanoparticles. *Colloids Surfaces B Biointerfaces* [Internet]. 2019;184(110534):1–25. Available from: <https://doi.org/10.1016/j.colsurfb.2019.110534>
191. Chen S, Zhang Y, Han Y, McClements DJ, Liao W, Mao L, et al. Fabrication of multilayer structural microparticles for co-encapsulating coenzyme Q10 and piperine: Effect of the encapsulation location and interface thickness. *Food Hydrocoll* [Internet]. 2020;109(106090):1–44. Available from: <https://doi.org/10.1016/j.foodhyd.2020.106090>
192. Ren T, Hu M, Cheng Y, Shek TL, Xiao M, Ho NJ, et al. Piperine-loaded nanoparticles with enhanced dissolution and oral bioavailability for epilepsy

control. *Eur J Pharm Sci* [Internet]. 2019;137(104988):1–8. Available from: <https://doi.org/10.1016/j.ejps.2019.104988>

193. Pengpong T, Sangvanich P, Sirilertmukul K, Muangsin N. Design, synthesis and in vitro evaluation of mucoadhesive p-coumarate-thiolated-chitosan as a hydrophobic drug carriers. *Eur J Pharm Biopharm* [Internet]. 2014;86(3):487–97. Available from: <http://dx.doi.org/10.1016/j.ejpb.2013.11.009>
194. Salim AB, Chin SF, Pang SC. Hydroxypropyl starch nanoparticles as controlled release nanocarriers for piperine. *J Nanostructures*. 2020;10(2):327–36.
195. Rad JG, Hoskin DW. Delivery of apoptosis-inducing piperine to triple-negative breast cancer cells via co-polymeric nanoparticles. *Anticancer Res*. 2020;40(2):689–94.
196. Jain S, Meka SRK, Chatterjee K. Engineering a Piperine Eluting Nanofibrous Patch for Cancer Treatment. *ACS Biomater Sci Eng*. 2016;2(8):1376–85.
197. Garrido B, González S, Hermosilla J, Millao S, Quilaqueo M, Guineo J, et al. Carbonate- β -Cyclodextrin-Based Nanosponge as a Nanoencapsulation System for Piperine: Physicochemical Characterization. *J Soil Sci Plant Nutr*. 2019;19(3):620–30.

