

DAFTAR PUSTAKA

1. Etik DO, Suna N, Boyacioglu AS. Management of Hepatocellular Carcinoma : Prevention , Surveillance , Diagnosis , and Staging. 2017;31–5.
2. Grandhi MS, Kim AK, Ronnekleiv-kelly SM, Kamel IR, Ghasebeh MA, Pawlik TM. Hepatocellular carcinoma : From diagnosis to treatment United Network of Organ Sharing. *Surg Oncol*. 2016;25(2):74–85.
3. Oktavia SH. Profil dan Faktor Risiko Penderita Karsinoma Hepatoseluler di RSUP Haji Adam Malik Medan Tahun 2016 – 2017. 2017;
4. Purba CJ. PROFIL LABORATORIUM PASIEN KARSINOMA HEPATOSELULER DI RSUP Dr. SARDJITO TAHUN 2016-2017 CHRISTOFEL JOMAN PURBA, dr. Elizabeth Henny Herningtyas, MSi., Ph.D, Sp.PK; dr. Didik Setyo Heriyanto, Ph.D. 2019;2016–7.
5. Putri N, Sinaga M, Susilaningsih N. Pengaruh pemberian ekstrak daun sirsak terhadap derajat histopatologi pada tikus wistar karsinoma hepatoseluler yang mendapat terapi standar sorafenib. 2019;8(4):1197–209.
6. Siregar G a. Penatalaksanaan non bedah dari karsinoma hati. *Universa Med*. 2011;24(1):35–42.
7. Rocken C, Carl-McGrath S. Pathology and pathogenesis of hepatocellular carcinoma. *Dig Dis*. 2001;19:269–78.
8. Thorgeirsson SS, Grisham JW. Molecular pathogenesis of human hepatocellular carcinoma. *Nat Genet*. 2002;31(august):339–46.
9. Zheng X, Zeng W, Gai X, Xu Q, Li C, Liang Z, et al. Role of the Hedgehog pathway in hepatocellular carcinoma (Review). *Oncol Rep*. 2013;30(5):2020–6.
10. El-Ashmawy N, El-Bahrawy H, Shamloula M, El-Feky O. Biochemical/metabolic changes associated with hepatocellular carcinoma development in mice. *Tumor Biol*. 2014;35:5459–66.
11. Puszyk WM, Trinh T Le, Chapple SJ, Liu C. Linking metabolism and epigenetic regulation in development of hepatocellular carcinoma. *Lab Invest*. 2013;93(9):983–90.
12. Supic G, Jagodic M, Magic Z. Epigenetics: a new link between nutrition and cancer. *Nutr Cancer*. 2013 Aug;65(6):781–92.
13. Elfidasari D, Noriko N, Wulandari N, Perdana AT. Identifikasi Jenis Teripang Genus *Holothuria* Asal Perairan Sekitar Kepulauan Seribu Berdasarkan Perbedaan Morfologi. *J Al-AZHAR Indones SERI SAINS DAN Teknol*. 2012;1(3):140.
14. Sendih S, Gunawan. Keajaiban teripang penyembuh mujarab dari laut. Depok: PT Agromedia Pustaka; 2006.
15. Dharmananda S. Sea cucumber: food and medicine. *ITM Online*. 2003.

16. Bordbar S, Anwar F, Saari N. High-Value Components and Bioactives from Sea Cucumbers for Functional Foods — A Review. 2011;1761–805.
17. Aminin DL, Menchinskaya ES, Pisiagin EA, Silchenko AS, Avilov SA, Kalinin VI. Anticancer Activity of Sea Cucumber Triterpene Glycosides. 2015;9:1202–23.
18. Du L, Li Z, Xu J, Wang J, Xue Y, Xue C, et al. The anti-tumor activities of cerebrosides derived from sea cucumber *Acaudina molpadioides* and starfish *Asterias amurensis* in vitro and in vivo. 2012;330(6):321–30.
19. Hossain Z, Sugawara T, Hirata T. Sphingoid bases from sea cucumber induce apoptosis in human hepatoma HepG2 cells through p-AKT and DR5. *Oncol Rep.* 2013;29:1201–7.
20. Layson RJ, Rodil MCA, Mojica EE, Deocaris CC. Potential Anti-cancer and Anti-bacterial Activities of Philippine Echinoderm Extracts. *J Trop Life Sci.* 2014;4(3):175–81.
21. Song Y, Jin S-J, Cui L-H, Ji X-J, Yang F-G. Immunomodulatory effect of stichopus japonicus acid mucopolysaccharide on experimental hepatocellular carcinoma in rats. *Molecules.* 2013;18(6):7179–93.
22. Seydi E, Motallebi A, Dastbaz M, Dehghan S, Salimi A, Nazemi M, et al. Selective Toxicity of Persian Gulf Sea Cucumber (*Holothuria parva*) and Sponge (*Haliclona oculata*) Methanolic Extracts on Liver Mitochondria Isolated from an Animal Model of Hepatocellular Carcinoma. *Hepat Mon.* 2015;e33073.
23. . Y, Purnamaningsih H, Nururrozi A, Indarjulianto S. Saponin : Dampak terhadap Ternak (Ulasan). *J Peternak Sriwij.* 2017;6(2):79–90.
24. C. Budimarwanti. analisis lipid sederhana dan lipida kompleks. 2014;1–12. Available from: http://www.ghbook.ir/index.php?name=تالاقم هوعومجم=دومين هم انديد شى سراسرى رسانه ت لوي زيون و سدكولاريه سم&gap&92631=di_koob&enilnodaer=ksat&koobd_moc=noitpo&e=108&chkhask=03C706812F&Itemid=218&lang=fa&tmpl=component
25. Apriyanto DR, Hartati S, Dewi BE, Aoki C, Hotta H. Aktivitas Sitotoksitas Ekstrak Metanol Daun Sirsak (*Annona muricata* L .) terhadap Karsinoma Hepatoseluler. *Tuntas Med.* 2017;1–4.
26. Mortazavian AM, Meybodi NM. Medicinal food products; A new approach from ordinary foods to medicine. *Iran J Pharm Res.* 2016;15(1):1–2.
27. Gropper SS, Smith JL. *Advanced Nutrition and Human Metabolism.* 6th ed. Belmont: Wadsworth, Cengage Learning; 2013. 51, 519–526 p.
28. Smith RJ. Nutrition and metabolism in hepatocellular carcinoma. *Hepatobiliary Surg Nutr.* 2013;2(2):89–96.
29. Rahman R, Hammoud GM, Almashrawi AA, Ahmed KT, Ibdah JA. Primary hepatocellular carcinoma and metabolic syndrome: An update. *World J Gastrointest Oncol.* 2013;5(9):186–94.
30. Nair DG, Weiskirchen R, Al-musharafi SK. The use of marine-derived

- bioactive compounds as potential hepatoprotective agents. *Nat Publ Gr*. 2014;36(2):158–70.
31. Arzumanyan A, Reis H, Feitelson M. Pathogenic mechanisms in HBV- and HCV-associated hepatocellular carcinoma. *Nat Rev Cancer*. 2013;13(2):123–35.
 32. Dhanasekaran R, Bandoh S, Roberts LR. Molecular pathogenesis of hepatocellular carcinoma and impact of therapeutic advances. *F1000Research*. 2016;5(May):879.
 33. Su I, Hsieh W, Tsai H, Wu H. Chemoprevention and novel therapy for hepatocellular carcinoma associated with chronic hepatitis B virus infection. *Hepatobiliary Surg Nutr*. 2013;2(1):37–9.
 34. Farazi PA, DePinho RA. Hepatocellular carcinoma pathogenesis: from genes to environment. *Nat Rev*. 2006;6(9):674–87.
 35. Barghini V, Donnini D, Uzzau A, Soardo G. Sign and symptoms. In: Kaseb A, editor. *Hepatocellular carcinoma - Future outlook*. InTech; 2013. p. 197–215.
 36. Yasutake K, Kohjima M, Nakashima M, Kotoh K, Nakamuta M, Enjoji M. Nutrition therapy for liver diseases based on the status of nutritional intake. *Gastroenterol Res Pract*. 2012;2012:8.
 37. Yamada K, Suda T, Komoro YS, Kanefuji T, Kubota T, Murayama T, et al. Low fat intake is associated with pathological manifestations and poor recovery in patients with hepatocellular carcinoma. *Nutr J*. 2013 Dec;12(1):79.
 38. Houston M. The role of nutrition and nutraceutical supplements in the treatment of hypertension. *World J Cardiol*. 2014;6(2):38.
 39. Abedi E, Sahari MA. Long-chain polyunsaturated fatty acid sources and evaluation of their nutritional and functional properties. *Food Sci Nutr*. 2014;2(5):443–63.
 40. Purcell SW, Mercier A, Conand C, Hamel JF, Toral-Granda MV, Lovatelli A, et al. Sea cucumber fisheries: Global analysis of stocks, management measures and drivers of overfishing. *Fish Fish*. 2013;14(1):34–59.
 41. DKP Kaltim. *Budidaya teripang (Holothuria scabra)*. DKP Pemprov Kalimantan Timur. 2016.
 42. Xia S, Wang X. Nutritional and medicinal value. In: Yang H, Hamel J-F, Mercier A, editors. *The Sea Cucumber *Aposthichopus japonicus*: History, Biology and Aquaculture*. San Diego: Academic Press - Elsevier; 2015. p. 353–62.
 43. Khotimchenko YS. The nutritional value of holothurians. *Russ J Mar Biol*. 2016;41(6):409–23.
 44. Wen J, Hu C, Fan S. Chemical composition and nutritional quality of sea cucumbers. *J Sci Food Agric*. 2010;90(14):2469–74.
 45. Janakiram NB, Mohammed A, Rao C V. Sea cucumbers metabolites as

- potent anti-cancer agents. Vol. 13, *Marine Drugs*. 2015. p. 2909–23.
46. Fitton JH, Stringer DN, Karpinić SS. Therapies from Fucoidan: An Update. *Mar Drugs*. 2015 Sep;13(9):5920–46.
 47. Esmat AY, Said MM, Soliman AA, El-Masry KSH, Badiea EA. Bioactive compounds, antioxidant potential, and hepatoprotective activity of sea cucumber (*Holothuria atra*) against thioacetamide intoxication in rats. *Nutrition*. 2012 Jan;29(1):258–67.
 48. Stonik VA, Stonik I V. Toxins Produced by Marine Invertebrate and Vertebrate Animals: A Short Review. In: P. Gopalakrishnakone et al., editor. *Marine and Freshwater Toxins, Toxinology*. Springer Science+Business Media Dordrecht; 2016. p. 406–19.
 49. Panagos CG, Thomson DS, Moss C, Hughes AD, Kelly MS, Liu Y, et al. Fucosylated chondroitin sulfates from the body wall of the sea cucumber *Holothuria forskali*: Conformation, selectin binding, and biological activity. *J Biol Chem*. 2014;289(41):28284–98.
 50. Dhinakaran DI, Lipton AP. Bioactive compounds from *Holothuria atra* of Indian ocean. *Springer Plus*. 2014;3(1990):1–10.
 51. Sarhadizadeh N, Afkhami M, Ehsanpour M, Mochlesi A, Montazeri S. Investigation bioactivity of a sea cucumber, *Stichopus hermanni* from the Persian Gulf. *J Coast Life Med*. 2013;1(1):42–6.
 52. Dhinakaran DI. Pharmacological Potentials of Sea Cucumber *Holothuria atra* Extracts from the Indian Ocean. *Asian J Biomed Pharm Sci*. 2014;4(35):36–43.
 53. Pankey. Prospect of sea cucumber culture in Indonesia. *J Coast Dev*. 2012;
 54. Purcell SW, Lovatelli A, Vasconcellos M, Ye Y, FAO. Managing sea cucumber fisheries with an ecosystem approach. Vol. 520, FAO. Fisheries Technical Paper. FAO. Fisheries Technical Paper; 2010. 120–132 p.
 55. Cheng C. *Liver Disease in Traditional Chinese Medicine Prepared for* : Dr . Mary Wu. 2011;
 56. Fukunaga T, Matsumoto M, Murakami T, Hatae K. Effects of soaking conditions on the texture of dried sea cucumber. *Fish Sci*. 2004;70(2):319–25.
 57. Collin P. Improved method of processing sea cucumbers, with new compositions of matter. WO 2007005349 A2, 2007.
 58. Manan WZWA, Mahalingam SR, Arshad K, Bukhari SI, Ming LC. Safety and efficacy of sea cucumber containing products. *Arch Pharma Pr*. 2016;7:48–52.
 59. Wina E, Muetzel S, Becker K. The impact of saponins or saponin-containing plant materials on ruminant production - A review. *J Agric Food Chem*. 2005;53(21):8093–105.
 60. Su X, Xu C, Li Y, Gao X, Lou Y. Antitumor Activity of Polysaccharides and Saponin Extracted from Sea Cucumber. *J Clin Cell Immunol*.

2011;02(01):1–5.

61. Dhinakaran DI, Lipton AP. Antitumor and antifungal activities of organic extracts of seacucumber *Holothuria atra* from the southeast coast of India. *J Ocean Univ China*. 2015 Feb;14(1):185–9.
62. Zhao Q, Liu Z, Xue Y, Wang J, Li H, Tang Q, et al. Ds-echinoside A, a new triterpene glycoside derived from sea cucumber, exhibits antimetastatic activity via the inhibition of NF- κ B-dependent MMP-9 and VEGF expressions. *J Zhejiang Univ Sci B*. 2011 Jul;12(7):534–44.
63. NCI. Equivalent Surface Area Dosage Conversion Factors Representative Surface Area to Weight Ratios [km] for Various. *Frederick Natl Lab Anim Care Use Comm*. 2012;50(February 2014):ACUC 42.



