

DAFTAR PUSTAKA

1. Sumarni S. Model sosio ekologi perilaku kesehatan dan pendekatan. *The Indonesian Journal of Public Health*. 2017;12, No.1(August):129–41.
2. Chalid MT. Upaya Menurunkan Angka Kematian Ibu: Peran Petugas Kesehatan. *PTGakken Health Education Indonesia*. 2016;(October):1–8.
3. WHO. Maternal Mortality [Internet]. 2019 [cited 2020 Dec 28]. Available from: <https://www.who.int/news-room/fact-sheets/detail/maternal-mortality>
4. Hogan MC, Foreman KJ, Naghavi M, Ahn SY, Wang M, Makela SM, et al. Maternal mortality for 181 countries, 1980-2008: a systematic analysis of progress towards Millennium Development Goal 5. *The Lancet*. 2010;375(9726):1609–23.
5. Susiana S. Angka Kematian Ibu: Faktor Penyebab dan Upaya Penanganannya. *Jurnal Info Singkat Kesejahteraan Sosial*. 2019;11(24):13–4.
6. Kementerian Kesehatan RI. Profil Kesehatan Indonesia Tahun 2019. Jakarta: Kementerian Kesehatan Republik Indonesia; 2020.
7. Say L, Chou D, Gemmill A, Tunçalp Ö, Moller AB, Daniels J, et al. Global causes of maternal death: A WHO systematic analysis. *The Lancet Global Health*. 2014;2(6):1–11.
8. Angsar, Muh. D. Hipertensi Dalam Kehamilan. In: Sarwono Prawihardjo: Ilmu Kebidanan. 4th ed. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo; 2016. p. 530–61.
9. POGI. PNPK Diagnosis dan Tatalaksana Preeklampsia. 2016;1–15.
10. Belay AS, Wudad T. Prevalence and associated factors of pre-eclampsia among pregnant women attending anti-natal care at Mettu Karl referral hospital, Ethiopia: cross-sectional study. *Clinical Hypertension*. 2019;25(1):1–8.
11. Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Rouse DJ, Spong CY. *Williams Obstetric*. 24th ed. New York: The McGraw-Hill Companies; 2014. 728–779 p.
12. Yulianti L, Fikawati S. Pre-Eklampsia Berat di RSUD Bayu Asih Purwakarta. *Kesmas: National Public Health Journal*. 2008;3(1):39.
13. Mutter WP, Karumanchi SA. Molecular mechanisms of preeclampsia. *Microvascular Research*. 2008;75(1):1–8.
14. Arwan B, Sriyanti R. Relationship between Gravida Status , Age , BMI (Body Mass Index) and Preeclampsia. *Andalas Obstetric And Gynecology Journal*. 2020;4(1):13–21.
15. Andina E. Meningkatnya Angka Perkawinan Anak Saat Pandemi Covid-19. *Jurnal Info Singkat Kesejahteraan Sosial*. 2021;13(4):13–8.
16. Badan Pusat Statistik. Pencegahan Perkawinan Anak Percepatan yang Tidak Bisa Ditunda. *Badan Pusat Statistik 2020* p. 6–10.
17. Rafidah, Emilia O, Wahyuni B. Faktor- Faktor yang Berhubungan Dengan Pernikahan Dini Di Kabupaten Purworejo Jawa Tengah. *Berita Kedokteran Masyarakat*. 2009;25(2):51.
18. Aghamohammadi A, Nooritajer M. Maternal age as a risk factor for pregnancy outcomes: Maternal, fetal and neonatal complication. *African Journal of Pharmacy and Pharmacology*. 2011;5(2):264–9.

19. Setyawati A, Wideasih R, Ermiati E. Studi Literatur : Faktor-Faktor Yang Berhubungan Dengan Kejadian Preeklampsia Di Indonesia. *Jurnal Perawat Indonesia*. 2018;2(1):32.
20. Lowdermilk D, Perry S, Cashion MC. *Maternity Nursing*. 8th ed. Mosby Elsevier; 2013. 624–633 p.
21. Cavazos-Rehg PA, Krauss MJ, Spitznagel EL, Bommarito K, Madden T, Olsen MA, et al. Maternal Age and Risk of Labor and Delivery Complications. *Maternal and Child Health Journal*. 2015;19(6):1202–11.
22. Grum T, Seifu A, Abay M, Angesom T, Tsegay L. Determinants of pre-eclampsia/Eclampsia among women attending delivery Services in Selected Public Hospitals of Addis Ababa, Ethiopia: A case control study. *BMC Pregnancy and Childbirth*. 2017;17(1):1–7.
23. Lachmeijer AMA, Dekker GA, Pals G, Aarnoudse JG, Ten Kate LP, Arngrímsson R. Searching for preeclampsia genes: The current position. *European Journal of Obstetrics and Gynecology and Reproductive Biology*. 2002;105(2):94–113.
24. Par'i, Holil M, Wiyono S, Harjatmo, Titus P. *Penilaian Status Gizi*. Jakarta: Kementerian Kesehatan Republik Indonesia; 2017. 3–224 p.
25. Kementerian Kesehatan RI. *Laporan Riskesdas 2018*. Laporan Nasional Riskesdas 2018. 2018;53(9).
26. Durst JK, Tuuli MG, Stout MJ, Macones GA, Cahill AG. Degree of obesity at delivery and risk of preeclampsia with severe features. *American Journal of Obstetrics and Gynecology*. 2016;214(5):651.e1-651.e5.
27. Roberts JM, Bodnar LM, Patrick TE, Powers RW. The role of obesity in preeclampsia. *Pregnancy Hypertension*. 2011;1(1):6–16.
28. Niki E. Lipid peroxidation: Physiological levels and dual biological effects. *Free Radical Biology and Medicine*. 2009;47(5):469–84.
29. Phipps EA, Thadhani R, Benzinger T, Karumanchi SA. Pre-eclampsia: pathogenesis, novel diagnostics and therapies. *Nature Reviews Nephrology*. 2019;15(5):275–89.
30. Butalia S, Audibert F, Côté A, Firoz T, Logan AG, Magee LA, et al. *Hypertension Canada's 2018 Guidelines for the Management of Hypertension in Pregnancy*. 2018;34:526–31.
31. Galaviz-Hernandez C, Sosa-Macias M, Teran E, Garcia-Ortiz JE, Lazalde-Ramos BP. Paternal determinants in preeclampsia. *Frontiers in Physiology*. 2019;10:1–7.
32. Sumapraja K. *Dasar-Dasar Immunologi Dalam Bidang Kebidanan*. In: Sarwono Prawihardjo: *Ilmu Kebidanan*. 4th ed. Jakarta; 2016. p. 103–11.
33. Gohil JT, Patel PK, Gupta P. Estimation of lipid profile in subjects of preeclampsia. *Journal of Obstetrics and Gynecology of India*. 2011;61(4):399–403.
34. Ward K, Taylor RN. Genetic factors in the etiology of preeclampsia/eclampsia. 4th ed. *Chesley's Hypertensive Disorders in Pregnancy, Fourth Edition*. Elsevier Inc.; 2014. 57–80 p.
35. Cornelis T, Odutayo A, Keunen J, Hladunewich M. The Kidney in Normal Pregnancy and Preeclampsia. *Seminars in Nephrology*. 2011;31(1):4–14.
36. Chappell LC, Enye S, Seed P, Briley AL, Poston L, Shennan AH. Adverse perinatal outcomes and risk factors for preeclampsia in women with chronic

- hypertension: A prospective study. *Journal Hypertension*. 2008;51:1002–9.
37. Carty DM, Delles C, Dominiczak AF. Novel Biomarkers for Predicting Preeclampsia. 2008;18(5):109–17.
 38. Cartwright JE, Fraser R, Leslie K, Wallace AE, James JL. Remodelling at the maternal–fetal interface: relevance to human pregnancy disorders. 2009;7.
 39. Rana S, Lemoine E, Granger J, Karumanchi SA. Preeclampsia: Pathophysiology, Challenges, and Perspectives. *Circulation Research*. 2019;124(7):1094–112.
 40. Armaly Z, Jadaon JE, Jabbour A, Abassi ZA, Burton G. Preeclampsia : Novel Mechanisms and Potential Therapeutic Approaches. 2018;9(July):1–15.
 41. Hashemi V, Dolati S, Hosseini A, Gharibi T, Danaii S, Yousefi M. Natural killer T cells in Preeclampsia: An updated review. *Biomedicine and Pharmacotherapy*. 2017;95(April):412–8.
 42. Raghupathy R. Cytokines as Key Players in the Pathophysiology of Preeclampsia. *Journal Medical Principles and Practice*. 2013;22(23):8–19.
 43. Fogerty AE. Thrombocytopenia in Pregnancy: Mechanisms and Management. *Transfusion Medicine Reviews*. 2018;32(4):225–9.
 44. Utami NA. Perubahan Fisiologis Otak pada Pasien Preeklampsia. *Jurnal Kedokteran Nanggroe Medika*. 2019;2(1):41–9.
 45. Adriaansz G. Asuhan Antenatal. In: Sarwono Prawihardjo: Ilmu Kebidanan. 4th ed. Jakarta; 2016. p. 278–83.
 46. Townsend R, Brien PO, Khalil A. Current best practice in the management of hypertensive disorders in pregnancy. *Dove Press Journal: Integrated Blood Pressure Control*. 2016;9:79–94.
 47. Budijanto D. “Determinan 4 Terlalu” Masalah Kesehatan Reproduksi Hubungannya dengan Penggunaan Alat Kb Saat Ini di Indonesia. *Buletin Jendela Data dan Informasi Kesehatan*. 2013;2:17–24.
 48. Heffner LJ. Advanced Maternal Age — How Old Is Too Old? *New England Journal of Medicine*. 2004;351(19):1927–9.
 49. Rohani S, Wahyuni R, Veronica SY. Faktor-Faktor yang Berhubungan dengan Kejadian Pre Eklamsia Berat di Rumah Sakit Umum Piringsewu. *AKBID Medica Bakti Nusantara*. 2019;1(1):77–85.
 50. Kusmiran E. Kesehatan Reproduksi Remaja dan Wanita. 2nd ed. Jakarta: Salemba Medika; 2012.
 51. Khader YS, Batieha A, Al-njadat RA, Hijazi SS. Preeclampsia in Jordan: incidence, risk factors, and its associated maternal and neonatal outcomes. *Journal of Maternal-Fetal and Neonatal Medicine*. 2018;31(6):770–6.
 52. Walker KF, Thornton JG. Advanced maternal age. *Obstetrics, Gynaecology and Reproductive Medicine*. 2016;26(12):354–7.
 53. Hung TH, Hsieh CC, Hsu JJ, Lo LM, Chiu TH, Hsieh TT an. Risk factors for placental abruption in an Asian population. *Reproductive Sciences*. 2007;14(1):59–65.
 54. English FA, Kenny LC, McCarthy FP. Risk factors and effective management of preeclampsia. *Integrated Blood Pressure Control*. 2015;8:7–12.
 55. Kurniawati H, Wahyuni A. Perbandingan Tingkat Kecemasan Primigravida

- dan Multigravida Dalam Menghadapi Persalinan Di Wilayah Kerja Puskesmas Wirobrajan. *Mutiara Medika*. 2014;14(1):100–5.
56. Guyton AC, Hall JW. *Buku Ajar Fisiologi Kedokteran*. 12th ed. Jakarta: EGC; 2016. 82–90 p.
 57. Stephens MAC, Wand G. Stress and the HPA axis: Role of glucocorticoids in alcohol dependence. *Alcohol Research: Current Reviews*. 2012;34(4):468–83.
 58. Whitworth JA, Williamson PM, Mangos G, Kelly JJ. Cardiovascular consequences of cortisol excess. *Vascular health and risk management*. 2005;1(4):291–9.
 59. Parvin Bastani, Kobra Hamdi HN. Risk Factors for Preeclampsia in Multigravida Women. Vol. 3, *Research Journal of Biologi Science*. 2008. p. 148–53.
 60. Saraswati N, Mardiana M. Faktor Risiko Yang Berhubungan Dengan Kejadian Preeklampsia Pada Ibu Hamil (Studi Kasus Di Rsud Kabupaten Brebes Tahun 2014). *Unnes Journal of Public Health*. 2016;5(2):90.
 61. Wahyuni R, Rohani S. Faktor-Faktor yang Mempengaruhi Persalinan Preterm. *Jurnal Aisyah : Jurnal Ilmu Kesehatan*. 2017;2(1):61–8.
 62. World Health Organization. *International Association for the Study of Obesity. The Asia – Pacific perspective: redefining obesity and its treatment*. Geneva, Switzerland; 2000 p. 15–8.
 63. Luthfiyani SA, Reksoprodjo M, Anisah A. Hubungan Usia Ibu, Graviditas, Riwayat Pre-Eklampsia Berat Di Rsud. Kabupaten Bekasi Periode Juni 2015- Juni 2016. *Jurnal Profesi Medika : Jurnal Kedokteran dan Kesehatan*. 2017;11(1).
 64. McMurray F, Patten DA, Harper ME. Reactive Oxygen Species and Oxidative Stress in Obesity—Recent Findings and Empirical Approaches. *Obesity*. 2016;24(11):2301–10.
 65. Arikunto S. *Prosedur Penelitian: Suatu Pendekatan Praktik*. Jakarta: Rineka Cipta; 2013.
 66. Sastroasmoro S, Ismael S. *Dasar-Dasar Metodologi Penelitian Klinis*. 5th ed. Jakarta: Sagung Seto; 2014.
 67. Machano MM, Joho AA. Prevalence and risk factors associated with severe pre-eclampsia among postpartum women in Zanzibar: A cross-sectional study. *BMC Public Health*. 2020;20(1):1–10.
 68. Effendi S, Tukiran. *Metode Penelitian Survei*. Jakarta: LP3ES; 2017. 171–173 p.
 69. Muzalfah R, Dyah Y, Santik P, Wahyuningsih AS. Kejadian Preeklampsia pada Ibu Bersalin. *Higeia Journal Of Public Health Research Development*. 2018;2(3):417–28.
 70. Baird DT, Collins J, Egozcue J, Evers LH, Gianaroli L, Leridon H, et al. Fertility and ageing. *Human Reproduction Update*. 2005;11(3):261–76.
 71. Fatkhiyah N, Kodijah K, Masturoh M. Determinan Maternal Kejadian Preeklampsia: Studi Kasus di kabupaten Tegal, Jawa Tengah. *Jurnal Keperawatan Soedirman*. 2018;11(1):53.
 72. Sari NP, Utama BI, Agus M. Factors Related with the Incidence of Severe Preeclampsia at the Hospital Dr M Djamil Padang. *Journal of Midwifery*. 2017;2(2):56.

73. Rinata E, Andayani GA. Karakteristik ibu (usia, paritas, pendidikan) dan dukungan keluarga dengan kecemasan ibu hamil trimester III. *Medisains*. 2018;16(1):14.
74. Yanuarini TA, Suwoyo, Julianawati T. Hubungan Status Gravida Dengan Kejadian Preeklampsia The Correlation Between Gravida Status With The Incidence Of Preeklampsia. *Jurnal kebidanan*. 2020;9(1):1–6.
75. Sharma K, Gupta P, Shandilya S. Age related changes in pelvis size among adolescent and adult females with reference to parturition from Naraingarh, Haryana (India). *HOMO- Journal of Comparative Human Biology*. 2016;67(4):273–93.
76. El-Gilany AH, Hammad S. Obstetric outcomes of teenagers and older mothers: Experience from Saudi Arabia. *International Journal of Collaborative Research on Internal Medicine and Public Health*. 2012;4(6):901–9.
77. Das S, Das R, Bajracharya R, Baral G, Jabegu B, Odland JØ, et al. Incidence and risk factors of pre-eclampsia in the paropakar maternity and women's hospital, Nepal: A retrospective study. *International Journal of Environmental Research and Public Health*. 2019;16(19):1–8.
78. ZA RN, Renjani RS, Astuti R. Pengaruh Umur, Kehamilan Ganda dan Gravida pada Kejadian Preeklampsia di Rumah Sakit Umum Meuraxa Banda Aceh Tahun 2015. *Journal of Healthcare Technology and Medicine*. 2019;2(2):115.
79. Faiqoh E, Hendrati LY. Hubungan Karakteristik Ibu, ANC dan Kepatuhan Perawatan Ibu Hamil dengan Terjadinya Preeklampsia. *Jurnal Berkala Epidemiologi*. 2014;2(2):216–26.
80. Renaningrum Y, Ulfiana E, Ariyanti IP. Faktor Risiko Yang Berpengaruh Terhadap Kejadian Preeklampsia Pada Kehamilan Di Rsup Dr. Kariadi Semarang Tahun 2015. *Medica Hospitalia : Journal of Clinical Medicine*. 2017;4(3):201–8.
81. Shalawaty I, Ibrahim I, Program MS. Faktor-Faktor yang Mempengaruhi Terjadinya Preeklampsia pada Ibu Bersalin di RSUD Muhammad Sani Karimun. *Zona Kebidanan*. 2019;9(3):18–24.
82. Suwanti, Prasetyo EW, Aini NS. Hubungan Tekanan Darah dan Paritas dengan Kejadian Preeklampsia di Ruang Bersalin RSUP NTB tahun 2012. *Media Bina Ilmiah*. 2012;8(1).
83. Skjaerven R, Wilcox AJ, Lie RT. The Interval Between Pregnancies and the Risk of Preeclampsia. *The New England Journal of Medicine*. 2003;346(1):33–8.
84. Dekker G, Robillard PY. The birth interval hypothesis - Does it really indicate the end of the primipaternity hypothesis. *Journal of Reproductive Immunology*. 2003;59(2):245–51.
85. Wright D, Syngelaki A, Akolekar R, Poon LC, Nicolaidis KH. Competing risks model in screening for preeclampsia by maternal characteristics and medical history. *American Journal of Obstetrics and Gynecology*. 2015;213(1):62.e1-62.e10.
86. Sutiati Bardja. Faktor Risiko Kejadian Preeklampsia Berat/Eklampsia pada Ibu Hamil. *Embrio: Jurnal Kebidanan*. 2020;12(1):18–30.
87. Woods SM, Melville JL, Guo Y, Fan MY, Gavin A. Psychosocial stress

- during pregnancy. *American Journal of Obstetrics and Gynecology*. 2010;202(1):61.e1-61.e7.
88. Nur AF, Adhar A. Faktor Risiko Kejadian Preeklampsia pada Ibu Hamil di RSUD Anutapura Kota Palu. *Jurnal Kesehatan Tadulako*. 2017;3(2):69–75.
 89. Masturah. Faktor-Faktor yang Mempengaruhi Status Gizi Ibu Hamil pada Masa Kehamilan yang Berkunjung ke Puskesmas Meutulang Kecamatan Pantou Reu Kabupaten Aceh Barat [skripsi]. Kesehatan Masyarakat Universitas Teuku Umar. 2013.
 90. Afridasari SN, Saimin J, Sulastriah. Analisis Faktor Risiko Kejadian Preeklampsia. *Medula: Jurnal Ilmiah Fakultas Kedokteran Universitas Halu Oleo*. 2013;1(1):31–5.
 91. Yao R, Ananth C V., Park BY, Pereira L, Plante LA. Obesity and the risk of stillbirth: A population-based cohort study. *American Journal of Obstetrics and Gynecology*. 2014;210(5):457.e1-457.e9.
 92. Qureshi Z, Ashraf MC, Uzair N, Mukhtar TF, Mumtaz U, Umer MF. High Body Mass Index a Risk Factor of Preeclampsia: A Hospital Based Case-Control Study. *Proceedings:Shaikh Zayed Medical Complex*. 2021;35(2):23–7.
 93. Dewie A, Pont A V, Purwanti A. Hubungan Umur Kehamilan Dan Obesitas Ibu Hamil Dengan Kejadian Preeklampsia Di Wilayah Kerja Puskesmas Kampung Baru Kota Luwuk. *PROMOTIF: Jurnal Kesehatan Masyarakat*. 2020;10(1):21–7.
 94. Verma MK, Kapoor P, Yadav R, Manohar RK. Risk Factor Assessment for Preeclampsia: A Case Control Study. *International Journal of Medicine and Public Health*. 2017;7(3):172–7.
 95. Ocviyanti D, Dorothea M. Masalah dan Tata Laksana Obesitas dalam Kehamilan. *Journal Indonesia Medical Association*. 2018;68(6):251–7.
 96. Walsh SW. Obesity : a risk factor for preeclampsia. *Trends in Endocrinology and Metabolism*. 2007;18(10):365–8.
 97. Fernández-Sánchez A, Madrigal-Santillán E, Bautista M, Esquivel-Soto J, Morales-González Á, Esquivel-Chirino C, et al. Inflammation, oxidative stress, and obesity. *International Journal of Molecular Sciences*. 2011;12(5):3117–32.
 98. Iyer A, Fairlie DP, Prins JB, Hammock BD, Brown L. Inflammatory lipid mediators in adipocyte function and obesity. *Nature Reviews Endocrinology*. 2010;6(2):71–82.
 99. Lopez-jaramillo P, Barajas J, Rueda-quijano SM, Lopez-lopez C, Felix C, Escudero CA, et al. Obesity and Preeclampsia : Common Pathophysiological Mechanisms. *Frontiers in Physiology*. 2018;9:1–10.
 100. Spradley FT, Palei AC, Granger JP. Increased risk for the development of preeclampsia in obese pregnancies: Weighing in on the mechanisms. *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*. 2015;309(11):1326–43.
 101. Sunarto A. Hubungan Faktor Risiko Usia Ibu, Status Gravida, dan Indeks Massa Tubuh Dengan Kejadian Preeklampsia di RSUD Tugurejo Semarang[skripsi]. Semarang: Fakultas Kedokteran Universitas Muhammadiyah Semarang; 2015.
 102. Suririnah. *Buku Pintar Kehamilan dan Persalinan*. Jakarta: PT Gramedia

- Pustaka Utama; 2008.
103. World Health Organization. WHO Recommendations on Antenatal Care for a Positive Pregnancy Experience. 2016;
 104. Anas MN. Hubungan Lingkar Lengan Atas (LILA) Ibu Hamil dengan Angka Kejadian Preeklampsia di RS. PKU Muhammadiyah Surakarta[skripsi]. Surakarta: Fakultas Kedokteran Universitas Muhammadiyah Surakarta; 2013.

