

DAFTAR PUSTAKA

- Abou-El-Hassan H, Sukhon F, Assaf EJ, Bahmad H, Abou-Abbass H, Jourdi H, Kobeissy FH. 2017. Degradomics in Neurotrauma: Profiling Traumatic Brain Injury. In: *Neuroproteomics: Methods and Protocols, Methods in Molecular Biology*. Editor. Kobeissy FH, Stevens, Jr SM. Springer Nature. New York. Vol. 1598, Chapter 4: 65–99.
- Adrian H, Marten K, Salla N, Lasse V. 2016. Biomarkers of Traumatic Brain Injury: Temporal Changes in Body Fluids. *eNeuro*; 3(6):1-13
- Agoston DV, Shutes-David A, Peskind, ER. 2017. Biofluid biomarkers of traumatic brain injury. *Brain Injury*; 31(9): 1195–1203.
- Antoniou N, Lagopati N, Balourdas DI, Nikolaou M, Papalampros A, Vasileiou PVS et al. 2019. The Role of E3, E4 Ubiquitin Ligase (UBE4B) in Human Pathologies. *Cancers*; 12(1),62: 1-15
- Bales JW, Bonow RH, Ellenbogen RG. 2018. Closed Head Injury. *Principles of Neurological Surgery*. Edition 3. Elsevier Inc: 366-389.
- Bazarian J, Biberthales P, Welch RD, Lewis LM, Barzo P, Bogner-Flatz V et al. 2018. Serum GFAP and UCH-L1 for prediction of absence of intracranial injuries on head CT (ALERT-TBI): a multicentre observational study. *Lancet Neurol*: 1-4.
- Bettermann K, Slocomb JE. 2012. Clinical relevance of biomarkers for traumatic brain injury. In : *Biomarkers for traumatic brain injury*. Ed. Dambinova SA, Hayes RL, Wang KKW. Royal Society Chemistry Publishing. Cambridge. Chapter 1: 1-14
- Bishop P, Rocca D, Henley JM. 2016. Ubiquitin C-terminal hydrolase L1 (UCH-L1): structure, distribution and roles in brain function and dysfunction. *Biochem. J*; 473: 2453–2462
- Blyth BJ, Farahvar A, He H, Nayak A, Yang C, Shaw G, et al. 2011. Elevated serum ubiquitin carboxy-terminal hydrolase L1 is associated with abnormal blood-brain barrier function after traumatic brain injury. *J Neurotrauma*; 28: 2453–62.
- Bogoslovsky T, Gill J, Jeromin A, Davis C, Diaz-Arrastia R. 2016. Fluid Biomarkers of Traumatic Brain Injury and Intended Context of Use. *Diagnostics*, 6(4), 37.
- Brophy GM, Mondello S, Papa L, Robicsek SA, Gabrielli A, Tepas J, et al. 2011. Biokinetic Analysis of Ubiquitin C-Terminal Hydrolase-L1 (UCH-L1) in Severe Traumatic Brain Injury Patient Biofluids. *Journal of neurotrauma*; 28: 861-870.

Caldeira MV, Salazar IL, Curcio M, Canzoniero LMT, Duarte CB. 2014. Role of the ubiquitin–proteasome system in brain ischemia: Friend or foe?. *Progress in Neurobiology*;112:50-69

² Chang VC, Ruseckaite R, Collie A, Colantonio A. 2014. Examining the epidemiology of work-related traumatic brain injury through a sex/gender lens: analysis of workers' compensation claims in Victoria, Australia. *Occup Environ Med*; 71: 695-703

Colantonio A, Harris JE, Ratcliff G, Chase S, Ellis K. 2010. Gender differences in self reported long term outcomes following moderate to severe traumatic brain injury. *BMC Neurology*; 10:1-7

Corrigan JD, Harrison-Felix C, Haarbauer-Krupa J. 2019. Epidemiology of traumatic brain injury. In: *Textbook of traumatic brain injury*. Ed. Silver JM, McAllister TW, Arciniegas DB. Edition 3. American Psychiatric Association Publishing. Washington. Part I; 3-25

Critchley G, Rogers I, Memon A. 2020. Epidemiology of head injury. In: *Traumatic brain injury: a multidisciplinary approach*. Ed. Whitfield PC, Welbourne J, Thomas E, Summers F, Whyte M, Hutchinson PJ. Edition 2. Cambridge University Press. Cambridge; 1-11

Dadas A, Washington J, Diaz-Arrastia R, Janigro D. 2018. Biomarkers in traumatic brain injury (TBI): a review. *Neuropsychiatric Disease and Treatment*; Volume 14: 2989–3000.

Dahlan MS. 2013. Besar sampel dan cara pengambilan sample dalam penelitian kedokteran dan kesehatan. *Salmeha Medika*. Jakarta; 35-80

Daoud H, Alharfi I, Alhelali I, Charyk Stewart T, Qasem H, Fraser DD. 2013. Brain Injury Biomarkers as Outcome Predictors in Pediatric Severe Traumatic Brain Injury. *Neurocritical Care*; 20(3): 427–435

¹⁰ Day INM, Thomson RJ. 2010. Neuronal biomarker and ubiquitin system protein. *Progress in Neurobiology*; 90:327–362

Deepika A, Prabhuraj AR, Saikia A, Shukla D. 2015. Comparison of predictability of Marshall and Rotterdam CT scan scoring system in determining early mortality after traumatic brain injury. *Acta Neurochirurgica*; 157(11): 2033–2038.

³ DeKosky ST, Ikonovic MD, Gandy S. 2010. Traumatic brain injury- football, warfare, and long term effects. *N Engl. J. Med*; 363: 1293-6

- 2 Dhandapani SS, Manju D, Sharma BS, Mahapatra AK. 2012. Prognostic significance of age in traumatic brain injury. *Journal of Neurosciences in Rural Practice*; 3(2): 131-136
- Diaz-Arrastia R, Wang KKW, Papa L, Sorani MD, Yue JK, Puccio AM, et al. 2014. Acute biomarkers of traumatic brain injury: relationship between plasma levels of ubiquitin c-terminal hydrolase-II and glial fibrillary acidic protein. *Journal of neurotrauma*; 31:19–25
- El-Manyar A, Asim M, 2021. Rotterdam and Marshall Scores for Prediction of in-hospital Mortality in Patients with Traumatic Brain Injury: An observational study. *Brain Injury*; 35(7)
- Faul M, Coronado V. 2015. Epidemiology of traumatic brain injury. Traumatic brain injury. Part I. In : *Handbook of clinical neurology*. Edition 3. Ed : Grafman J, Salazar AM. Elsevier.3-13
- 6 Farooqui A.A. 2010. Neurochemical Aspects of Traumatic Brain Injury. In: *Neurochemical Aspects of Neurotraumatic and Neurodegenerative Diseases*. Springer, New York, NY; 183-218
- Foreman BP, Caesar RR, Madden C, Gentiello LM, Shafi S, Carlile MC et al. 2007. Usefulness of the Abbreviated Injury Score and the Injury Severity Score in Comparison to the Glasgow Coma Scale in Predicting Outcome After Traumatic Brain Injury. *The Journal of Trauma Injury, Infection, and Critical Care*; 946-950
- 2 Fujimoto K, Miura M, Otsuka T, Kuratsu J. 2016. Sequential changes in Rotterdam CT scores related to outcomes for patients with traumatic brain injury who undergo decompressive craniectomy. *J Neurosurg*; 124: 164-1645.
- Glushakova O, Mondello S, Hayes RN. 2014. Blood Biomarkers for Acute CNS Insults: Traumatic Brain Injury and Stroke. In : *Vascular mechanism in CNS trauma*. Ed: Lo EH, Lok J, Ning M, Whalen MJ. Springer, New York; Chapter 17: 303-331.
- Graham SH, Liu H. 2016. Life and death in the trash heap: the ubiquitin proteasome pathway and UCHL1 in brain aging, neurodegenerative disease and cerebral Ischemia. *Ageing Research Reviews*: 1-31
- Haque A, Dhanan Z, Basit Salam AA, Gohar Javed QA, Jurair H. 2018. Outcome of traumatic brain injury in children by using rotterdam score on computed tomography. *J Ayub Med Coll Abbottabad*; 30:140-142.
- Hawryluk GWJ, Manley GT. 2015. Classification of traumatic brain injury: past, present, and future. Traumatic brain injury. Part I. In : *Handbook of clinical neurology*. Edition 3. Ed : Grafman J, Salazar AM. Elsevier : 15-21

- Hilton D. 2020. The neuropathology of traumatic brain injury. In: Traumatic brain injury: a multidisciplinary approach. Ed. Whitfield PC, Welbourne J, Thomas E, Summers F, Whyte M, Hutchinson PJ. Edition 2. Cambridge University Press. Cambridge; 12-23
- Jones A, Jarvis P. 2017. Review of the potential use of blood neuro-biomarkers in the diagnosis of mild traumatic brain injury. *Clinical and experimental emergency medicine*; 4(3):121-127
- Kim HJ, Tsao JW, Stanfill AG. 2018. The current state of biomarkers of mild traumatic brain injury. *JCI insight*; 3(1):1-11
- Kochanek PM, Jackson TC, Ferguson NM, et al. 2015. Emerging therapies in traumatic brain injury. *Semin Neurol*; 35: 83-100
- Kodliwadmath HB, Koppad SN, Desai M, Badiger SP. 2016. Correlation of Glasgow outcome score to Glasgow coma score assessed at admission. *Int Surg J*;3(4):1959-1963
- Kou Z, Gattu R, Kobeissy F, Welch RD, O'neil BJ, Woodard JL, et al. 2013. Combining Biochemical and Imaging Markers to Improve Diagnosis and Characterization of Mild Traumatic Brain Injury in the Acute Setting: Results from a Pilot Study. *Plos one*; 8(11): 1-14
- Lefaki M, Papaevgeniou N, Chondrogianni N. 2017. Redox regulation of proteasome function. *Redox Biol*;13:452-458
- ⁶ Leitgeb J, Mauritz W, Brazinova A, Majdan M, Wilbacher I. 2013. Outcome after severe brain trauma associated with epidural hematoma. *Archives of orthopaedic and trauma surgery*; 133(2): 199-207
- ⁶ Leitgeb J, Mauritz W, Brazinova A, Janciak I, Majdan M, Wilbacher I, et al. 2012. Outcome after severe brain trauma due to acute subdural hematoma. *J Neurosurg*; 117(2):324-33
- Li J, Yu C, Sun Y, Li Y. 2015. Serum ubiquitin C-terminal hydrolase L1 as a biomarker for traumatic brain injury: a systematic review and meta-analysis. *American Journal of Emergency Medicine*; 33: 1191-1196
- ¹⁰ Liesemer K, Riva-Cambrin J, Bennet KS, Bratton SL, Tran H, Metzger R. 2014. Use of Rotterdam CT Scores for Mortality Risk Stratification in Children With Traumatic Brain Injury. *Neurocritical Care*;15(6): 554-562
- Liu H, Rose Me, Ma X, Culver S, Dixon CE, Graham SH. 2017. In vivo transduction of neurons with TAT-UCHL1 protects brain against controlled cortical impact injury. *Plos One*. 1-14

8
Maas AIR, Hukkelhoven CWPM, Marshall LF, Steyenberg. 2005. Prediction of outcome in traumatic brain injury with computed tomographic characteristics: a comparison between the computed tomographic classification and combinations of computed tomographic predictors. *Neurosurgery*; 57: 1173-1182

Mahan MY, Thorpe M, Ahmadi A, Abdallah T, Casey H, Sturtevant D, et al. 2019. Glial Fibrillary Acidic Protein (GFAP) Outperforms S100 Calcium-Binding Protein B (S100B) and Ubiquitin C-Terminal Hydrolase L1 (UCH-L1) as Predictor for Positive Computed Tomography of the Head in Trauma Subjects. *World Neurosurgery*: E1-11

8
Mata-Mbemba D, Mugikura S, Nakagawa A, Murata T, Ishii K, Li L, et al. 2014. Early CT findings to predict early death in patients with traumatic brain injury: Marshall and Rotterdam CT scoring systems compared in the major academic tertiary care hospital in northeastern Japan. *Academic radiology*; 21(5):605-11.

McGinn MJ, Povlishock JT. 2016. Pathophysiology of traumatic brain injury. *Neurosurg Clin N Am*. 1-11

McGinn MJ, Povlishock JT. 2015. Cellular and molecular mechanisms of injury and spontaneous recovery. Traumatic brain injury. Part I. In : Handbook of clinical neurology. Edition 3. Ed : Grafman J, Salazar AM. Elsevier.67-86

McMillan T, Wilson L, Ponsford J, Levin H, Teasdale G, Bond M. 2016. The Glasgow Outcome Scale — 40 years of application and refinement. *Nature Reviews Neurology*; 12(8): 477–485.

Mittal P, 2015. Diffuse axonal injury : pathological and clinical aspects. *Forensic research and criminology international journal*; I(4): 157-160

Mohammadifard M, Ghaemi K, Hanif H, Sharifzadeh G, Haghparast M. 2018. Marshall and Rotterdam CT score. *Eur J Transl Myol*; 28(3):265-273

Mondello S, Akinyi L, Buki A, Robicsek S, Gabrielli A, Tepas J, et al. 2012. Clinical utility of serum levels of ubiquitin c-terminal hydrolase as a biomarker for severe traumatic brain injury. *Neurosurgery*; 70: 666-675.

Mondello S, Hayes RL, Wang KKW. 2012. Utilities of TBI Biomarkers in Various Clinical Settings. In : Biomarkers for traumatic brain injury. Ed. Dambinova SA, Hayes RL, Wang KKW. Royal Society Chemistry Publishing. Cambridge. Chapter 12: 184-199

Mondello S, Hayes RL. 2015. Biomarkers. In: Handbook of clinical neurology. Part I. Vol. 127. Edition 3. Ed. Aminoff MJ, Boller F, Swaab DF. Elsevier. Amsterdam. Chapter 16: 245-265

- Mrozek S, Dumurgier J, Citerio G, Mebazaa A, Geeraerts T. 2014. Biomarkers and acute brain injuries: interest and limits. *Critical Care*. 18:220;1-12
- Munakomi S, Bhattarai B, Srinivas B, Cherian I. 2016. Role of computed tomography scores and findings to predict early death in patients with traumatic brain injury: A reappraisal in a major tertiary care hospital in Nepal. *Surgical Neurology International*.7:23;1-7
- Morris MC, Berez A, Niziolek GM, Kasaam F, Veile R, Friend LA et al. 2019. UCH-L1 is a Poor Serum Biomarker of Murine Traumatic Brain Injury After Polytrauma. *Journal of surgical research*; 244: 63-68
- Mustafa AG, Al-Shboul OA. 2013. Pathophysiology of traumatic injury. *Neurosciences*; 18(3): 222-234
- Najem D, Rennie K, Ribocco-Lutkiewicz M, Ly D, Haukenfrers J, Liu Qet al. 2018. Traumatic brain injury: classification, models, and markers. *Biochemistry and Cell Biology*; 96(4): 391–406.
- Ng SY, Lee AYW. 2019. Traumatic Brain Injuries: Pathophysiology and Potential Therapeutic Targets. *Frontiers in Cellular Neuroscience*; 13(528):1-23.
- ² Nguyen R, Fiest Km, McChesney JM, Kwon CS, Jette N, Frolkis AD, et al. 2016. The International Incidence of Traumatic Brain Injury: A Systematic Review and Meta-Analysis. *Can J Neurol Sci*; 43: 774-785
- ² Orman JAL, Kraus JF, Zaloshnja E, Miller T. 2011 Epidemiologi dan patofisiologi. In: Textbook of traumatic brain injury. Editor: Silver JM, McAllister TW, Yuclofsky SC. Editor 2nd. American psychiatric publishing. Washington; Part I: 3-22.
- ² Ostermann RC, Joestl J, Tiefenboeck TM, Lang N, Pletzer P, Hofbauer M. 2018. Risk factors predicting prognosis and outcome of elderly patients with isolated traumatic brain injury. *Journal of Orthopaedic Surgery and Research*;13:1-6
- Papa L, Akinyi L, Liu MC, Pineda JA, Tepas JJ III, Oli MW, et al. 2010. Ubiquitin C-terminal hydrolase is a novel biomarker in humans for severe traumatic brain injury. *Crit Care Med*; 38:138–144
- ¹⁰ Papa L, Ramia MM., Kelly JM, Burks SS, Pawlowicz A, Berger R P. 2013. Systematic Review of Clinical Research on Biomarkers for Pediatric Traumatic Brain Injury. *Journal of Neurotrauma*;30(5): 324–338.
- Papa L, Brophy GM, Welch RD, Lewis LM, Braga CF, Tan CN, et al. 2016. Time course and diagnostic accuracy of glial and neuronal blood biomarkers GFAP and UCH-L1 in a large cohort of trauma patients with and without mild traumatic brain injury. *Jama Neurol*; 73: 551-60

Pearn ML, Niesman IR, Egawa J, Sawada A, Almenar-Queralt A, Shah SB, et al. 2016. Pathophysiology Associated with Traumatic Brain Injury: Current Treatments and Potential Novel Therapeutics. *Cell Mol Neurobiol*: 1-15

³ Perhimpunan Dokter Spesialis Saraf Indonesia (PERDOSSI). 2006. Kosensus Nasional Penanganan Trauma Kritis dan Trauma Spinal. PERDOSSI

¹⁰ Price L, Wilson C, Grant G. 2016. Blood-Brain Barrier Pathophysiology following Traumatic Brain Injury. In : Translational research in traumatic brain injury. Ed : Laskowitz D, Grant G. CRS Press. Boca Raton. Chapter 4. 85-96

⁶ Ponsford J. 2013. Factors contributing to outcome following traumatic brain injury. *Neuro Rehabilitation*; 32:803-815

Posti JP, Hossain MI, Takala RSK, Liedes H, Newcombe VF, Outtrim J, Katila AJ, et al. 2016. GFAP and UCH-L1 are not specific biomarkers for mild CT-negative traumatic brain injury. *Journal of neurotrauma*: 1-26

Postolache TT, Wadhawan A, Can A, Lowry CA, Woodbury M, Makkar H, et al. 2020. Inflammation in Traumatic Brain Injury. *Journal of Alzheimer's Disease*; 74(1):1-28

³ Powell JM, Ferrano JV, Dikmen SS, Temkin NR, Bell KR. 2008. Accuracy of mild traumatic brain injury diagnosis. *Arch phys med rehabil*; 89: 1550-5

Quiñones-Ossa GA, Padilla-Zambrano H, Pal R, Ghosh A, Moscote-Salazar LR, Kiran Kumar VA, et al. 2019. Biomarkers in acute brain trauma: A narrative review. *J Acute Dis*; 8(1): 1-6.

⁵ Riset Kesehatan Dasar. ⁵18. Kementerian Kesehatan Republik Indonesia. No Title [Internet]. Available from: <http://www.kemkes.go.id/resources/download/info-terkini/hasil-risikesdas-2018>

Roozenbeek B, Maas A. 2012. Design and analysis of clinical trials in TBI. In: Traumatic Brain and Spinal Cord Injury, Ed : Morganti-Kossmann C, Raghupathi R, Maas A. Chambridge University Press. Section 1: Chapter 16; 192-204.

Rovegno M, Soto PA, Saez JC, van Bernhardt R. 2011. Biological mechanisms involved in the spread of traumatic brain damage. *Medicine intensiva*; 36(1): 37-44

¹⁰ Saatman KE, Creed J, Raghupathi R. 2010. Calpain as a therapeutic target in traumatic brain injury. *Neurotherapeutics*; 7: 31-42.

- Setsui R, Wada K. 2007. The functions of UCH-L1 and its relation to neurodegenerative diseases. *Neurochemistry International*; 51: 105–111
- 2 Sharma R, Rosenberg A, Bennet ER, Laskowitz DT, Acheson SK. 2017. A blood-based biomarker panel to risk-stratify mild traumatic brain injury. *Plos one*: 1-18
- Sheriff FG, Hinson HE. 2015. Pathophysiology and Clinical Management of Moderate and Severe Traumatic Brain Injury in the ICU. *Semin Neurol*; 35: 42-49.
- 2 Shibahashi K, Sugiyama K, Okura Y, Tomio J, Hoda H, Hamabe Y. 2018. Defining hypotension in patients with severe traumatic brain injury. *World Neurosurgery*: 1-8
- Siahaan AMP, Japardi I, Hakim AA. 2018. Serum concentration of ubiquitin c-terminal hydrolase-L1 in detecting severity of traumatic brain injury. *IOP Conference Series: Earth and Environmental Science*; 1-5
- Silva TH, Masetti T, Silva TD, Palva LS, Papa DC, Monteiro CB et al. 2018. Influence of severity of traumatic brain injury at hospital admission on clinical outcomes. *Fisioter Pesqui*; 25(1):3-8
- 6 Spaite DW, Hu C, Bobrow BJ, Chikani V, Sherrill D, Barnhart B, et al. 2016. Mortality and Prehospital Blood Pressure in Patients With Major Traumatic Brain Injury Implications for the Hypotension Threshold. *JAMA Surg*; 152(4):360-368.
- Sun K, Zhu L, Wang H, Ji X, Pan H, Chen M, et al. 2013. Zinc as mediator of ubiquitin conjugation following traumatic brain injury. *Brain Research*; 1506: 132–141.
- 10 Stahel PF, Shohami E, Younis FM, Kariya K, Otto VI, Lenzlinger PM et al. 2000. Experimental Closed Head Injury: Analysis of Neurological Outcome, Blood–Brain Barrier Dysfunction, Intracranial Neutrophil Infiltration, and Neuronal Cell Death in Mice Deficient in Genes for Pro-Inflammatory Cytokines. *Journal of Cerebral Blood Flow & Metabolism*; 20(2): 369–380
- Stocchetti N., Paternò, R., Citerio, G., Beretta, L. & Colombo, A. 2012. Traumatic brain injury in an aging population. *J. Neurotrauma* 29, 1119–1125
- 6 Stocchetti N, Carbonara M, Citerio G, Ercole A, Skrifvars MB., Smielewski P, et al. 2017. Severe traumatic brain injury: targeted management in the intensive care unit. *The Lancet Neurology*; 16(6): 452–464.

- Su E, Bell M. 2016. ⁶ Diffuse Axonal Injury. In : Translational research in traumatic brain injury. Ed : Laskowitz D, Grant G. CRS Press. Boca Raton. Chapter 3 : 41-84
- Sun K, Zhu L, Wang H, Ji X, Pan H, Chen M, et al. 2013. Zinc as mediator of ubiquitin conjugation following traumatic brain injury. *SciVerse ScienceDirect*; 1-10
- Su YS, Veeravagu A, Grant G. 2016. Neuroplasticity after Traumatic Brain Injury. In : Translational research in traumatic brain injury. Ed : Laskowitz D, Grant G. CRS Press. Boca Raton. Chapter 8. 163-178
- Szabo Z, Ying Z, Radak Z, Gomez-Pinilla F. 2010. Voluntary exercise may engage proteasome function to benefit the brain after trauma. *Brain Res*; 1341: 25–31
- Takala RSK, Posti JP, Runtti H, Newcombe VF, Outtrim J, Katila Aj et al. 2016. GFAP and UCH-L1 as outcome predictors in traumatic brain injury. *World Neurosurgery*;1-45
- Talari HR, Hamidian Y, Moussavi N, Fakharian E, Abedzadeh-kalahroudi M, Akbari H et al. 2019. The Prognostic Value of Rotterdam Computed Tomography Score in Predicting Early Outcomes Among Children with Traumatic Brain Injury. *World Neurosurgery*:E1-E7:1-7
- Talari HR, Fakharian E, Mousavi N, Abedzadeh- Kalahroudi M, Akbari H, Zoghi S. 2016. The rotterdam scoring system can be used as an independent factor for predicting traumatic brain injury outcomes. *World Neurosurg*; 87: 195-199.
- ⁶ Thelin EP, Nelson DW, Vehviläinen J, Nyström H, Kivisaari R, Siironen J, et al. 2017. Evaluation of novel computerized tomography scoring systems in human traumatic brain injury: An observational, multicenter study. *PLOS Medicine*: 14(8)
- Tobi K, Azeez A, Agbedia S. 2016. Outcome of traumatic brain injury in the intensive care unit: a five-year review. *Southern African Journal of Anaesthesia and Analgesia*; 22(5): 135–139.
- Toman E, Harrison S, Belli T. 2016. Biomarkers in traumatic brain injury : a review. *J R Army Med Corps*; 162: 103–8
- ² Tomar GS, Singh GP, Lahkar D, Sengar K, Nigam R, Mohan M, Anind¹⁰R. 2018. New biomarker in brain trauma. *Clinica Chimica Acta*; 487: 325-9
- Tomura S, de Rivero Vaccari JP, Keane RW, Bramlett HM, Dietrich WD. 2012. Effects of Therapeutic Hypothermia on Inflammasome Signaling after

Traumatic Brain Injury. *Journal of Cerebral Blood Flow & Metabolism*; 32(10): 1939–1947.

Tylicka M, Matuszewak E, Debek W, Hermanowicz A, Ostrowska H. 2014. Circulating proteasome activity following mild head injury in children. *Childs Nerv Syst*; 30:1191–1196

Washington CW, Grubb RL, Jr. 2012. Are routine repeat imaging and intensive care unit admission necessary in mild traumatic brain injury? *J Neurosurg*; 116(3): 549-57.

Welch RD, Ayaz SI, Lewis LM, Uden J, Chen JY, Mika VH et al. 2016. Ability of Serum Glial Fibrillary Acidic Protein, Ubiquitin C-Terminal Hydrolase-L1, and S100B To Differentiate Normal and Abnormal Head Computed Tomography Findings in Patients with Suspected Mild or Moderate Traumatic Brain Injury. *Journal of Neurotrauma*; 33(2): 203–214.

Winkler EA, Minter D, Yue JK, Manley GT. 2016. Cerebral Edema in Traumatic Brain Injury Pathophysiology and Prospective Therapeutic Targets. *Neurosurg Clin N Am*; 27: 473–488

Zhang M, Deng Y, Luo Y, Zhang S, Zou H, Cai F, et al. 2012. Control of BACE1 degradation and APP processing by ubiquitin carboxyl-terminal hydrolase L1. *Journal of neurochemistry*; 120:1129–1138

Zhang J, Puvenna, Janigro D. 2016. Biomarkers of Traumatic Brain Injury and Their Relationship to Pathology. In : *Translational research in traumatic brain injury*. Ed : Laskowitz D, Grant G. CRS Press. Boca Raton. Chapter 12 : 263-276



