

DAFTAR PUSTAKA

- Apsari, P. I. B., *et al.*(2018, November). Correlation of Eosinophil and Basophil count with intensity of soil transmitted helminth infection among farmers in Bali. In *Iop Conference Series: Materials Science And Engineering* (Vol. 434, No. 1, p. 012142). IOP Publishing.
- Ayi, B. 2007. *Intestinal and tissue nematode disease*. Elsevier. pp.3-4.
- Allen, H. *et al.* (2004). ‘Soil-transmitted Helminthiasis’, Nature Reviews Microbiology, 2, pp. 618–9.
- Andiarsa, *et al.*, 2012. Infeksi cacing, imunitas, dan alergi. Jurnal Buski. 4(1): pp. 47-52.
- Bogitsh, B. J., C. E. *et al.*, 2019. Chapter 16 - Intestinal Nematodes. Dalam Human Parasitology (Fifth Edition). Editor B. J. Bogitsh, C. E. Carter, dan T. N. Oeltmann. Academic Press.
- Bogitsh, *et al.* 2013. Human Parasitology Fourth Edition. United States of America : Elsevier
- Bundy, D. A. P.*et al.* 2013. Intestinal nematodes: ascariasis. *Hunter's Tropical Medicine and Emerging Infectious Disease*.pp. 804-807.
- Bratawidjaja KG. *et al.* 2014. *Imunologi dasar*. Edisi ke-11. Fakultas kedokteran Universitas Indonesia.jakarta.
- Brooker S, *et al.*.*The potential of geographical information system and remote sensing in the epidemiology and control of human helminth infections*. Adv Parasitol 2012; 47: pp. 245- 88.

- Bethony, J., et al. 2006. Soil-transmitted helminth infections: ascariasis, trichuriasis, and hookworm. *Lancet*. 367. pp. 1521-32.
- Cooper, P. J., et al., 2008. *Human infection with Ascaris lumbricoides is associated with a polarized cytokine response*. The Journal of infectious diseases, 182(4), pp. 1207-1213.
- Christian P, et al., *Antental anthelmentic treatment, birthweight and infant survival in rural Nepal*. Lancet 2011; 364: pp. 981-3.
- Cross, J. H. 1996. *Enteric Nematodes of Humans*. University of Texas Medical Branch at Galveston. 90: pp. 205-207.
- Centers for Disease Control and Prevention. 2019. *Ascariasis*. <https://www.cdc.gov/dpdx/ascariasis/index.html> [Diakses pada 15 Oktober 2019].
- Corti M. *Strongyloides stercoralis in Immunosuppressed Patients*. 2016;11(1): pp. 1–10.
- De Silva, N. R. et al. 2011. *Trichuriasis*. Dalam Tropical Infectious Diseases: Principles, Pathogens and Practice. Elsevier. 14: pp. 395-397.
- De Lima Corvino, et al. 2019. *Ascariasis*. Dalam StatPearls. Treasure Island (FL): StatPearls Publishing. 25: pp. 487-490.
- Diemert, D. J. 2011. *Ascariasis*. Dalam Tropical Infectious Diseases: Principles, Pathogens and Practice. Elsevier. 1: pp. 794-798.
- Depkes RI.(2015) Higiene sanitasi makanan dan minuman.Jakarta: Ditjen PPM dan PL;.2.

De Silvia N, *et al.* 2003. Soil transmitted helminth infection: The nature, causes and burnden of the condition. Working Paper No.3. Disease Control Priorities Project. Bethesda, Maryland: Fogarty International Center, National Institute of Health.

Departemen Kesehatan RI. 2009. *Pelanangan Hari Waspada Cacing*. Jakarta
Dinas Kesehatan Kota Padang. 2014. Rekap Hasil Skrening Kesehatan Masyarakat Terkait Penyakit Infeksi Puskesmas Kota Padang 2014.

Dinas Kesehatan Provinsi Sumatera Barat. 2012. Rekap Hasil Skrening Kesehatan Masyarakat Terkait Penyakit Infeksi Sumatera Barat Tahun 2012.

Darmadi. *et al.* 2015. Perbandingan Kadar IL-5 dan Jumlah Eosinofil Antara Anak dan Orang Dewasa yang Terinfeksi Ascaris lumbricoides. Jurnal Kesehatan Andalas. 4(3): pp. 756-763.

Dige, A., T. K. *et al.* 2017. Mucosal and systemic immune modulation by *trichuris trichiura* in a self-infected individual. *Parasite Immunology*. 39(1).

Elfred, *et al.* 2016. Gambaran Basofil, TNF- α , dan IL-9 Pada Petani Terinfeksi STH di kabupaten Kediri. Jurnal Biosains Pascasarjana Vol. 18 (2016) pp, Surabaya: Universitas Airlangga

Falcone FH, *et al.* 2009. *Antigen-Driven Basophil Activation is Indicative of Early Necator Americanus Infection in IgE-seonegative Patiens*. J Allergy Clin Immunol: 124, pp. 1343-50

Figueiredo, CA. Barreto, ML. Rodrigues, LC. Cooper, PJ. Silva, NB. Amorim, LD. et al. (2010). 'Chronic Intestinal Helminth Infections Are Associated with 61

- Immune Hyporesponsiveness and Induction of a Regulatory Network', *Infection and Immunity*, 78(7), pp. 3160–3167.
- Jourdan, PM. *et al.*(2018). 'Soil-transmitted helminth infections', *The Lancet*, 391, pp. 252–265.
- Jusuf, 2013 dalam Sandi, Adytri, 2014. Gambaran Nilai Hematokrit Dengan Menggunakan Metode Mikro Pada Buruh Tani Di Desa Kandat Kabupaten Kediri. Kediri : Institut Ilmu Kesehatan Bhakti Wiyata Kediri
- Gandahusada S, *et al.*2004. *Parasitologi kedokteran*. Edisi ketiga. Jakarta: Balai penerbit FKUI; 2004
- Gazzinelli-Guimaraes,P.H,*et al.* 2018. *Helminths Parasites and Immune Regulation*. F1000Research. 7:1685
- Ganesh, S,*et al.* 2011. Strongyloidiasis: a multifaceted disease.*Gastroenterology & Hepatology*. 7(3): pp. 194-195.
- Gyorkos, T. W, *et al.* 2011. Trichuris and hookworm infections associated with anaemia during pregnancy: trichuris, hookworm and anaemia in pregnancy. *Tropical Medicine & International Health*. 16(4): pp. 531–537.
- Geiger SM, *et al.*2002. Cellular responses and cytokine profiles in *Ascaris lumbricoides* and *Trichuris trichiura* infected patients. *Parasite Immunol*. 2002;24: pp. 499–509
- Goddey NOP, *et al.* 2010. Serum cytokines profiles in Nigerian children with *Ascaris lumbricoides* infection. *Asian Pac J Trop Med*. 2010;3: pp. 288–291

- Gonçales, J. P, et al. (2020). *Cytokine production in allergic and Trichuris trichiura-infected children from an urban region of the Brazilian northeast.* Parasitology international, 74, 101918.
- Gravitt, P. E, et al. (2016). Soil-transmitted helminth infections are associated with an increase in human papillomavirus prevalence and a T-helper type 2 cytokine signature in cervical fluids. *The Journal of infectious diseases*, 213(5), pp. 723-730
- Hadi, A. 2014. *Teknik Elisa Pemeriksaan Kuantitatif Mannan Binding Lectin (MBL) pada Plasma Darah.* Laporan Praktikum. Program Magister Biomedik Universitas Sumatra Utara. [Repository]
- Hadidjaja, et al. 2013. *Dasar Parasitologi Klinik edisi IV.* Jakarta: Badan Penerbit FKUI.
- Herbst T, et al. Antibody and IL-13 support helminth induced basophil expansion. PNAS. 2012;109(37): pp. 14954–5959.
- Hotez PJ, et al. 2005. *Hookworm Infection.* England: J Media.
- Hotez, et al. 2008. Soil-transmitted helminth infections : ascariasis , trichuriasis , and hookworm. pp. 1521-367
- Hotez PJ, Molyneux DH, Fenwick A, Kumaresan J, et al. 2007. Control of Neglected Tropical Disease. N Eng J Med; 357: 1018-1027.
- Ishartadiati K. Peranan TNF, IL-1, dan IL6 pada respon imun terhadap protozoa.Surabaya : FK Universitas Wijaya Kusuma.

Kemenkes. 2012. Peraturan Menteri Kesehatan Republik Indonesia Tentang Penanggulangan Kecacingan. Jakarta: Kementerian Kesehatan Republik Indonesia

Kementerian Kesehatan. (2017). PMK No.15 tentang Penanggulangan Cacingan.

Kraich M, et al. 2010. "A modular interface of IL-4 allows for scalable affinity without affecting specificity for the IL-4 receptor". *Lehrstuhl für Physiologische Chemie II*, Theodor-Boveri Institut für Biowissenschaften (Biozentrum) der Universität Würzburg; Germany

Lamberton, P. H. L. et al. 2015. Human ascariasis: diagnostics update. *Tropical Medicine*. pp. 189-200.

Loukas, A, et al. 2016. Hookworm infection. *Nature Reviews Disease Primers*. 2(1):1-8.

Manz, KM. Clowes, P. Kroidi, I. Kowuor, DO. Geldmacher, C. Ntinginya, NE. et al. (2017). 'Trichuris trichiura infection and its relation to environmental factors in Mbeya region, Tanzania: A cross-sectional, population-based study', PLOS ONE, 12(4), pp. 1–16.

Maes T, et al. 2012. "Target interleukin-4 pada asma. Biol 47 (3): pp. 261-70

Mathur N, et al. Exercise as a Mean to Control Low-Grade Systemic Inflammation. Mediators of Inflammation in UK Pubmed Central. 2009.

Masaku, J. Mutungi, F. Gichuki, PM. Okoyo, C. Njomo, DW. Njenga, SM. (2017). 'High prevalence of helminths infection and associated risk factors among adults living in a rural setting , central Kenya : a cross- sectional study',

- Tropical Medicine and Health. Tropical Medicine and Health, 45(15), pp. 1–9.
- Min, B, et al, 2004, Basophils Produce IL-4 and Accumulate in Tissues after Infection with a Th2-inducing Parasite, *JExp Med*, 200(4), pp. 507-17
- Mishra, P.K, et al. 2014. Systemic impact of intestinal helminth infections. Mucosal Immunology. 7: pp. 753 –762.
- Mohaghegh, et al. et al. (2017). ‘Soil Contamination with Soil Transmitted Helminthes in Schools and Play Areas of Kermanshah City, West of Iran’, International Journal of Infections. 4(1), pp. 7–10.
- Naish, S. McCarthy, J. Williams, GM. (2004). ‘Prevalence, intensity and risk factors for soil-transmitted helminth infection in a South Indian fishing village’, *Acta Tropica*, 91(2), pp. 177–187.
- Nurrahmi, F. 2014. *Hubungan Kebiasaan Mencuci Tangan Dengan Infeksi Soil Transmitted Helminths (STH) Pada Siswa SDN 169 Kelurahan Gandus Kecamatan Gandus Kota Palembang*. Fakultas Kedokteran Universitas Sriwijaya, Palembang.
- Naglaa., et al.. 2016. Effect of Ascaris lumbricoides infection on T helper cell type 2 in rural Egyptian children. Journal of Therapeutics and Clinical Risk Management. 2016: 12 379-385. Egypt: Mansoura University Children Hospital

- Navitsky RC, et al. 2010. *Ancylostoma duodenale is responsible for hookworm infections among pregnant women in the rural plains of Nepal*. J Parasitol, 84: pp. 647-51.
- Natadisastra, D et al.. 2014. *Parasitologi Kedokteran Ditinjau Dari Organ Tubuh Yang Diserang*. Jakarta:EGC.
- Oktavia, N. 2010. *Hubungan Infeksi Cacing Usus STH dengan Kebiasaan Mencuci Tangan Pada Siswa SDN 09 Pagi Paseban Tahun 2010*. Fakultas Kedokteran Universitas Indonesia. Jakarta.
- Palgunadi BU. 2010. *Faktor-faktor yang mempengaruhi kejadian kecacingan yang disebabkan oleh soil-transmited-helminth di Indonesia*. Jurnal Ilmiah Kedokteran Khusus. 1(1): pp.1-5
- Phillips C, et al.. *Basophils express a type 2 cytokine profile on exposure to proteases from helminths and house dust mites*. J. Leukoc. Biol: 73: pp. 16571
- Pasaribu AP, et al. 2019. *Prevalence and Risk Factors of Soil-transmitted Helminthiasis among School Children Living in an Agricultural Area of North Sumatera*, Indonesia. BMC Public Health. 2019;19:1066.
- Paniker, et al. 2007. Textbook of Medical Parasitology. Ajanta Offset : Jaypee Brothers Medical Publishers (P) Ltd
- Pineda, M.R.B. et al.. 2012. Ascaris suum infective eggs upregulate IL- 4,5 and 10 in BALB/c mice. Philippine Science Letters. 5(2): 139-1147.
- Rusmartini T.2014 Penyakit Oleh Nematoda Usus. In: Natadisastra D, editor. *Parasitologi Kedokteran*. Jakarta: EGC. pp. 72–87.

- Rosyidah, HN.*et al.* (2018). ‘Prevalence Of Intestinal Helminthiasis in Children at North Keputran Surabaya at 2017’, Journal of Vocational Health Studies, 01, pp. 117–120.
- Rusjdi, S.R. *et al.* 2012. Pengaruh infeksi cacing usus terhadap ekspresi interferon gamma serum paksa pemberian imunisasi tetanus toxoid. Majalah Kedokteran Andalas. 36(1): pp. 89-94.
- Supali. T, *et al.* 2008. *Nematoda Usus*. Dalam: Buku Ajar Parasitologi Kedokteran, Ed. 4. Jakarta : Badan Penerbit Fakultas Kedokteran Universitas Indonesia.
- Suriptiastuti. 2006. *Infeksi Soil-Transmitted Helminth: Ascariasis, Trichiuriasis dan Cacing tambang*. Universa Medicina. 2006; 25(2): pp. 8-94.
- Santos PL, *et al.* *Comparisons of the thick smear and Kato-Katz technique for diagnosis of intestinal helminth infections*. Rev Soc Bras Med Trop 2011; 38: pp. 196-8.
- Segarra, M. *et al.* 2007. Manifestations, diagnosis, and treatment of strongyloides stercoralis infection. *Annals of Pharmacotherapy*. 41(12):1992–2001.
- Sogandi. 2014. *Teknik Penelitian Biokimia*. Makalah. Program Studi Biokimia Pascasarjana Institut Pertanian Bogor.
- Sudomo, *et al.* 2008. Parasitologi Kedokteran. 4th ed. Depertemen Parasitologi FK UI. 2008. pp. 6-25.
- Sutanto, I. *et al.* (2009). ‘Nematoda’, in Buku Ajar Parasitologi Kedokteran. 4th ed. Jakarta: Balai Penerbit FKUI, pp. 6–25.

Supali, *et al.* 2008. Buku Ajar Parasitologi Kedokteran Edisi Keempat. Jakarta: Balai Penerbit FK UI.

Tefera T.(2016). Parasitic contamination of fruits and vegetables collected from selected local markets of Jimma town, Southwes Ethiopia.

Turner JD, *et al.* 2013. Intensity of intestinal infection with multiple worm species is related to regulatory cytokine output and immune hyporesponsiveness. *J Infect Dis.* 2013;197(8): pp. 1204–1212

Uneke, CJ. (2010) ‘Soil transmitted helminth infections and schistosomiasis in school age children in sub-Saharan Africa: Efficacy of chemotherapeutic intervention since World Health Assembly resolution 2001’, Tanzania Journal of Health Research, 12(1), p. 11.

Viqar, 2002. Buku Ajar Infeksi dan Pediatri Tropis Edisi Ke 2. Bagian Penerbit IDAI, Jakarta.

Wang JL, *et al.* 2008. *Helminth Infection and Intestinal Inflammation.* World Journal Gastroenterology 2008; 14(33): pp. 5125-132.

WHO. 2012. *Guideline : Preventive Chemoteraphy to Control Soil-Transmitted Helminths Infections in at-Risk Population Groups.* Licence : CC BY-NC-SA 3.0 IGO

WHO. *Water Sanitation & Hygiene for Accelerating and Sustaining Progress on Neglected Tropical Diseases.* Geneva: World Health Organization; 2020.

World health organization, 2018, Deworning in children, retrieved april 12, 2018, from
<http://www.who.int/elena/titles/deworming/en/>

Wijaya, H., *et al.* 2014. Total serum IgE level in soil- transmitted helminth infected children with atopy symptoms. *Paediatr Indonesia*. 54(3): pp. 149-154.

Yani L, *et al.* Korelasi antara adiponektin dengan Tumor Necrosis Factor Alpha (TNF-a) pada pria Indonesia obes nondiabetes. MKI. 2011: pp. 6;1.

Yang HS, *et al.* (2012). Importance of considering *Trichuris trichiura* infection in infant presenting with acute and substantial bloody diarrhea: a case report and literature review. 2012.

Diunduh dari

http://oldjms.ndmctsgh.edu.tw/db/File/32063_09.pdf,

