

## DAFTAR PUSTAKA

- [AOAC] Association of Official Analytical Chemist. 2012. Official Methods of Analysis 18th Edition. Washinton DC.
- [ASTM] American Society for Tensting and Material 6400-99: Standard Specification for Compostable Plastics.
- [ASTM] American Society for Tensting and Material D638-14: Standard Test Method for Tensile Properties of Plastics.
- [ASTM] American Society for Tensting and Material D871-96: Standard Test Methods of Testing Cellulose Acetate. American Society for Testing and Materials.
- [ASTM] American Society for Tensting and Material E96: Standard Test Methods for Water Vapor Transmission of Materials.
- [ASTM] American Society for Tensting and Material. D-3418: Standard Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry.
- [ASTM] American Society for Tensting and Material. E168: Standard Test Method aof Fourier Transform Infrared for polymer.
- [ASTM] American Society for Tensting and Material. E-2015: Standard Guide for Preparation of Plastics and Polymeric Specimens for Microcultural Examination.
- [ASTM] American Society for Tensting and Material. Method G-2170. Standard practice for determining resistance of synthetic polymer materials to fungi.
- [BPOM] Badan Pengawasan Obat dan Makanan. 2008. Dampak Kemasan Pangan Styrofoam. Informatorium Obat Nasional Indonesia. Indonesia. Available at: <https://www.pom.go.id/mobile/index.php/view/pers/57/Keterangan-pers-tentang-kemasan-makanan-styrofom.html>.
- Aldao, D. C., Šarka, E., Ulbrich, P., Mensikova, E. 2018. Starch nanoparticles – two ways of their preparation. *Czech Journal of Food Sciences* 36 (2) pp. 133–138. doi: 10.17221/371/2017-cjfs.
- Angellier, H., L. Choisnard., S. Molina-Boisseau., P. Ozil., and D. Alain. 2004. Optimization of the preparation of aqueous suspensions of waxy maize starch nanocrystals using a response surface methodology. *Biomacromolecules* 5 (4) pp. 1545–1551. doi: 10.1021/bm049914u.
- Anonymous. 2009. Info Sehat. <http://informasisehat.wordpress.com>. Akses tanggal 19 Mei 2009.
- Asrofi, M., H. Abrial., A. Kasim., A. Pratoto., M. Mahardika., J. W. Park., and H. J. Kim. 2018. Isolation of Nanocellulose from Water Hyacinth Fiber

- (WHF) Produced via Digester-Sonication and Its Characterization. *Fibers and Polymers* 19 (8) pp. 1618–1625. doi: 10.1007/s12221-018-7953-1.
- Azemi, M., M. Noor., A. M. Dos., Md. N. Islam., Mymensingh., and N. A. Mehat. 2002. Physico-chemical Properties of Oil Palm Trunk Starch. *Starch-Stärke* 51 (8–9) pp. 293–301. doi: 10.1002/(sici)1521-379x(199909)51:8/9<293::aid-star293>3.3.co;2-6.
- Bai, W., J. Holbery., and K. Li. 2009. A technique for production of nanocrystalline cellulose with a narrow size distribution. *Cellulose* 16 (3) pp. 455–465. doi: 10.1007/s10570-009-9277-1.
- Barsby, T., A. Donald., and P. Frazier. 2007. Starch Advances in Structure and Function. Cambridge, UK: *The Royal Society of Chemistry* pp. 164–169. doi: 10.1039/9781847551917-00164.
- Bergeret, A. and J. C. Benezet. 2011. Natural Fibre-Reinforced Biofoams. *International Journal of Polymer Science* pp. 1–14. doi: 10.1155/2011/569871.
- Burhani, D., dan Septevani, A. A. 2018. Isolation of nanocellulose from oil palm empty fruit bunches using strong acid hydrolysis. *AIP Conference Proceedings*, 2024. <https://doi.org/10.1063/1.5064291>
- Carr, L. G., D. F. Parra., P. Ponce., A. B. Lugao., P. M. Buchler. 2006. Influence of fibers on the mechanical properties of cassava starch foams. *Journal of Polymers and the Environment* 14 (2) pp. 179–183. doi: 10.1007/s10924-006-0008-5.
- Cellulose. 2008. In *Encyclopædia Britannica*. Retrieved January 11 2008. from *Encyclopædia Britannica Online*.
- Chiellini E, Cinelli P, Ilieva V. I., Imam S. H., Lawton J.W. 2009. Environmentally compatible foamed articles based on potato starch, corn fiber and poly vinyl alcohol. *JCellPlast*.45:17-32.
- Cruz-Tirado, J., R. Vejarano., D. Tapia-Blácido L., L. Angelats-Silva., R. Siche 2019 The addition of sugarcane bagasse and asparagus peel enhances the properties of sweet potato starch foams. *Packaging Technology and Science* pp. 1–11. doi: 10.1002/pts.2429.
- Debiagi, F., B. M. Marim, and S. Mali. 2015. Properties of Cassava Bagasse and Polyvinyl Alcohol Biodegradable Foams. *Journal of Polymers and the Environment* 23(2) pp. 269–276. doi: 10.1007/s10924-014-0705-4.
- Ditjenbun (Direktorat Jendral Perkebunan). 2017. Pedoman Peremajaan Tanaman Kelapa Sawit Perkebunan. Keputusan Direktur Jendral Perkebunan. [ditjenbun.pertanian.go.id/](http://ditjenbun.pertanian.go.id/)
- Ditjenbun (Direktorat Jendral Perkebunan). 2018. Statistik Perkebunan Kelapa Sawit. Indonesia. [ditjenbun.pertanian.go.id](http://ditjenbun.pertanian.go.id).
- Dungani, R., P. Aditiawati., S. Aprilia., K. Yuniarti., T. Karliati., I. Suwandhi., and I. Sumardi. 2018. Biomaterial from Oil Palm Waste: Properties, Characterization and Applications Palm Oil. *Intech Open* doi: 10.5772/intechopen.76412.

- Environmental Protection Agency (EPA). 25 April 2012. Thinking Outside the (Polystyrene) Box. <https://blog.epa.gov/tag/polystyrene/>. Diakses 04 April 2019
- Etikaningrum, J. Hermanianto., E. Savitri., Iriani., R. Syarief., and A. W. Permana. 2018 Pengaruh Penambahan Berbagai Modifikasi Serat Tandan Kosong Sawit Pada Sifat Fungsional Biodegradable Foam. *Jurnal Penelitian Pascapanen Pertanian* 13 (3) pp. 146. doi: 10.21082/jpasca.v13n3.2016.146-155.
- Faradilla, R. H. F., G. Lee, Jy. Arns., J. Roberts., P. Martens., M .H. Stenzel., and J. Arcot. 2017. Characteristics of a free-standing film from banana pseudostem nanocellulose generated from TEMPO-mediated oxidation. *Carbohydrate Polymers*. Elsevier Ltd. 174 pp 1156–1163. doi: 10.1016/j.carbpol.2017.07.025.
- Faradilla, R. H. F., G. Lee., A. Rawal., T. Hutomo., M. H Stenzel., and J. Arcot. 2016. Nanocellulose characteristics from the inner and outer layer of banana pseudo-stem prepared by TEMPO-mediated oxidation. *Cellulose*. Springer Netherlands 23 (5) pp. 3023–3037. doi: 10.1007/s10570-016-1025-8.
- Farhana Harun, N. A., Samsu Baharuddin, A., Mohd Zainudin, M. H., Bahrin, E. K., Naim, M. N., & Zakaria, R. (2012). Cellulase Production from Treated Oil Palm Empty Fruit Bunch Degradation by Locally Isolated *Thermobifida fusca*. *BioResources*, 8(1). <https://doi.org/10.15376/biores.8.1.676-687>
- Fatrozi, S., Purwanti, L., Sari, S. K., Ariesta, M. N., & Marliyana, S. D. (2020). Properties of starch biofoam reinforced with microcrystalline cellulose from banana stem fiber. *AIP Conference Proceedings*, 2237, 020054. <https://doi.org/10.1063/5.0005254>
- Filson, P. B., E. Benjamin., and Dawson-Andoh. 2009. Sono-chemical preparation of cellulose nanocrystals from lignocellulose derived materials. *Bioresource Technology*. Elsevier Ltd 100 (7) pp. 2259–2264. doi: 10.1016/j.biortech.2008.09.062.
- Gahlawat, S. K. Salar., R. K. Siwach., P. Duhan, J. S. Kumar, S. Kaur., and Pawan. 2017. Starch: Their Preparation and Applications. *Plant Biotechnology: Recent Advancements and Developments* pp. v–vi. doi: 10.1007/978-981-10-4732-9.
- Gallant, D. J., B. Bouchet., and P. M. Baldwin.1997. Microscopy of starch: Evidence of a new level of granule organization. *Carbohydrate Polymers*, 32 (3–4) pp. 177–191. doi: 10.1016/S0144-8617(97)00008-8.
- Goering HK, Van Soest PJ. 1970. Forage Fiber Analysis (Apparatus, Reagents, Procedures and some Applications). *USDA Agricultural Handbook*. Washington DC (US):hlm 379.
- Haafiz, M. K., S.J. Eichhorn., A. Hassana., and M. Jawaid. 2013. Isolation and characterization of microcrystalline cellulose from oil palm biomass

- residu. *Carbohydrate Polymers. Elsevier Ltd.* 93 (2) pp. 628–634. doi: 10.1016/j.carbpol.2013.01.035.
- Hambali, E. and M. Rivai., 2017. The Potential of Palm Oil Waste Biomass in Indonesia in 2020 and 2030. *IOP Conference Series: Earth and Environmental Science*, 65 (1). doi: 10.1088/1755-1315/65/1/012050.
- Hamid, Z. A. A., O. Sulaiman., M. R. S. Fatimah., and R. Hashim. 2015. Analysis of Free Sugar and Starch in Oil Palm Trunks (*Elaeis Guineensis* Jacq) from Various Cultivars as a Feedstock for Bioethanol Production. *International Journal of Green Energy*. doi: 10.1080/15435075.2014.910786.
- Henriksson, M., G. Henriksson., L. A. Berglund., T. Lindström. 2007. An environmentally friendly method for enzyme-assisted preparation of microfibrillated cellulose (MFC) nanofibers. *European Polymer Journal*. doi: 10.1016/j.eurpolymj.2007.05.038.
- Hoeger, I. C. 2017. Mechanical Properties of Cellulose Nanofibril (CNF)- and Cellulose Nanocrystal (CNC)-Based Nanocomposites. *Handbook of Nanocellulose and Cellulose Nanocomposites* pp. 393–443. doi: 10.1002/9783527689972.ch12.
- Huff, J., and P. F. Infante., 2011. Styrene exposure and risk of cancer. *Mutagenesis* 26 (5) pp. 583–584. doi: 10.1093/mutage/ger033.
- Ioelovich, M. 2017. Characterization of Various Kinds of Nanocellulose. *Handbook of Nanocellulose and Cellulose Nanocomposites* pp. 51–100. doi: 10.1002/9783527689972.ch2.
- Iriani, E. S. 2013. Pengembangan Produk Biodegradable Foam Berbahan Baku Campuran Ampok dan Tapioka. Disertasi. Institut Pertanian Bogor. Available at: www.ipb.ac.id.
- Ismail, A., and Mamat, M. N. 2002. The Optimal Age of Oil Palm Replanting Azman Ismail and. *Oil Palm Industry Economic Journal* (Malaysian Palm Oil Board) 2 (1), pp. 11–18.
- Iwamoto, S., A. N. Nakagaito., and H. Yano. 2007. Nano-fibrillation of pulp fibers for the processing of transparent nanocomposites. *Applied Physics A: Materials Science and Processing* 89 (2) pp. 461–466. doi: 10.1007/s00339-007-4175-6.
- Kaisangsri, N., O. Kerdchoechuen., and N. Laohakunjit. 2012. Biodegradable foam tray from cassava starch blended with natural fiber and chitosan. *Industrial Crops and Products. Elsevier B.V.* 37 (1) pp. 542–546. doi: 10.1016/j.indcrop.2011.07.034.
- Kargarzadeh, H., A. Ishak., T. Sabu., and D. Alain. 2017. Handbook of Nanocellulose and Cellulose Nanocomposites. doi: 10.1002/9783527689972.
- Kargarzadeh, H., I. Ahmad., I. Abdullah., A. Dufresne., S. Y. Zainudin., and R. M Sheltami. 2012. Effects of hydrolysis conditions on the morphology, crystallinity, and thermal stability of cellulose nanocrystals extracted from

- kenaf bast fibers. *Cellulose* 19 (3) pp. 855–866. doi: 10.1007/s10570-012-9684-6.
- Kargarzadeh, H., M. Ioelovich., I. Ahmad., S. Thomas., and A. Dufresne 2017. Methods for Extraction of Nanocellulose from Various Sources. *Handbook of Nanocellulose and Cellulose Nanocomposites* pp. 1–49. doi: 10.1002/9783527689972.ch1.
- Kasemsiri, P., N. Dulsang., U. Pongsa., S. Hiziroglu., P. Chindaprasirt. 2016. Optimization of Biodegradable Foam Composites from Cassava Starch, Oil Palm Fiber, Chitosan and Palm Oil Using Taguchi Method and Grey Relational Analysis. *Journal of Polymers and the Environment* 25 (2) pp. 378–390. doi: 10.1007/s10924-016-0818-z.
- Khalid, K. A. T., R. Moorthy, and S. Saad. 2012. Environmental ethics in governing recycled material styrofoam for building human habitat. *American Journal of Environmental Sciences* 8 (6): pp. 591–596. doi: 10.3844/ajessp.2012.591.596.
- Khalil, A. H. P. S., K. Chaturbhuji., Saurabha., A. S. C. Adnan., M. R. N. Fazitaa., M. I. Syakira., Y. Davoudpoura., M. Rafatullaha., C. K. Abdullaha., M. K. M. Haafiza., R. Dungani. 2016. A review on chitosan-cellulose blends and nanocellulose reinforced chitosan biocomposites: Properties and their applications. *Carbohydrate Polymers. Elsevier Ltd* 150 pp. 216–226. doi: 10.1016/j.carbpol.2016.05.028.
- Khalil, H. P. S. A., Y. Davoudpour., N. A. Sri Aprilia., A. Mustapha., Md. S. Hossain., Md. N. Islam., and R. Dungani 2015 Nanocellulose-Based Polymer Nanocomposite: Isolation, Characterization and Applications. *Scrivener Publishing LLC*.
- Khawas, P., and S. C. Deka. 2016. Isolation and characterization of cellulose nanofibers from bamboo using microwave liquefaction combined with chemical treatment and ultrasonication. *Carbohydrate Polymers. Elsevier Ltd.* 151 pp. 725–734. doi: 10.1016/j.carbpol.2016.06.011.
- Kim, H. Y., D. J. Park., Jy. Kim., Lim, St. 2013 Preparation of crystalline starch nanoparticles using cold acid hydrolysis and ultrasonication. *Carbohydrate Polymers. Elsevier Ltd.* 98 (1) pp. 295–301. doi: 10.1016/j.carbpol.2013.05.085.
- Klemm, Dieter., B. Heublein., Hp. Fink., A. Bohn. 200. Cellulose: Fascinating Biopolymer and Sustainable Raw Material. *Angew. Chem. Int. Ed.* 44 (22). 3358–93. doi:10.1002/anie.200460587
- Lamaming, J., Hashim, R., Sulaiman, O., Leh, C. P., Sugimoto, T., & Nordin, N. A. (2015). Cellulose nanocrystals isolated from oil palm trunk. *Carbohydrate Polymers*, 127, 202–208. <https://doi.org/10.1016/j.carbpol.2015.03.043>
- Lamaming, J., R. Hashima., C. P. Leha., O. Sulaimana, T. Sugimoto., M. Nasir 2015. Isolation and characterization of cellulose nanocrystals from parenchyma and vascular bundle of oil palm trunk ( *Elaeis guineensis* ).

- Carbohydrate Polymers. Elsevier Ltd.* 134 pp. 534–540. doi: 10.1016/j.carbpol.2015.08.017.
- Lickly, T. D., Lehr, K. M., and Welsh, G. C. 1995. Migration of styrene from polystyrene foam food-contact articles. *Food and Chemical Toxicology* 33 (6) 475–481. [https://doi.org/10.1016/0278-6915\(95\)00009-Q](https://doi.org/10.1016/0278-6915(95)00009-Q)
- Lu, P., and Hsieh, Y., Lo. 2010. Preparation and properties of cellulose nanocrystals: Rods, spheres, and network. *Carbohydrate Polymers. Elsevier Ltd.* 82 (2) pp. 329–336. doi: 10.1016/j.carbpol.2010.04.073.
- Maharana, T., Y. S. Negi., and B. Mohanty. 2007. Review article: Recycling of polystyrene. *Polymer - Plastics Technology and Engineering* 46(7) pp. 729–736. doi: 10.1080/03602550701273963.
- Mahardika, M., H. Abrial., A. Kasim., S. Arief., and M. Asrofi 2018. Production of Nanocellulose from Pineapple Leaf Fibers via High-Shear Homogenization and Ultrasonication. *Fibers*, 6 (2) pp 28. doi: 10.3390/fib6020028.
- Maren, R. and W. T. William. 2004. Effect of sulfate groups from sulfuric acid hydrolysis on the thermal degradation behavior of bacterial cellulose. *Biomacromolecules* 5 (5) pp 1671–1677. doi: 10.1021/bm034519+.
- Mello, L. R. P. F. and S. Mali. 2014. Use of malt bagasse to produce biodegradable baked foams made from cassava starch. *Industrial Crops and Products. Elsevier B.V.* 55 pp 187–193. doi: 10.1016/j.indcrop.2014.02.015.
- Nakthong, N., R. Wongsagonsup., and T. Amornsakchai. 2017. Characteristics and potential utilizations of starch from pineapple stem waste. *Industrial Crops and Products. Elsevier.* 105 pp. 74–82. doi: 10.1016/j.indcrop.2017.04.048.
- Nechyporchuk, O., M. N. Belgacem., and J. Bras. 2016. Production of cellulose nanofibrils: A review of recent advances. *Industrial Crops and Products.* doi: 10.1016/j.indcrop.2016.02.016.
- Noor, Md. M. 2003. Zero Burning Techniques in Oil Palm Cultivation: an Economic Perspective. *Oil Palm Industry Economic Journal.* 3 (1) pp. 16–24.
- Ooi, L.-H. and H. Heriansyah. 2005. Palm Pulverisation in Sustainable Oil Palm Replanting. *Plant Production Science* 8 (3) pp. 345–348. doi: 10.1626/pp.8.345.
- Peng B. L, N. Dhar., H. L. Liu., and T. C. Tam. 2011. Chemistry and applications of nanocrystalline cellulose and its derivatives: A nanotechnology perspective. *The Canadian Journal of Chemical Engineering.* 89 (5) 1191–1206. doi:10.1002/cjce.20554
- Piotrowski, Stephan and Carus, Michael. May 2011. Multi-criteria evaluation of lignocellulosic niche crops for use in biorefinery processes. *Nova-Institut GmbH. Hürth. Germany.*

- Polat S, Uslu MK, Aygun A, Certel M. 2013. The effects of the addition of corn husk fiber, kaolin and beewax on cross-linked corn starch foam. *Journal of Food Engineering*. 116(2): 267-276. doi: 10.1016/j.jfoodeng.2012.12.017.
- Pujiasih, S., Kurnia., A. Masykura., T. Kusumaningsiha., O. A. Saputra. 2018. Silylation and characterization of microcrystalline cellulose isolated from Indonesian native oil palm empty fruit bunch. *Carbohydrate Polymers*. Elsevier. pp. 74–81. doi: 10.1016/j.carbpol.2017.12.060.
- Qiu, J. F., M. Q. Zhang., M. Z. Rong., S. P. Wu., J. Karger-kocsis. 2013. Rigid bio-foam plastics with intrinsic flame retardancy derived from soybean oil. *Journal of Materials Chemistry A*, 1(7), p. 2533. doi: 10.1039/c2ta01404a.
- Ridwansyah., M. Z. Nasution., T. C. Sunarti., dan A. M. Fauzi. 2010. Karakteristik Sifat Fisio-kimia Batang Kelapa sawit. *Jurnal Teknologi Industri Pertanian*. IPB. 17 (1) pp. 1–6. Available at: journal.ipb.ac.id.
- Romeo, Tony. 2008. Bacterial biofilms. Berlin. *Springer*. pp. 258–263. ISBN 978-3-540-75418-3.
- Saito, T. Kimura., S. Nishiyama., Y. Isogai., and Akira. 2007. Cellulose nanofibers prepared by TEMPO-mediated oxidation of native cellulose. *Biomacromolecules*. doi: 10.1021/bm0703970.
- Salgado, P. R., Schmidt, V. C., Molina Ortiz, S. E., Mauri, A. N., & Laurindo, J. B. (2008). Biodegradable foams based on cassava starch, sunflower proteins and cellulose fibers obtained by a baking process. *Journal of Food Engineering*, 85(3), 435–443. <https://doi.org/10.1016/j.jfoodeng.2007.08.005>
- Salgado, P. R., V. C. Schmidt., S. E. M. Ortiz., A. N. Mauri., and J. B. Laurindo. 2008. Biodegradable foams based on cassava starch, sunflower proteins and cellulose fibers obtained by a baking process. *Journal of Food Engineering* 85 (3) pp. 435–443. doi: 10.1016/j.jfoodeng.2007.08.005.
- Satyamurthy, P. and N. Vigneshwaran. 2013. A novel process for synthesis of spherical nanocellulose by controlled hydrolysis of microcrystalline cellulose using anaerobic microbial consortium. *Enzyme and Microbial Technology*. doi: 10.1016/j.enzmictec.2012.09.002.
- Segal, L., J. J. Creely., A. E. Martin., and C.M. Conrad. 1959. An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer. *Textile Research Journal* 29 (10), 786–794. doi:10.1177/004051755902901003
- Selamat, M. E., O Sulaiman., R. Hashim., S. Hiziroglu., W. N. Aidawati., W. Nadhari., N. S. Sulaiman., and M. Z. Razali. 2014. Measurement of some particleboard properties bonded with modified carboxymethyl starch of oil palm trunk. *Journal of the International Measurement Confederation. Elsevier Ltd* 53 pp. 251–259. doi: 10.1016/j.measurement.2014.04.001.

- Septevani, A. A., Annamalai, P. K., & Martin, D. J. 2017. Synthesis and characterization of cellulose nanocrystals as reinforcing agent in solely palm based polyurethane foam. *AIP Conference Proceedings*, 1904. <https://doi.org/10.1063/1.5011899>
- Septevani, A. A., Burhani, D., & Sudiyarmanto, S. 2018. Pengaruh Proses Pemutihan Multi Tahap Serat Selulosa Dari Limbah Tandan Kosong Kelapa Sawit. *Jurnal Kimia Dan Kemasan*, 40(2), 71. <https://doi.org/10.24817/jkk.v40i2.3508>
- Septevani, A. A., Rifathin, A., Arum, A., & Sampora, Y. 2020. Oil palm empty fruit bunch-based nanocellulose as a super-adsorbent for water remediation. *Carbohydrate Polymers*, 229, 115433. <https://doi.org/10.1016/j.carbpol.2019.115433>
- Shogren, R. L. 1996. Preparation, thermal properties, and extrusion of high-amylose starch acetates. *Carbohydrate Polymers*. doi: 10.1016/0144-8617(95)00143-3.
- Singh, S. N. 2000. Blowing Agents for Polyurethane Foams: Effect of Thermal History on the Rheological Behavior of Thermoplastic Polyurethanes. *Macromolecules*. Available at: <http://www.polymerjournals.com>
- Situmorang, R. 14 September 2015. Alasan Mengapa Styrofoam Dilarang di New York. [www.analisedaily.com](http://www.analisedaily.com). Diakses 04 April 2019
- Sluiter, A., Hames, B., Ruiz, R., Scarlata, C., Sluiter, J., Templeton, D., & Crocker, D. (2012). Determination of structural carbohydrates and lignin in Biomass - NREL/TP-510-42618. *Laboratory Analytical Procedure (LAP)*, April 2008, 17. <http://www.nrel.gov/docs/gen/fy13/42618.pdf>
- Sudesh, K. 2011. Micoralgae as Feedstock for Biofuels. *Springer Briefs in Microbiology*. doi: 10.1007/978-3-642-17997-6.
- Sulchan M, Endang NW. 2007. Keamanan pangan kemasan plastic dan styrofoam. *Majalah Kedokteran Indonesia* 57(2):54-59.
- Sun, R., J. M. Fang., L. Mott., and J. Bolton. 1999. Extraction and characterization of hemicelluloses and cellulose from oil palm trunk and empty fruit bunch fibres. *Journal of Wood Chemistry and Technology* 19 (1) pp. 167–185. doi: 10.1080/02773819909349606.
- Susskind, T.Y., and A. Hutchcroft. 2009. Introduction to organic chemistry. *Journal of Chemical Education* 60 (A179). doi:10.1021/ed060pa179
- Syafri, E., A. Kasim., H. Abral., and A. Asben. 2018. Cellulose nanofibers isolation and characterization from ramie using a chemical-ultrasonic treatment. *Journal of Natural Fibers* 4 78 pp. 1–11. doi: 10.1080/15440478.2018.1455073.
- Tang, H., T. Mitsunaga. and Y. Kawamura. 2006. Molecular arrangement in blocklets and starch granule architecture. *Carbohydrate Polymers* 63 (4) pp. 555–560. doi: 10.1016/j.carbpol.2005.10.016.



- Tawfik, M. S. and A. Huyghebaert. 2009. Polystyrene cups and containers : Styrene migration Polystyrene cups and containers: styrene migration. pp. 37–41.
- The Economist. 3 March 2018. The known unknowns of plastic pollution. <https://www.economist.com/international/2018/03/03/the-known-unknowns-of-plastic-pollution>. Diakses 04 April 2019
- Updegraff D.M. 1969. Semimicro determination of cellulose in biological materials. *Analytical Biochemistry*. 32 (3) 420–424. doi:10.1016/S0003-2697(69)80009-6.
- Uzun, S. and Kokini, J. L. 2014. Preparation and characterization of starch nanoparticles by desolvation method. *International Journal of Polymer Science*. pp. 292–295. doi: 10.1016/j.carbpol.2014.02.067.
- Wu, H. Der, Wu, S. C., Wu, I. Der, & Chang, F. C. (2001). Novel determination of the crystallinity of syndiotactic polystyrene using FTIR spectrum. *Polymer*, 42(10), 4719–4725. [https://doi.org/10.1016/S0032-3861\(00\)00849-1](https://doi.org/10.1016/S0032-3861(00)00849-1)
- Wu, P. J. and H. G. Schwartzberg. 1992. Popping Behavior and Zein Coating of Popcorn. *Cereal Chemistry*.
- Wu, Y., Wu, J., Yang, F., Tang, C., & Huang, Q. 2019. Effect of H<sub>2</sub>O<sub>2</sub> Bleaching Treatment on the Properties of Finished Transparent Wood. *Polymers*, 11(5), 776. <https://doi.org/10.3390/polym11050776>
- Xiang, L. Y., P. Mohammed, M. A., & Samsu Baharuddin, A. 2016. Characterisation of microcrystalline cellulose from oil palm fibres for food applications. *Carbohydrate Polymers*, 148, 11–20. <https://doi.org/10.1016/j.carbpol.2016.04.055>
- Yunus, F. Lambui, O. Suwastika I, N. 2017. Abundance of Soil Microorganisms On Cacao (*Theobroma cacao* L). *Natural Science: Journal of Science and Technology*.
- Zhou, X., F. Hocke., A. Schliesser., A. Marx., H. Huebl., R. Gross and T. J. Kippenberg. 2013. Slowing, advancing and switching of microwave signals using circuit nanoelectromechanics. *Nature Physics*. doi: 10.1038/nphys2527.
- Zhou, Y., T. Saito., L. Bergström., A. Isogai. 2018. Acid-Free Preparation of Cellulose Nanocrystals by TEMPO Oxidation and Subsequent Cavitation. *Biomacromolecules*. doi: 10.1021/acs.biomac.7b01730.