

DAFTAR PUSTAKA

1. Nair, M. S.; Saxena, A.; Kaur, C.: Effect of Chitosan and Alginate Based Coatings Enriched with Pomegranate Peel Extract to Extend the Postharvest Quality of Guava (*Psidium guajava* L.). *Food Chem.* 2018.
2. Germano, T. A.; Aguiar, R. P.; Bastos, M. S. R.; Moreira, R. A.; Ayala-Zavala, J. F.; de Miranda, M. R. A.: Galactomannan-Carnauba Wax Coating Improves the Antioxidant Status and Reduces Chilling Injury of 'Paluma' Guava. *Postharvest Biol. Technol.* **2019**.
3. Khaliq, G.; Ramzan, M.; Baloch, A. H.: Effect of Aloe Vera Gel Coating Enriched with Fagonia Indica Plant Extract on Physicochemical and Antioxidant Activity of Sapodilla Fruit during Postharvest Storage. *Food Chem.* 2019, **286**, 346–353.
4. Salama, H. E.; Abdel Aziz, M. S.: Development of Active Edible Coating of Alginate and Aloe Vera Enriched with Frankincense Oil for Retarding the Senescence of Green Capsicums. *Lwt.* 2021, **145**.
5. Mendy, T. K.; Misran, A.; Mahmud, T. M. M.; Ismail, S. I. Antifungal Properties of Aloe Vera through in Vitro and in Vivo Screening against Postharvest Pathogens of Papaya Fruit. *Sci. Hortic.* 2019.
6. Nidiry, E. S. J.; Ganeshan, G.; Lokesh, A. N. Antifungal Activity of Some Extractives and Constituents of Aloe Vera. *Res. J. Med. Plant.* 2011.
7. Martínez-Romero, D.; Castillo, S.; Guillén, F.; Díaz-Mula, H. M.; Zapata, P. J.; Valero, D.; Serrano, M.: Aloe Vera Gel Coating Maintains Quality and Safety of Ready-to-Eat Pomegranate Arils. *Postharvest Biol. Technol.* 2013.
8. Benítez, S.; Achaerandio, I.; Sepulcre, F.; Pujolà, M.: Aloe Vera Based Edible Coatings Improve the Quality of Minimally Processed "Hayward" Kiwifruit. *Postharvest Biol. Technol.* 2013.
9. Chauhan, S.; Gupta, K. C.; Agrawal, M.: Original Research Article Application of Biodegradable Aloe Vera Gel to Control Post Harvest Decay and Longer the Shelf Life of Grapes. *Int. J. Curr. Microbiol. Appl. Sci.* 2014, **3** (3), 632–642.
10. Hassanpour, H.: Effect of Aloe Vera Gel Coating on Antioxidant Capacity, Antioxidant Enzyme Activities and Decay in Raspberry Fruit. *LWT - Food Sci. Technol.* 2015.
11. Kasolo, J. N.; Bimenya, G. S.; Ojok, L.; Ochieng, J.; Ogwal-Okeng, J. W.: Phytochemicals and Uses of Moringa Oleifera Leaves in Ugandan Rural Communities. *J. Med. Plants Res.* 2010.

12. Bazie, S.; Ayalew, A.; Woldetsadik, K.: Integrated Management of Postharvest Banana Anthracnose (*Colletotrichum musae*) through Plant Extracts and Hot Water Treatment. *Crop Prot.* 2014.
13. Karim, H.; Boubaker, H.; Askarne, L.; Cherifi, K.; Lakhtar, H.; Msanda, F.; Boudyach, E. H.; Ait Ben Aoumar, A.: Use of Cistus Aqueous Extracts as Botanical Fungicides in the Control of Citrus Sour Rot. *Microb. Pathog.* 2017.
14. Gupta, N.; Jain, S. K.: Storage Behavior of Mango as Affected by Post Harvest Application of Plant Extracts and Storage Conditions. *J. Food Sci. Technol.* 2014, 51 (10), 2499–2507.
15. Salimah, D. M.; Lindriati, T.; Purnomo, B. H.: Sifat Fisik dan Kimia Puree Jambu Biji Merah (*Psidium guajava* L.) dengan Penambahan Gum Arab dan Gum Xanthan. *J. Agroteknologi* 2015.
16. Hapsoh; Hasanah, Y.: *Budidaya Tanaman Obat Dan Rempah*; 2018.
17. Naseer, S.; Hussain, S.; Naeem, N.; Pervaiz, M.; Rahman, M. The Phytochemistry and Medicinal Value of *Psidium Guajava* (Guava). *Clin. Phytoscience* 2018, 4 (1).
18. Adnyana, I. K.; Yulinah, E.; Sigit, J. I.; K, N. F.; Insanu, M.: Efek Ekstrak Daun Jambu Biji Daging Buah Putih dan Jambu Biji Daging Buah Merah sebagai Antidiare. *Acta Pharm. ITurcicaceutica Indones.* 2004.
19. Dweck, A. C.; Reynolds, T.: Aloe Vera Leaf Gel: A Review Update. *J. Ethnopharmacol.* 1999.
20. Davis, R. H.; Donato, J. J.; Hartman, G. M.; Haas, R. C.: Anti-Inflammatory and Wound Healing Activity of a Growth Substance in Aloe Vera. *J. Am. Podiatr. Med. Assoc.* 1994.
21. Winters, W. D.; Benavides, R.; Clouse, W. J.: Effects of Aloe Extracts on Human Normal and Tumor Cells in Vitro. *Econ. Bot.* 1981.
22. Valverde, J. M.; Valero, D.; Martínez-Romero, D.; Guillén, F.; Castillo, S.; Serrano, M.: Novel Edible Coating Based on Aloe Vera Gel to Maintain Table Grape Quality and Safety. *J. Agric. Food Chem.* 2005.
23. Toripah, S. S.; Abidjulu, J.; Wehantouw, F.: Aktivitas Antioksidan dan Kandungan Total Fenolik Ekstrak Daun Kelor (*Moringa Oleifera* Lam). *J. Ilm. Farm.* 2014.
24. Palada, M. C.; Chang, L. C.: Suggested Cultural Practices for Moringa. *Int. Coop. Guid.* 2003.
25. A Dudi Krisnadi.: *Kelor Super Nutrisi*; 2015.

26. Simbolan, JM., M. Simbolan, K.: *Cegah Malnutrisi dengan Kelor*; Kanisius: Yogyakarta, 2007.
27. Gennadios, A.; Weller, C. L.: Edible Films and Coatings from Wheat and Corn Proteins. *Food Technol.* 1990.
28. Krochta, J. M.; De Mulder-Johnston, C. Edible and Biodegradable Polymer Films: Challenges and Opportunities. *Food Technol.* **1997**.
29. Rimadianti, D. M. A.; Daryanto, A.; Baliwati, Y. F. Strategy for Improving Food Security Agency of Agriculture and Food Security South Tangerang Municipality. *J. Gizi dan Pangan* 2016.
30. Ansar, A.; Sukmawaty; Putra, G. M. D.; Najat, N. H.: Application of Aloe Vera Gel as an Edible Coating at Jackfruit. *J. Agritechno.* 2020, 13 (2), 77–83.
31. Huri, D.; Choirun Nisa, F. Karakteristik Fisik dan Kimia Edible Film. *J. Pangan dan Agroindustri.* 2014, 2 (4), 29–40.
32. Ilmiah, M.; Pangan, T.: The Effect of Glycerol Concentration on The Characteristic Edible Film Sweet Potato Starch (*Ipomoea Batatas L.*). *Media Ilm. Teknol. Pangan.* 2018, 5 (1), 27–35.
33. Roiyana, M.; Izzati, M.; Prihastanti, E.: Potensi dan Efisiensi Senyawa Hidrokoloid Nabati sebagai Bahan Penunda Pematangan Buah. *Anat. dan Fisiol.* 2012.
34. Dhyan, C.; Sumarlan, S. H.; Susilo, B.: Pengaruh Pelapisan Lilin Lebah dan Suhu Penyimpanan terhadap Kualitas Buah Jambu Biji (*Psidium Guajava L.*). *J. Bioproses Komod. Trop.* 2014.
35. Hawa, L. C.: Development of Texture and Shelf Life Time Model of Sapote Fruit (*Achras Sapota L.*) with Temperature and Pressure Variation Under Hypobaric Storage. *J. Teknol. Pertan.* 2006, 7 (1), 10–19.
36. Widiastuti, A.; Ningtyas, O. H.; Priyatmojo, A.: Identifikasi Cendawan Penyebab Penyakit Pascapanen pada Beberapa Buah di Yogyakarta. *J. Fitopatol. Indones.* 2015.
37. Saranwong, S.; Sornsrivichai, J.; Kawano, S.: Prediction of Ripe-Stage Eating Quality of Mango Fruit from Its Harvest Quality Measured Nondestructively by near Infrared Spectroscopy. *Postharvest Biol. Technol.* 2004.
38. Kamaluddin, M. J. N.: Pengaruh Perbedaan Jenis Hidrokoloid Terhadap Karakteristik Fruit Leather Pepaya. *Edufortech* 2018, 3 (1).
39. Winarsi, H.: Antioksidan Alami Dan Radikal Bebas. Yogyakarta: Kanisius. *J. Med. Plants Res.* 2007.

40. Rahman, N.; Bahriul, P.; Diah, A.: Uji Aktivitas Antioksidan Ekstrak Daun Salam (*Syzygium polyanthum*) dengan Menggunakan 1,1-Difenil-2-Pikrilhidrazil. *J. Akad. Kim.* 2014.
41. Li, Y.; Schellhorn, H. E.: New Developments and Novel Therapeutic Perspectives for Vitamin C. *J. Nutr.* 2007, 137 (10), 2171–2184.
42. Levine, M.; Dhariwal, K. R.; Welch, R. W.; Wang, Y.; Park, J. B.: Determination of Optimal Vitamin C Requirements in Humans. In *American Journal of Clinical Nutrition.* 1995.
43. Nasution, I. S.: Pengaruh Penggunaan Lapisan Edibel (*Edible Coating*), Kalsium Klorida, dan Kemasan Plastik terhadap Mutu Nanas (*Ananas comosus* Merr.) Terolah Minimal. *J. Teknol. dan Ind. Pertan. Indones.* 2012, 4 (2), 21–26.
44. Tokusoglu, O.; Hall, C. Fruit and Cereal Bioactives Sources. *Chemistry and Applications*; 2011.
45. Skoog, D. A.; Holler, F. J.; Crouch, S. R.: *Principles of Instrumental Analysis Sixth Edition.* 2007.
46. Yefrida; Ashikin, N.; Ashikin, N.; Refilda: Validasi Metoda Frap Modifikasi pada Penentuan Kandungan Antioksidan Total dalam Sampel Mangga dan Rambutan. *J. Ris. Kim.* 2015, 8 (2), 170.
47. Pisoschi, A. M.; Negulescu, G. P.: Methods for Total Antioxidant Activity Determination: A Review. *Biochem. Anal. Biochem.* 2012, 01 (01), 1–10.
48. Yefrida; Suyani, H.; Alif, A.; Efdi, M.; Aziz, H.: Modification of Phenanthroline Method to Determine Antioxidant Content in Tropical Fruits Methanolic Extract. *Res. J. Chem. Environ.* 2018, 22 (4), 28–35.
49. Yefrida; Ulfaningsih, M.; Loekman, U.: Validasi Metoda Penentuan Antioksidan Total (Dihitung sebagai Asam Sitrat) dalam Sampel Jeruk secara Spektrofotometri dengan Menggunakan Oksidator FeCl_3 dan Pengompleks Orto-Fenantrolin. *J. Ris. Kim.* 2014, 7 (2), 186.
50. Senet, M. R. M.; Raharja, I. G. M. A. P.; Darma, I. K. T.; Prastakarini, K. T.; Dewi, N. M. A.; Parwata, I. M. O. A.: Penentuan Kandungan Total Flavonoid dan Total Fenol dari Akar Kersen (*Muntingia calabura*) serta Aktivasnya sebagai Antioksidan. *J. Kim.* 2018.
51. Ahmad, A. R.; Juwita, J.; Ratulangi, S. A. D.: Penetapan Kadar Fenolik dan Flavonoid Total Ekstrak Metanol Buah dan Daun Patikala (*Etlintera elatior*). *Pharm. Sci. Res.* 2015.
52. Sartika; Haryati, R.; Kesumawati, E.: Kajian Kandungan Vitamin C dan

- Organoleptik dengan Konsentrasi dan Lama Perendaman Ekstrak Lidah Buaya (Aloe Vera L.) terhadap Buah Tomat (*Lycopersicum esculentum* Mill.). In *Prosiding seminar nasional biotikeminar nasional biotik*; 2015.
53. Guntarti, A.; Sugihartini, N.; Umayah, S. A.; Salamah, N.: Determination of Total Phenolic Levels in Ethanol Extract of Moringa (*Moringa oleifera* L.) Leaves Based on Differences in Growing Sites. 2021, 9 (1), 397–405.
54. Saprudin, D.; Palupi, C. A.; Rohaeti, E.: Evaluasi Pemberian Unsur Hara Besi Pada Kandungan Asam Amino Dan Mineral Dalam Biji Jagung. *J. Kim. Ris.* 2019.
55. Khaliq, G.; Mohamed, M. T. M.; Ding, P.; Ghazali, H. M.; Ali, A.: Storage Behaviour and Quality Responses of Mango (*Mangifera Indica* L.) Fruit Treated with Chitosan and Gum Arabic Coatings during Cold Storage Conditions. *Int. Food Res. J.* **2016**.
56. Kim, D. O.; Jeong, S. W.; Lee, C. Y. Antioxidant Capacity of Phenolic Phytochemicals from Various Cultivars of Plums. *Food Chem.* **2003**.
57. Yefrida; Suyani, H.; Aziz, H.; Efdi, M.: Comparison of Iron Reduction Methods on the Determination of Antioxidants Content in Vegetables Sample. *Orient. J. Chem.* 2018.
58. Rusanti, W. D; Rani. A. M.: Pelatihan Peningkatan Produk Makanan dan Kesejahteraan Masyarakat melalui Pengembangan Produk Berbahan Dasar Aloe vera. Prosiding Seminar Nasional Pengabdian Masyarakat LPPM UMJ. 2009.
59. Chauhan, O. P.; Nanjappa, C.; Ashok, N.; Ravi, N.; Roopa, N.; Raju, P. S.: Shellac and Aloe Vera Gel Based Surface Coating for Shelf Life Extension of Tomatoes. *J. Food Sci. Technol.* 2015.
60. Martínez-Romero, D.; Zapata, P. J.; Guillén, F.; Paladines, D.; Castillo, S.; Valero, D.; Serrano, M.: The Addition of Rosehip Oil to Aloe Gels Improves Their Properties as Postharvest Coatings for Maintaining Quality in Plum. *Food Chem.* **2017**.
61. Yang, G.; Yue, J.; Gong, X.; Qian, B.; Wang, H.; Deng, Y.; Zhao, Y.: Blueberry Leaf Extracts Incorporated Chitosan Coatings for Preserving Postharvest Quality of Fresh Blueberries. *Postharvest Biol. Technol.* 2014.
62. Hwa, L.; Natalia, S.; Happy, C.; Isnain, N.: Pengaruh Edible Coating Terhadap Kecepatan Penyusutan Berat Apel Potongan. *Semin. Nas. Tek. Kim. Indones.* 2009.

63. Nisah, K.: Efek Edible Coating Pada Kualitas Alpokat (*Persea americana* Mill) Selama Penyimpanan. *Amina*. 2019, 1 (1), 11–17.
64. Bill, M.; Sivakumar, D.; Korsten, L.; Thompson, A. K. The Efficacy of Combined Application of Edible Coatings and Thyme Oil in Inducing Resistance Components in Avocado (*Persea americana* Mill.) against Anthracnose during Post-Harvest Storage. *Crop Prot*. 2014.
65. Zam, W.: Effect of Alginate and Chitosan Edible Coating Enriched with Olive Leaves Extract on the Shelf Life of Sweet Cherries (*Prunus avium* L.). *J. Food Qual*. 2019.

