

DAFTAR PUSTAKA

1. Rey Rodriguez MM, Vazquez Gamez MA, Giner M, Garrachón Vallo F, Fernández López L, Colmenero MA, et al. Incidence, morbidity and mortality of hip fractures over a period of 20 years in a health area of Southern Spain. *BMJ Open*. 2020;10(9).
2. Burns A, Younger J, Morris J, Baldwin R, Tarrier N, Pendleton N, et al. Outcomes following hip fracture surgery: A 2-year prospective study. *Am J Geriatr Psychiatry*. 2014;22(8):838–44.
3. Dubljanin Raspopović E, Marić N, Nedeljković U, Ilić N, Tomanović Vujadinović S, Bumbaširević M. Do depressive symptoms on hospital admission impact early functional outcome in elderly patients with hip fracture?. *Psychogeriatrics*. 2014;14(2):118–23.
4. Borgström F, Lekander I, Ivergård M, Ström O, Svedbom A, Alekna V, et al. The International Costs and Utilities Related to Osteoporotic Fractures Study (ICUROS) - Quality of life during the first 4 months after fracture. *Osteoporos Int*. 2013;24(3):811–23.
5. Gullberg B, Johnell O, Kanis JA. International Original Article World-wide Projections for Hip Fracture. *Osteoporos Int*. 1997;44(1997):407–13.
6. Canale T, Beaty J. *Campbell's Operative Orthopedic*. 13th ed. Philadelphia: Mosby Elsevier; 2017.
7. Wu SC, Rau CS, Kuo SCH, Chien PC, Hsieh CH. The influence of ageing on the incidence and site of trauma femoral fractures: a cross-sectional analysis. *BMC Musculoskelet Disord*. 2019;20(1):413.
8. Han J, Hahn MH. Proximal Femoral Geometry as Fracture Risk Factor in Female Patients with Osteoporotic Hip Fracture. *J Bone Metab*. 2016;23(3):175.
9. Bergh C, Wennergren D, Moller M. Fracture incidence in adults in relation to age and gender: A study of 27,169 fractures in the Swedish Fracture Register in a well-defined catchment area. 2020;1–18.

10. Sari S, Harr P, Veikko A, Antti K, Ole B. Specific features associated with femoral shaft fractures caused by low energy trauma. *J trauma*. 1997;43:11722.
11. Zhu Y, Liu S, Chen W, Liu B, Zhang F, Lv H, et al. Epidemiology of low-energy lower extremity fracture in Chinese populations aged 50 years and above. *PLoS One*. 2019;14(1):1–12.
12. Kemenkes RI. *Situasi Lanjut Usia di Indonesia*. Jakarta: Pusat Data dan Informasi Kementerian Kesehatan RI. 2016.
13. United Nation. *World Population Ageing 2019*. Economic and Social Affairs, Population Division. 2019;1–1111.
14. Cheung CL, Ang S Bin, Chadha M, Chow ESL, Chung Y S, Hew FL, et al. An updated hip fracture projection in Asia: The Asian Federation of Osteoporosis Societies study. *Osteoporos Sarcopenia*. 2018;4(1):16–21.
15. Kang HY, Yang KH, Kim YN, Moon SH, Choi WJ, Kang DR, et al. Incidence and mortality of hip fracture among the elderly population in South Korea: A population-based study using the National Health Insurance claims data. *BMC Public Health*. 2010;10:1–9.
16. Badan Penelitian dan Pengembangan Kesehatan RI. *Laporan Nasional Riset Kesehatan Dasar*. Kementerian Kesehatan RI. Jakarta; 2018. 1–582.
17. Sulistyarningsih N, Aryana I. Karakteristik Fraktur Femur Proksimal Pada Geriatri Di Rumah Sakit Umum Pusat Sanglah Denpasar Tahun 2013. *E-Jurnal Med Udayana*. 2016;5(11):1–5.
18. Sadia N. *Gambaran Kejadian Fraktur Femur di RSUP Dr. M. Djamil pada Tahun 2016-2018 (Skripsi)*. Universitas Andalas; 2020.
19. WHO. *Obesity and Overweight*. World Health Organization. 2020.
20. CDC. *Healthy Weight, Nutrition. and Physical Activity*. Centers For Disease Control and Prevention. 2020.
21. Premaor MO, Compston JE, Fina Avilés F, Pagès Castellà A, Nogués X, Díez Pérez A, et al. The association between fracture site and obesity in men: A population-based cohort study. *J Bone Miner Res*. 2013;28(8):1771–7.

22. Johansson H, Kanis JA, Odén A, McCloskey E, Chapurlat RD, Christiansen C, et al. A meta-analysis of the association of fracture risk and body mass index in women. *J Bone Miner Res.* 2014;29(1):223–33.
23. Chen CC, Rau CS, Wu SC, Kuo PJ, Chen YC, Hsieh HY, et al. Association of osteoporosis self-assessment tool for asians (OSTA) score with clinical presentation and expenditure in hospitalized trauma patients with femoral fractures. *Int J Environ Res Public Health.* 2016;13(10).
24. Rau CS, Wu SC, Kuo PJ, Chen YC, Chien PC, Hsieh HY, et al. Epidemiology of bone fracture in female trauma patients based on risks of osteoporosis assessed using the osteoporosis self-assessment tool for Asians score. *Int J Environ Res Public Health.* 2017;14(11).
25. Rupp JD, Flannagan CAC, Kuppa SM. Injury risk curves for the skeletal knee-thigh-hip complex for knee-impact loading. *Accid Anal Prev.* 2010;42(1):153–8.
26. Premaor MO, Pilbrow L, Tonkin C, Parker RA, Compston J. Obesity and fractures in postmenopausal women. *J Bone Miner Res.* 2010;25(2):292–7.
27. Sjøgaard AJ, Holvik K, Omsland TK, Tell GS, Dahl C, Schei B, et al. Age and Sex Differences in Body Mass Index as a Predictor of Hip Fracture: A NOREPOS Study. *Am J Epidemiol.* 2016;184(7):510–9.
28. Gimble J et al. The Function of adipocytes in the bone marrow stroma:an update. *Bone.* 1996;421–8.
29. Nielson CM, Srikanth P, Orwoll ES. *J BMR Obesity and Fracture in Men and Women : An Epidemiologic Perspective Large Proportion of Elderly That Are.* 2012;27(1):1–10.
30. Pagani RC, Kunz RE, Girardi R, Guerra M. Body mass index as a prognostic factor for fracturing of the proximal extremity of the femur: a case–control study. *Rev Bras Ortop.* 2014;49(5):461–7.
31. Becker FG. *Apley’s System of Orthopaedics and Fractures.* 10th ed. New York: CRC Press; 2018.
32. Duckworth T, Blundell CM. *Lecture Notes on Orthopaedics and Fractures.* Forth Ed. Sheffield: A John Wiley & Sons; 2010.

33. Zairin N. Buku Ajar Gangguan Muskuloskeletal. Edisi kedua. Jakarta: Salemba medika; 2016.
34. Kenneth Egol, Kenneth J. Koval JZ. Handbook of Fractures. 5th ed. New York: LWW; 2014.
35. Paulsen F, Waschke J. Sobotta Atlas of Human Anatomy. Edisi 15. Jakarta: EGC; 2010.
36. Widyastuti P. Anatomi dan Fisiologi untuk Pemula. Jakarta: EGC; 2012.
37. Kalajanti P, Viskasari, editors. Dasar-Dasar Anatomi. 1st Ed. Singapore: Elsevier; 2014.
38. Hansen JT. Netter'S Clinical Anatomy. Fourth Edition. Philadelphia: Elsevier; 2019.
39. Courtbrown MC, Heckman DJ, McQueen MM, Ricci MW. Rockwood and Green's Fractures in Adults. 8th ed. Philadelphia: LWW; 2015.
40. Baidwan NK, Naranje SM. Epidemiology and recent trends of geriatric fractures presenting to the emergency department for United States population from year 2004–2014. Public Health. 2017; 142: 64–9.
41. Van De Ree, Landers MJF, Kruithof N, De Munter L, Slaets JPJ, Gosens T, et al. Effect of frailty on quality of life in elderly patients after hip fracture: A longitudinal study. BMJ Open. 2019;9(7):1–8.
42. Wiklund R, Toots A, Conradsson M, Olofsson B, Holmberg H. Risk factors for hip fracture in very old people : a population-based study. 2016;923–31.
43. Badan Pembinaan Hukum Nasional. Undang-Undang Republik Indonesia No.13 Tahun 1998. BPHN; 1997.
44. Chapman W. Chapman's Orthopaedic Surgery. 3rd Ed. Boston; LWW: 2001.
45. World Health Organization. WHO Scientific Group on the Assessment of Osteoporosis at Primary Health. In: World Health Summary Meeting Report. Belgium; 2004.
46. Nasar IM, Cornain S, editors. Buku Ajar Patologi Robbin. 9th ed. Elsevier Inc; 2015.
47. Orwoll ES. Osteoporosis in men, Current Opinion in Endocrinology and Diabetes. Am Soc Bone Miner Res. 2000; 7(6):303–9.

48. Pacifici R. Estrogen, cytokines, and pathogenesis of postmenopausal osteoporosis. *J Bone Miner Res.* 1996;11(8):1043–51.
49. Kepel FR, Lengkong AC. Fraktur geriatrik. *e-CliniC.* 2020;8(2):203–10.
50. NIH. Smoking and Bone Health. NIH Osteoporosis and Related Bone Diseases National Resource Center. 2018.
51. Wu ZJ, Zhao P, Liu B, Yuan ZC. Effect of cigarette smoking on risk of hip fracture in men: A meta-analysis of 14 prospective cohort studies. *PLoS One.* 2016;11(12):1–11.
52. Xiang BY, Huang W, Zhou GQ, Hu N, Chen H, Chen C. Body mass index and the risk of low bone mass-related fractures in women compared with men: A PRISMA-compliant meta-analysis of prospective cohort studies. *Medicine.* 2017;96(12):10–5.
53. Rosen CJ, Bouxsein ML. Mechanisms of disease: Is osteoporosis the obesity of bone?. *Nat Clin Pract Rheumatol.* 2006;2(1):35–43.
54. NICE. Osteoporosis: assessing the risk of fragility fracture. 2021; Osteoporosis: assessing the risk of fragility fracture. 2021.
55. Chang MW, Liu HT, Huang CY, Chien PC, Hsieh HY, Hsieh CH. Location of femoral fractures in patients with different weight classes in fall and motorcycle accidents: A retrospective cross-sectional analysis. *Int J Environ Res Public Health.* 2018;15(6).
56. Yang Y, Komisar V, Shishov N, Lo B, Korall AMB, Feldman F, et al. The Effect of Fall Biomechanics on Risk for Hip Fracture in Older Adults: A Cohort Study of Video-Captured Falls in Long-Term Care. *J Bone Miner Res.* 2020;35(10):1914–22.
57. Jovanović M, Janjić Z, Marić D. Principles of Management of High-Energy Injuries of The Leg. *Med Pregl.* 2002.
58. Zai PC, Wagiu A, Rawung R. Profil Pasien Trauma akibat Kecelakaan Lalu Lintas yang Dirawat di Instalasi Rawat Darurat Bedah RSUP Prof. Dr. R. D. Kandou Manado Periode 1 Januari – 31 Desember 2017. *e-CliniC.* 2018;6(2):94–9.

59. Maurice E. Müller, Peter Koch, Serge Nazarian, Joseph Schatzker. *The Comprehensive Classification of Fractures of The Long Bones*. Berlin: Springer; 1990.
60. Sheehan SE, Shyu JY, Weaver MJ, Sodickson AD, Khurana B. Proximal femoral fractures: What the orthopedic surgeon wants to know. *Radiographics*. 2015;35(5):1563–84.
61. Awori N, Cairns J, Hankins G, Hiazdi J, James J, Nundy S. *Buku Bedah Primer: Trauma*. 2002.
62. Scanlon V, Sanders T. *Essentials of Anatomy and Physiology*. Ed 5. Philadelphia : F.A Davis Company; 2007.
63. Mittal R, Banerjee S. Proximal femoral fractures: Principles of management and review of literature. *J Clin Orthop Trauma*. 2012;3(1):15–23.
64. Nuttall FQ. Body mass index: Obesity, BMI, and health: A critical review. *Nutr Today*. 2015;50(3):117–28.
65. Guyton A. *Buku Ajar Fisiologi Kedokteran*. Jakarta: EGC; 2014.
66. Kementerian Kesehatan RI. *Fact Sheet Obesitas Kit Informasi Obesitas*. *Jurnal Kesehatan*. 2018: 1–8.
67. Riskesdas. *Riskesdas Provinsi Sumatera Barat 2018 . Laporan Riskesdas Nasional*. 2018.
68. Schwartz MW, Seeley RJ, Zeltser LM, Drewnowski A, Ravussin E, Redman LM, et al. Obesity pathogenesis: An endocrine society scientific statement. *Endocr Rev*. 2017;38(4):267–96.
69. Rupp J, Flannagan C, Kuppa S. *Injury Risk Curves for The Skeletal Knee Thigh Hip Complex for Knee Impact Loading*. *Accid Anal Prev*. 2010.
70. Gonnelli S, Caffarelli C, Nuti R. Obesity and fracture risk. *Clin Cases Miner Bone Metab*. 2014;11(1):9–14.
71. Carter PM, Flannagan CAC, Reed MP, Cunningham RM, Rupp JD. Comparing the effects of age, BMI and gender on severe injury (AIS 3+) in motor-vehicle crashes. *Accid Anal Prev*. 2014; 72:146–60.
72. Looker AC, Flegal KM, Melton LJ. Impact of increased overweight on the projected prevalence of osteoporosis in older women. *Osteoporos Int*. 2007; 18(3): 307–13.

73. Beck TJ, Petit MA, Wu G, LeBoff MS, Cauley JA, Chen Z. Does obesity really make the femur stronger? BMD, geometry, and fracture incidence in the women's health initiative-observational study. *J Bone Miner Res.* 2009;24(8):1369–79.
74. Greenspan SL, Myers ER, Maitland LA, Resnick NM, Hayes WC. Fall Severity and Bone Mineral Density as Risk Factors for Hip Fracture in Ambulatory Elderly. *JAMA J Am Med Assoc.* 1994;271(2):128–33.
75. Müller M, Gutwerk A, Greve F, Völker L, Zyskowski M, Kirchhoff C, et al. The Association between High Body Mass Index and Early Clinical Outcomes in Patients with Proximal Femur Fractures. *J Clin Med.* 2020.
76. Wade C, Tavis C. *Psikologi. edisi kesembilan jilid 2.* Jakarta: Erlangga; 2007.
77. Föger Samwald U, Dovjak P, Azizi Semrad U, Kersch Schindl K, Pietschmann P. Osteoporosis: Pathophysiology and therapeutic options. *EXCLI J.* 2020; 19: 1017–37.
78. Metcalfe D. The pathophysiology of osteoporotic hip fracture. *McGill J Med.* 2008;11(1):51–7.
79. Wehren LE, Magaziner J. Hip fracture: risk factors and outcomes. *Curr Osteoporos Rep.* 2003;1(2):78–85.
80. Khosla S, Farr JN, Tchkonja T, Kirkland JL. The role of cellular senescence in ageing and endocrine disease. *Nat Rev Endocrinol.* 2020;16(5):263–75.
81. Guerado E, Sandalio RM, Caracuel Z, Caso E. Understanding the pathogenesis of hip fracture in the elderly, osteoporotic theory is not reflected in the outcome of prevention programmes. *World J Orthop.* 2016;7(4):218–28.
82. Adiwijono. *Buku Ajar Ilmu Penyakit Dalam. Edisi 6.* Jakarta: Interna Publishing; 2014.
83. Khadilkar SS. Musculoskeletal Disorders and Menopause. *J Obstet Gynecol India.* 2019;69(2):99–103.
84. Koseki H, Sunagawa S, Noguchi C, Yonekura A, Matsumura U, Watanabe K, et al. Incidence of and risk factors for hip fracture in Nagasaki, Japan from 2005 to 2014. *Arch Osteoporosis.* 2021;16(1):1–8.

85. Hong S, Han K. Osteoporosis and Sarcopenia The incidence of hip fracture and mortality rate after hip fracture in Korea: A nationwide population based cohort study. *Osteoporos Sarcopenia*. 2019;5(2):38–43.
86. Lobo E, Marcos G, Santabárbara J, Salvador Rosés H, Lobo Escolar L, De la Cámara C, et al. Gender differences in the incidence of and risk factors for hip fracture: A 16-year longitudinal study in a southern European population. *Maturitas*. 2017; 97: 38–43.
87. Kim YS, Han JJ, Lee J, Choi HS, Kim JH, Lee T. The correlation between bone mineral density/trabecular bone score and body mass index, height, and weight. *Osteoporos Sarcopenia*. 2017;3(2):98–103.
88. Akinleye SD, Garofolo G, Culbertson MD, Homel P, Erez O. The Role of BMI in Hip Fracture Surgery. *Geriatr Orthop Surg Rehabil*. 2018.
89. Shen J, Leslie WD, Nielson CM, Majumdar SR, Morin SN, Orwoll ES. Associations of body mass index with incident fractures and hip structural parameters in a large canadian cohort. *J Clin Endocrinol Metab*. 2016;101(2):476–84.
90. Tanaka S, Kuroda T, Saito M, Shiraki M. Overweight/obesity and underweight are both risk factors for osteoporotic fractures at different sites in Japanese postmenopausal women. *Osteoporos Int*. 2013;24(1):69–76.
91. Li M, Lv H chen, Liu J heng, Cui X, Sun G fei, Hu J wei, et al. Differences in Bone Mineral Density and Hip Geometry in Trochanteric and Cervical Hip Fractures in Elderly Chinese Patients. *Orthop Surg*. 2019;11(2):263–9.
92. Bahri AS, Putra FA, Suryanto MS, Sumber K. Lansia Dengan Status Gizi Di Posyandu Lansia. *Jurnal Ilmu Keperawatan Indonesia*. 2017;10(1):65–77.
93. Boy E. Prevalensi Malnutrisi Pada Lansia Dengan Pengukuran Mini Nutritional Aessment (Mna) Di Puskesmas. *Herb Medicine J*. 2019;2(1):5–9.
94. Nurdhahri, Ahmad A, Adamy A. Faktor Risiko Malnutrisi Pada Lansia Di Kota Banda Aceh. *J Healthc Technol Med*. 2020;6(2):893.
95. Akbar F, Eatall K. Elderly Nutrition in Banua Baru Village. *Jiksh*. 2020;11(1):1–7.

96. Varlamov O, Bethea CL, Roberts CT. Sex-specific differences in lipid and glucose metabolism. *Front Endocrinol (Lausanne)*. 2014;5(DEC):1–7.
97. Hergenroeder AL, Wert DM, Hile ES, Studenski SA, Brach JS. Association of body mass index with self-report and performance-based measures of balance and mobility. *Phys Ther*. 2011;91(8):1223–34.
98. Kang H, Yang K, Kim YN, Moon S, Choi W, Kang DR, et al. Incidence and mortality of hip fracture among the elderly population in South Korea : a population-based study using the National Health Insurance claims data. 2010;1–9.
99. Alpentaki K, Papadaki C, Raptis K, Dretakis K, Samonis G, Koutserimpas C. Gender and Age Differences in Hip Fracture Types among Elderly: a Retrospective Cohort Study. *Maedica (Buchar)*. 2020;15(2):185–90.
100. Zhuang H, Li Y, Lin J, Cai D, Cai S, Yan L, et al. Cortical thickness in the intertrochanteric region may be relevant to hip fracture type. *BMC Musculoskelet Disord*. 2017;18(1):1–5.
101. Maeda Y, Sugano N, Saito M, Yonenobu K. Comparison of femoral morphology and bone mineral density between femoral neck fractures and trochanteric fractures. *Clin Orthop Relat Res*. 2011;469(3):884–9.
102. Cummings SR, Nevitt MC. A Hypothesis : The causes of Hip Fracture. 1989.
103. Turcotte AF, O'Connor S, Morin SN, Gibbs JC, Willie BM, Jean S, et al. Association between obesity and risk of fracture, bone mineral density and bone quality in adults: A systematic review and meta-analysis. *PLoS ONE*. 2021.
104. Kim SH, Yi SW, Yi JJ, Kim YM, Won YJ. Association Between Body Mass Index and the Risk of Hip Fracture by Sex and Age: A Prospective Cohort Study. *J Bone Miner Res*. 2018;33(9):1603–11.
105. Tang X, Liu G, Kang J, Hou Y, Jiang F, Yuan W, et al. Obesity and Risk of Hip Fracture in Adults: A Meta-Analysis of Prospective Cohort Studies. *PLoS One*. 2013;8(4):6–12.