

DAFTAR PUSTAKA

- Abbas, M, Haleem M. (2011). Evaluation of monosodium glutamat induced neurotoxicity and nephrotoxicity in adult male albino rats. *Journal of American Science*. Vol. 7, No. 8. Halaman 264-276.
- Afifi MM, Abbas AM. (2011). Monosodium glutamat versus diet indised obesity in pregnant rats and their offspring. *Acta Physiologica Hungarica*. Vol. 98, No. 2, Page. 177-188. DOI: 10.1556/APhysiol.98.2011.2.9.
- Airadion AI, Ogbuagu EO, Osemwowa EU, Ogbuagu U, Esonu CE, Agunbiade CE *et al.* (2019). Toxicology effect of monosodium glutamat in seasonings on human helath. *Global Journal of Nutrition & Food science*. Vol 1. No 5. Page 2-9
- Anzila I, Merhendra APW, Rahayu S. (2019). The effect of monosodium L- glutamat (MSG) treatment for short and long terms to the semen quality of adult male rats. *Journal Experimental Life*. Vol. 9, No. 2. Page. 116- 121.
- Aoki T, Takada T. (2012). Bisphenol A modulates germ cell differentiation and retinoic acid signaling in mouse ES cells. *Reproduction Toxicology*. Vol. 34, No. 3, Pages 463–470.
- Ariendha DSR. (2017). Pengaruh pemberian monosodium glutamat terhadap kadar estrogen, progesterone dan jumlah anak tikus wistar bunting. *Tesis*. Universitas Andalas. Padang.
- Blachier F, Boutry C, Bos C, Tome D. (2009). Metabolism and function of L- glutamat in the epitel cells of the small and large intestines. *The American Journal of Clinical Nutrition*. Vol. 90. Page 814s-821s. Doi:10.394/acjn.2009.27462s.
- Bowman CJ, Barlow NJ, Turner KJ, Wallace DG, Foster PMD. (2003). Effect of in utero exposure to finasteride on androgen-dependent reproductive development in the male rat. *Toxicology Sciences*. Vol. 74. Page 393-406. Doi :10.1093/toxsci/kfg128.
- Campbell, Neil A & Reece Jane B. (2010). *Biologi. Edisi Kedelapan Jilid 3*. Diterjemahkan oleh: Damaring Tyas Wulandari. Jakarta: Erlangga.

- Cardonik E & Iacobucci A. (2004). Use of chemotherapy during human pregnancy. *The Lancet Oncology* . Vol 5, Page 283-291. Doi.org/10.1016/S1470-2045(04)01466-4.
- Choi DW.(1987). Ionic dependence of Glutamat Neurotoxicity. *The Journal of Neuroscience*. Vol. 7, No. 2. Page 369-379.
- Chandrashekar J, Hoon MA, Ryba NJP, Zuker CS. (2006). The receptor and cells for mammalian taste. *Nature*. Vol. 444, Page. 287-294. Doi:10.1038nature 05401.
- Christiansen S, Scholze M, Axelstad M, Boberg J,Kortenkamp A. *et al.* (2008). Combined exposure to anti-androgens causes markedly increased frequencies of hypospadias in the rat. *International Journal of Andrology*. Vol. 31, Page. 241-248. Doi: 10.1111/j.1365-2605.2008.00866.
- Danbolt NC. (2001). Glutamat uptake. *Progres in Neurobiology*. Vol. 65, page 1-105.
- DeVane L, Goetzl LM, Ramamoorthy S. Exposing fetal drug exposure.(2011) *Clinical Pharmacology Therapeutics*. No.89, Page. 786–788.
- Dixit SG, Rani P , Anand A, Khatri K, Chauhan R, Bharihoke V. (2014). To study the effect of monosodium glutamat on histomorphometry of cortex of kidney in adult albino rats. *Informa Healthcare*. Vol. 36, No. 2. Page. 266-270. Doi:10.3109/0886022x.2013.846865
- Dunn BM. (2001). Overview of pepsin like aspartic peptidases. *Current Protocols in Protein Science*. Page. 21.3.1 – 21.3.6. Doi.org/10.1002 /0471140864 .ps2103s25.
- Eisenberg ML, Jensen TK, Walters RC, Skakkebaek NE, Lipshultz LI. (2012). The relationship between anogenital distance and reproductive hormone levels in adult men. *The Journal of Urology*. Vol. 187. Page 594-598. Doi:10.1016/juro.2011.10.041.
- Elnaga NA, Sarhan M. Mansour H. (2019). Teratogenicity of monosodium glutamate on the pregnant rats. *The Egyptian Journal of Hospital Medicine*. Vol. 74, No. 8, Page 1737-1747.
- Endres CJ, Hsiao P, Chung FS, Unadkat JD. (2006). The role of trasnporters in drug interactions. *European Journal of Pharmaceutical Science*. Vol.27. Page 501-517. Doi.org/10.1016/j.ejps.2005.11.002.

- Eweka AO, Eweka A, Om'iniabohs FAE. (2010). Histological studies of the effect of monosodium glutamat of the fallopian tubes of adult female wistar rats. *North American Journal of Medical Sciences*. Vol 2. No, 3. Page 146-149.
- Ferrier DR. (2014). *Lippincott's illustrated reviews*. Tangerang: Binarupa Aksara.
- Food And Agriculture Organization. (1970). *Amino acid content of foods and biological data on protein*. Diakses tanggal 20 September 2019, <http://fao.org/3/AC854T/AC854T00.htm>
- Gallavan RH, Holson JF, Stump DG, Knapp JF, Reynolds VL.(1999). Interpreting the toxicologic significance of alterations in anogenital distance: potential for confounding effect of progeny body weights. *Reproductive Toxicology*. No. 13. Page 383-390.
- Gao X, Xu X, Pang J, Zhang C, Ding JM, Peng X, *et al*. (2007). NMDA Receptor Activation Induces Mitochondrial Dysfunction, Oxidative Stress and Apoptosis in Cultured Neonatal Rat Cardiomyocytes. *Physiological Research*. No. 56. Page 559-569.
- George K, Shibija NG, Malini NA. (2013). Monosodium glutamate induced development dysfunction in female albino rats (*Rattus Norvegicus*). *The Bioscan*. Vol. 5, Page 350-357.
- Giacometti T. (1979). Free and bound glutamate in natural products. In: *Glutamic Acid:Advances in Biochemistry* Raven Press, New York; Page 25 –34.
- Hegazy AA, Ibrahim IH, Sabry RM, Abass ES. (2017). Effect of gestational exposure to monosodium glutamat on the structure of fetal lung. *Anatomy Physiology & Biochemistry*. Vol.3, No. 2, Page. 001-008. Doi:10.19080/APBIJ.2017.03.55609.
- He K, Zhao L, Daviglius ML, Dyer AR, Horn LV, Garside D. *et al* (2008). Association of monosodium glutamat intake with overweight in Chinese adults: the intermap study. *Obesity Society*. Vol. 16, No. 8, Page. 1875-1880. Doi :10.1038/oby.2008.274
- He K, Du S, Xun P, Sharma S, Wang H, zhai F. *et al* (2011). Consumption of monosodium glutamat in relation to incidence of overweight in chinese adult: China health and nutrition survey (CHNS). *American Society for Nutrition*. Vol. 93, Page 1328-1336.

- He Y, Miao M, Herrinton LJ, Wu C, Yuan W, Zhou Z. *et al.* (2009). Bisphenol A levels in blood and urine in a Chinese population and the personal factors affecting the levels. *Environmental Research*. Vol. 109, Page. 629-633. Doi:10.1016.j.envres.2009.04.003
- Hilwani IN, Nasibah R, Nurdiana S, Norashirene MJ. (2014). Gonadotoxic and cytotoxic effect of induced obesity via monosodium glutamat on mus musculus testis cytoarchitecture and sperm parameter. *International Scholarly and Scientific Research & Innovation*. Vol. 8, No. 9, Page. 1000-1003.
- Hsieh MH, Breyer BN, Eisenberg, ML, Baskin LS. (2008). Associations among hypospadias cryptorchidism, anogenital distance and endocrine disruption. *Current Urology Report* Vol. 9. Page. 137-142.
- Huppertz B. (2008). The anatomy of the normal placenta. *Journal of Clinical Pathology*. Vol. 61, Page. 1296–1302.
- Hutson JM, Baker M, Terada M, Zhou B, Paxton G. (1994). Hormonal control of testicular descent and the cause of cryptorchidism. *Reprod Fertil Dev* Vol. 6, Pages 151–156.
- Iamsaard S, Sukhorum W, Samrid R, Yimde J, Kanla P, Hipkaeo W *et al.* (2014). The sensitivity of male reproductive organ to monosodium glutamat. *Medica Academica*. Vol 43, No 1. Page 3-9. Doi: 10.5644/ama2006-124-94
- Igwebuike UM, Ochiogu IS, Ihedinihu BC, Ikokide JE, Idika IK. (2011). The effects of oral administration of monosodium glutamat (MSG) on the testicular morphology and cauda epididymal sperm reserves of young and adult male rats. *Veterinarski Arhiv*. Vol. 81, No. 4, Page. 525-534.
- Kondoh T, Torii K. (2008). MSG intake suppresses weight gain, fat deposition, and plasma leptin levels in male Sprague-Dawley rats. *Physiology & Behavior*. Vol. 95, Page. 135-144.
- Kurtanty D, Faqih DM, Upa NP. (2018). *Review monosodium glutamat*. Jakarta: Ikatan Dokter Indonesia.
- Lai TW, Zhang S, Wang YT. (2013). Excitotoxicity and stroke: identifying novel targets for neuroprotection. *Progress in Neurobiology*. Page 1-32. Doi.org/10.1016/j.pneurobio.2013.11.006.

- Li, Zhou Z, Miao M, He Y, Qing D, Wu T. *et al.* (2010). Relationship between urine bisphenol A level and declining male sexual function. *Journal of Andrology*. Vol. 31, No. 5. Page 500-506. Doi: 10.2164/jandrol.110.010413
- Liu C, Xu X, Zhang Y, Li W, Hua X. (2016). Associations between maternal phenolic exposure and cord sex hormones in male newborns. *Reproductive Epidemiology*. Vol. 31, No. 3. Page 648-656. Doi:10.1093/humrep/dev327.
- Lindemann B. (2000). A taste for umami. *Nature Neuroscience*. Vol.3, No. 2. Page 99-100.
- Maltepe E, Fisher SJ. (2015). Placenta: the forgotten organ. *Annual Review of Cell and Development Biology*. Vol. 31, Page. 523–552.
- Masree SF, Razali NA, Hani NN, Taib IS. (2019). Biochemical and histological effect of low dose of monosodium glutamat on the liver of adult male sparague dawley rats. *Jurnal Sains Kesihatan Malaysia*. Vol. 17, No. 2. Page 107-112. Doi.org/10.175776/JSKM-2019-1702-12.
- Mamadov E, Uncu M, Dalkan C. (2018). High prenatal exposure to bisphenol a reduces anogenital distance in healthy male newborns. *Journal of Cliical Research in Pediatric Endocrinology*. Vol 10, No.1. Page 25-29. Doi: 10.4274/jcrpe.4817.
- Meldrum BS. (2000). Glutamat as a neurotransmitter in the brain: review of physiology and pathology. *The Journal of Nutrition*. Vol. 130. Page. 1007s-1015s.
- Miao M, yuan W, He Y, Zhou Z, Wang J, Gao E *et al.* . (2011). In utero exposure to bisphenol A and anogenital distance of male offspring. *Birth Defects Research*. Vol. 91, Pages 867-872.
- Mitchell RT, Mungall W, McKinnell C, Sharpe RM, Cruickshanks L, Milne L. *et al.* (2015). Anogenital distance plasticity in adulthood: Implication for its use as a biomarker of fetal androgen action. *Endocrinology*. Vol.156. No.1. Page 24-31. Doi: 10.1210/en.2014-1534.
- Mondal M, Sarkar K, Nath PN, Paul G. (2017). Monosodium glutamat suppresses the female reproductive function by imparing the function of ovary and uterus in rat. *Environmental Toxicology*. Page. 1-11. Doi: 10.1002/tox.22508.

- Murray RK, Granner DK, Roddwel VW. (2009). Biokimia Herper. Edisi 27. Diterjemahkan oleh : dr Brahm U. EGC, Jakarta.
- Nakamura D, Yanagiba Y, duan Z, ito Y, Okamura A, Asaeda N *et al.* (2010). Bisphenol A may cause testosterone reduction by adversely affecting both testis and pituitary sistems similar to estradiol. *Toxicology Letters*. Vol 194 . Page 16-25. Doi:10.1016/j.toxlet.2010.02.002.
- Ni Z & Mao Q. (2011). ATP-Binding Cassette efflux transporters in human placenta. *Bentham Science Publishers*. Vol. 12, page 674-685. Doi.org/10.2174/138920111795164057.
- Nosseir NS, Ali MHM, Ebaid HM. (2012). A histological and morphometric study of monosodium glutamat toxic effect on testicular structure and potentiality of recovery in adult albino rats. *Journals of Biology*. Vol. 3, No. 2, page 66-78.
- Nwajei JC, Onuoha SC, Essien EB. (2015). Effect of oral administration of selected food seasonings consumed in Nigeria on some sex hormones of wistar albino rats. *Journal of Biotechnology and Biochemistry*. Vol. 1, No 5, page. 15-21.
- Ogbuagu EO, Airadion AI, Okoroukwu VN, Ogbuagu U, Ekonjoku JA. (2019). Effect of Monosodium glutamat on body weight and alanine aminotransferase activity in wistar rats. *International Research Journal of Gastroenterology and Hepatology*. Vol. 2, No.2, page 1-8.
- Okoye CN, Ochiogu LS, Onah CE. (2016) The effect of monosodium glutamat administration of thereproduction and serum biochemistry of adult male rabbits. *Veterinary Medicina*. Vol. 61. No. 3. Page 141-147. Doi: 10.17221/8765-VETMED.
- Obochi GO, Malu SP, Abang MO, Alozie Y, Iyam MA. (2009). Effect of garlic on monosodium glutamat induced fibroid in wistar rats. *Pakistan Journal of Nutrition*. Vol. 8. No. 7. Page 979-976
- Oladipo IC, Adebayo EA, Kuye OM. (2015). Effect of monosodium glutamat in ovaries of female Sprague dewley rats. *International Journal Microbiology and Applied Science*. Vol. 4, No.5. Page 737-745.

- Onaolapo OJ, Onaolapo AY, Akanmu MA, Gbola O. (2016). Evidence of alterations in brain structure and antioxidant status following low dose monosodium glutamat ingestion. *Pathophysiology*. Vol 23, Pages 147-156.
- Peraturan Menteri Kesehatan Republik Indonesia. (1988). *Tentang bahan tambahan makanan*. Diakses tanggal 15 Agustus 2019. [http://hukum.unsrat.ac.id / men/menkes_1168_1999.pdf](http://hukum.unsrat.ac.id/men/menkes_1168_1999.pdf)
- Pryor JL, Hughes C, Foster W, Hales BF, Robaire B. (2000). Critical windows of exposure for children's health: the reproductive system in animals and humans. *Environ Health Perspect*. Vol. 108, No. 3, Pages 491–503.
- Robert SM, Babarinde TO, Holt KT, Sontheimer H. (2014). Role of glutamat transporters in redox homeostasis of the brain. *Neurochemistry International*. Doi.org/10.1016/j.neuint.2014.01.001.
- Rothman SM. (1985). The neurotoxicity of excitatory amino acids is produced by passive chloride influx. *Journal of Neuroscience*. Vol 5, No 6, Page 1483-1489. Doi: <https://doi.org/10.1523/JNEUROSCI.05-06-01483.1985>.
- Santoso OS. (1987) Beberapa data metabolisme MSG dalam tubuh dan tinjauan manfaat mudaratnya. *Cermin Dunia Kedokteran*. Vol 57, Page 29-32.
- Sabri E, Sufitni, Delyzar. (2010). Efek pemberian madu terhadap lesi hepar maternal mencit terpapar monosodium glutamate selama masa kehamilan. *Majalah Patologi*. Vol. 22, No. 2, Page 38-44.
- Schouboe A, Bak LK, Waagepetersen HS. (2013). Astrocytic control of biosynthesis and turnover of the neurotransmitters glutamat and GABA. *Frontiers in Endocrinology*. Vol. 4, Page 1-11.
- Sherwood L.(2004). Female reproductive physiology. In: Human Physiology From Cells To Systems. 5th edition. New York: *Thompson Learning Inc* . Page.770-83
- Shimada A, Cairns BE, Vad N, Ulriksen K, Marie A, Pedersen L, *et al.* (2013). Headache and mechanical sensitization of human pericranial muscles after repeated intake of monosodium glutamat (MSG). *The Journal of Headache and Pain*. Vol. 14, No. 2.
- Taylor A. (1993). Aminopeptidases: structure and fuction. *FASEB Journal*. Vol. 7, Page 290-298.

- Tagliaferri M, Cohen I, Tripathy D. 2007. Kanker Payudara : Cara Pengobatan Alternatif,4,51 diterjemahkan oleh Luky, PT Indeks, Jakarta.
- Teichberg VI, Malina KCK, Cooper I, Zlotnik A. (2009). Homeostasis of glutamat in brain to blood efflux of excess glutamat is produced by blood glutamat scavenging and offers protection from neuropathologies. *Neuroscience*. Vol. 158, Page 301-308. Doi:10.1016/j.neuroscience.2008.02.075.
- Terra WR, Ferreira C, Jordao BP, Dillon RJ. (1996). Digestive enzymes. *Biology of the Insect Midgut*. ISBN 0 412 61670 X.
- Tomi M, Nishimura T, Nakashima E.(2011). Mother to fetus transfer of antiviral drugs and the involvement of transporters at the placental barrier. *Journal of Pharmaceutical Sciences*. Vol. 100, Page. 3708–3718.
- Toth L, Karesn S, Feledi J, Kreutzberg GW. (1987). Neurotoxicity of monosodium – L- glutamat in pregnant and fetal rats. *Acta Neuropathologica*. Vol. 75. Page 16-22.
- Unadkat, Jasvant D, Dahlin, Amber, Vijay, Shashi. (2004). Placental drug transporters. *Bentham Science Publisher*. Vol. 5, Page 125-131. Doi.org/10.2174/1389200043489171.
- Van der Aa EM, Peereboom-Stegeman JH, Noordhoek J, Gribnau FW, Russel FG.(1998). Mechanisms of drug transfer across the human placenta. *Pharmacy World Science*.Vol. 20, Page. 139–148.
- Vom Saal FS, Drickamer LC, Clark MM, Galeg BG, Vandenberg JG. (1999). Intrauterine position phenomenon. *Encyclopedia of Reproduction*. Vol. 2, Page 893-900.
- Wahyuni S. (2013). *Metabolisme kimia*. Bali : Udayana University Press.
- Walker VR, Jefferson WN, Couse JF, Korach KS. (2012). Estrogen receptor- α mediates diethylstilbestrol induced feminization of the seminal vesicle male mice. *Environmental Health Perspectives*. Vol. 120, No. 4, Page.560-565. Doi.org/10.1289/ehp.1103978.
- Wang Y, Qin ZH. (2010). Molecular and cellular mechanisms of excitotoxic neuronal death. *Apoptosis in the Aging Brain*. Vol. 15, Page 1382-1402. Doi:10.1007/s10495-010-0481-0.

- Welsh M, Saunders PTK, Fisker M, Scott HM, Hutchison GR, Smith LB, *et al* (2008). Identification in rats of a programming window for reproductive tract masculinization, disruption of which leads to hypospadias and cryptorchidism. *The Journal of Clinical Investigation*. vol. 118, No.4. Page 1479- 1490. Doi:10.1172/JCI34241.
- Wetherill YB, Akingbemi BT, Kanno J, McLachlan JA, Nadal A, Sonnenschein C. *et al*. (2007). In Vitro molecular mechanisms of bisphenol A action. *Reproductive Toxicology*. Vol. 24, Page. 178-198. Doi:10.1016/j.rerotox.2007.05.010.
- Williams K, McKinnel C, Saunders PTK, Walker M, Fisher JS. *et al*. (2001). Neonatal exposure to potent and environmental oestrogens and abnormalities of the male reproductive system in the rat: evidence for importance of the androgen-oestrogen balance and assessment of the relevance to man. *European Society of Human Reproduction and Embryology*. Vol. 7, No. 3. Page. 236-247.
- World Health Organization. (2000). *General Guidelines for methodologies on research and evaluation of traditional medicine*. Diakses tanggal 6 Oktober 2019, https://apps.who.int/iris/bitstream/handle/10665/66783/WHO_EDM_TRM_2000.1.pdf?sequence=1&isAllowed=y.
- Yoshinaga K, Hawkins RA, Stocker JF. (1969). Estrogen secretion by the rat ovary in vivo during the estrous cycle and pregnancy. *Endocrinology*. Vol. 85, Page 103-112.
- Zeng X, Huang Z, Mao X, Wang J, Wu G, Qiano S. (2012). N-carbamylglutamate enhances pregnancy outcome in rats through activation of the PI3K/PKB/mTOR signaling pathway. *PLOS ONE*. Vol.7, No. 7. Doi.org/10.1371/journal.pone.0041192.