

## DAFTAR PUSTAKA

1. Lian J, Duan X, Ma J, Peng P, Kim T, Zheng W. Hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) with various morphologies: Ionic liquid-assisted synthesis, formation mechanism, and properties. *ACS Nano*. 2009;3(11):3749-3761. doi:10.1021/nn900941e
2. Lassoued A, Lassoued MS, Dkhil B, Ammar S, Gadri A. Photocatalytic degradation of methylene blue dye by iron oxide ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) nanoparticles under visible irradiation. *J Mater Sci Mater Electron*. 2018;29(10):8142-8152. doi:10.1007/s 10854-018-8819-4
3. Pallela PNVK, Ummey S, Ruddaraju LK, et al. Antibacterial efficacy of green synthesized  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles using *Sida cordifolia* plant extract. *Heliyon*. 2019;5(11):e02765. doi:10.1016/j.heliyon.2019.e02765
4. Nuayi AW. Sintesis Nanopartikel Besi ( III ) Oksida ( Fe<sub>2</sub>O<sub>3</sub> ) dengan Menggunakan Salt- Assisted Combustion Method ( SACM ). *J Entropi Vol*. 2017;12(1):1-6.
5. Kefeni KK, Msagati TAM, Nkambule TTI, Mamba BB. Synthesis and application of hematite nanoparticles for acid mine drainage treatment. *Biochem Pharmacol*. Published online 2018. doi:10.1016/j.jece.2018.02.037
6. Wu C, Yin P, Zhu X, Ouyang C, Xie Y. Synthesis of Hematite (  $\alpha$  -Fe<sub>2</sub>O<sub>3</sub> ) Nanorods: Diameter-Size and Shape Effects on Their Applications in Magnetism , Lithium Ion Battery , and Gas Sensors. Published online 2006:17806-17812. doi:10.1021/jp0633906
7. Lin J, Weng X, Dharmarajan R, Chen Z. Chemosphere Characterization and reactivity of iron based nanoparticles synthesized by tea extracts under various atmospheres. *Chemosphere*. 2017;169:413-417. doi:10.1016/j.chemosphere.2016. 11.092
8. Bhuiyan MSH, Miah MY, Paul SC, et al. Green synthesis of iron oxide nanoparticle using *Carica papaya* leaf extract: application for photocatalytic degradation of remazol yellow RR dye and antibacterial activity. *Heliyon*. 2020;6(8):e04603. doi:10.1016/j.heliyon.2020.e04603
9. Food I. Physicochemical differences and sensory profiling of six lai (*Durio kutejensis*) and four durian (*Durio zibethinus*) cultivars indigenous Indonesia. 2016;23(4):1466-1473.
10. Food I. Antioxidant and anti-inflammatory activities of durian and rambutan pulp extract. 2016;23(3):939-947.
11. Baraheng S, Karrila T. Food Bioscience Chemical and functional properties of durian ( *Durio zibethinus* Murr .) seed flour and starch. *Food Biosci*. 2019;30(May):100412. doi:10.1016/j.fbio.2019.100412
12. Jiang H, Dong J, Jiang S, Liang Q, Zhang Y. E ff ect of *Durio zibethinus* rind polysaccharide on functional constipation and intestinal microbiota in rats. *Food Res Int*. 2020;136(May):109316. doi:10.1016/j.foodres.2020.109316

13. Trisnayanti NP, Synthesis G, Klasifikasi D, Sintesis M, Nano K. Metode sintesis nanopartikel. 2018;(1706033013):1-11.
14. Tuček J, Machala L, Ono S, et al. Zeta-Fe<sub>2</sub>O<sub>3</sub> - A new stable polymorph in iron(III) oxide family. *Sci Rep*. 2015;5(lii):1-11. doi:10.1038/srep15091
15. Prasetyo AB. PEMBUATAN SERBUK PIGMEN  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> DARI BIJIH BESI PRIMER SUKABUMI DENGAN PROSES HIDRO-PIROMETALURGI. *J Inov Ilmu Pengetah dan Teknol*. 2020;1(1):15-21.
16. Ma J, Guo X, Yan Y, Xue H, Pang H. FeOx-Based Materials for Electrochemical Energy Storage. *Adv Sci*. 2018;5(6). doi:10.1002/advs.201700986
17. Muhajir M, Puspitasari P, Razak JA. Synthesis and Applications of Hematite  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>: a Review. *J Mech Eng Sci Technol*. 2019;3(2):51-58. doi:10.17977/um016v3i22019p051
18. Javed R, Zia M, Naz S, Aisida SO, Ain N ul, Ao Q. Role of capping agents in the application of nanoparticles in biomedicine and environmental remediation: recent trends and future prospects. *J Nanobiotechnology*. 2020;18(1):1-15. doi:10.1186/s12951-020-00704-4
19. Ajitha B, Kumar Reddy YA, Reddy PS, Jeon HJ, Ahn CW. Role of capping agents in controlling silver nanoparticles size, antibacterial activity and potential application as optical hydrogen peroxide sensor. *RSC Adv*. 2016;6(42):36171-36179. doi:10.1039/c6ra03766f
20. Devi HS, Boda MA, Shah MA, Parveen S, Wani AH. Green synthesis of iron oxide nanoparticles using Platanus orientalis leaf extract for antifungal activity. *Green Process Synth*. 2019;8(1):38-45. doi:10.1515/gps-2017-0145
21. Wahyuni S, Syukri S, Arief S. Green synthesis of Ag/TiO<sub>2</sub> Nanocomposite Assisted by Gambier Leaf (*Uncaria gambir* Roxb) Extract. *J Kim Sains dan Apl*. 2019;22(6):250-255. doi:10.14710/jksa.22.6.250-255
22. Amiri M, Eskandari K, Salavati-niasari M. Magnetically retrievable ferrite nanoparticles in the catalysis application. *Adv Colloid Interface Sci*. 2019;271:101982. doi:10.1016/j.cis.2019.07.003
23. Rahimah R, Fadli A, Yelmida Y, Nurfajriani N, Zakwan Z. Synthesis and Characterization Nanomagnetite by Co-precipitation. *Indones J Chem Sci Technol*. 2019;2(2):90. doi:10.24114/ijcst.v2i2.13995
24. Aziz NAA, Jalil AMM. Bioactive compounds, nutritional value, and potential health benefits of indigenous durian (*Durio zibethinus* Murr.): A review. *Foods*. 2019;8(3). doi:10.3390/foods8030096
25. Durio D. Jurnal Kimia Sains dan Aplikasi Identifikasi Kandungan Kimia dan Uji Aktivitas Antimikroba Kulit. 2016;19(3):87-93.
26. Nicolai SH de A, Rodrigues PRP, Agostinho SML, Rubim JC. Electrochemical and spectroelectrochemical (SERS) studies of the reduction of methylene blue on a silver electrode. *J Electroanal Chem*. 2002;527(1-2):103-111.

doi:10.1016/S0022-0728(02)00832-X

27. Hevira L, Zilfa, Rahmayeni, Ighalo JO, Aziz H, Zein R. Terminalia catappa shell as low-cost biosorbent for the removal of methylene blue from aqueous solutions. *J Ind Eng Chem.* 2021;97:188-199. doi:10.1016/j.jiec.2021.01.028
28. Jain N, Dwivedi MK, Waskle A. Adsorption of Methylene Blue Dye from Industrial Effluents Using Coal Fly Ash. *Int J Adv Eng Res Sci.* 2016;3(4):9-16. www.ijaers.com
29. Septiani U, Gustiana M, - S. Pembuatan Dan Karakterisasi Katalis Tio<sub>2</sub>/Karbon Aktif Dengan Metode Solid State. *J Ris Kim.* 2015;9(1):34. doi:10.25077/jrk.v9i1.257
30. Zanur H, Putra A, Astuti A. Sintesis Dan Karakterisasi Pigmen Hematit ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) Dari Bijih Besi Di Jorong Kepalo Bukik Kabupaten Solok Selatan Menggunakan Metode Presipitasi. *J Fis Unand.* 2017;6(2):149-155. doi:10.25077/jfu.6.2.149-155.2017
31. Shabrina ZU, Susanto WH. Pengaruh Suhu Dan Lama Pengeringan Dengan Metode Cabinet Dryer Terhadap Karakteristik Manisan Kering Apel Varietas Anna ( Malus domestica BORKH ). *J Pangan dan Agroindustri.* 2017;5(3):60-71.
32. - M, Shofiah S, Suharyadi E. Sintesis Nanopartikel Nickel Ferrite (NiFe<sub>2</sub>O<sub>4</sub>) dengan Metode Kopresipitasi dan Karakterisasi Sifat Kemagnetannya (Halaman 20 s.d. 25). *J Fis Indones.* 2015;19(56):20-25. doi:10.22146/jfi.24353
33. CHANDRA A. Studi awal ekstraksi Batch daun Stevia rebaudiana dengan variabel jenis pelarut dan temperatur ekstraksi. 2015;1(Luqman 2007):114-119. doi:10.13057/psnmbi/m010119
34. Creighton JA, Eadon DG. Ultraviolet-visible absorption spectra of the colloidal metallic elements. *J Chem Soc Faraday Trans.* 1991;87(24):3881-3891. doi:10.1039/FT9918703881
35. Lassoued A, Dkhil B, Gadri A, Ammar S. Control of the shape and size of iron oxide ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) nanoparticles synthesized through the chemical precipitation method. *Results Phys.* 2017;7:3007-3015. doi:10.1016/j.rinp.2017.07.066
36. Paquin F, Rivnay J, Salleo A, Stingelin N, Silva C. Multi-phase semicrystalline microstructures drive exciton dissociation in neat plastic semiconductors. *J Mater Chem C.* 2015;3:10715-10722. doi:10.1039/b000000x
37. Sumadiyasa, M; Manuaba IBS. Penentuan Ukuran Kristal Menggunakan Formula Scherrer , Williamson-Hull Plot , dan Ukuran Partikel dengan SEM Determining Crystallite Size Using Scherrer Formula , Williamson-Hull Plot , and Particle Size with SEM. *Bul Fis.* 2018;19(1):28-35.
38. Amri H, Sanjaya H, Nasra E, Khair M. Degradasi Fenol Menggunakan Metode Fotosonolisis dengan Bantuan Katalis ZnO. 2021;1(1):46-52. doi:10.31933/eej.v1i1.178
39. Rahmayani Y, Zulhadjri Z, Arief S. Sintesis dan Karakterisasi Nanopartikel

- Perak-Tricalcium Phosphate (TCP) dengan Bantuan Ekstrak Daun Alpukat (*Persea americana*). *J Kim Val*. 2019;5(1):72-78. doi:10.15408/jkv.v5i1.8652
40. Sanjaya H. Degradasi Methylene Blue Menggunakan Katalis Zno-Peg Dengan Metode Fotosonolisis. *Eksakta Berk Ilm Bid MIPA*. 2017;18(02):21-29. doi:10.24036/eksakta/ vol18-iss02/45
41. Balu S, Uma K, Pan GT, Yang TCK, Ramaraj SK. Degradation of methylene blue dye in the presence of visible light using SiO<sub>2</sub>@ $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanocomposites deposited on SnS<sub>2</sub> flowers. *Materials (Basel)*. 2018;11(6). doi:10.3390/ma11061030
42. Matin TAB, Ghasemi N, Ghodrati K, Ramezani M. Synthesis and characterization of silver nanoparticles using *Thymbra spicata* L . herbal extract for removing methylene blue dye from aqueous solutions. 2018;50(L):345-358.

