

## DAFTAR PUSTAKA

- Alligood, M. R. (2014). *Nursing theorists and their work* (In Elsevier Mosby, Ed.). <https://doi.org/10.5172/conu.2007.24.1.106a>
- Alberta Health Services. (2017). Cancer-related fatigue. Retrieved from <https://www.albertahealthservices.ca>
- American Cancer Society. (2019). Cancer treatment and survivorship facts and figures 2019-2021. Retrieved from <https://www.cancer.org/research/cancer-facts-statistics/survivor-facts-figures.html>
- Apriany, D. (2016). *Asuhan keperawatan anak dengan keganasan (Nurul Falah Atif* (1 st edisi). PT. Refika Aditama.
- Arikunto, S. (2014). *Prosedur penelitian suatu pendekatan praktik*. Jakarta: Rineka Cipta.
- Banipal, R. P., Singh, S and B, Singh. (2017). Assesment of cancer-related fatigue among cancer patient receiving various therapies: a crosssectional observational study. *Indian Journal of Palliative Care*, 23(3), 269–273. [https://doi.org/10.4103/IJPC.IJPC\\_135\\_16](https://doi.org/10.4103/IJPC.IJPC_135_16)
- Bischel, L. E., Ritchie, C., Kober, K. M., Paul, S. M., Cooper, B. A., Chen, L. M., Miaskowski, C. (2016). Age differences in fatigue, decrements in energy, and sleep disturbance in oncology patients receiving chemotherapy. *European Journal of Oncology Nursing*, (23), 115–123. <https://doi.org/10.1016/j.ejon.2016.07.002>.
- Berger, A. M., Mitchell, S. A., Jacobsen, P. B., & Pirl, W. F. (2015). Screening,

- evaluation, and management of cancer-related fatigue: Ready for implementation to practice. *A Cancer Journal for Clinicians*, 65(3), 190–211. <https://doi.org/https://doi.org/10.3322/caac.21268>
- Black, M. J. & Hawks, H. (2009). *Medical surgical nursing: Clinical management for continuity of care* (8 th). Philadelphia: W.B Saunder Company.
- Bower, J. E. (2014). Cancer-related fatigue--mechanisms, risk factors, and treatments. *Nature Reviews. Clinical Oncology*. 11(10),597–609.
- Caesandri, S. D. P., & Adiningsih, S. (2015). Peranan dukungan pendamping dan kebiasaan makan pasien kanker selama menjalani terapi. *Media Gizi Indonesia*, 10(2), 157–165. Retrieved from <https://e-journal.unair.ac.id/MGI/article/view/3376>
- Cancer Council. (2016). *Understanding cancer: A guide for people with cancer, their families and friends*. Retrieved from <https://www.cancer.org.au/>
- Charalambous, A., & Kouta, C. (2016). Cancer related fatigue and quality of life in patients with advanced prostate cancer undergoing chemotherapy. *BioMed Research International*. <https://doi.org/https://doi.org/10.1155/2016/3989286>
- Courneya, K. (2016). Physical activity in cancer survivors: A field in motion. *Psycho Oncology*, 18 (4), 337–342. <https://doi.org/http://dx.doi.org/10.1002/pon.1546>
- Cumayunaro, A. (2017). Relaxation breathing exercise terhadap fatigue pada pasien kanker payudara yang menjalani kemoterapi. *UNES Journal of Scientech Research (JSR)*, 2(2), 148–158.

- Dahlan, S. (2017). *Statistik untuk kedokteran dan kesehatan*. Jakarta: Salemba
- Dagnelie, P. C., Pijls-Johannesma, M. C. G., Pijpe, A., Boumans, B. J. E., Skrabanja, A. T. P., Lambin, P., & Kempen, G. I. J. M. (2006). Psychometric properties of the revised Piper Fatigue Scale in Dutch cancer patients were satisfactory. *Journal of Clinical Epidemiology*, 59(6), 642–649. <https://doi.org/10.1016/j.jclinepi.2005.09.015>
- Damayanti, D., Nopitaa, M., & Setiyowati, E. (2020). Penerapan walking exercise program pada pasien kanker payudara dengan cancer related fatigue di ruang rafflesia RSUD Abdoel Moeloek Provinsi Lampung. *Madago Nursing Journal*, 1(1), 16–23. <https://doi.org/10.33860/mnj.v1i1.281>
- Desen, W. (2013). *Buku ajar onkologi klinis* (Edisi 2). Jakarta: FKUI.
- El-Kass S, Ragheb MM, Hamed SM, Turkman AM, Zaki AT. Needs and Self-Care Efficacy for Cancer Patients Suffering from Side Effects of Chemotherapy. *Journal Oncology*. 2021 Apr 24;2021:8880366. doi: 10.1155/2021/8880366.
- Ignatavicius, D, D. Workman, L and C. R. R. (2018). *Medical-surgical nursing: concepts for interprofessional collaborative care* (9th Edition). Missouri: Saunders Elsevier.
- Faithfull, S., Cockle-Hearne, J., Khoo, V. (2011). Self-management after prostate cancer treatment: evaluating the feasibility of providing a cognitive and behavioural programme for lower urinary tract symp-toms. *BJU International*, 107(5), 783–790. <https://doi.org/http://dx.doi.org/10.1111/j.1464-410X.2010.09588>

- Fata, U. H. (2015). *The correlation of anxiety and depression with fatigue in cancer patient undergoing chemotherapy*, 2(1), 95–102. <https://doi.org/10.26699/jnk.v2i1.ART.p095-102>
- Galizia, D., Milani, A., Geuna, E., Martinello, R., Cagnazzo, C., Foresto, M., Montemurro, F. (2018). Self-evaluation of duration of adjuvant chemotherapy side effects in breast cancer patients: A prospective study. *Cancer Medicine*, 7(9), 4339–4344. <https://doi.org/10.1002/cam4.1687>
- Ghozali, I. (2018). *Aplikasi analisis multivariate dengan program IBM SPSS 21 ipdate PLS regresi*. Semarang: Universitas Diponegoro.
- GLOBOCAN. (2018). Cancer today. International agency for reseacrh on cancer. Retrieved from <http://gco.iarc.fr/>
- Greenberg, D. B., Gray, J. L., Mannix, C. M., Eisenthal, S., & Carey, M. (1993). Treatment-related fatigue and serum interleukin-1 levels in patients during external beam irradiation for prostate cancer. *Journal of Pain and Symptom Management*, 8(4), 196–200. [https://doi.org/10.1016/0885-3924\(93\)90127-H](https://doi.org/10.1016/0885-3924(93)90127-H)
- Grunberg, S. M. (2004). Chemotherapy-induced nausea and vomiting: Prevention, detection, and treatment - how are we doing. *The Journal of Supportive Oncology*, 2(1–12). Retrieved from <https://pubmed.ncbi.nlm.nih.gov/16117016/>
- Handayani, & Udani, G. (2016). Kualitas tidur dan distress pada pasien kanker yang menjalani kemoterapi. *Jurnal Keperawatan*, 12(1), 66–72.
- Hanifa, S., Heriady, Y., & Tursina, A. (2019). Correlation of cycles of chemotherapy with degree of hair loss in breast cancer patients given taxane

based chemotherapy. *Prosiding Pendidikan Dokter*, (ISSN: 2460-657X), 526–533.

Heidarzadeh. M and Atashpeikar. S (2010). Relationship between quality of life and self-care ability in patients receiving hemodialysis. *Iranian Journal of Nursing and Midwifery Research*, 15(2), 71–76. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/21589783/>.

Herdman. T. H dan S. Kamitsuri. (2015). *Diagnosis keperawatan definisi dan klasifikasi*. Jakarta: EGC.

Hidayat. (2014). *Metode penelitian keperawatan dan teknik analisa data*. Jakarta: Salemba.

Julienne E, & Bower, P. D. (2014). Cancer-related fatigue: Mechanisms, risk factors, and treatments. *UCLA Department of Psychology*.

Karthikeyan, G., D. Jumnani, R. Prabhu, U. Manoor, dan S. S. (2012). Prevalence of fatigue among cancer patients receiving various anticancer therapies and its impact on quality of life: a cross-sectional study. *Indian Journal of Palliative Care*, 18(3), 165.

Krupp, L.B., LaRocca, N.G., Muir-Nash, J. and Steinberg, A. (1989). The fatigue severity scale: application to patients with multiple sclerosis and systemic lupus erythematosus. *Archive Neurology*, 46, 1121–1123.

Lam WW, Fielding R. (2017). Is self-efficacy a predictor of short-term post surgical adjustment among Chinese women with breast cancer. *Psycho Oncology*. 16(7):651Y659.

- LeMone, P., Burke, K. M and Bauldoff, G. (2015). *Buku ajar keperawatan medikal bedah* (Volume 3,; A. Linda, Ed.). Jakarta: EGC.
- LeRoy, L., Shoemaker, S.D., Levin, J.S., Weschler, C.A., Schaefer, J. & Genevro, J.L. (2014). Self-management support resources for nurse practitioners and clinical teams. *Journal for Nurse Practitioners*, 10(2), 88 -93. doi: <http://dx.doi.org/10.1016/j.nurpra.2013.08.024>.
- Limpawattana,P., Wirasorn, K., Sookprasert, A., Sawan yawisuth, K., Titapun, A., Luvira, V. indapasirt, J. (2019). Frailty syndrome in biliarytract cancer patients: Prevalence and associated factors. *Asian Pacific Journal of Cancer Prevention*, 20(5), 1497–1501. <https://doi.org/10.31557/APJCP.2019.20.5.1497>
- Ling Fan. (2008). Self-care behavior of school age children with heart disease. *Pediatric Nursing*, 34(2).
- Lopez, V., Williams, P., & Larkin, D. (2015). Treatment-related symptom severity and occurrences among oncology adults in Australia. *Asia-Pacific Journal of Oncology Nursing*, 2(3), 144–151. <https://doi.org/10.4103/2347-5625.160973>
- Meyers, C. A., Albitar, M., & Estey, E. (2005). Cognitive impairment, fatigue, and cytokine levels in patients with acute myelogenous leukemia or myelodysplastic syndrome. *Cancer*, 104(4), 788–793. <https://doi.org/10.1002/cncr.21234>
- Montero, R. P (2004). *Hand book of cancer related fatigue*. New York: The Haworth Medical Press.
- Mutrie, N., Campbell, A.M., Whyte, F., McConnachie, A., Emslie, C., Lee, L.,

- Kearney, N., Walker, A., Ritchie, D. (2007). Benefits of supervised group exercise programme for women being treated for early stage breast cancer: pragmatic randomised controlled trial. *British Medical Journal*, 334(7592), 517. <https://doi.org/10.1136/bmj.39094.648553.AE>.
- Narayanan, V., & Koshy, C. (2009). Fatigue in cancer: a review of literature. *Indian Journal of Palliative Care*, 15(1), 19–25.
- Network, N. C. C. (2018). NCCN clinical practice guidelines in Oncology.
- Nitalia, T. I. (2019). Hubungan antara tingkat nyeri dengan fatigue pada pasien kemoterapi di ruang flamboyan rumah sakit baladhika husada jember (Universitas Jember). Retrieved from <http://repository.unej.ac.id/handle/123456789/91081>
- Notoadmodjo, S. (2012). *Metodologi penelitian kesehatan*. Jakarta: Rineka Cipta.
- Nurchayati, S., & Karim, D. (2016). Implementasi self care model dalam upaya meningkatkan kualitas hidup penderita gagal ginjal kronik. *Jurnal Keperawatan Sriwijaya*, 3(2), 25–32.
- Nursalam. (2017). *Metodologi penelitian ilmu keperawatan* (4th ed.). Jakarta: Salemba.
- O' Regan, P., & Hegarty, J. (2017). The importance of self-care for fatigue amongst patients undergoing chemotherapy for primary cancer. *European Journal of Oncology Nursing*, 28, 47–55. <https://doi.org/10.1016/j.ejon.2017.02.005>
- O'Connel, K. (2020). What causes fatigue? retrieved from <https://www.healthline.com/symptom/fatigue>

- O'Regan, P., McCarthy, G., O'Reilly, S., Power, D., Bird, B. H., Murphy, C. G., & Hegarty, J. (2019). Cancer-related fatigue and self-care agency: A multicentre survey of patients receiving chemotherapy. *Journal of Clinical Nursing*, 28(23–24), 4424–4433. <https://doi.org/10.1111/jocn.15026>
- Otto, S. (2005). *Buku Saku Keperawatan Onkologi*. Jakarta: EGC.
- Orem, D. E. (1983). *The self-care deficit theory of nursing: A general theory. Family health: A theoretical approach to nursing care*. New York: Willey Medical Publications.
- Orem, D. E. (2001). *Nursing : Concept of practice*. (6th Ed.). St. Louis : Mosby Inc.
- Petchrung, T. (2004). *Experience management: Strategies and outcomes of fatigue in hemodialysis patient* (Thesis Master, Faculty of Graduate Studies mahidol University). Received from <http://mulinet10.li.mahidol.ac.th/e-thesis/4437025.pdf>.
- Pipper BF., Dibble SL., Dodd MJ., Weiss MC., Slaughter RE., & P. S. (1998). The revised piper fatigue scale: psychometric evaluation in women with breast cancer. *Oncology Nurs Forum*, 25(4), 677–684.
- Porter LS, Keefe FJ, BcBride CM, et al. (2012). Perceptions of patients' self efficacy for managing pain and lung cancer symptoms: correspondence between patients and family carers. *Pain*. 98(1Y2):169Y178
- Prutipinyo, C., Maikew, K., & Sirichotiratana, N. (2012). Self-care behaviours of chemotherapy patients. *Journal of the Medical Association of Thailand*, 95(SUPPL 6), 30–37.

- Radbruch, L., Strasser, F., Elsner, F., Gonçalves, J. F., Løge, J., Kaasa, S. Stone, P. (2008). Fatigue in palliative care patients - An EAPC approach. *Palliative Medicine*, 22(1),13–32.  
<https://doi.org/10.1177/026921630708518>.
- Rama, D. (2009). *Panduan lengkap mengenai kanker*. Yogyakarta: Mirza Media Pustaka.
- Rasjidi, I. (2007). *Kemoterapi kanker ginekologi dalam praktek sehari-hari*. Jakarta: CV. Sagungseto.
- Richardson, A., & Ream, E. K. (1997). Self-care behaviours initiated by chemotherapy patients in response to fatigue. *International Journal of Nursing Studies*, 34(1), 35–43. <https://doi.org/10.1016/s0020->
- Riset Kesehatan Dasar (2018). Badan penelitian dan pengembangan kesehatan Kementerian RI 2018.  
[http://www.depkes.go.id/resources/download/infoterkini/materi\\_rakorpop\\_2018/Hasil%20Risikesdas%202018.pdf](http://www.depkes.go.id/resources/download/infoterkini/materi_rakorpop_2018/Hasil%20Risikesdas%202018.pdf)
- Ryan, J. L., Carroll, J. K., Ryan, E. P., Mustian, K. M., Fiscella, K., & Morrow, G. R. (2007). Mechanisms of cancer-related fatigue. *The Oncologist*, 12(1),22–34.
- Saligan, L. N. (2015). The biology of cancer-related fatigue: a review of the literature. *Supportive Care in Cancer*, 23(8), 2461–2478.
- Saputri. A. K. (2015). *Skripsi Tingkat fatigue dan perilaku perawatan diri (Self care behaviour) dalam mengatasi fatigue pada pasien yang menjalani kemoterapi di RSUP Dr. Hasan Sadikin Bandung*. Universitas Padjadjaran.

- Sekaran, U. (2017). *Metode penelitian untuk bisnis: Pendekatan pengembangan-keahlian* (Edisi 6). Jakarta: Salemba Empat.
- Septilia, F., Karim, D., & Huda, N. (2018). Hubungan tingkat stres dengan kualitas hidup pasien kanker payudara pada berbagai tingkatan stadium. *Jurnal Online Mahasiswa*, 5(2), 597-605. Diperoleh 28 Juli 2021 dari <https://jom.unri.ac.id>
- Sinaga, S. (2017). Pengalaman orangtua dalam memenuhi kebutuhan perawatan diri (self care) pada anak kanker. *Media Sains*, 10(April), 35–41.
- Sjamsuhidajat. (2010). *Buku ajar ilmu bedah* (Edisi II). Jakarta: EGC.
- Skrabanja, A. T. P., Lambin, P., & Kempen, G. I. J. M. (2006). Psychometric properties of the revised Piper Fatigue Scale in Dutch cancer patients were satisfactory. *Journal of Clinical Epidemiology*, 59(6), 642–649. <https://doi.org/10.1016/j.jclinepi.2005.09.015>.
- Strebkova, R., Petkova, M., & Minev, M. (2017). Assessment of cancer related fatigue. *Trakia Journal of Sciences*, 15(3), 238–243.
- Sudoyo, A. W. dkk. (2014). *Buku ajar ilmu penyakit dalam*. Jakarta: Interna Publishing.
- Sugiyono. (2019). *Statistika untuk Penelitian*. Bandung: CV Alfabeta.
- Sukardja. I.D.G. (2000). *Onkologi klinik*. Surabaya: Universitas Airlangga Press.
- Tennant, K. F. (2012). Assesment of fatigue in olders adults: The FACIT fatigue scale (Version 4). *Assesment of Fatigue in Olders Adults: The FACIT Fatigue Scale (Version 4)*.
- Vardy, J. L., Dhillon, H. M., Pond, G. R., Renton, C., Dodd, A., Zhang, H.,

- Tannock, I. F. (2016). Fatigue in people with localized colorectal cancer who do and do not receive chemotherapy: A longitudinal prospective study. *Annals of Oncology*, 27(9), 1761–1767.  
<https://doi.org/10.1093/annonc/mdw252>.
- Wahyuni, D., Huda, N., & Utami, G. T. (2015). Studi fenomenologi: Pengalaman pasien kanker stadium lanjut yang menjalani kemoterapi. *Jurnal Online Mahasiswa*, 2(2), 1041–1047.
- Wang, H.C., Chen, Y.C, Mao, H.C., & Lin, K. . (2007). Illness knowledge, social support and selfcare behavior in adolescent with beta-thalassemia mayor. *Hu Lin Yan Jiu*, 9(2), 114–124.
- Wijayanti. (2007). *Pasien kanker payudara*. Jakarta: EGC.
- Wong, C.L., Ip, W.Y., Choi, K.C., Lam, L.W. (2015). Examining self-care behaviors and their associated factors among adolescent girls with dysmenorrhea: An ppplication of Orem's self-care deficit nursing theory. *Journal of Nursing Scholarship*, 47(3):21 9 - 27. doi: <http://dx.doi.org/10.1111/jnu.12134>.
- Yarbro, C. H., Wujcik, D., & Gobel, B. H. (2014). *Cancer Symptom Management*. United States of America: Jones & Bartlett Learning.
- Yayasan Kanker Indonesia. (2019). Apa itu kanker. Retrieved from <http://yayasankankerindonesia.org/apa-itu-kanker>. Diakses pada Oktober 2020.
- Yunita W. Hillia. Hubungan karakteristik dan frekuensi kemoterapi dengan tingkat gangguan fisik (Alopesia, Nausea dan Vomit) pada pasien kanker

yang menjalani kemoterapi di ruangan mutis RSUD Prof. Dr. W. Z. Johannes  
Kupang. *CHMK Nursing Scientific Journal*. Vol 1. No 2 Oktober 2017.

