

DAFTAR PUSTAKA

- [1] K. K. R. Indonesia dan 2014, *Profil Kesehatan Indonesia Tahun 2013*. 2014.
- [2] I. kartika. Cahya Sutowo, Muhammad Ikhsan, “Karakteristik Material Biokompatibel Aplikasi Implan Medis Jenis Bone Plate,” *Journal*, vol. ISSN : 240, hal. 1, 2017, doi: 10.1007/978-3-662-54494-5_13.
- [3] USFDA, “Biological Responses to Metal Implants,” hal. 149, 2019, [Daring]. Tersedia pada: <https://www.fda.gov/media/131150/download>.
- [4] D. M. PUTRI, “Pengaruh Parameter Proses Pelapisan dengan Metode Electrophoretic Deposition terhadap Karakteristik Permukaan dan Kekuatan Adhesi Lapisan Hydroxyapatite pada Titanium Paduan (Ti6Al4V) ELI untuk Implan Ortopedi,” Andalas University, 2019.
- [5] T. Laonapakul, “Synthesis of hydroxyapatite from biogenic wastes,” *KKU Eng. J.*, vol. 42, no. X, hal. 1–2, 2015, doi: 10.14456/kkuenj.2015.30.
- [6] T. F. Larsson, J. M. M. Martínez, dan J. L. Vallés, “Biomaterials for healthcare - A decade of EU-funded research,” hal. 35, 2007.
- [7] E. GLÁZ dan P. VECSEI, “Biological Activity,” *Aldosterone*, hal. 90–107, 1971, doi: 10.1016/b978-0-08-013368-3.50007-8.
- [8] ArcamEBM system, “Ti6Al4V ELI Titanium Alloy.” [Daring]. Tersedia pada: <http://www.arcam.com/wp-content/uploads/Arcam-Ti6Al4V-ELI-Titanium-Alloy.pdf>.
- [9] Indiamart, “Titanium Ti-6Al-4V ELI (Grade 23) Bars.” <https://www.indiamart.com/proddetail/titanium-ti-6al-4v-eli-grade-23-bars-4033100988.html> (diakses Okt 20, 2019).
- [10] ASTM, “Standard Specification for Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401),” 1875. <https://vpp-piercing.de/wp-content/uploads/2015/10/ASTMF13608.pdf>.

- [11] ASTM International, "Standard Specification for Titanium-6Aluminum-4Vanadium Alloy Castings for Surgical Implants (UNS R56406)," 2010. [Daring]. Tersedia pada: www.astm.org.
- [12] E. Maryani, C. Cicih Kurniasih, N. Sofiyarningsih, dan B. Priyanto, "Penyiapan Komposit Hidroksiapatit- Zirkonia Sebagai Bahan Biokeramik," *J. Keramik dan Gelas Indones.*, vol. 27, no. 1, hal. 40–50, 2018.
- [13] M. Ansari, S. Naghib, F. Moztafzadeh, dan A. Salati, "Synthesis and characterization of hydroxyapatitecalcium hydroxide for dental composites," tehran, 2011.
- [14] M. Pietrzyńska dan A. Voelkel, "Stability of simulated body fluids such as blood plasma, artificial urine and artificial saliva," *Microchem. J.*, vol. 134, hal. 197–201, 2017, doi: 10.1016/j.microc.2017.06.004.
- [15] E. Győri, I. Fábián, dan I. Lázár, "Effect of the Chemical Composition of Simulated Body Fluids on Aerogel-Based Bioactive Composites," *J. Compos. Sci.*, vol. 1, no. 2, hal. 15, 2017, doi: 10.3390/jcs1020015.
- [16] L. Aprilia, R. Nuryadi, W. Rianti, D. Gustiono, dan N. Herdianto, "Preparasi Lapisan Hidroksiapatit pada Substrat Stainless Steel 316 dengan Metode Deposisi Elektrofosis," *J. Kim. dan Kemasan*, vol. 32, no. 2, hal. 47–52, 2010, doi: 10.24817/jkk.v32i2.2729.
- [17] Dr. Dmitri Kopeliovich, "Electrophoretic deposition [SubsTech]," 2013. https://www.substech.com/dokuwiki/doku.php?id=electrophoretic_deposition (diakses Okt 20, 2019).
- [18] B. Utomo, "Jenis Korosi Dan Penanggulangannya," vol. 6, no. 2, hal. 138–141, 2009, doi: 10.12777/kpl.6.2.138-141.
- [19] Anon, "Standard Practice For Preparing, Cleaning, And Evaluating Corrosion Test Specimens.," in *ASTM Special Technical Publication*, 1985, vol. 11, no. 3, hal. 505–510.
- [20] T. Kokubo dan H. Takadama, "How useful is SBF in predicting in vivo bone bioactivity?," *Biomaterials*, vol. 27, no. 15, hal. 2907–2915, 2006,

doi: 10.1016/j.biomaterials.2006.01.017.

- [21] “Heat Treating of Titanium and Titanium Alloys,” 2004. <http://www.totalmateria.com/Article97.htm> (diakses Nov 28, 2019).
- [22] P. N. Chavan, M. M. Bahir, R. U. Mene, M. P. Mahabole, dan R. S. Khairnar, “Study of nanobiomaterial hydroxyapatite in simulated body fluid: Formation and growth of apatite,” *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, vol. 168, no. 1, hal. 224–230, 2010, doi: 10.1016/j.mseb.2009.11.012.

