

DAFTAR PUSTAKA

- Aini, Q. (2017). Uji Aktivitas Pertumbuhan Rambut Kelinci Jantan Dari Sediaan *Hair tonic* Yang Mengandung Ekstrak Etanol Daun Mangkokan (*Nothopanax Scutellarium L.*). *Jfl : Jurnal Farmasi Lampung*, 6(2), 1–12. <https://doi.org/10.37090/jfl.v6i2.16>
- Allen, L., & Ansel, H. C. (2013). *Ansel's pharmaceutical dosage forms and drug delivery systems*. Lippincott Williams & Wilkins.
- Amin, J., Simamora, E. L. P., Effionora, A., & Djajadisastra, J. (2014). Green tea (*Camellia sinensis, L.*) ethanolic extract as *hair tonic* in nutraceutical: Physical stability, hair growth activity on rats, and safety test. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(5), 94–99.
- Amirthalingam, M., & Seetharam, R. N. (2016). *Stem Cell Derived Cosmetic Products : An Overview*. 1(2), 46–52.
- Ayukawa, T. (1985). *U.S. Patent No. 4,508,707*. Washington, DC: U.S. Patent and Trademark Office.
- Bai, T., Liu, F., Zou, F., Zhao, G., Jiang, Y., Liu, L., ... & Liu, J. Y. (2017). Epidermal *growth factor* induces proliferation of hair follicle-derived mesenchymal stem cells through epidermal *growth factor* receptor-mediated activation of ERK and AKT signaling pathways associated with upregulation of cyclin D1 and downregulation of p16. *Stem cells and development*, 26(2), 113-122.
- Camilleri, E. T., Gustafson, M. P., Dudakovic, A., Riester, S. M., Garces, C. G., Paradise, C. R., ... & Van Wijnen, A. J. (2016). Identification and validation of multiple cell surface markers of clinical-grade adiposa-derived mesenchymal stromal cells as novel release criteria for good manufacturing practice-compliant production. *Stem cell research & therapy*, 7(1), 1-16.
- Carson, S., Miller, H. B., Srougi, M. C., & Witherow, D. S. (2019). *Molecular biology techniques: a classroom laboratory manual*. Academic Press.
- Damodaran, R. G., & Gupta, R. (2011). Hair loss and the applied techniques for identification of novel hair growth promoters for hair re-growth. *Pharmacognosy Journal*, 3(22), 1-5.
- Chang, C. H., Pal, N., & Lin, J. J. (2017). A revisit to test the equality of variances of several populations. *Communications in Statistics-Simulation and Computation*, 46(8), 6360-6384.
- Cleophas, T. J., & Zwinderman, A. H. (2016). Non-parametric tests for Three or more samples (Friedman and Kruskal-Wallis). In *Clinical Data Analysis on a Pocket Calculator* (pp. 193-197). Springer, Cham.
- Departemen Kesehatan Republik. (2020). *Farmakope Indonesia Edisi VI*.

- Desriani, Azizah, N., Wahyuni, R., & Putri, A. E. P. (2018). *Formulasi Hair tonic Ekstrak Buah Mentimun (Cucumis Sativus) Sebagai Solusi Ketombe Dan Rambut Rontok Pada Wanita Berhijab*. 4(1), 39–41.
- Diana, W. (2014). Penggunaan Ekstrak Buah Alpukat dan Madu Sebagai Bahan Aktif *Hair tonic* Untuk Rambut Rontok. *Jurnal Tata Rias*, 3(01).
- Dina, M. M., Lucida, H., & Suharti, N. (2020). *Optimasi Formulasi Serum Antiflek Dari Ekstrak Rimpang Kunyit Talerang (Hedychium Coronarium J. Koenig) Terstandarisasi*. Universitas Andalas.
- Dinh, Q. Q., & Sinclair, R. (2007). Female pattern hair loss: current treatment concepts. *Clinical interventions in aging*, 2(2), 189.
- Dominici, M. L. B. K., Le Blanc, K., Mueller, I., Slaper-Cortenbach, I., Marini, F. C., Krause, D. S., ... & Horwitz, E. M. (2006). Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy*, 8(4), 315-317.
- Dong, L., Hao, H., Xia, L., Liu, J., Ti, D., Tong, C., Hou, Q., Han, Q., Zhao, Y., Liu, H., Fu, X., & Han, W. (2014). Treatment Of Mscs With Wnt1a-Conditioned Medium Activates Dp Cells And Promotes Hair Follicle Regrowth. *Scientific Reports*, 4, 1–9. <https://doi.org/10.1038/Srep05432>
- Epstein, G. K., & Epstein, J. S. (2018). Mesenchymal stem cells and stromal vascular fraction for hair loss: current status. *Facial Plastic Surgery Clinics*, 26(4), 503-511.
- Farmawati, N., Anwar, E., & Azizahwati. (2014). *Formulasi Serum Penghambat Kerja Tirosinase Yang Mengandung Fitosom Ekstrak Biji Lengkeng (Dimocapus Longan Lour) Menggunakan Eksiipien Koproses Kasein-Xanthan Gum*. Universitas Indonesia.
- Fu, X., Fang, L., Li, H., Li, X., Cheng, B., & Sheng, Z. (2007). Adiposa tissue extract enhances skin wound healing. *Wound repair and regeneration*, 15(4), 540-548.
- Fukuoka, H., Suga, H., Narita, K., Watanabe, R., & Shintani, S. (2012). The latest advance in hair regeneration therapy using proteins secreted by adiposa-derived stem cells. *The American Journal of Cosmetic Surgery*, 29(4), 273-282.
- Gazit, Z., Aslan, H., Gafni, Y., Kimelman, N., Pelled, G., & Gazit, D. (2008). Mesenchymal stem cells. Principles of regenerative medicine.
- Ghasemi, A., & Zahediasl, S. (2012). Normality tests for statistical analysis: a guide for non-statisticians. *International journal of endocrinology and metabolism*, 10(2), 486.

- Gozali, D., & Mustarichie, R. (2019). *Hair tonic* Formulation of Anti-alopecia of *Angiopteris evecta* Extract. *Research Journal of Pharmacy and Technology*, 12(3), 1079-1085.
- Gunawardena, T. N. A., Rahman, M. T., Abdullah, B. J. J., & Abu Kasim, N. H. (2019). Conditioned Medium Derived From Mesenchymal Stem Cell Cultures: The Next Generation For Regenerative Medicine. *Journal Of Tissue Engineering And Regenerative Medicine*, 13(4), 569–586. <https://doi.org/10.1002/term.2806>
- Halim, D. et al. (2010) *Stem Cell: Dasar Teori & Aplikasi Klinis*. Erlangga.
- Handayana, V. (2019). *Uji Kandungan Marker Faktor Pertumbuhan Fgf-18 Dan Tgf-B1 Pada Medium Terkondisi Dari Membran Sinovial Sel Punca Mesenkimal Yang Diinduksi Igf-I Dengan Metode Elisa*. Andalas University.
- Hartono, B. (2016) 'Sel Punca : Karakteristik , Potensi dan Aplikasinya', *J. Kedokteran Meditek*, 22(60), pp. 72–75.
- Hass, R., Kasper, C., Böhm, S., & Jacobs, R. (2011). Different populations and sources of human mesenchymal stem cells (MSC): a comparison of adult and neonatal tissue-derived MSC. *Cell Communication and Signaling*, 9(1), 12.
- Indriaty, S., Indrawati, T., & Taurhesia, S. (2018). Formulation and test activities of *hair tonic* with a combination of the aqueous extracts of aloe vera (*Aloe vera* L.) and licorice (*Glycyrrhiza glabra* L.). *Pharmaciana*, 8(1), 33-42.
- Ishimatsu-Tsuji, Y., Moro, O., & Kishimoto, J. (2005). Expression profiling and cellular localization of genes associated with the hair cycle induced by wax depilation. *Journal of investigative dermatology*, 125(3), 410-420.
- Jung, M. K., Ha, S., Huh, S. Y., Park, S. B., Kim, S., Yang, Y., ... & Park, H. (2015). Hair-growth stimulation by conditioned medium from vitamin D3-activated preadipocytes in C57BL/6 mice. *Life sciences*, 128, 39-46.
- Kim, H. O., Choi, S. M., & Kim, H. S. (2013). Mesenchymal stem cell-derived secretome and microvesicles as a cell-free therapeutics for neurodegenerative disorders. *Tissue Engineering and Regenerative Medicine*, 10(3), 93-101.
- Kim, H. O., Choi, S. M., & Kim, H. S. (2013). Mesenchymal Stem Cell-Derived Secretome And Microvesicles As A Cell-Free Therapeutics For Neurodegenerative Disorders. *Tissue Engineering And Regenerative Medicine*, 10(3), 93–101. <https://doi.org/10.1007/s13770-013-0010-7>
- Kim, H. Y. (2015). Statistical notes for clinical researchers: post-hoc multiple comparisons. *Restorative dentistry & endodontics*, 40(2), 172-176.

- Kim, W. S., Park, B. S., Sung, J. H., Yang, J. M., Park, S. B., Kwak, S. J., & Park, J. S. (2007). Wound healing effect of adiposa-derived stem cells: a critical role of secretory factors on human dermal fibroblasts. *Journal of dermatological science*, 48(1), 15-24.
- Kim, Y. J., & Cribbie, R. A. (2018). ANOVA and the variance homogeneity assumption: Exploring a better gatekeeper. *British Journal of Mathematical and Statistical Psychology*, 71(1), 1-12.
- Konno, M., Hamabe, A., Hasegawa, S., Ogawa, H., Fukusumi, T., Nishikawa, S., ... & Sakai, D. (2013). Adiposa-derived mesenchymal stem cells and regenerative medicine. *Development, growth & differentiation*, 55(3), 309-318.
- Krause, K., & Foitzik, K. (2006). Biology Of The Hair Follicle: The Basics. *Seminars In Cutaneous Medicine And Surgery*, 25(1), 2-10. <https://doi.org/10.1016/J.Sder.2006.01.002>
- Lai-Cheong, J. E., & Mcgrath, J. A. (2017). Structure And Function Of Skin, Hair And Nails. *Medicine (United Kingdom)*, 45(6), 347-351. <https://doi.org/10.1016/J.Mpmed.2017.03.004>
- Lanza, R., Blau, H., Gearhart, J., Hogan, B., Melton, D., Moore, M & Weissman, II. (Eds.). (2013). *Handbook of Stem Cells, Two-Volume Set: Volume 1- Embryonic Stem Cells; Volume 2-Adult & Fetal Stem Cells*. Elsevier.
- Lase, Y. H. K. (2019). *Formulasi Sediaan Hair Tonik Ekstrak Etanol Daun Waru (Hibiscus Tileaceus L.) Digunakan Sebagai Penumbuh Rambut Pada Marmut (Cavia Parcellus)*. Institut Kesehatan Helvetia Medan.
- Lee, C. Y., Yang, C. Y., Lin, C. C., Yu, M. C., Sheu, S. J., & Kuan, Y. H. (2018). Hair growth is promoted by BeauTop via expression of EGF and FGF-7. *Molecular medicine reports*, 17(6), 8047-8052.
- Lee, H. S., & Hwang, S. Y. (2009). Effects of DCS® hair tonic on hair growth promotion in an alopecia model of C57BL/6 mice. *Kor J Aesthet Cosmetol*, 7(3), 131-141.
- Lee, N., Park, S., Hwang, H., Choi, S., Lee, R. M., Nam, S. M., Rhim, H., Cho, I., Kim, H., Hwang, S., & Nah, S. (2019). Effects Of A Gintonin-Enriched Fraction On Hair Growth: An In Vitro And In Vivo Study. *Journal Of Ginseng Research*, Xxx. <https://doi.org/10.1016/J.Jgr.2019.05.013>
- Madnani, N., & Khan, K. (2013). *Hair Cosmetics*. 79(5). <https://doi.org/10.4103/0378-6323.116734>
- Magdeldin, S. (Ed.). (2012). *Gel electrophoresis: Principles and basics*. BoD-Books on Demand.

- Maria, P., & Reis, F. (2015). *Hair Cosmetics: A N Overview. 1*.
<https://doi.org/10.4103/0974-7753.153450>
- Martin, A., Swarbick, J., Cammarata, A., 1993. *Farmasi Fisik*. Universitas Indonesia.
- Mishra, P., Pandey, C. M., Singh, U., Gupta, A., Sahu, C., & Keshri, A. (2019). Descriptive statistics and normality tests for statistical data. *Annals of cardiac anaesthesia*, 22(1), 67.
- Mitsui, T. (Ed. II). (1997). *New cosmetic science*. Elsevier.
- Mu'ani, H., & Purwati. (2019). *Uji Stabilitas Fisik Dan Uji Aktivitas Sediaan Hair tonic (Ipomoea Aquatica Forsk.) Ethanolic 96 % Extract Hair tonic In Rabbits Dapatmeningkatkan Pertumbuhan Rambut Dengan Memperkuat Dinding Kapiler Dari Pembuluh Alat Dan Bahan Hewan Uji Berumur 7-9 Bul. 4(2), 23–31.*
- Muhammad, S. A., Nordin, N., & Fakurazi, S. (2018). Regenerative potential of secretome from dental stem cells: a systematic review of preclinical studies. *Reviews in the Neurosciences*, 29(3), 321-332.
- Narita, K., Fukuoka, H., Sekiyama, T., Suga, H., & Harii, K. (2020). Sequential Scalp Assessment in Hair Regeneration Therapy Using an Adiposa-Derived Stem Cell-Conditioned Medium. *Dermatologic Surgery*, 46(6), 819-825.
- Naveed, A., Rasool, F., Saeed, T., & Murtaza, G. (2011). Penetration Enhancing Effect Of Polysorbate 20 And 80 On The In Vitro Percutaneous Absorption Of L-Ascorbic Acid. *Tropical Journal Of Pharmaceutical Research*, 10(3), 281–288. <https://doi.org/10.4314/Tjpr.V10i3.1>
- Noverina, R., Widowati, W., Ayuningtyas, W., Kurniawan, D., Afifah, E., Laksmiawati, D. R., ... & Wirakusumah, F. F. (2019). Growth factors profile in conditioned medium human adiposa tissue-derived mesenchymal stem cells (CM-hATMSCs). *Clinical Nutrition Experimental*, 24, 34-44.
- Oh, H. A., Kwak, J., Kim, B. J., Jin, H. J., Park, W. S., Um, S. J. C., Oh, W., & Soyoun. (2020). Migration Inhibitory Faktor In Conditioned Medium. *Cells*, 9(1344).
- Oh, H. A., Kwak, J., Kim, B. J., Jin, H. J., Park, W. S., Choi, S. J., ... & Um, S. (2020). Migration Inhibitory Factor in Conditioned Medium from Human Umbilical Cord Blood-Derived Mesenchymal Stromal Cells Stimulates Hair Growth. *Cells*, 9(6), 1344.

- Ohnemus, U., Uenalan, M., Gustafsson, J.-Åke, & Paus, R. (2006). *The Hair Follicle As An Estrogen Target And Source*. 27(6), 677–706. <https://doi.org/10.1210/Er.2006-0020>
- Osugi, M., Katagiri, W., Ph, D., Yoshimi, R., & Ph, D. (2012). *Conditioned Medium From Mesenchymal Stem Cells Enhanced Bone Regeneration In Rat Calvarial Bone Defects*. 18. <https://doi.org/10.1089/Ten.Tea.2011.0325>
- Otberg, N., Finner, A. M., & Shapiro, J. (2007). Androgenetic Alopecia. *Endocrinology And Metabolism Clinics Of North America*, 36(2), 379–398. <https://doi.org/10.1016/J.Ecl.2007.03.004>
- Ou, K. L., Kuo, Y. W., Wu, C. Y., Huang, B. H., Pai, F. T., Chou, H. H., ... & Huang, M. S. (2020). The Potential of a Hair Follicle Mesenchymal Stem Cell-Conditioned Medium for Wound Healing and Hair Follicle Regeneration. *Applied Sciences*, 10(8), 2646.
- Park, B. S., Kim, W. S., Choi, J. S., Kim, H. K., Won, J. H., Ohkubo, F., & Fukuoka, H. (2010). Hair Growth Stimulated By Conditioned Medium Of Adiposa-Derived Stem Cells Is Enhanced By Hypoxia: Evidence Of Increased Growth Faktor Secretion. *Biomedical Research*, 31(1), 27–34. <https://doi.org/10.2220/Biomedres.31.27>
- Pawitan, J. A. (2014). Prospect of stem cell conditioned medium in regenerative medicine. *BioMed research international*, 2014.
- Pawitan, J. A. (2018). Aspek Biologi, Pemrosesan dan Aplikasi Klinis Sel Punca Mesenkimal. *Continuing Medical Education-Continuing Professional Development (CME-CPD) Unit Fakultas Kedokteran Universitas Indonesia*.
- Pratiwi, P. D., Linawati, N. M., Luh, N., Rusyati, M., Program, M., Pendidikan, S., Fakultas, D., Universitas, K., Histologi, B., Kedokteran, F., & Udayana, U. (2013). The Role Of Estrogen In Women With Androgenetic Alopecia. *E-Jurnal Medika Udayana*.
- Priskila, V. (2012). *Uji Stabilitas Fisik Dan Uji Aktivitas Pertumbuhan Rambut Tikus Putih Jantan Dari Sediaan Hair tonic Yang Mengandung Ekstrak Air Bonggol Pisang Kepok (Musa Balbisiana)*. Universitas Indonesia.
- Rika Milan Sari. (2015). *No Title*. <http://ejournal.unp.ac.id/index.php/jhet/article/view/4500>
- Riska, N. H., Gozali, D., Hendriani, R., & Mustarichie, R. (2020). Formulasi dan Evaluasi Sediaan Herbal *Hair tonic* sebagai Perangsang Pertumbuhan Rambut. *Majalah Farmasetika*, 5(5), 218-232.
- Rocafort, C. M. (2017). Functional materials for hair. *Cosmetic science and technology: theoretical principles and applications*, 321-335.

- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2006). *Handbook Of Pharmaceutical Excipients* (6th Ed.). Pharmaceu Ti Ca L Press And American Pharmacists Association.
- Sakamoto, K., Lochhead, R., Maibach, H., & Yamashita, Y. (Eds.). (2017). *Cosmetic science and technology: theoretical principles and applications*. Elsevier.
- Sari, R. M., Rostamailis, R., & Astuti, M. (2015). Hubungan Pengetahuan Perawatan Rambut Pasca Pelurusan (Rebonding) dengan Kesehatan Rambut Mahasiswa Jurusan Kesejahteraan Keluarga Fakultas Teknik Universitas Negeri Padang. *E-Journal Home Economic and Tourism*, 8(1).
- Satheeshan, K. N., Seema, B. R., & Manjusha, A. V. M. (2020). *Development And Evaluation Of Vco Based Herbal Hair tonic*. 9(2), 485–493.
- Semalty, M., Semalty, A., Joshi, G. P., & Maniyari, M. S. (2011). *Hair Growth And Rejuvenation : An Overview*. 6634. <https://doi.org/10.3109/09546630903578574>
- Sinclair, R. D. (2007). *Healthy Hair : What Is It?* 12. <https://doi.org/10.1038/Sj.Jidsymp.5650046>
- Singer, N. G., & Caplan, A. I. (2011). Mesenchymal stem cells: mechanisms of inflammation. *Annual Review of Pathology: Mechanisms of Disease*, 6, 457-478.
- Sona, F. R. (2018). *Formulasi Hair tonic ekstrak Lidah Buaya (Aloe Vera (l.) Burm. F.) dan uji aktivitas pertumbuhan rambut pada tikus putih jantan* (Doctoral dissertation, Universitas Islam Negeri Maulana Malik Ibrahim).
- Tajima, M., Shimatani, Y., & Ogou, M. (2007). *U.S. Patent No. 7,182,939*. Washington, DC: U.S. Patent and Trademark Office.
- Tanaka, S., Saito, M., & Tabata, M. (1980). Bioassay of crude drugs for hair growth promoting activity in mice by a new simple method. *Journal of Medicinal Plant Research*, 84-89. Wade, A. dan P.J. Weller. (1994). *Handbook of Pharmaceutical Excipients* (4th ed.). London. The Pharmaceutical Press.
- Torin Huzil, J., Sivaloganathan, S., Kohandel, M., & Foldvari, M. (2011). Drug delivery through the skin: molecular simulations of barrier lipids to design more effective noninvasive dermal and transdermal delivery systems for small molecules, biologics, and cosmetics. *Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology*, 3(5), 449-462.

- Wagner, E. L., & Shin, J. B. (2019). Mechanisms of hair cell damage and repair. *Trends in neurosciences*, 42(6), 414-424.
- Wahyu Diana, D. M. W. (2014). Penggunaan Ekstrak Buah Alpukat Dan Madu Sebagai Bahan Aktif *Hair tonic* Untuk Rambut Rontok. *E-Journal*, 03(01), 226–235.
- Whiting, D. A., & Dallas, F. E. (2001). *Possible Mechanisms Of Miniaturization During Androgenetic Alopecia Or Pattern Hair Loss*. 81–86. <https://doi.org/10.1067/Mjd.2001.117428>
- Xiao, S., Deng, Y., Mo, X., Liu, Z., Wang, D., Deng, C., & Wei, Z. (2020). Promotion Of Hair Growth By Conditioned Medium From Extracellular Matrix/Stromal Vascular Fraction Gel In C57bl/6 Mice. *Stem Cells International*, 2020. <https://doi.org/10.1155/2020/905451>
- Yanhendri, S. W. Y. (2012). Berbagai bentuk sediaan topikal dalam dermatologi. *Cermin Dunia Kedokteran*, 194(6).
- Yang, J. (2017). Hair Care Cosmetics. In *Cosmetic Science And Technology: Theoretical Principles And Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802005-0.00036-7>
- Yang, Y. S., Oh, W., Lee, J.Y., Choi, S.J., Jeon, H. B., Kim, J. Y., Lim, H., Shin, S, H., & Park, W. S. (2016). Hair Growth Promoting Capacity Of Condition Medium Of Stimulated Stem Cell And Use Thereof. *United State Patent Application Publication*. Patent No. US 2016/0000699 A1. Jan. 7, 2016.
- Yuan, A. R., Bian, Q., & Gao, J. Q. (2020). Current Advances In Stem Cell-Based Therapies For Hair Regeneration. *European Journal Of Pharmacology*, 881, 173197. <https://doi.org/10.1016/J.Ejphar.2020.173197>
- Zhao, B., Li, J., Chen, Q., Yang, N., Bao, Z., Hu, S., ... & Wu, X. (2021). A Treatment Combination of IGF and EGF Promotes Hair Growth in the Angora Rabbit. *Genes*, 12(1), 24.