

DAFTAR PUSTAKA

- [1] R. Kumar, M. Ul Haq, A. Raina and A. Anand, "Industrial applications of natural fibre-reinforced polymer composites – challenges and opportunities", *International Journal of Sustainable Engineering*, vol. 12, no. 3, pp. 212-220, 2018. Available: 10.1080/19397038.2018.1538267
- [2] N. Mohan, P. Senthil, S. Vinodh and N. Jayanth, "A review on composite materials and process parameters optimisation for the fused deposition modelling process", *Virtual and Physical Prototyping*, vol. 12, no. 1, pp. 47-59, 2017. Available: 10.1080/17452759.2016.1274490
- [3] K. Shirasu et al., "Potential use of CNTs for production of zero thermal expansion coefficient composite materials: An experimental evaluation of axial thermal expansion coefficient of CNTs using a combination of thermal expansion and uniaxial tensile tests", *Composites Part A: Applied Science and Manufacturing*, vol. 95, pp. 152-160, 2017. Available: 10.1016/j.compositesa.2016.12.027
- [4] A. Bunsell, *Fundamentals of fibre reinforced composite materials*, 2nd ed. Boca Raton: CRC Press, 2021.
- [5] Jang, "Conducting Polymer Nanomaterials and Their Applications", *Emissive Materials Nanomaterials*, pp. 189-260, 2006. Available: 10.1007/12_075 [Accessed 2 December 2020].
- [6] J. Stejskal and M. Trchová, "Conducting polypyrrole nanotubes: a review", *Chemical Papers*, vol. 72, no. 7, pp. 1563-1595, 2018. Available: 10.1007/s11696-018-0394-x
- [7] A. Rekertaitė, A. Valiūnienė, P. Virbickas and A. Ramanavicius, "Physicochemical Characteristics of Polypyrrole/(Glucose oxidase)/(Prussian Blue)-based Biosensor Modified with Ni- and Co-Hexacyanoferrates", *Electroanalysis*, vol. 31, no. 1, pp. 50-57, 2018. Available: 10.1002/elan.201800526

- [8] D. J. Kim, J. W. Yoon, C. S. Lee, Y.-S. Bae, and J. H. Kim, "Covalent organic framework-derived microporous carbon nanoparticles coated with conducting polypyrrole as an electrochemical capacitor," *Applied Surface Science*, vol. 439, pp. 833–838, 2018.
- [9] H. Wei, H. Gu, J. Guo, D. Cui, X. Yan, J. Liu, D. Cao, X. Wang, S. Wei, and Z. Guo, "Significantly enhanced energy density of magnetite/polypyrrole nanocomposite capacitors at high rates by low magnetic fields," *Advanced Composites and Hybrid Materials*, vol. 1, no. 1, pp. 127–134, 2017.
- [10] C. Han, R. Shi, D. Zhou, H. Li, L. Xu, T. Zhang, J. Li, F. Kang, G. Wang, and B. Li, "High-Energy and High-Power Nonaqueous Lithium-Ion Capacitors Based on Polypyrrole/Carbon Nanotube Composites as Pseudocapacitive Cathodes," *ACS Applied Materials & Interfaces*, vol. 11, no. 17, pp. 15646–15655, 2019.
- [11] R. Zoppi, M. Felisberti and M. De Paoli, "Chemical preparation of conductive elastomeric blends: Polypyrrole/EPDM. I. Oxidant particle-size effect", *Journal of Polymer Science Part A: Polymer Chemistry*, vol. 32, no. 6, pp. 1001-1008, 1994. Available: 10.1002/pola.1994.080320601
- [12] Y. Huang et al., "Nanostructured Polypyrrole as a flexible electrode material of supercapacitor", *Nano Energy*, vol. 22, pp. 422-438, 2016. Available: 10.1016/j.nanoen.2016.02.047
- [13] W. Ouarhim, N. Zari, R. Bouhfid and A. Qaiss, "Mechanical performance of natural fibers-based thermosetting composites", *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites*, pp. 43-60, 2019. Available: 10.1016/b978-0-08-102292-4.00003-5
- [14] W. Lei, D. Jin, H. Liu, Z. Tong and H. Zhang, "An Overview of Bacterial Cellulose in Flexible Electrochemical Energy Storage", *ChemSusChem*, vol. 13, no. 15, pp. 3731-3753, 2020. Available: 10.1002/cssc.202001019
- [15] R. Ribeiro, B. Pohlmann, V. Calado, N. Bojorge and N. Pereira, "Production of nanocellulose by enzymatic hydrolysis: Trends and challenges", *Engineering in*

- Life Sciences*, vol. 19, no. 4, pp. 279-291, 2019. Available: 10.1002/elsc.201800158
- [16] Y. Zhou, S. Fujisawa, T. Saito and A. Isogai, "Characterization of Concentration-Dependent Gelation Behavior of Aqueous 2,2,6,6-Tetramethylpiperidine-1-oxyl–Cellulose Nanocrystal Dispersions Using Dynamic Light Scattering", *Biomacromolecules*, vol. 20, no. 2, pp. 750-757, 2018. Available: 10.1021/acs.biomac.8b01689
- [17] Barriga, S. "2,2,6,6-Tetramethylpiperidine-1-oxyl (TEMPO)" (PDF). *Synlett*. 2001 (4): 563. doi:10.1055/s-2001-12332.
- [18] Z. Zhu, S. Fu, N. Lavoine and L. Lucia, "Structural reconstruction strategies for the design of cellulose nanomaterials and aligned wood cellulose-based functional materials – A review", *Carbohydrate Polymers*, vol. 247, p. 116722, 2020. Available: 10.1016/j.carbpol.2020.116722
- [19] N. Arfa Yanti, S. Wirdhana Ahmad and N. H. Muhiddin, "Potensi Nata de Coco sebagai Bahan Baku Plastik", *PROSIDING SEMINAR NASIONAL*, vol. 978-602-51854-0-3, 2017.
- [20] H. Luo et al., "Characterization of TEMPO-oxidized bacterial cellulose scaffolds for tissue engineering applications", *Materials Chemistry and Physics*, vol. 143, no. 1, pp. 373-379, 2013. Available: 10.1016/j.matchemphys.2013.09.012
- [21] M. Li et al., "Ionic Liquid Stabilized 2,2,6,6-Tetramethylpiperidine 1-Oxyl Catalysis for Alcohol Oxidation", *ACS Sustainable Chemistry & Engineering*, vol. 8, no. 11, pp. 4489-4498, 2020. Available: 10.1021/acssuschemeng.9b07650
- [22] F. Cheng et al., "Preparation and Characterization of 2,2,6,6-Tetramethylpiperidine-1-oxyl (TEMPO)-Oxidized Cellulose Nanocrystal/Alginate Biodegradable Composite Dressing for Hemostasis Applications", *ACS Sustainable Chemistry & Engineering*, vol. 5, no. 5, pp. 3819-3828, 2017. Available: 10.1021/acssuschemeng.6b02849
- [23] Santoso B, Harlia, Syahbanu I. "Sintesis Komposit Polimer Konduktif Polipirol (PPy)/Selulosa Bakteri dengan Metode Spray dan Rendam", 2018.

- [24] A. Isogai, T. Saito and H. Fukuzumi, "TEMPO-oxidized cellulose nanofibers", *Nanoscale*, vol. 3, no. 1, pp. 71-85, 2011. Available: 10.1039/c0nr00583e
- [25] V. Li, "High-Performance and Multifunctional Cement-Based Composite Material", *Engineering*, vol. 5, no. 2, pp. 250-260, 2019. Available: 10.1016/j.eng.2018.11.031
- [26] C. Chen and G. Gu, "Effect of Constituent Materials on Composite Performance: Exploring Design Strategies via Machine Learning", *Advanced Theory and Simulations*, p. 1900056, 2019. Available: 10.1002/adts.201900056
- [27] Rajak, D., Pagar, D., Menezes, P., & Linul, E. Fiber-Reinforced Polymer Composites: Manufacturing, Properties, and Applications. *Polymers*, 11(10), 2019. Available :10.3390/polym11101667
- [28] <http://materialsworld.utep.edu/Modules/Composite> [Accessed 20 June 2020]
- [29] T. Skinner, A. Rai, and A. Chattopadhyay, "Multiscale ceramic matrix composite thermomechanical damage model with fracture mechanics and internal state variables," *Composite Structures*, vol. 236, p. 111847, 2020.
- [30] M. Qiao, X. Lei, Y. Ma, L. Tian, K. Su, and Q. Zhang, "Well-Defined Core-Shell Fe₃O₄@Polypyrrole Composite Microspheres with Tunable Shell Thickness: Synthesis and Their Superior Microwave Absorption Performance in the Ku Band," *Industrial & Engineering Chemistry Research*, vol. 55, no. 22, pp. 6263–6275, 2016.
- [31] M. Maruthapandi, A. P. Nagvenkar, I. Perelshtein, and A. Gedanken, "Carbon-Dot Initiated Synthesis of Polypyrrole and Polypyrrole@CuO Micro/Nanoparticles with Enhanced Antibacterial Activity," *ACS Applied Polymer Materials*, vol. 1, no. 5, pp. 1181–1186, 2019.
- [32] Z. Merati, J. B. Parsa, and R. Babaei-Sati, "Electrochemically synthesized polypyrrole/MWCNTs-Al₂O₃ ternary nanocomposites supported Pt nanoparticles toward methanol oxidation," *International Journal of Hydrogen Energy*, vol. 43, no. 45, pp. 20993–21005, 2018.
- [33] P. Bober, Y. Li, U. Acharya, Y. Panthi, J. Pflieger, P. Humpolíček, M. Trchová, and J. Stejskal, "Acid Blue dyes in polypyrrole synthesis: The control of polymer

morphology at nanoscale in the promotion of high conductivity and the reduction of cytotoxicity,” *Synthetic Metals*, vol. 237, pp. 40–49, 2018.

- [34] Lebedev, O. L.; Kazarnovskii, S. N. "Catalytic oxidation of aliphatic amines with hydrogen peroxide". *Zhur. Obshch. Khim.* 30 (5): 1631–1635. CAN 55:7792. 1960.
- [35] Yamada, A.; Abe, M.; Nishimura, Y.; Ishizaka, S.; Namba, M.; Nakashima, T.; Shimoji, K.; Hattori, N. *Beilstein J. Org. Chem.* **2019**, *15*, 863–873. [doi:10.3762/bjoc.15.84](https://doi.org/10.3762/bjoc.15.84)
- [36] Astika, I. Dwijana, I. “Karakteristik Sifat Tarik dan Mode Patahan Komposit Polyester Berpenguat Serat Takis Kelapa”. *Dinamika Teknik Mesin* 4. 2014.
- [37] F. S. Cesa, A. Turra, and J. Baruque-Ramos, “Synthetic fibers as microplastics in the marine environment: A review from textile perspective with a focus on domestic washings,” *Science of The Total Environment*, vol. 598, pp. 1116–1129, 2017.
- [38] M. R. Sanjay, G. R. Arpitha, L. L. Naik, K. Gopalakrishna, and B. Yogesha, “Applications of Natural Fibers and Its Composites: An Overview,” *Natural Resources*, vol. 07, no. 03, pp. 108–114, 2016.
- [39] Surdia, Tata., dkk., “Pengetahuan Bahan Teknik. C et 2”. Pradnya Paramita, Jakarta. 1995.
- [40] H. Suryanto, A. S. Pahlevi, and U. Yanuhar, “Effect of bacterial cellulose reinforcement on morphology and tensile properties of starch-based biocomposite,” *IOP Conference Series: Materials Science and Engineering*, vol. 1034, no. 1, p. 012167, 2021.
- [41] S. B. Widodo, Harlia, and I. Syahbanu, “SINTESIS KOMPOSIT POLIMER KONDUKTIF POLIPIROL (PPy)/SELULOSA BAKTERI DENGAN METODE SPRAY DAN RENDAM,”. Program Studi Kimia, Fakultas MIPA Universitas Tanjungpura. *ISSN 2303-1077*, vol. 7, no. 1, pp. 59–65, 2018.
- [42] Y. Guo, G. Xu, X. Yang, K. Ruan, T. Ma, Q. Zhang, J. Gu, Y. Wu, H. Liu, and Z. Guo, “Significantly enhanced and precisely modeled thermal conductivity in polyimide nanocomposites with chemically modified graphene via in situ

polymerization and electrospinning-hot press technology,” *Journal of Materials Chemistry C*, vol. 6, no. 12, pp. 3004–3015, 2018.

- [43] M. Parit, H. Du, X. Zhang, C. Prather, M. Adams and Z. Jiang, "Polypyrrole and cellulose nanofiber based composite films with improved physical and electrical properties for electromagnetic shielding applications", *Carbohydrate Polymers*, vol. 240, p. 116304, 2020. Available: 10.1016/j.carbpol.2020.116304
- [44] X. Zou, L. H. Sneed, and T. Dantino, "Full-range behavior of fiber reinforced cementitious matrix (FRCM)-concrete joints using a trilinear bond-slip relationship," *Composite Structures*, vol. 239, p. 112024, 2020.
- [45] D. W. Callister, "Materials Science and Engineering: An Introduction, 9th Edition," no. Wiley Global Education: New York, 2013.
- [46] Suyoso, "Listrik Magnet", Yogyakarta: FMIPA UNY, 2003.
- [47] Puspitaningrum, Tyas. Penentuan Band Gap Dan Konduktivitas Bahan Semikonduktor Lapisan Tipis Sn ($S_{0,8}Te_{0,2}$) Dan Sn ($S_{0,6}Te_{0,4}$) Hasil Preparasi Dengan Teknik Evaporasi Termal. Skripsi, Jurusan Pendidikan Fisika. Universitas Negeri Yogyakarta, 2017.
- [49] Mafahir, Iim Abdul, " Pengaruh Suhu Substrat Terhadap Sifat-Sifat Listrik Bahan Semikonduktor Lapisan Tipis Pbs, Pbse, Pbte Hasil Preparasi dengan Teknik Vakum Evaporasi". Skripsi. Yogyakarta: Universitas Negeri Yogyakarta, 2015.
- [50] Irzaman, Dkk. " Studi Konduktivitas Listrik Film Tipis $Ba_{0,25}Sr_{0,75}TiO_3$ Yang Didadah Ferium Oksida (BFST) Menggunakan Metode Chemical Solution Deposition". *Berkala Fisika*, Vol. 13, No. 1, pp. 33-38, Januari 2010.
- [51] F. M. Smits, "Measurement of Sheet Resistivities with the Four-Point Probe," 1957.
- [52] H. R. Burger, A. F. Sheehan and C. H. Jones, *Introduction to Applied Geophysics: Exploring the Shallow Subsurface*, W.W. Norton, 2006.
- [53] J. W. Nilsson and S. A. Riedel, *Electric Circuits*, Pearson, 2010.

- [54] L. H. Santoso, A. Anwari and D. Kartikasari, “PERANCANGAN DAN PEMBUATAN TEMPERATURE TRANSMITTER MENGGUNAKAN OPERATIONAL AMPLIFIER (OP-AMP) LM741,” 2017.
- [55] Sulistiyana dan Ulfin, I., “Studi Pendahuluan Adsorpsi Kation Ca dan Mg (Penyebab Kesadahan) Menggunakan Selulosa Bakterial Nata de Coco Menggunakan Metode Batch”, Prosiding Skripsi Semester Genap, FMIPA ITS. 2010.
- [56] A. Lindgren and S. Wennberg, “Preparation of Nanofibers from Pulp Fibers,” Technology, 2010.

