

DAFTAR PUSTAKA

1. Haylen BT, de Ridder D, Freeman RM, Swift SE, Berghmans B, Lee J, dkk. An international urogynecological association (IUGA)/international continence society (ICS) joint report on the terminology for female pelvic floor dysfunction: Terminology for Female Pelvic Floor Dysfunction. *Neurourol Urodyn*. Januari 2010;29(1):4–20.
2. Wyndaele JJ. The overactive bladder. *BJU Int*. 2001;6.
3. Irwin DE, Milsom I, Hunskaar S, Reilly K, Kopp Z, Herschorn S, dkk. Population-Based Survey of Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms in Five Countries: Results of the EPIC Study. *Eur Urol*. 2006;10.
4. Irwin DE, Kopp ZS, Agatep B, Milsom I, Abrams P. Worldwide prevalence estimates of lower urinary tract symptoms, overactive bladder, urinary incontinence and bladder outlet obstruction: WORLDWIDE PREVALENCE OF LUTS. *BJU Int*. Oktober 2011;108(7):1132–8.
5. Eapen RS, Radomski SB. Review of the epidemiology of overactive bladder. *Res Rep Urol*. :6.
6. Kim SY, Bang W, Choi HG. Analysis of the prevalence of and factors associated with overactive bladder in adult Korean women. :14.
7. Utama BI. The Incidence of Overactive Bladder (OAB) in KIA Poly Patients at Pauh Health Center in Padang City Using Overactive Bladder Symptoms Score (OABSS). *AOJ*. 2019;3(2).
8. Ikeda Y, Nakagawa H, Ohmori-Matsuda K, Hozawa A, Masamune Y, Nishino Y, dkk. Risk factors for overactive bladder in the elderly population: A community-based study with face-to-face interview: Risk factors for OAB in the elderly. *Int J Urol*. Maret 2011;18(3):212–8.
9. Zhu J, Hu X, Dong X, Li L. Associations Between Risk Factors and Overactive Bladder: A Meta-analysis. *Female Pelvic Med Reconstr Surg*. 2019;25(3):238–46.
10. Martínez-Agulló E, Ruiz-Cerdá JL, Arlandis S, Rebollo P, Pérez M, Chaves J. Analysis of overactive bladder and urinary incontinence in working women aged between 25 and 64 years. EPICC study. *Actas Urol Esp Engl Ed*. Januari 2010;34(7):618–24.
11. James SL, Abate D, Abate KH, Abay SM, Abbafati C, Abbasi N, dkk. Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*. November 2018;392(10159):1789–858.

12. Charlson F. New WHO prevalence estimates of mental disorders in conflict settings: a systematic review and meta-analysis. Lancet. 2019;394:240–8.
13. Kementerian Kesehatan, Badan Penelitian dan Pengembangan Kesehatan. Hasil Utama Riskesdas 2018 [Internet]. [dikutip 31 Oktober 2020]. Tersedia pada: kesmas.kemkes.go.id › files › Hasil-riskesdas-2018_1274
14. Lai H, Gardner V, Vetter J, Andriole GL. Correlation between psychological stress levels and the severity of overactive bladder symptoms. BMC Urol. 2015;15(14):1–7.
15. Banakhar MA, Al-Shaiji TF, Hassouna MM. Pathophysiology of overactive bladder. Int Urogynecology J. Agustus 2012;23(8):975–82.
16. Steers WD. Pathophysiology of Overactive Bladder and Urge Urinary Incontinence. Rev Urol. 2002;4(4):S7–18.
17. Cuttilan AN, Sayampanathan AA, Ho RC-M. Mental health issues amongst medical students in Asia: a systematic review [2000–2015]. Ann Transl Med. 2016;4(4):72.
18. Rahmayani RD, Liza RG, Syah NA. Gambaran Tingkat Stres Berdasarkan Stressor pada Mahasiswa Kedokteran Tahun Pertama Program Studi Profesi Dokter Fakultas Kedokteran Universitas Andalas Angkatan 2017. Jurnal Kesehatan Andalas. 2019;8(103–111):9.
19. Moore KL, Dalley AF, Agur AMR. Moore Clinically Oriented Anatomy. 7 ed. Philadelphia: Lippincott Williams & Wilkins; 2014.
20. Drake RL, Vogl WA, Mitchell AWM. Gray's basic anatomy: study smart with student consult. Philadelphia, PA: Elsevier, Churchill Livingstone; 2012.
21. Hall JE, Guyton AC. Guyton and Hall textbook of medical physiology. 12th ed. Philadelphia, Pa: Saunders/Elsevier; 2011.
22. Agustina N, Santoso BI, Junizaf. Prevalensi penderita Overactive Bladder pada pegawai perempuan di lingkungan Departemen Obstetri dan Ginekologi RSUPN Dr. Cipto Mangunkusumo Jakarta. Maj Obstet Ginekol Indones. 2008;32(2):82–92.
23. Wallace KM, Drake MJ. Overactive bladder. F1000Res. 2015;4:1–8.
24. Yoshida M, Miyamae K, Iwashita H, Otani M, Inadome A. Management of detrusor dysfunction in the elderly: changes in acetylcholine and adenosine triphosphate release during aging. Urology. 2004;63(3):17–23.
25. Hirayama A, Kazumasa T, Mastusita C, Okamoto N, Morikawa M, Tanaka N, dkk. Risk Factors for New-onset Overactive Bladder in Older Subjects: Results of the Fujiwara-Kyo Study. Urology. 2012;80(1):71–6.

26. Lightner D, Gomelsky A, Souter L, Vasavada S. Diagnosis and Treatment of Overactive Bladder (Non-Neurogenic) in Adults: AUA/SUFU Guideline Amendment 2019. *J Urol*. 2019;202(3):558–63.
27. Sumardi R. Test-retest Reliability of the Indonesian Version of the Overactive Bladder Symptom Score (OABSS) and Its Correlation with Standard Assessment Tools. *Acta Medica Indonesiana*. 2012;44(3):2012.
28. Brown JS, McGhan WF, Chokroverty S. Comorbidities associated with overactive bladder. *Am J Manag Care*. 2000;6(suppl 11):S574-579.
29. Wagner TH, Hu T, Bentkover J. Health-Related Consequences of Overactive Bladder. *Am J Manag Care*. 2002;8(19).
30. Melo LS, Ercole FF, Oliveira DU, Pinto TS, Victoriano MA, Alcoforado CLGC. Urinary tract infection: a cohort of older people with urinary incontinence. *Rev Bras Enferm*. 2017;70(4):838-44.
31. García MP, Muñoz N. Overactive Bladder and Quality of life. *Rev Est Inv Psico y Educ*. 2015;(14):6-9.
32. Khan S, Khan RA. Chronic Stress Leads to Anxiety and Depression. 2017;4.
33. Christyanti D, Mustami'ah D, Sulistiani W. Hubungan antara Penyesuaian Diri terhadap Tuntutan Akademik dengan Kecenderungan Stres pada Mahasiswa Fakultas Kedokteran Universitas Hang Tuah Surabaya. 2010;12(03):7.
34. Wiguna T. Gangguan Stres Pasca Trauma. Dalam: Buku Ajar Psikiatri. 3 ed. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia; 2017.
35. Sadock BJ, Sadock VA. Buku Ajar Psikiatri Klinis. 2 ed. Jakarta: EGC; 2010.
36. Muslim R. Buku Saku Diagnosis Gangguan Jiwa Rujukan Ringkas dari PPDGJ-III dan DSM-5. Jakarta: Bagian Ilmu Kedokteran Jiwa FK Unika Atma Jaya; 2013.
37. Kandou JE. Gangguan Penyesuaian. Dalam: Buku Ajar Psikiatri. 3 ed. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia; 2017.
38. Lovibond SH, Lovibond PF. Manual for the Depression Anxiety Stress Scales. 2 ed. Sydney : Psychology Foundation; 1995.
39. Crawford JR, Henry JD. The Depression Anxiety Stress Scales (DASS): Normative data and latent structure in a large nonclinical sample. *Br J Clin Psychol*. 2003;42:21.
40. Jeong S-M, Suh B, Jang SH, Jin HS, Kim N, Kwon H, dkk. Depression and Its Severity Are Strongly Associated with Both Storage and Voiding Lower

- Urinary Tract Symptoms Independently of Prostate Volume. *J Korean Med Sc.* 2015;30(11):1646–51.
41. Golabek T, Skalski M, Przydacz M, Świerkosz A, Siwek M, Golabek K, dkk. Lower urinary tract symptoms, nocturia and overactive bladder in patients with depression and anxiety. *Psychiatr Pol.* 2016;50(2):417–30.
 42. Sakakibara R, Ito T, Yamamoto T, Uchiyama T, Yamanishi T, Kishi M, dkk. Depression, Anxiety and the Bladder: Depression and the Bladder. *LUTS Low Urin Tract Symptoms.* 2013;5(3):109–20.
 43. Dahlan S. Langkah-Langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan. 2 ed. Jakarta: CV Sagung Seto; 2018.
 44. Dahlan S. Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. 4 ed. Jakarta; 2016.
 45. Effendy M. Kamus Besar Bahasa Indonesia. 5 ed. Jakarta: Balai Pustaka; 2016.
 46. Ahmad OB, Boschi-Pinto C, Lopez AD. Age Standardization of Rates : A New WHO Standard. Dalam WHO; 2001. (31).
 47. Dahlan S. Statistik untuk Kedokteran dan Kesehatan. 6 ed. Jakarta: Epidemiologi Indonesia; 2014.
 48. Sudirman SYR. Gambaran Status Gizi secara Antropometri Mahasiswa Kedokteran Umum Fakultas Kedokteran Universitas Hasanuddin Angkatan 2018. Universitas Hasanuddin; 2020.
 49. Karunia NLPG. Hubungan Indeks Massa Tubuh (IMT) dengan Keseimbangan Statis pada Mahasiswa Fakultas Kedokteran Universitas Udayana. *Majalah Ilmiah Fisioterapi Indonesia.* 2016;2(1):29-33
 50. Fitriani D. Peran Estrogen dan Leptin dalam Homeostasis Energi. *Jurnal Ilmu Kedokteran Dan Kesehatan.* 2018;5(2):123-131.
 51. Rizanty F. Hubungan Asupan Energi, Aktivitas Fisik dan Tingkat Stres dengan Indeks Massa Tubuh Mahasiswa Akhir Gizi STIKES Binawan. *Jurnal Andaliman: Jurnal Gizi Pangan, Klinik dan Masyarakat.* 2021;1(1):13–21.
 52. İrer B, Şen V, Bozkurt O, Demir Ö, Esen A. Prevalence and Possible Risk Factors of Overactive Bladder Symptoms in Women Living in the City of İzmir. *J Urol Surg.* 2018;5(3):180–7.
 53. Shimonovitz S, Monga AK, Stanton SL. Does the menstrual cycle influence cystometry. *Int Urogynecol J* 1997;8:213–216.
 54. Mutiara H, Pratiwi LA. Pengaruh Jahe terhadap Nyeri saat Menstruasi. *Majority.* 2017;6(1):51–4.

55. Widiatami T. Study Literature tentang Pemberian Minuman Kunyit Asam terhadap Tingkat Nyeri Menstruasi pada Remaja Putri. 2018;8(2):139–45.
56. Melaku L, Mossie A, Negash A. Stress among Medical Students and Its Association with Substance Use and Academic Performance. *J Biomed Educ*;2015:1–9.
57. Sani M, Mahfouz MS, Bani I, Alsomily AH, Alagi D, Alsomily NY, et al. Prevalence of stress among medical students in Jizan University, Kingdom of Saudi Arabia. *Gulf Med J*. 2012;1(1):19–25.
58. Sachs BD, Ni JR, Caron MG. Brain 5-HT deficiency increases stress vulnerability and impairs antidepressant responses following psychosocial stress. *Proc Natl Acad Sci*. 24 Februari 2015;112(8):2557–62.
59. Graves BS, Hall ME, Dias-Karch C, Haischer MH, Apter C. Gender differences in perceived stress and coping among college students. Dalby AR, editor. *PLOS ONE*. 2021;16(8):e0255634.
60. Verma R, Balhara YP, Gupta CS. Gender differences in stress response: Role of developmental and biological determinants. *Ind Psychiatry J*. 2011;20(1):4–10.
61. Rapkin AJ. Pathophysiology of Premenstrual Syndrome and Premenstrual Dysphoric Disorder. *Menopause International*. 2012;18:52–9.
62. Ramadani M. Premenstrual Syndrome (PMS). *Jurnal Kesehatan Masyarakat*. 2013;7(1):21–5.
63. Saraswathi I, Saikarthik J, Senthil Kumar K, Madhan Srinivasan K, Ardhanaari M, Gunapriya R. Impact of COVID-19 outbreak on the mental health status of undergraduate medical students in a COVID-19 treating medical college: a prospective longitudinal study. *PeerJ*. 2020;8:1-25.
64. Kumari A, Singh SB, Mahajan S, Sharma V, Ranjan R, Vohra P, dkk. Stress Assessment in MBBS First Year Students Before and After Stress Management Training during COVID-19 Lockdown : A North Indian Study. *Int J Med Biomed Stud*. 2020;4(9):33–8.
65. Pratiwi CA, Karini SM, Agustin RW. Perbedaan Tingkat Post-Traumatic Stress Disorder Ditinjau dari Bentuk Dukungan Emosi pada Penyintas Erupsi Merapi Usia Remaha dan Dewasa di Sleman, Yogyakarta. 2011;86–115.
66. Barha CK, Brummelte S, Lieblich SE, Galea LAM. Chronic restraint stress in adolescence differentially influences hypothalamic-pituitary-adrenal axis function and adult hippocampal neurogenesis in male and female rats. *Hippocampus*. November 2011;21(11):1216–27.
67. Soetjiningsih. *Tumbuh Kembang Remaja dan Permasalahannya*. Jakarta: Sagung Seto; 2010.

68. Lubis H, Ramadhani A, Rasyid M. Stres Akademik Mahasiswa dalam Melaksanakan Kuliah Daring Selama Masa Pandemi Covid 19. *Psikostudia J Psikol.* 2021;10(1):31–9.
69. Zhang C, Hai T, Yu L, Liu S, Li Q, Zhang X, dkk. Association between occupational stress and risk of overactive bladder and other lower urinary tract symptoms: A cross-sectional study of female nurses in China. *Neurourol Urodyn.* 2012;32(3):1–7.
70. Xu D, Zhu S, Li H, Gao J, Mou H, Wang K. Relationships among occupational stress, toileting behaviors, and overactive bladder in nurses: A multiple mediator model. *J Adv Nurs.* 2018;75(6):1263–71.
71. Van Der Vaart CH, De Leeuw JRJ, Roovers JPWR, Heintz APM. The effect of urinary incontinence and overactive bladder symptoms on quality of life in young women. *BJU Int.* 2002;90(6):544–9.
72. Kim M-Y, Kim Y, Lee J-Z, Son H. Symptom Bother, Physical and Mental Stress, and Health-related Quality of Life in Women with Overactive Bladder Syndrome. *Korean J Women Health Nurs.* 2013;19(4):295–305.

