

DAFTAR PUSTAKA

- [1] Nurlaila., “Preparasi Sensor Kelembaban Relatif dari Film Polivinil Alkohol dengan Metode Celup (dip-coating),” 2006.
- [2] C. M. Hassan and N. A. Peppas, “Structure and applications of poly(vinyl alcohol) hydrogels produced by conventional crosslinking or by freezing/thawing methods,” *Adv. Polym. Sci.*, vol. 153, pp. 37–65, 2000.
- [3] R. A. William, B. Sitorus, and M. bara’allo Malino, “Sintesis Polianilina pada Matriks Selulosa sebagai Elektrolit Padat pada Model Baterai Sederhana,” *J. Kim. Khatulistiwa*, pp. 32–38, 2014.
- [4] M. Khazaei *et al.*, “Novel electronic and magnetic properties of two-dimensional transition metal carbides and nitrides,” *Adv. Funct. Mater.*, vol. 23, no. 17, pp. 2185–2192, 2013.
- [5] A. S. Levitt, M. Alhabeab, C. B. Hatter, A. Sarycheva, G. Dion, and Y. Gogotsi, “Electrospun MXene/carbon nanofibers as supercapacitor electrodes,” *J. Mater. Chem. A*, vol. 7, no. 1, pp. 269–277, 2019.
- [6] K. Rajavel *et al.*, “2D Ti₃C₂T_x MXene/polyvinylidene fluoride (PVDF) nanocomposites for attenuation of electromagnetic radiation with excellent heat dissipation,” *Compos. Part A Appl. Sci. Manuf.*, vol. 129, p. 105693, 2020.
- [7] K. H. Tan, L. Samylingam, N. Aslfattahi, R. Saidur, and K. Kadirgama, “Optical and conductivity studies of polyvinyl alcohol-MXene (PVA-MXene) nanocomposite thin films for electronic applications,” *Opt. Laser Technol.*, vol. 136, no. October, p. 106772, 2021.
- [8] S. Purnavita and V. C. Dewi, “KAJIAN KETAHANAN BIOPLASTIK PATI JAGUNG DENGAN VARIASI BERAT DAN SUHU PELARUTAN POLIVINIL ALKOHOL,” vol. 2, pp. 14–22, 2021.
- [9] M. W. Gaylord, “Reinforced Plastics; Theory and Practice, 2 nd, Massachusetts: edition Cahner Boks,” 1974.
- [10] D. S. Anakottapary, T. Gde, and T. Nindhia, “Interaksi antara Proyektil dan Komposit Polimer diperkuat Butiran Silikon Karbid (SiCp) dan Serat Karbon pada Pengujian Balistik,” *J. Energi Dan Manufaktur*, vol. 4, no. 2, 2012.
- [11] D. G. Callister, W. D., & Rethwisch, *Callister, W. D., & Rethwisch, D. G. (2007). Materials science and engineering: an introduction (Vol. 7, pp. 665-715). New York: John wiley & sons., 9th ed. New York, 2014.*

- [12] S. Rajendran, R. Kannan, and O. Mahendran, "Ionic conductivity studies in poly(methylmethacrylate)-polyethylene oxide hybrid polymer electrolytes with lithium salts," *J. Power Sources*, vol. 96, no. 2, pp. 406–410, 2001.
- [13] J.M. Simajuntak, "Study film polivinil alkohol (PVA) dimodivikasi dengan Acrylamide (AAm) sebagai material sensitif terhadap kelembaban," *Univ. Indones.*, 2008.
- [14] M. Naguib, V. N. Mochalin, M. W. Barsoum, and Y. Gogotsi, "25th anniversary article: MXenes: A new family of two-dimensional materials," *Adv. Mater.*, vol. 26, no. 7, pp. 992–1005, 2014.
- [15] M. Xin, J. Li, Z. Ma, L. Pan, and Y. Shi, "MXenes and Their Applications in Wearable Sensors," *Front. Chem.*, vol. 8, no. April, pp. 1–14, 2020.
- [16] Y. Wang *et al.*, "Engineering 3D Ion Transport Channels for Flexible MXene Films with Superior Capacitive Performance," *Adv. Funct. Mater.*, vol. 29, no. 14, pp. 1–10, 2019.
- [17] S. Kyu, S. Kang, and M. Rethinasabapathy, "MXene : An emerging two-dimensional layered material for removal of radioactive pollutants," *Chem. Eng. J.*, vol. 397, no. March, p. 125428, 2020.
- [18] D. S. T. Manalu and A. Tri, "Analisis Nilai Tambah Gambir di Indonesia (Sebuah Tinjauan Literatur)," *MAHATANI J. Agribisni*, vol. 2, no. 1, pp. 46–67, 2019.
- [19] B. Santoso, O. H. Tampubolon, A. Wijaya, and R. Pambayun, "Interaksi pH dan Ekstrak Gambir pada Pembuatan Edible Film Anti Bakteri," *Agritech*, vol. 34, no. 01, pp. 8–13, 2014.
- [20] D. Candani, M. Ulfah, W. Noviana, and R. Zainul, "A Review Pemanfaatan Teknologi Sonikasi," no. 26, 2018.
- [21] H. Abral *et al.*, "Effect of ultrasonication duration of polyvinyl alcohol (PVA) gel on characterizations of PVA film," *J. Mater. Res. Technol.*, vol. 9, no. 2, pp. 2477–2486, 2020.
- [22] N. K. Sari and A. Muttaqin, "Pengaruh Waktu Sonikasi terhadap Konduktivitas Listrik Zeolit Berbahan Abu Dasar Batubara Menggunakan Metode Peleburan Alkali Hidrotermal," *J. Fis. Unand*, vol. 5, no. 4, pp. 322–326, 2016.
- [23] B. Delmifiana and A. -, "Pengaruh Sonikasi Terhadap Struktur Dan Morfologi Nanopartikel Magnetik Yang Disintesis Dengan Metode Kopresipitasi," *J. Fis. Unand*, vol. 2, no. 3, pp. 2011–2014, 2013.
- [24] A. A. Bunaciu, E. gabriela Udriștioiu, and H. Y. Aboul-Enein, "X-Ray Diffraction: Instrumentation and Applications," *Crit. Rev. Anal. Chem.*, vol. 45, no. 4, pp. 289–299, 2015.

- [25] S. Pirsá, “Smart films based on bacterial cellulose nanofibers modified by conductive polypyrrole and zinc oxide nanoparticles,” vol. 46617, pp. 1–10, 2018.
- [26] W. A. Adi, E. Sukirman, D. S. Winatapura, and G. T. Sulungbudi, “FAKTOR KOREKSI DIMENSI SAMPEL PADA SIFAT LISTRIK SUPERKONDUKTOR $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ DENGAN MENGGUNAKAN METODE FOUR POINT PROBE,” pp. 15–30.
- [27] K. ADE ANDREANTO and Z. ARIFIN IMAM SUPARDI, “Pengukuran Resistivitas Pada Printed Circuit Board Dengan Menggunakan Metode Four Point Probe,” *Inov. Fis. Indones.*, vol. 7, no. 02, pp. 48–53, 2018.

