

## DAFTAR PUSTAKA

- [1] B. Setiadi dan S. , “KAJIAN SIFAT FISIS DAN MEKANIS MATERIAL KOMPOSIT DENGAN Matrik AlSiMg DIPERKUAT DENGAN SERBUK SiC,” *Jurnal Teknik Mesin*, vol. 2, no. 4, 2014.
- [2] U. B. Surono dan Sukoco, “Analisa Sifat Fisis dan Mekanis Komposit Serat Ijuk Dengan Bahan Matrik Poliester,” Sekolah Tinggi Teknologi Nasional Yogyakarta, 2016.
- [3] K. Tan, L. Samylingam , N. Aslfattahi, R. Saidur dan K. Kadirgama, “Optical and conductivity studies of polyvinyl alcohol-MXene (PVA-MXene) nanocomposite thin films for electronic applications,” *ELSEVIER*, vol. 136, 2021.
- [4] S. Ningaraju dan H. B. Ravikumar, “Studies on electrical conductivity of PVA/graphite oxide nanocomposites: a free volume approach,” *J Polym Res*, vol. 24, no. 11, 2017.
- [5] V. Y. Pamela, R. Syarief, E. S. Iriani dan N. E. Suyatma, “Karakteristik mekanik, termal dan morfologi film polivinil alkohol dengan penambahan nanopartikel ZnO dan asam stearat untuk kemasan multilayer” 2016.
- [6] R. Hemalatha, M. Alagar, S. Selvasekarapandian, B. Sundaresan dan V. Moniha, “Studies of proton conducting polymer electrolyte based on PVA, amino acid proline and NH<sub>4</sub>SCN,” *Journal of Science: Advanced Materials and Devices*, vol. 4, pp. 101-110, 2019.
- [7] Y. Pan, L. Fu, Q. Zhou, Z. Wen, C. T. Lin, J. Yu, W. Wang dan H. Zhao, “Flammability, thermal stability and mechanical properties of polyvinyl alcohol nanocomposites reinforced with delaminated Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> (MXene),” *Polymer Composites*, pp. 1-9, 2019.
- [8] J. M. Simanjuntak, “Study film polivinil alkohol (PVA) dimodifikasi dengan Acrylamide (AAm) sebagai material sensitif terhadap kelembaban,” Universitas Indonesia , Depok, 2008.
- [9] L. Zheng, E. Chang, Q. Z. Meng, Y. Jian, M. G. James, Q. Jieshan, W. B. Michel dan G. Yuri, “Flexible and conductive MXene films and nanocomposites with high capacitance,” *PNAS*, 2014.

- [10] A. S. Levitt, M. Alhabeab, C. B. Hatter, A. Sarycheva, G. Dion dan Y. Gogotsi, "Electrospun MXene/Carbon Nanofibers as Supercapacitor Electrodes," *Journal of Materials Chemistry A*, 2018.
- [11] P. Kuang, J. Low, B. Cheng, J. Yu dan J. Fan, "MXene-based photocatalysts," *ELSEVIER*, vol. 56, pp. 18-44, 2020.
- [12] Z. Wu, T. Shang, Y. Deng, Y. Tao dan Q. H. Yang, "The Assembly of MXenes from 2D to 3D" *Advanced Science*, vol. 7, p. 1903077, 2020.
- [13] D. Candani, M. Ulfah, W. Noviana dan R. Zainul, "Pemanfaatan Teknologi Sonikasi".
- [14] H. Abral, V. Lawrensus, D. Handayani dan E. Sugiarti, "Preparation of nano-sized particles from bacterial cellulose using Preparation of nano-sized particles from bacterial cellulose using," *ELSEVIER*, vol. 191, pp. 161-167, 2018.
- [15] M. Mahbul, H. T. Chong, S. Khaleduzzaman, I. Shahrul, R. Saidur, B. Long dan M. Amalina, "Effect of Ultrasonication Duration on Colloidal Structure and Viscosity of Alumina–Water Nanofluid," *I&EC research*, vol. 53, pp. 6677-6684, 2014.
- [16] X. Tong, S. Liu, D. Qu, H. Gao, L. Yan, Y. Chen dan J. Grittenden, "Tannic acid-metal complex modified MXene membrane for contaminants removal from water," *ELSEVIER*, vol. 622, pp. 119042, 2021.
- [17] T. Surdia, *Pengetahuan Bahan Teknik*, Jakarta: PT. Pradnya Paramitha, 1992.
- [18] D. A. Porwanto dan L. Johar, "Karakterisasi komposit berpenguat serat bambu dan serat gelas sebagai alternatif bahan baku industri".
- [19] N. Nayiroh, "Teknologi Material Komposit," [nurun.lecturer.uin-malang.ac.id](http://nurun.lecturer.uin-malang.ac.id), 2013.
- [20] Sunardi, M. Fawaid dan F. R. N. M, "Variasi campuran fly ash batubara untuk material komposit," vol. 1, no. 1, 2015.
- [21] L. V. Vlack, *Elemen-elemen Ilmu dan Rekayasa Material*, Jakarta: Erlangga, 2004.
- [22] K.T Shalumon, K.H. Anulekha , S. V. Nair, S.V. Nair, K.P. Chennazhi dan R. Jayakumar, "Sodium alginate/poly(vinyl alcohol)/nano ZnO composite nanofibers for antibacterial wound dressings," *ELSEVIER*, vol. 49, pp. 247-254, 2011.
- [23] J. L. Kroschwitz, *Concise Encoclopedia of Polymer Science and Engineering*, USA: Jhon Wiley & Sons, Inc, 1990.

- [24] X. Tang dan S. Alavi, "Recent advances in starch, polyvinyl alcohol based polymer blends, nanocomposites and their biodegradability," *ELSEVIER*, vol. 85, pp. 7-16, 2011.
- [25] H. Abral , A. Atmajaya, M. Mahardika , F. Hafizulhaq, K. D. Handayani, S. Sapuan dan R. Ilyas, "Effect of ultrasonication duration of polyvinyl alcohol (PVA) gel on characterizations of PVA film," *ELSEVIER*, vol. 9, no. 2, pp. 2477-2486, 2020.
- [26] L. Daiheon, H. Hwang, S. K. Jun, P. Jongmin, D. Youn, K. Duhwan, H. Jungsoek, S. Myungeun dan L. Haeshin, "VATA: A Poly(vinyl alcohol)- and Tannic Acid-Based Nontoxic Underwater Adhesive," *ACS Applied Materials & Interfaces*, vol. 12, pp. 20933-20941, 2020.
- [27] M. Naguib, V. N. Mochalin, M. W. Barsoum dan Y. Gogotsi, "25th anniversary article: MXenes: A new family of two-dimensional materials," *Adv Mater*, vol. 26, no. 7, pp. 992-1005, 2014.
- [28] M. Xin, J. Li, Z. Ma, L. Pan dan Y. Shi, "MXene and Their Application in Wearable Sensors," April 2020.
- [29] W. Yuanming, W. Xue, L. Xiaolong, B. Yang, X. Huanhao, L. Yang, L. Rong dan Y. Guohui, "Engineering 3D Ion Transport Channels for Flexible MXene Film with Superior Capacitive Performance," *Advanced Functional Materials* , 2019.
- [30] K. H. Hong, "Preparation and Properties of Polyvinyl Alcohol/Tannic Acid Composite Film for Topical Treatment Application," *Fibers and Polymers*, vol. 17, no. 12, pp. 1963-1968, 2016.
- [31] N. Ince, G. Tezcanli, R.K Belen dan I.G Apikyan, "Ultrasound as a catalyzer of aqueous reaction systems: the state of the art and environmental applications," *Applied Catalysis B: Environmental*, vol. 29, pp. 167-176, 2001.
- [32] E. Tang, M. Huang dan L. Lim, "Ultrasonication of chitosan and chitosan nanoparticles," *ELSEVIER*, vol. 265, pp. 103-114, 2003.
- [33] A. Mahvi, "Application of Ultrasonic Technology for Water and Wastewater Treatment," *Iranian J Publ Health*, vol. 38, no. 2, pp. 1-17, 2009.
- [34] A. Anugraini, I. Syahbanu dan H. A. Melati, "PENGARUH WAKTU SONIKASI TERHADAP KARAKTERISTIK SELULOSA ASETAT HASIL SINTESIS DARI SABUT PINANG," *Jurnal Kimia Khatulistiwa* , vol. 7, no. 3, pp. 18-26, 2018.

- [35] Irzaman, A Maddu, H Syafutra dan A Ismangil, "Uji konduktivitas listrik dan dielektrik film tipis lithium tantalate yang didadah niobium pentaoksida menggunakan metode chemical solution deposition," 2010.
- [36] Irzaman, R Erviansyah, H. Syafutra, A Maddu dan Siswadi, "Studi konduktivitas listrik film tipis Ba 0,25, Sr 0,25, TiO<sub>3</sub> yang didadah ferium oksida (BFST) menggunakan metoda chemical solution," *Berkala Fisika*, vol. 12, no. 1, pp. 33-38, 2010.
- [37] A. M. Rusnadar, A. A. Qalbi, E. W. Utama, F. Jannah, R. A. Shavira, Lusiana, D. A. Primadani dan Faridawati, "Pengujian Konduktivitas Listrik Material dengan Metode Four Point Probe (FPP)," *Jurnal Praktikum Fisika Laboratorium Material*.
- [38] A. E. Raharja, A. Suhendi dan D. Darmawan, "PENGUKURAN RESISTIVITAS PADA PELAT KONDUKTOR TIPIS MENGGUNAKAN METODE FOUR POINT PROBE," *e-proceeding of Engineering*, vol. 6, no. 2, pp. 5305, 2019.
- [39] R. S. Warembra dan P. Betaubun, "Analysis of Electrical Properties Using the four point Probe Method," di *ICENIS*, 2018.
- [40] K. A. Andreanto dan Z. A. I. Supardi, "Pengukuran Resistivitas pada Printed CircuitBoard dengan Menggunakan Metoda Four Point Probe," *Jurnal Inovasi Fisika Indonesia*, vol. 7, no. 2, pp. 48-53, 2018.
- [41] S. H. Kurnianto, "Pengukuran Konduktivitas Listrik," Universitas Jember, 2002.
- [42] Z. Zhan, Q. Song, Z. Zhou dan C. Lu, "Ultrastrong and conductive MXene/cellulose nanofiber films enhanced by hierarchical nano-architecture and interfacial interaction for flexible electromagnetic interference shielding," *Journal of Materials Chemistry C*, 2019.
- [43] L. Agus, Rasap, Yuliana, Y. Biringgalo, R. Day dan Herdianto, "PENGARUH LAMA WAKTU ULTRASONIKASI TERHADAP KONDUKTIVITAS LISTRIK GRAPHENE," *Jurnal Aplikasi Fisika*, vol. 13, no. 2, 2017.
- [44] A. E. Pramono, "Karakteristik Komposit Karbon-Karbon Berbasis Limbah Organik Hasil Proses Tekan Panas," FT UI, Depok, 2012.