

## DAFTAR PUSTAKA

1. Nam SM, Kim JW, Yoo DY, Kim W, Jung HY, Choi JH, et al. Effects of aluminum on the reduction of neural stem cells, proliferating cells, and differentiating neuroblasts in the dentate gyrus of d-galactose-treated mice via increasing oxidative stress. *J Vet Sci.* 2016;17(2):127–36.
2. Fawell MJK. Aluminium in drinking-water, Background document for development of WHO. *J Guidel Drink Qual.* 2010;8–23.
3. Farhat SM, Mahboob A, Iqbal G, Ahmed T. Aluminum-Induced Cholinergic Deficits in Different Brain Parts and Its Implications on Sociability and Cognitive Functions in Mouse. *Biol Trace Elem Res.* 2017;177(1):115–21.
4. Nam SM, Kim JW, Yoo DY, Jung HY, Choi JH, Hwang IK, et al. Reduction of adult hippocampal neurogenesis is amplified by aluminum exposure in a model of type 2 diabetes. *J Vet Sci.* 2016;17(1):13–20.
5. Becaria A, Lahiri DK, Bondy SC, Chen DM, Hamadeh A, Li H, et al. Aluminum and copper in drinking water enhance inflammatory or oxidative events specifically in the brain. *J Neuroimmunol.* 2006;176(1–2):16–23.
6. Sood PK, Verma S, Nahar U, Nehru B. Neuroprotective Role of Lazaroids Against Aluminium Chloride Poisoning. *Neurochem Res.* 2015;40(8):1699–708.
7. Tobore TO. On the central role of mitochondria dysfunction and oxidative stress in Alzheimer's disease. *Neurol Sci.* 2019;40(8):1527–40.
8. Tobore TO. On the Etiopathogenesis and Pathophysiology of Alzheimer's Disease: A Comprehensive Theoretical Review. *J Alzheimer's Dis.* 2019;68(2):417–37.
9. Tönnies E, Trushina E. Oxidative Stress, Synaptic Dysfunction, and Alzheimer's Disease. *J Alzheimer's Dis.* 2017;57(4):1105–21.
10. Islam MT. Oxidative stress and mitochondrial dysfunction-linked neurodegenerative disorders. *Neurol Res.* 2017;39(1):73–82.
11. Yin S, Ran Q, Yang J, Zhao Y, Li C. Nootropic effect of neferine on aluminium chloride-induced Alzheimer's disease in experimental models. *J Biochem Mol Toxicol.* 2020;34(2):1–8.
12. Erazi H, Sansar W, Ahboucha S, Gamrani H. Aluminum affects glial system and behavior of rats. *Comptes Rendus - Biol.* 2010;333(1):23–7.
13. Hasanuddin U, Kuliah M, Disertasi P, Doktor P. Mata Kuliah Penunjang Disertasi (Mkpd) Fakultas Kedokteran Makassar. 2019.
14. Abd El-Rahman SS. Neuropathology of aluminum toxicity in rats (glutamate and GABA impairment). *Pharmacol Res.* 2003;47(3):189–94.
15. Bhat AH, Dar KB, Anees S, Zargar MA, Masood A, Sofi MA. Oxidative stress, mitochondrial dysfunction and neurodegenerative diseases; a mechanistic insight. *Biomed Pharmacother.* 2015;74:101–10.
16. Raskin J, Cummings J, Hardy J, Schuh K, Dean R. Neurobiology of Alzheimer's Disease: Integrated Molecular, Physiological, Anatomical, Biomarker, and Cognitive Dimensions. *Curr Alzheimer Res.* 2015;12(8):712–22.
17. Prakash D, Gopinath K, Sudhandiran G. Fisetin enhances behavioral performances and attenuates reactive gliosis and inflammation during aluminum chloride-induced neurotoxicity. *NeuroMolecular Med.*

- 2013;15(1):192–208.
- 18. Naaldijk Y, Jäger C, Fabian C, Leovsky C, Blüher A, Rudolph L, et al. Effect of systemic transplantation of bone marrow-derived mesenchymal stem cells on neuropathology markers in APP/PS1 Alzheimer mice. *Neuropathol Appl Neurobiol*. 2017;43(4):299–314.
  - 19. Bazzari FH, Abdallah DM, El-Abhar HS. Chenodeoxycholic acid ameliorates AlCl<sub>3</sub>-induced Alzheimer's disease neurotoxicity and cognitive deterioration via enhanced insulin signaling in rats. *Molecules*. 2019;24(10).
  - 20. Martinez CS, Alterman CDC, Vera G, Márquez A, Uranga JA, Peçanha FM, et al. Egg White Hydrolysate as a functional food ingredient to prevent cognitive dysfunction in rats following long-term exposure to aluminum. *Sci Rep*. 2019;9(1):1–13.
  - 21. Chakari-Khiavi F, Dolati S, Chakari-Khiavi A, Abbaszadeh H, Aghebati-Maleki L, Pourlak T, et al. Prospects for the application of mesenchymal stem cells in Alzheimer's disease treatment. *Life Sci*. 2019;231.
  - 22. Kang JM, Yeon BK, Cho SJ, Suh YH. Stem Cell Therapy for Alzheimer's Disease: A Review of Recent Clinical Trials. *J Alzheimer's Dis*. 2016;54(3):879–89.
  - 23. Hosseini SA, Mohammadi R, Noruzi S, Mohamadi Y, Azizian M, Mousavy SM, et al. Stem cell- and gene-based therapies as potential candidates in Alzheimer's therapy. *J Cell Biochem*. 2018;119(11):8723–36.
  - 24. Alipour M, Nabavi SM, Arab L, Vosough M, Pakdaman H, Ehsani E, et al. Stem cell therapy in Alzheimer's disease: possible benefits and limiting drawbacks. *Mol Biol Rep*. 2019;46(1):1425–46.
  - 25. Katarzyna O, Hutchings G, Popis M. Human Wharton ' s Jelly — Cellular Specificity , Stemness Potency , Animal Models , and Current Application in Human Clinical Trials. *J Clin Med*. 2020.
  - 26. Xie ZH, Liu Z, Zhang XR, Yang H, Wei LF, Wang Y, et al. Wharton's Jelly-derived mesenchymal stem cells alleviate memory deficits and reduce amyloid-β deposition in an APP/PS1 transgenic mouse model. *Clin Exp Med*. 2016;16(1):89–98.
  - 27. Cui YB, Ma SS, Zhang CY, Cao W, Liu M, Li DP, et al. Human umbilical cord mesenchymal stem cells transplantation improves cognitive function in Alzheimer's disease mice by decreasing oxidative stress and promoting hippocampal neurogenesis. *Behav Brain Res*. 2017;320:291–301.
  - 28. Kim JY, Kim DH, Kim JH, Lee D, Jeon HB, Kwon SJ, et al. Soluble intracellular adhesion molecule-1 secreted by human umbilical cord blood-derived mesenchymal stem cell reduces amyloid-B plaques. *Cell Death Differ*. 2012;19(4):680–91.
  - 29. Kim KS, Kim HS, Park JM, Kim HW, Park M kyung, Lee HS, et al. Long-term immunomodulatory effect of amniotic stem cells in an alzheimer's disease model. *Neurobiol Aging*. 2013;34(10):2408–20.
  - 30. Lee JK, Jin HK, Bae J sung. Bone marrow-derived mesenchymal stem cells reduce brain amyloid-β deposition and accelerate the activation of microglia in an acutely induced Alzheimer's disease mouse model. *Neurosci Lett*. 2009;450(2):136–41.
  - 31. Ma T, Gong K, Ao Q, Yan Y, Song B, Huang H, et al. Intracerebral transplantation of adipose-derived mesenchymal stem cells alternatively

- activates microglia and ameliorates neuropathological deficits in Alzheimer's disease mice. *Cell Transplant.* 2013;22:113–26.
32. Zhang Q, Wu HH, Wang Y, Gu GJ, Zhang W, Xia R. Neural stem cell transplantation decreases neuroinflammation in a transgenic mouse model of Alzheimer's disease. *J Neurochem.* 2016;136(4):815–25.
33. Lee IS, Jung K, Kim IS, Lee H, Kim M, Yun S, et al. Human neural stem cells alleviate Alzheimer-like pathology in a mouse model. *Mol Neurodegener.* 2015;10(1):1–16.
34. Kumar S. Anatomy of the brain. *Clin MRI.* 2020;11(3):58.
35. Moore KL, Dalley AF, Agur AMR. MOORE Clinically Oriented Anatomy. Seventh Ed. Wolters Kluwer Health. 2014. 878–880 p.
36. Freudenrich CC, Tortora GJ. Visualizing Anatomy and Physiology. 2011. 190–205 p.
37. Vasic V, Barth K, Schmidt MHH. Neurodegeneration and neuroregeneration—Alzheimer's disease and stem cell therapy. *Int J Mol Sci.* 2019;20(17).
38. Anand K, Dhikav V. Hippocampus in health and disease: An overview. *Ann Indian Acad Neurol.* 2012;15(4):239–46.
39. Eroschenko VP. diFiore's Atlas of Histology with Functional Correlations. Twelfth Ed. Wolters Kluwer Health. 2013. 184–185 p.
40. Cao Z, Wang P, Gao X, Shao B, Zhao S, Li Y. Lycopene attenuates aluminum-induced hippocampal lesions by inhibiting oxidative stress-mediated inflammation and apoptosis in the rat. *J Inorg Biochem.* 2019;193(600):143–51.
41. Wible CG. Hippocampal physiology, structure and function and the neuroscience of schizophrenia: A unified account of declarative memory deficits, working memory deficits and schizophrenic symptoms. *Behav Sci (Basel).* 2013;3(2):298–315.
42. Brat DJ. 2 - Normal Brain Histopathology. Second Edi. Practical Surgical Neuropathology: A Diagnostic Approach A Volume in the Pattern Recognition Series. Elsevier Inc.; 2018. 19–37 p.
43. Mescher AL. Jaringan Saraf & Sistem Saraf. In: Histologi Dasar Junquiera: teks & atlas. 17th ed. 2016. p. 150.
44. Prema A, Justin Thenmozhi A, Manivasagam T, Mohamed Essa M, Guillemain GJ. Fenugreek Seed Powder Attenuated Aluminum Chloride-Induced Tau Pathology, Oxidative Stress, and Inflammation in a Rat Model of Alzheimer's Disease. *J Alzheimer's Dis.* 2017;60(s1):S209–20.
45. Elizabeth MA, Samson P, Itohan OR. Histomorphological evaluations on the frontal cortex extrapyramidal cell layer following administration of N-Acetyl cysteine in aluminum induced neurodegeneration rat model. *Metab Brain Dis.* 2020;35(5):829–39.
46. Crisponi G, Nurchi VM, Bertolasi V, Remelli M, Faa G. Chelating agents for human diseases related to aluminium overload. *Coord Chem Rev.* 2012;256(1–2):89–104.
47. Singla N, Dhawan DK. Zinc Improves Cognitive and Neuronal Dysfunction During Aluminium-Induced Neurodegeneration. *Mol Neurobiol.* 2017;54(1):406–22.

48. Aguilar F, Autrup H, Barlow S, Castle L, Crebelli R, Dekant W, et al. Safety of aluminium from dietary intake - Scientific Opinion of the Panel on Food Additives, Flavourings, Processing Aids and Food Contact Materials (AFC). EFSA J. 2008;6(7):1–34.
49. Zhang H, Tang J, Huang L, Shen X, Zhang R, Chen J. Aluminium in food and daily dietary intake assessment from 15 food groups in Zhejiang Province, China. Food Addit Contam Part B Surveill. 2016;9(2):73–8.
50. Stahl T, Falk S, Rohrbeck A, Georgii S, Herzog C, Wiegand A, et al. Migration of aluminum from food contact materials to food—a health risk for consumers? Part I of III: exposure to aluminum, release of aluminum, tolerable weekly intake (TWI), toxicological effects of aluminum, study design, and methods. Environ Sci Eur. 2017;29(1).
51. Hosseini-Sharifabad A, Rabbani M, Seyed-Yousefi Y, Safavi M. Magnesium Increases the Protective Effect of Citicoline on Aluminum Chloride-induced Cognitive Impairment. Clin Psychopharmacol Neurosci. 2020;18(2):241–8.
52. Nam SM, Kim JW, Yoo DY, Kim W, Jung HY, Hwang IK, et al. Additive or synergistic effects of aluminum on the reduction of neural stem cells, cell proliferation, and neuroblast differentiation in the dentate gyrus of high-fat diet-fed mice. Biol Trace Elem Res. 2014;157(1):51–9.
53. Ahmad MH, Fatima M, Mondal AC. Influence of microglia and astrocyte activation in the neuroinflammatory pathogenesis of Alzheimer's disease: Rational insights for the therapeutic approaches. J Clin Neurosci. 2019;59:6–11.
54. Fakhoury M. Microglia and astrocytes in Alzheimer's disease: implications for therapy. Curr Neuropharmacol. 2017;15:508–18.
55. Attia H, Albuhayri S, Alaraidh S, Alotaibi A, Yacoub H, Mohamad R, et al. Biotin, coenzyme Q10, and their combination ameliorate aluminium chloride-induced Alzheimer's disease via attenuating neuroinflammation and improving brain insulin signaling. J Biochem Mol Toxicol. 2020;34(9):1–13.
56. Hartono B. Sel Punca : Karakteristik , Potensi dan Aplikasinya. J Kedokt Meditek. 2016;22(60):72–5.
57. Tran C, Damaser MS. Stem cells as drug delivery methods: Application of stem cell secretome for regeneration. Adv Drug Deliv Rev. 2015;82:1–11.
58. Zakrzewski W, Dobrzyński M, Szymonowicz M, Rybak ZR. Fuel Cells: Past, Present and Future. Stem Cell Res Ther. 2019;128(5):329–32.
59. Ranjbaran H, Abediankenari S, Mohammadi M, Jafari N, Khalilian A, Rahmani Z, et al. Wharton's jelly derived-mesenchymal stem cells: Isolation and characterization. Acta Med Iran. 2018;56(1):28–33.
60. Kim H, Na DL, Lee NK, Kim AR, Lee S, Jang H. Intrathecal injection in a rat model: A potential route to deliver human wharton's jelly-derived mesenchymal stem cells into the brain. Int J Mol Sci. 2020;21(4):1–11.
61. Ansari AS, Yazid MD, Sainik NQAV, Razali RA, Saim A Bin, Idrus RBH. Osteogenic induction of Wharton's jelly-derived mesenchymal stem cell for bone regeneration: A systematic review. Stem Cells Int. 2018;2018.
62. Varaa N, Azandeh S, Khodabandeh Z, Gharravi AM. Wharton's Jelly mesenchymal stem cell: Various protocols for isolation and differentiation

- of hepatocyte-like cells; narrative review. *Iran J Med Sci.* 2019;44(6):437–48.
63. Udeochu JC, Shea JM, Villeda SA. Microglia communication: Parallels between aging and Alzheimer's disease. *Clin Exp Neuroimmunol.* 2016;7(2):114–25.
64. Shen Z, Li X, Bao X, Wang R. Microglia-targeted stem cell therapies for Alzheimer disease: A preclinical data review. *J Neurosci Res.* 2017;95(12):2420–9.
65. Wu K-J, Yu S-J, Chiang C-W, Lee Y-W, Yen Bl, Hsu C-S, et al. Wharton' jelly mesenchymal stromal cell therapy for ischemic brain injury. *Brain Circ.* 2018;4(3):124.
66. Krupa P, Vackova I, Ruzicka J, Zaviskova K, Dubisova J, Koci Z, et al. The effect of human mesenchymal stem cells derived from Wharton's Jelly in spinal cord injury treatment is dose-dependent and can be facilitated by repeated application. *Int J Mol Sci.* 2018;19(5).
67. Joerger-Messerli MS, Marx C, Oppliger B, Mueller M, Surbek D V., Schoeberlein A. Mesenchymal Stem Cells from Wharton's Jelly and Amniotic Fluid. *Best Pract Res Clin Obstet Gynaecol.* 2016;31:30–44.
68. Hosney M. Therapeutic Potential of Adipose-Derived Mesenchymal Stem Cells (Admscs) and / or Taurine in Aluminum Chloride-Induced Alzheimer 's Disease Rat Model. 1979;1–31.
69. Song D, Ohtaki H, Tsumuraya T, Miyamoto K, Shibato J, Rakwal R, et al. The anti-inflammatory property of human bone marrow-derived mesenchymal stem/stromal cells is preserved in late-passage cultures. *J Neuroimmunol.* 2013;263(1–2):55–63.
70. World Health Organization. General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine World Health Organization. 2000;
71. Atae Nejad N, Amidi F, Agha Hoseini M, Nayer Nia K, Habibi M, Kajbafzadeh AM, et al. Male germ-like cell differentiation potential of human umbilical cord Wharton's jelly-derived mesenchymal stem cells in co-culture with human placenta cells in presence of BMP4 and retinoic acid. *Iran J Basic Med Sci.* 2015;18(4):325–33.
72. Liaquat L, Sadir S, Batool Z, Tabassum S, Shahzad S, Afzal A, et al. Acute aluminum chloride toxicity revisited: Study on DNA damage and histopathological, biochemical and neurochemical alterations in rat brain. Vol. 217, Life Sciences. Elsevier Inc; 2019. 202–211 p.
73. Bhalla P, Dhawan DK. Protective role of lithium in ameliorating the aluminium-induced oxidative stress and histological changes in rat brain. *Cell Mol Neurobiol.* 2009;29(4):513–21.
74. Kasbe P, Jangra A, Lahkar M. Mangiferin ameliorates aluminium chloride-induced cognitive dysfunction via alleviation of hippocampal oxidonitrosative stress, proinflammatory cytokines and acetylcholinesterase level. *J Trace Elem Med Biol.* 2015;31:107–12.
75. Chavali VD, Agarwal M, Vyas VK, Saxena B. Neuroprotective Effects of Ethyl Pyruvate against Aluminum Chloride-Induced Alzheimer's Disease in Rats via Inhibiting Toll-Like Receptor 4. *J Mol Neurosci.* 2020;70(6):836–50.

76. Sadek KM, Lebda MA, Abouzed TK. The possible neuroprotective effects of melatonin in aluminum chloride-induced neurotoxicity via antioxidant pathway and Nrf2 signaling apart from metal chelation. *Environ Sci Pollut Res.* 2019;26(9):9174–83.
77. Sánchez-Iglesias S, Soto-Otero R, Iglesias-González J, Barciela-Alonso MC, Bermejo-Barrera P, Méndez-Álvarez E. Analysis of brain regional distribution of aluminium in rats via oral and intraperitoneal administration. *J Trace Elem Med Biol.* 2007;21:31–4.
78. Denu RA, Hematti P. Effects of Oxidative Stress on Mesenchymal Stem Cell Biology. *Oxid Med Cell Longev.* 2016;2016.
79. Bodart-Santos V, De Carvalho LRP, De Godoy MA, Batista AF, Saraiva LM, Lima LG, et al. Extracellular vesicles derived from human Wharton's jelly mesenchymal stem cells protect hippocampal neurons from oxidative stress and synapse damage induced by amyloid- $\beta$  oligomers. *Stem Cell Res Ther.* 2019;10(1):1–13.
80. Lo Furno D, Mannino G, Giuffrida R. Functional role of mesenchymal stem cells in the treatment of chronic neurodegenerative diseases. *J Cell Physiol.* 2018;233(5):3982–99.
81. Abd El Fattah LI, Zickri MB, Aal LA, Heikal O, Osama E. The effect of thymoquinone,  $\alpha$ 7 receptor agonist and  $\alpha$ 7 receptor allosteric modulator on the cerebral cortex in experimentally induced Alzheimer's disease in relation to MSCs activation. *Int J Stem Cells.* 2016;9(2):230–8.

