

## DAFTAR PUSTAKA

- A. Al-Hdabi, Laboratory investigation on the properties of asphalt concrete mixture with Rice Husk Ash as filler, *Constr. Build. Mater.* 126 (2016) 544–551.
- A. Einstein, Berichtigung zumeiner Arbeit: Eineneue Bestimmung der Moleküldimensionen, *Ann. Phys* 34 (1911) 591–592.
- A. Faheem, C. Cloutier, E.G. Bautista, K. Sobolev, Impact of Coal Combustion Product Incorporation in Asphalt Mixture Performance, 97th Annual Meeting of Transportation Research Board, (No. 17-05853), 2017.
- A. Faheem, C. Hintz, H. Bahia, I. Al-Qadi, S. Glidden, Influence of filler fractional voids on mastic and mixture performance, *Transp. Res. Rec.: J. Transp. Res. Board* 2294 (2012) 74–80.
- A. Jamshidi, K. Kurumisawa, T. Nawa, M. Jize, G. White, Performance of pavements incorporating industrial byproducts: A state-of-the-art study, *Journal of Cleaner Production* 164 (2017) 367–388.
- A. Kavussi, R.G. Hicks, Properties of asphalt mixes containing different fillers, *J. Assoc. Asphalt Paving Technol.* (1997) 66.
- A. Kuity, S. Jayaprakasan, A. Das, Laboratory investigation on volume proportioning scheme of mineral fillers in asphalt mixture, *Constr. Build. Mater.* 68 (2014) 637–643.
- A. Loaiza, S. Cifuentes, H.A. Colorado, Asphalt modified with superfine electric arc furnace steel dust (EAF dust) with high

zinc oxide content, *Constr. Build. Mater.* 145 (2017) 538–547.

- A. Modarres, H. Ramyar, P. Ayar, Effect of cement kiln dust on the lowtemperature durability and fatigue life of hot mix asphalt, *Cold Regions Sci. Technol.* 110 (2015) 59–66.
- A. Modarres, M. Rahmzadeh, Application of coal waste powder as filler in hot mix asphalt., *Construction and Building Materials* 66 (2014) 476–483.
- A. Modarres, M. Rahmzadeh, P. Ayar, Effect of coal waste powder in hot mix asphalt compared to conventional fillers: mix mechanical properties and environmental impacts, *J. Cleaner Prod.* 91 (2015) 262–268.
- A. Modarres, P. Alinia Bengar, Investigating the indirect tensile stiffness,
- A. Nazer, J. Paya, M.B. Victoria, J. Monzo, Use of ancient copper slags in Portland cement and alkali activated cement matrices, *J. Environ. Manage.* 167 (1) (2016) 115–123.
- A. Pappu, M. Saxena, S.R. Asolekar, Solid wastes generation in India and their recycling potential in building materials, *Build. Environ.* 42 (2007) 2311–2320.
- A. Tayebali, G. Malpass, N. Khosla, Effect of mineral filler type and amount on design and performance of asphalt concrete mixtures, *Trans. Res. Rec.: J. Transp. Res. Board* 1609 (1998) 36–43.

- A. Zulkati, W. Diew, D. Delai, Effects of Fillers on Properties of Asphalt Concrete Mixture, *J. Transp. Eng.* 138 (7) (2012) 902–910.
- A.H. Aljassar, S. Metwali, M.A. Ali, Effect of filler types on marshall stability and retained strength of asphalt concrete effect of filler types on marshall stability and retained strength of asphalt concrete, *Int. J. Pavement Eng.* 5 (1) (2016) 47–51.
- A.I. Nassar, M.K. Mohammed, N. Thom, T. Parry, Mechanical, durability and microstructure properties of Cold Asphalt Emulsion Mixtures with different types of filler, *Constr. Build. Mater.* 114 (2016) 352–363.
- A.J. Tenza-Abril, J.M. Saval, A. Cuenca, Using sewage-sludge ash as filler in asphalt mixes, *J. Mater. Civil Eng.* 27 (4) (2014).
- A.R. Pasandín, I. Pérez, The influence of the mineral filler on the adhesion between aggregates and bitumen, *Int. J. Adhes. Adhes.* 58 (2015) 53–58.
- A.R. Pasandín, P. Ignacio, R. Antonio, M.C. Miguel, Moisture damage resistance of hot-mix asphalt made with paper industry wastes as filler, *J. Cleaner Prod.* 112 (2016) 853–862.
- AASHTO M17 (2007). Standard Specification for Mineral Filler for Asphalt Paving Mixtures.
- ASTM D242. (2009). Standard Specification for Mineral Filler for Asphalt Paving Mixtures. ASTM, West Conshohocken.
- B. Barra, L. Momm, Y. Guerrero, L. Bernucci, Characterization of granite and limestone powders for use as fillers in asphalt

mastics dosage, *Anais da Academia Brasileira de Ciencias* 86 (2) (2014) 995–1002.

- B. Huang, Q. Dong, E.G. Burdette, Laboratory evaluation of incorporating waste ceramic materials into Portland cement and asphaltic concrete, *Constr. Build. Mater.* 23 (12) (2009) 3451–3456.
- B. Huang, X. Shu, X. Chen, Effects of mineral fillers on hot-mix asphalt laboratory-measured properties, *Int. J. Pavement Eng.* 8 (1) (2006) 1–9.
- B.A. Anani, F. Balghunaim, S.H. Swailmi, Effects of field control of filler contents and compaction on asphalt mix properties., *Transp. Res. Rec.* 1217(1989).
- C. Clopotel, H. Bahia, The effect of bitumen polar groups adsorption on mastics properties at low temperatures, *Road Mater. Pavement Des.* 14 (1) (2013) 38–51.
- C. Li, Y. Xiao, Z. Chen, S. Wu, Crack resistance of asphalt mixture with steel slag powder, *Emerging Mater. Res.* 6 (1) (2016) 214–218.
- C. Li, Z. Chen, S. Wu, B. Li, J. Xie, Y. Xiao, Effects of steel slag fillers on the rheological properties of asphalt mastic, *Constr. Build. Mater.* 145 (2017) 383–391.
- C. Medina, M. Frías, M.I.S. De Rojas, Microstructure and properties of recycled concretes using ceramic sanitary ware industry waste as coarse aggregate, *Constr. Build. Mater.* 31 (2012) 112–118.

- C. Richardson, *The Modern Asphalt Pavement*, J. Wiley and Sons, New York, 1905.
- C. Sangiorgi, P. Tataranni, A. Simone, V. Vignali, C. Lantieri, G. Dondi, Assessment of waste bleaching clay as alternative filler for the production of porous asphalts, *Constr. Build. Mater.* 109 (2016) 1–7.
- C.G. Swaminathan, K. Nair, (1968). Fly ash as a filler in asphalt mixes. Road Research Paper 69, CRRI, New Delhi, India, 16–24.
- CPCB (Central Pollution Control Board). Assessment of utilization of Industrial solid wastes in cement manufacturing 2007 Central Pollution Control Board Delhi, India
- D. Lesueur, A. Teixeira, M.M. Lázaro, D. Andaluz, A. Ruiz, A simple test method in order to assess the effect of mineral fillers on bitumen ageing, *Constr. Build. Mater.* 117 (2016) 182–189.
- D. Lesueur, J. Petit, H. Ritter, The mechanisms of hydrated lime modification of asphalt mixtures: a state-of-the-art review, *Road Mater. Pavement Des.* 14 (1) (2013) 1–16.
- D. Sutradhar, M. Mintu, J.C. Golam, A.S. Mohd, Effect of using waste material as filler in asphalt mix design, *Am. J. Civ. Eng.* 3 (3) (2015) 88–94.
- D. Zejiao, L. Zhiyang, W. Yuan, G. Xiangbing, Effects of Aggregates Mineralogy on Rheology of Asphalt Mastics by Effects of Aggregates Mineralogy on Rheology of Asphalt Mastics, 96th Annual Meeting of Transportation Research Board, 1–15, Washington D.C, USA, 2017.

- D.A. Anderson, J.P. Tarris, Characterization and specifications of baghouse fines, Proc. Assoc. Asphalt Paving Technol. 52 (1983) 82–120.
- D.A. Anderson, W.H. Goetz, Mechanical behavior and reinforcement of mineral filler-asphalt mixes, Proc. Assoc. Asphalt Paving Technol. 42 (1973) 37–66.
- D.G. Tunnicliff, Binding effects of mineral filler, J. Assoc. Asphalt Paving Technol. 36 (1967) 114–156.
- D.N. Little, D. Jones, (2003). Chemical and mechanical mechanisms of moisture damage in hot mix asphalts pavements. Moisture sensitivity of asphalt pavements: a national seminar, Washington DC: National Academies Press, San Diego, California.
- E. Bocci, Use of ladle furnace slag as filler in hot asphalt mixtures, Constr. Build. Mater. 161 (2018) 156–164.
- E. Brown, J. Haddock, C. Crawford, Investigation of stone matrix asphalt mortars, Trans. Res. Rec.: J. Transp. Res. Board 1530 (1996) 95–102.
- E.D. Gonzalez, J. Sarkis, D. Huisingh, L.H. Huatuco, N. Maculan, J.R. MontoyaTorres, C.M. de Almeida, Making real progress toward more sustainable societies using decision support models and tools: introduction to the special volume, J. Cleaner Prod. 105 (2015) 1–13.
- E.E. Aburkaba, R. Munaindy, The use of industrial and by-product wastes as replacement of mineral fillers in stone mastic

- asphalt mixes, Proceedings of World Road Congress-Conference on Building and Infrastructure Technology, 2010.
- E.G. Bautista, J. Flickinger, R. Saha, I. Flores-Vivian, A.F. Faheem, K. Sobolev, Effect of Coal Combustion Products on high temperature performance of asphalt mastics, *Constr. Build. Mater.* 94 (2015) 572–578.
- E.R. Brown, L.A. Cooley, (1999). Designing of SMA for rut resistant pavements, NCHRP Report 425, National Cooperative Highway Research program.
- EN 13043 (2004). Aggregates for Asphalt Mixtures and Surface Treatments for Roads, Airfields and Other Trafficked Areas.
- F.M. Jakarni Adhesion of asphalt mixtures [Ph.D. thesis] 2012 University of Nottingham.
- G.D. Airey, M.C. Liao, N.N. Thom, Fatigue behaviour of bitumen-filler mastics., 1, Proceedings of 10th International conference on asphalt pavements, Quebec City, Canada, 2006, pp. 485–495.
- G.R. Robinson Jr, W.D. Menzie, H. Hyun, Recycling of construction debris as aggregate in the Mid-Atlantic Region, USA, *Resour., Conserv. Recycl.* 42 (3) (2004) 275–294.
- H. Akbulut, C. Gürer, S. Çetin, A. Elmac, Investigation of using granite sludge as filler in asphalt hot mixes, *Constr. Build. Mater.* 36 (2012) 430–436.
- H. Wang, I. Al-Qadi, A. Faheem, H. Bahia, S.H. Yang, G. Reinke, Effect of mineral filler characteristics on asphalt mastic and mixture rutting potential, *Trans. Res. Rec.: J. Transp. Res. Board* 2208 (2011) 33–39.

- H. Zhang, H. Li, Y. Zhang, D. Wang, J. Harvey, H. Wang, Performance enhancement of porous asphalt pavement using red mud as alternative filler, *Constr. Build. Mater.* 160 (2018) 707–713.
- H.M. Hamada, G.A. Jokhio, F.M. Yahaya, A.M. Humada, Y. Gul, The present state of the use of palm oil fuel ash (POFA) in concrete, *Construction and Building Materials* 175 (2018) 26–40.
- H.Y. Ahmed, A.M. Othman, A.A. Mahmoud, Effect of using waste cement dust as a mineral filler on the mechanical properties of hot mix asphalt, *Ass. Univ. Bull. Environ. Res* 9 (1) (2006) 51–60.
- IRC: SP- 79. Tentative specifications for stone matrix asphalt 2008 Indian Road Congress New Delhi.
- J. Bolden, T. Abu-Lebdeh, E. Fini, Utilization of recycled and waste materials in various construction applications, *Am. J. Environ. Sci.* 9 (1) (2013) 14.
- J. Choudhary et al. / *Construction and Building Materials* 234 (2020) 117271–117277
- J. Choudhary et al. / *Construction and Building Materials* 234 (2020) 117271–117277
- J. Choudhary, B. Kumar, A. Gupta, Application of waste materials as fillers in bituminous mixes, *Waste Management* 78 (2018) 417–425.
- J. Choudhary, B. Kumar, A. Gupta, Investigation of using dimension limestone slurry waste as filler in asphalt mixes, In 97th annual meeting of Transportation Research Board, 2018.



- J. Choudhary, B. Kumar, A. Gupta, Laboratory evaluation on recycling waste industrial glass powder as mineral filler in hot mix asphalt, in: Proceeding of Civil Engineering Conference- Innovation for Sustainability, Hamirpur, India, 2016, pp. 352–359.
- J. Choudhary, B. Kumar, A. Gupta, Performance of asphalt mix with glass and glass-lime composite fillers, *Advances in Materials and Pavement Prediction: Papers from the International Conference on Advances in Materials and Pavement Performance Prediction (AM3P 2018)*, April 16-18, CRC Press, 2018.
- J. Craus, I. Ishai, A. Sides, Some physico-chemical aspects of the effect and the role of the filler in asphalt paving mixes, in: *Proceedings of Association of Asphalt Paving Technologists*, 1978, p. 558.
- J. Read, D. Whiteoak, *The Shell Bitumen Handbook*, fifth ed., Thomas Telford Publishing, London, 2003.
- J.C. Petersen, H. Plancher, P.M. Harnsberger, Lime Treatment of Asphalt to Reduce Age Hardening and Improve Flow Properties, *AAPT 56* (1987).
- J.G. Cabrera, S. Zoorob, (1994). Design of low energy hot rolled asphalt. The Civil Engineering Materials Unit, Department of Civil Engineering, University of Leeds, UK.
- K. Loorents, S.F. Said, On mineralogical composition of filler and performance of asphalt concrete, *Int. J. Pavement Eng.* 10 (4) (2009) 299–309.

- K. Sobolev, I.F. Vivian, R. Saha, N.M. Wasiuddin, N.E. Saltibus, The effect of fly ash on the rheological properties of asphalt materials, *Fuel* 116 (2014) 471–477.
- K.M. Tasneem, (2014). Beneficial Utilization of Municipal Solid Waste Incineration Ashes. M.S Thesis, University of Central Florida, Orlando, USA.
- K.N. Farooque, M. Zaman, E. Halim, S. Islam, M. Hossain, Y.A. Mollah, A.J. Mahmood, Characterization and utilization of rice husk ash (RHA) from rice mills of Bangladesh, *Bangladesh J. Sci. Ind. Res.* 44 (2) (2009) 157–162.
- K.Z. Ramadan, A.M. Ashteyat, Utilization of white cement bypass dust as filler in asphalt concrete mixes, *Can. J. Civ. Eng.* 36 (2) (2009) 191–195.
- M. Al-Mehthel, H.L.A.A. Wahhab, I.A. Hussein, U.S. Patent No. 8,062,413, U.S. Patent and Trademark Office, Washington, DC, 2011.
- M. Arabani, N.F. Moghadas, A.R. Azarhoosh, Laboratory evaluation of recycled waste concrete into asphalt mixtures, *International Journal of Pavement Engineering* 14 (6) (2013) 531–539.
- M. Arabani, S. Babamohammadi, A.R. Azarhoosh, Experimental investigation of seashells used as filler in hot mix asphalt, *Int. J. Pavement Eng.* 16 (6) (2015) 502–509.
- M. Arabani, S.A. Tahami, M. Taghipoor, Laboratory investigation of hot mix asphalt containing waste materials, *Road Mater. Pavement Des.* (2017) 1–17.

- M. Bostanciog˘lu, S. Oruc, Effect of activated carbon and furan resin on asphalt mixture performance, *Road Mater. Pavement Des.* 17 (2) (2016) 512–525.
- M. Karasahin, S. Terzi, Evaluation of marble waste dust in the mixture of asphaltic concrete, *Constr. Build. Mater.* 21 (3) (2007) 616–620.
- M. Saleh, Effect of aggregate gradation, mineral fillers, bitumen grade, and source on mechanical properties of foamed bitumen-stabilized mixes, *Trans. Res. Rec.: J. Transp. Res. Board* 1952 (2006) 90–100.
- M. Saltan, B. Öksüz, V.E. Uz, Use of glass waste as mineral filler in hot mix asphalt, *Sci. Eng. Composite Mater.* 22 (3) (2015) 271–277.
- M.A. Alsheyab, T.S. Khedaywi, Effect of electric arc furnace dust (EAFD) on properties of asphalt cement mixture, *Resources, Conservation and Recycling* 70 (2013) 38–43.
- M.H. Al Sayed, I.M. Madany, A.R.M. Buali, Use of sewage sludge ash in asphaltic paving mixes in hot regions, *Constr. Build. Mater.* 9 (1) (1995) 19– 23.
- M.N. Borhan, A. Ismail, R.A. Rahmat, Evaluation of palm oil fuel ash (POFA) on asphalt mixtures, *Aust. J. Basic Appl. Sci.* 4 (10) (2010) 5456–5463.
- M.S. Konsta-Gdoutos, S.P. Shah, Hydration and properties of novel blended cements based on cement kiln dust and blast furnace slag, *Cem. Concr. Res.* 33 (8) (2003) 1269–1276.

- M.Z. Chen, J.T. Lin, S.P. Wu, C.H. Liu, Utilization of recycled brick powder as alternative filler in asphalt mixture, *Constr. Build. Mater.* 25 (4) (2011) 1532–1536.
- M.Z. Chen, J.T. Lin, S.P. Wu, Potential of recycled fine aggregate powder as filler in asphalt mixture, *Constr. Build. Mater.* 25 (10) (2011) 3909–3914.
- M.Z.M. Zainudin, F.H. Khairuddin, C.P. Ng, C. Osmi, S. Khadijah, N. Misnon, S. Murniati, Effect of sugarcane bagasse ash as filler in hot mix asphalt, *Mater. Sci. Forum* 846 (2016) 683–689.
- Maleka, A. M., Alkali, I. A., & Jaya, R. P. (2014). The Indirect Tensile Strength of Palm Oil Fuel Ash (POFA) Modified Asphaltic Concrete. *Applied Mechanics & Materials*.
- MORTH (Ministry of Road Transport and Highways) Specifications for Road and Bridge Works (Fifth Revision) 2013 Indian Road Congress New Delhi.
- N. Ranjbar, M. Mehrli, U.J. Alengara, H.S.C. Metselaar, M.Z. Jumaat, Compressive strength and microstructural analysis of fly ash/palm oil fuel ash based geopolymer mortar under elevated temperatures, *Construction and Building Materials* 65 (2014) 114–121.
- N.H. Ravindranath, H.I. Somashekar, M.S. Nagaraja, P. Sudha, G. Sangeetha, S. C. Bhattacharya, P.A. Salam, Assessment of sustainable non-plantation biomass resources potential for energy in India, *Biomass Bioenergy* 29 (3) (2005) 178–190.
- N.M. Katamine, Phosphate waste in mixtures to improve their deformation, *J. Transp. Eng.* 126 (5) (2000) 382–389.

- O. Whiteoak, Handbook of shell asphalts, Shell Bitumen, UK, London, 1991, p. 48.
- P. Kandhal, C. Lynn, F. Parker, Characterization tests for mineral fillers related to performance of asphalt paving mixes, Trans. Res. Rec.: J. Transp. Res. Board 1638 (1998) 101–110.
- P. Kumar, G.D. Ransinchungh, A.K. Anupam, Waste Materials-An Alternative to Conventional Materials in Rural Road Construction, in: Workshop on NonConventional Materials/Technologies, Central Road Research Institute,, New Delhi, 2012, pp. 16–26.
- P. Matos, R. Micaelo, C. Duarte, L. Quaresma, Influence of bitumen and filler on the selection of appropriate mixing and compaction temperatures, International Journal of Pavement Research and Technology 7 (4) (2014) 237–246.
- P.J. Rigden, The use of fillers in asphalt road surfacings. A study of filler-binder systems in relation to filler characteristics, J. Soc. Chem. Ind. 66 (9) (1947) 299–309.
- P.S. Kandhal, (1993). Waste materials in hot mix asphalt—An overview. In: Use of waste materials in hot-mix asphalt. ASTM International.
- R. Gubler, Y. Liu, D.A. Anderson, M.N. Partl, Investigation of system and asphalt binders by rheological means, J. Asphalt Paving Technol. 68 (1999) 284–304.
- R. Lackner, M. Spiegl, Is low-temperature creep of asphalt mastic independent of filler shape and mineralogy?—arguments

from multiscale analysis, *J. Mater. Civ. Eng.* 17 (2005) 485–491.

- R. Melotti, E. Santagata, M. Bassani, M. Salvo, S. Rizzo, A preliminary investigation into the physical and chemical properties of biomass ashes used as aggregate fillers for asphalt mixtures, *Waste Management* 33 (9) (2013) 1906–1917.
- R. Mistry, S. Karmakar, T. Kumar Roy, Experimental evaluation of rice husk ash and fly ash as alternative fillers in hot-mix asphalt, *Road Mater. Pavement Des.* (2018) 1–12.
- R. Mistry, T.K. Roy, Utilization of rice husk ash in hot mix asphalt concrete as mineral filler replacement, In *Journal of the Indian Roads Congress* 76 (1) (2015) 13–17.
- R. Muniandy, E. Aburkaba, (2011). The effect of type and particle size of industrial wastes filler on Indirect Tensile Stiffness and Fatigue performance of Stone Mastic Asphalt Mixtures, 5(11), 297–308.
- R. Muniandy, E. Aburkaba, R. Taha, Effect of mineral filler type and particle size on the engineering properties of stone mastic asphalt pavements, *TJER* 10 (2) (2013) 13–32.
- R. Muniandy, E.E. Aburkaba, H.B. Hamid, R.B.T. Yunus, An initial investigation of the use of local industrial wastes and by-products as mineral fillers in stone mastic asphalt pavements, *J. Eng. Appl. Sci.* 4 (3) (2009) 54–63.
- R. Poulin, R.C. Pakalnis, K. Sinding, Aggregate resources: production and environmental constraints, *Environ. Geol.* 23 (3) (1994) 221–227.

- R. Taha, A. Al-Rawas, A. Al-Harthy, A. Qatan, Use of cement bypass dust as filler in asphalt concrete mixtures, *J. Mater. Civil Eng.* 14 (4) (2002) 338–343.
- R. Taylor, Surface interactions between bitumen and mineral fillers and their effects on the rheology of bitumen–filler mastics (PhD Thesis), University of Nottingham, UK, 2007.
- R.C. West, R.S. James, Evaluation of a lime kiln dust as a mineral filler for stone matrix asphalt, *Transp. Res. Board* 750 (2006) 1–18.
- R.K. Paramguru, P.C. Rath, V.N. Misra, Trends in red mud utilization—a review, *Mineral Processing & Extractive Metallq. Rev.* 26 (1) (2004) 1–29.
- R.M. Recasens, A. Martinez, F.P. Jimenez, H. Bianchetto, Effect of filler on the aging potential of asphalt mixtures, *Trans. Res. Rec.: J. Transp. Res. Board* 1901 (2005) 10–17.
- S. Chandra, R. Choudhary, Characterization of fly ash bituminous concrete mixes performance characteristics of bituminous concrete with industrial wastes as filler, *J. Mater. Civ. Eng.* 25 (11) (2013) 1666–1673.
- S. Chandra, R. Choudhary, Performance characteristics of asphalt concrete with industrial wastes as filler, *J. Mater. Civil Eng.* 25 (11) (2013) 1666–1673.
- S. Kashyap, D. Datta, Reusing industrial lime sludge waste as a filler in polymeric composites, *Materials Today: Proceedings* 4 (2) (2017) 2946–2955.

- S. Sargin, M. Saltan, N. Morova, S. Serin, S. Terzi, Evaluation of rice husk ash as filler in hot mix asphalt concrete, *Constr. Build. Mater.* 48 (2013) 390–397.
- S. Wu, J. Zhu, J. Zhong, D. Wang, Experimental investigation on related properties of asphalt mastic containing recycled red brick powder, *Constr. Build. Mater.* 25 (6) (2011) 2883–2887.
- T. Kütük-Sert, S. Kütük, Physical and marshall properties of borogypsum used as filler aggregate in asphalt concrete, *Journal of Materials in Civil Engineering* 25 (2) (2012) 266–273.
- T.B. Moghaddam, M. Soltani, M.R. Karim, Experimental characterization of rutting performance of polyethylene terephthalate modified asphalt mixtures under static and dynamic loads, *Constr. Build. Mater.* 65 (2014) 487–494.
- toughness and fatigue life of hot mix asphalt containing copper slag powder, *Int. J. Pavement Eng.* (2017) 1–9.
- U. Rongali, G. Singh, A. Chourasiya, P.K. Jain, Laboratory performance of stone matrix asphalt containing composite of fly ash and plastic waste, *Journal of Scientific and Industrial Research* 72 (2013) 186–192.
- V. Antunes, A.C. Freire, L. Quaresma, R. Micaelo, Effect of the chemical composition of fillers in the filler-bitumen interaction, *Constr. Build. Mater.* 104 (2016) 85–91.
- V. Antunes, A.C. Freire, L. Quaresma, R. Micaelo, Influence of the geometrical and physical properties of filler in the filler–



bitumen interaction, *Constr. Build. Mater.* 76 (2015) 322–329.

V. Sharma, S. Chandra, R. Choudhary, Characterization of fly ash asphalt concrete mixes, *J. Mater. Civil Eng.* 22 (12) (2010) 1209–1216.

W. Grabowski, J. Wilanowicz, The structure of mineral fillers and their stiffening properties in filler-bitumen mastics, *Mater. Struct.* (2007) 793–804.

W.S. Mogawer, K.D. Stuart, Effects of mineral fillers on properties of stone matrix asphalt mixtures, *Transp. Res. Rec.* 1530 (1996) 86–94.

Y. Xue, H. Hou, S. Zhu, J. Zha, Utilization of municipal solid waste incineration ash in stone mastic asphalt mixture: pavement performance and environmental impact, *Constr. Build. Mater.* 23 (2) (2009) 989–996.

Y.R. Kim, D. Little, I. Song, Effect of mineral fillers on fatigue resistance and fundamental material characteristics: mechanistic evaluation, *Trans. Res. Rec.: J. Transp. Res. Board* 1832 (2003) 1–8.

