

DAFTAR PUSTAKA

1. Ravani P, Palmer SC, Oliver MJ, et al. Associations between hemodialysis access type and clinical outcomes: a systematic review. *J Am Soc Nephrol.* 2013;24(3):465-473.
2. Schmidli J, Widmer MK, Basile C, de Donato G, Gallieni M, Gibbons CP, *et al.* Editor's Choice-Vascular Access : 2018 Clinical Guidelines of the European Society for Vascular Surgery (ESVS). *Eur J Vasc Endovasc Surg.* 2018; 55 : 757-818.
3. Lok CE, Huber TS, Lee T, Shenoy S, Yevzlin AS, Abreo K, *et al.* Kidney Disease Outcomes Quality Initiative. *AJKD.* 2019; 75.
4. Quencer KB, Arici M. Arteriovenous fistulas and their characteristic sites of stenosis. *AJR Am J Roentgenol* 2015;205(4):726–734.
5. Lok CE, Allon M, Moist L, Oliver MJ, Shah H, Zimmerman D. Risk equation determining unsuccessful cannulation events and failure to maturation in arteriovenous fistulas (REDUCE FTM I). *J Am Soc Nephrol.* 2006;17(11):3204-3212.
6. Salmela B, Hartman J, Peltonen S, Alback A, Lassila R. Thrombophilia and arteriovenous fistula survival in ESRD. *Clin J Am Soc Nephrol.* 2013;8:962–968.doi:10.2215/CJN.03860412PMID:23411429.
7. Conte MS, Nugent HM, Gaccione P, Roy Chaudhury P, Lawson JH. Influence of diabetes and perivascular allogeneic endothelial cell implants on arteriovenous fistulae modeling. *J Vasc Surg.* 2011;54: 1383-1389.doi:10.1016/j.jvs.2011.05.005PMID:21840154.
8. Gołębiowski T, et al. Vascular access in diabetic patients. Are these patients “difficult”? *Postępy Hig Med Dosw (online)*, 2015; 69: 913-917.
9. Afsar B, Elsurer R. The primary arteriovenous fistula failure—a comparison between diabetic and non-diabetic patients: glycemic control matters. *Int Urol Nephrol* (2012) 44:575–581.
10. Sedlacek M, Teodorescu V, Falk A, Vassalotti JA, Uribarri J. Hemodialysis access placement with preoperative noninvasive vascular mapping: comparison between patients with and without diabetes. *Am J Kidney Dis.* 2001;38:560–564.PMID:11532689.

11. Allon M, Litovsky S, Young CJ, Deierhoi MH, Goodman J, Hanaway M, et al. Medial fibrosis, vascular calcification, intimal hyperplasia, and arteriovenous fistula maturation. *Am J Kidney Dis.* (2011); 58: 437–443. doi:10.1053/j.ajkd.2011.04.018 PMID:21719173
12. Jin DC et al. Current characteristics of dialysis therapy in Korea: 2016 registry data focusing on diabetic patients. *Kidney Res Clin Pract* 2018 Mar;37(1):20-29. doi:10.23876/j.krcp.2018.37.1.20. Epub 2018 Mar 31. PMID: **29629274** PMID: [PMCID: PMC5875573](https://pubmed.ncbi.nlm.nih.gov/29629274/)
13. Suwitra K. Penyakit Ginjal Kronik. In: Setiati S, Alwi I, Sudoyo A, Simadibrata M, Setiyohadi B, Syam A, editors. *Buku Ajar Ilmu Penyakit Dalam*. 6th ed. Jakarta: INTERNA Publishing; 2014. p. 2159
14. Suhardjono. Hemodialisa; Prinsip Dasar dan Pemakaian Kliniknya. In: Setiati S, Alwi I, Sudoyo A, Simadibrata M, Setiyohadi B, Syam A, editors. *Buku Ajar Ilmu Penyakit Dalam*. 6th ed. Jakarta: INTERNA Publishing; 2014. P.2192–4.
15. Santoro D, Benedetto F, Mondello P, Pipitò N, Barillà D, Spinelli F, et al. Vascular access for hemodialysis: Current perspectives. *Int J Nephrol Renovasc Dis.* 2014;7:281–94.
16. Malovrh M. Native arteriovenous fistula: Preoperative evaluation. *Am J Kidney Dis.* 2002;39(6):1218–25.
17. Sebayang AN, Hidayat NA. Arteriovenous Shunt Sebagai Akses Hemodialisa pada Pasien Penyakit Gagal Ginjal Kronis. *JMKI*. Vol 8. 2021:2114-5
18. Soelistijo SA, Novida H, Rudijanto A, Soewondo P, Suastika K, Manaf A, et al. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. *PB PERKENI*. 2015; 55-61.
19. Purnamasari D. Konsensus Definisi dan Klasifikasi Diabetes Melitus Tipe 2 di Indonesia. *PB PERKENI*. 2015; 6-10
20. Berceli SA, Davies MG, Kenagy RD et al. Flow induced neointimal regression in baboon polytetrafluoroethylene grafts is associated with decreased cell proliferation and increased apoptosis. *J Vasc Surg* 36:1248–1255.
21. Qin F, Dardik H, Pangilinan A, Robinson J, Chuy J, Wengerter K. Remodeling and suppression of intimal hyperplasia of vascular grafts with a distal arteriovenous fistula in a rat model. *J Vasc Surg.* 2001;34:701–706.

22. Georgiadis GS, Georgakarakos EI, Antoniou GA, Panagoutsos S, Argyrio C, Mourvati E, et al. Correlation of pre-existing radial artery macrocalcifications with late patency of primary radiocephalic fistulas in diabetic hemodialysis patients. *J Vasc Surg.* 2014;60(2):462-70.
23. Creager MA, et al. Diabetes and Vascular Disease Pathophysiology, Clinical Consequences, and Medical Therapy: Part I. *Circulation.* Volume 108, Issue 12, 23 September 2003, Pages 1527-1532
Cited on [Diabetes and Vascular Disease \(ahajournals.org\)](http://Diabetes and Vascular Disease (ahajournals.org))
<https://doi.org/10.1161/01.CIR.0000091257.27563.32>
24. Gordon A, et al. Diabetes should not dissuade arteriovenous fistula formation. *British Journal of Diabetes. Br J Diabetes* 2016;16:119-122. DOI: 10.15277/bjd.2016.077 . Cited on [\(PDF\) Diabetes should not dissuade arteriovenous fistula formation \(researchgate.net\)](http://(PDF) Diabetes should not dissuade arteriovenous fistula formation (researchgate.net)).
25. Venkatnarayanan R, Dogra PM, Bavdekar R, Singh SK, Mondal AK. Primary failure of autogenous arteriovenous fistula: critical analysis. *Indian J Nephrol.* 2020;30(6):382-390.
26. Siddiqui MA, Ashraff S, Carline T. Maturation of arteriovenous fistula: analysis of key factors. *Kidney Res Clin Pract.* 2017;36:318-328.
27. Yan Y, Ye D, Yang L, Ye W, Zhan D, Zhang L, et al. A meta-analysis of the association between diabetic patients and AVF failure in dialysis. *Renal Failure.* 2018;40(1):379-83.
28. Fontenot DT, Tanious A, Arhuidese I, Chauhan YM, Stafford AM, Illig KA. Arteriovenous access superficialization: a new technique and review of options. *Annals of Vascular Surgery.* 2020;69:43-51.
29. Tang WJ, Adnan AS, Salleh MSM, Saad AZM. Microcalcification in the arterial wall and its relationship to the ultrasound criteria of maturation of the arteriovenous fistula. *The Journal of Vascular Access.* 2019;20(1):46-51.
30. Sari F, Taskapan H, Sigirci A, Akpınar B. Evaluation of risk factors for arteriovenous fistula failure in patients undergoing hemodialysis. *Erciyes Med J.* 2016;38(1):12-19.
31. Li HL, Chan YC, Cui D, Liu J, Wang M, Li N, et al. Predictors of primary functional maturation of autogenous radiocephalic arteriovenous fistula in a cohort of Asian patients. *Annals Vascular Surgery.* 2020;66:326-333.