

DAFTAR PUSTAKA

1. Vellas C, Delobel P, Barreto PDES, Izopet J. COVID-19, Virology and geroscience: a perspective. *J Nutr Heal Aging*. 2020;24(7):685–91.
2. Kementerian Kesehatan Republik Indonesia. Pedoman pencegahan dan pengendalian coronavirus disease (COVID-19) revisi ke-5. Jakarta: Kemenkes RI; 2020.
3. WHO (2020). Naming the coronavirus disease (COVID-19) and the virus that causes it. World Health Organization. [https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-\(covid-2019\)-and-the-virus-that-causes-it](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-(covid-2019)-and-the-virus-that-causes-it). - Diakses 5 Januari 2021.
4. Rothan HA, Byrareddy SN. The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. *J Autoimmun*. 2020;109:102433.
5. WHO (2021). Coronavirus (COVID-19) events as they happen. World Health Organization. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/events-as-they-happen>. - Diakses 27 Februari 2021
6. WHO (2021). WHO coronavirus disease (COVID-19) dashboard. World Health Organization. <https://covid19.who.int/> - Diakses 24 Desember 2021
7. World Health Organization. Clinical management of COVID-19: interim guidance 27 May 2020. Jenewa: World Health Organization; 2020.
8. Wang D, Hu B, Hu C, Zhu F, Liu X, Zhang J, *et al*. Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus-infected pneumonia in Wuhan, China. *JAMA - J Am Med Assoc*. 2020;323(11):1061–9.
9. Grasselli G, Zangrillo A, Zanella A, Antonelli M, Cabrini L, Castelli A, *et al*. Baseline characteristics and outcomes of 1591 patients infected with SARS-CoV-2 admitted to ICUs of the Lombardy Region, Italy. *JAMA - J Am Med Assoc*. 2020;323(16):1574–81.
10. Payán-Pernía S, Gómez Pérez L, Remacha Sevilla ÁF, Sierra Gil J, Novelli Canales S. Absolute lymphocytes, ferritin, c-reactive protein, and lactate dehydrogenase predict early invasive ventilation in patients with COVID-19. *Lab Med*. 2021;52(2):141–5.
11. Stegeman I, Ochodo EA, Guleid F, Holtman GA, Yang B, Davenport C, *et al*. Routine laboratory testing to determine if a patient has COVID-19. *Cochrane database Syst Rev*. 2020 Nov;11:CD013787.
12. Eslamijouybari M, Heydari K, Maleki I, Moosazadeh M, Hedayatizadeh-Omran A, Vahedi L, *et al*. Neutrophil-to-lymphocyte and platelet-to-

lymphocyte ratios in COVID-19 patients and control group and relationship with disease prognosis. *Casp J Intern Med.* 2020;11(Suppl 1):531–5.

13. Terpos E, Kastritis E, Ntanasis-stathopoulos I, Elalamy I, Sergentanis TN, Politou M, *et al.* Hematological findings and complications of COVID-19. *Am J Hematol.* 2020;1–14.
14. Izcovich A, Ragusa MA, Tortosa F, Lavena Marzio MA, Agnoletti C, Bengolea A, *et al.* Prognostic factors for severity and mortality in patients infected with COVID-19: A systematic review. *PLoS One.* 2020;15(11):e0241955.
15. Liu X, Zhang R, He G. Hematological findings in coronavirus disease 2019: indications of progression of disease. *Ann Hematol.* 2020;99(7):1421–8.
16. Zhang Y, Zeng X, Jiao Y, Li Z, Liu Q, Yang M, *et al.* Mechanisms involved in the development of thrombocytopenia in patients with COVID-19. *Thromb Res.* 2020;193(January):110–5.
17. Li M-Y, Li L, Zhang Y, Wang X-S. Expression of the SARS-CoV-2 cell receptor gene ACE2 in a wide variety of human tissues. *Infect Dis poverty.* 2020 Apr;9(1):45.
18. Zhou C, Huang Z, Tan W, Li X, Yin W, Xiao Y, *et al.* Predictive factors of severe coronavirus disease 2019 in previously healthy young adults: a single-center, retrospective study. *Respir Res.* 2020 Jun;21(1):157.
19. Lin S, Mao W, Zou Q, Lu S, Zheng S. Associations between hematological parameters and disease severity in patients with SARS-CoV-2 infection. *J Clin Lab Anal.* 2021 Jan;35(1).
20. Liu X, Shi S, Xiao J, Wang H, Chen L, Li J, *et al.* Prediction of the severity of the coronavirus disease and its adverse clinical outcomes. *Jpn J Infect Dis.* 2020 Nov;73(6):404–10.
21. Huang J, Gao J, Zhu W, Feng R, Liu Q, Chen X, *et al.* Indicators and prediction models for the severity of Covid-19. *Int J Clin Pract.* 2021 Oct;75(10):e14571.
22. Zhang G, Zhang J, Wang B, Zhu X, Wang Q, Qiu S. Analysis of clinical characteristics and laboratory findings of 95 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a retrospective analysis. *Respir Res.* 2020 Mar;21(1):74.
23. Omuse G, Maina D, Mwangi J, Wambua C, Radia K, Kanyua A, *et al.* Complete blood count reference intervals from a healthy adult urban population in Kenya. *PLoS One.* 2018 Jun 7;13(6):e0198444.
24. Al Mutair A, Alhumaid S, Alhuqbani WN, Zaidi ARZ, Alkoraisi S, Al-Subaie MF, *et al.* Clinical, epidemiological, and laboratory characteristics

- of mild-to-moderate COVID-19 patients in Saudi Arabia: an observational cohort study. *Eur J Med Res*. 2020 Nov;25(1):61.
25. Bi X, SU Z, Yan H, Du J, Wang J, Chen L, *et al*. Prediction of severe illness due to COVID-19 based on an analysis of initial fibrinogen to albumin ratio and platelet count. *Platelets*. 2020 May 5.
 26. Wenliang Z, Zujin L, Zheng Y, Dawei D, Endong W, Wang Z, *et al*. Moderate vs. mild cases of overseas-imported COVID-19 in Beijing: a retrospective cohort study. *Sci Reports (Nature Publ Group)*. 2021 Mar;11(1):6483.
 27. Sun S, Cai X, Wang H, He G, Lin Y, Lu B, *et al*. Abnormalities of peripheral blood system in patients with COVID-19 in Wenzhou, China. *Clin Chim Acta*. 2020 Aug;507:174–80.
 28. Li D, Liu C, Liu J, Hu J, Yang Y, Zhou Y. Analysis of risk factors for 24 patients with COVID-19 developing from moderate to severe condition. *Front Cell Infect Microbiol*. 2020;10:548582.
 29. Chen L-D, Zhang Z-Y, Wei X-J, Cai Y-Q, Yao W-Z, Wang M-H, *et al*. Association between cytokine profiles and lung injury in COVID-19 pneumonia. *Respir Res*. 2020 Jul;21(1):1–8.
 30. Ding X, Yu Y, Lu B, Huo J, Chen M, Kang Y, *et al*. Dynamic profile and clinical implications of hematological parameters in hospitalized patients with coronavirus disease 2019. *Clin Chem Lab Med*. 2020 Jul;58(8):1365–71.
 31. Betti M, Bertolotti M, Ferrante D, Roveta A, Pelazza C, Giaccherio F, *et al*. Baseline clinical characteristics and prognostic factors in hospitalized COVID-19 patients aged ≤ 65 years: A retrospective observational study. *PLoS One*. 2021;16(3):e0248829.
 32. Qiu H, Wu J, Hong L, Luo Y, Song Q, Chen D. Clinical and epidemiological features of 36 children with coronavirus disease 2019 (COVID-19) in Zhejiang, China: an observational cohort study. *Lancet Infect Dis*. 2020 Jun;20(6):689–96.
 33. Chu M, Bian L, Huang J, Chen Y, Wu D, Wang H. Clinical characteristics and outcomes of 48 patients hospitalized for COVID-19 infection in Wuxi: A retrospective cohort study. *Medicine (Baltimore)*. 2021 Feb;100(5):e23991.
 34. Hirashima T, Arai T, Kitajima H, Tamura Y, Yamada T, Hashimoto S, *et al*. Factors significantly associated with COVID-19 severity in symptomatic patients: A retrospective single-center study. *J Infect Chemother*. 2021 Jan;27(1):76–82.
 35. Xiong S, Liu L, Lin F, Shi J, Han L, Liu H, *et al*. Clinical characteristics of 116 hospitalized patients with COVID-19 in Wuhan, China: a single-

- centered, retrospective, observational study. *BMC Infect Dis.* 2020;20:1–11.
36. Zheng F, Tang W, Li H, Huang Y-X, Xie Y-L, Zhou Z-G. Clinical characteristics of 161 cases of corona virus disease 2019 (COVID-19) in Changsha. *Eur Rev Med Pharmacol Sci.* 2020 Mar;24(6):3404–10.
 37. Shi P, Ren G, Yang J, Li Z, Deng S, Li M, *et al.* Clinical characteristics of imported and second-generation coronavirus disease 2019 (COVID-19) cases in Shaanxi outside Wuhan, China: a multicentre retrospective study. *Epidemiol Infect.* 2020 Sep;148:e238.
 38. Anurag A, Jha PK, Kumar A. Differential white blood cell count in the COVID-19: A cross-sectional study of 148 patients. *Diabetes Metab Syndr.* 2020;14(6):2099–102.
 39. Li N, Kong H, Zheng X-Z, Xue-Ying L, Ma J, Zhang H, *et al.* Early predictive factors of progression from severe type to critical ill type in patients with Coronavirus Disease 2019: A retrospective cohort study. *PLoS One.* 2020 Dec;15(12).
 40. Liao D, Zhou F, Luo L, Xu M, Wang H, Xia J, *et al.* Haematological characteristics and risk factors in the classification and prognosis evaluation of COVID-19: a retrospective cohort study. *Lancet Haematol.* 2020 Sep;7(9):e671–8.
 41. Meng L, Xu J, Zhang J, Zhang K, Shang P, Li Q, *et al.* Monitoring peripheral neutrophil and T-lymphocyte subsets could assist in differentiating the severity and disease progression of coronavirus disease 2019. *Aging (Albany NY).* 2021 Mar;13(6):7723–32.
 42. Liu L, Zheng Y, Cai L, Wu W, Tang S, Ding Y, *et al.* Neutrophil-to-lymphocyte ratio, a critical predictor for assessment of disease severity in patients with COVID-19. *Int J Lab Hematol.* 2020 Oct 25;1–7.
 43. Li X, Marmar T, Xu Q, Tu J, Yin Y, Tao Q, *et al.* Predictive indicators of severe COVID-19 independent of comorbidities and advanced age: a nested case-control study. *Epidemiol Infect.* 2020 Oct;148:e255.
 44. Ramadan HK-A, Mahmoud MA, Aburahma MZ, Elkhawaga AA, El-Mokhtar MA, Sayed IM, *et al.* Predictors of severity and co-infection resistance profile in COVID-19 patients: First Report from Upper Egypt. *Infect Drug Resist.* 2020;13:3409–22.
 45. Wang H, Xing Y, Yao X, Li Y, Huang J, Tang J, *et al.* Retrospective study of clinical features of COVID-19 in inpatients and their association with disease severity. *Med Sci Monit Int Med J Exp Clin Res.* 2020 Dec;26:e927674.
 46. Ma X, Li A, Jiao M, Shi Q, An X, Feng Y, *et al.* Characteristic of 523 COVID-19 in Henan Province and a death prediction model. *Front public*

Heal. 2020;8:475.

47. Sheng L, Wang X, Tang N, Meng F, Huang L, Li D. Clinical characteristics of moderate and severe cases with COVID-19 in Wuhan, China: a retrospective study. *Clin Exp Med*. 2021 Feb;21(1):35–9.
48. Taj S, kashif A, Arzinda Fatima S, Imran S, Lone A, Ahmed Q. Role of hematological parameters in the stratification of COVID-19 disease severity. *Ann Med Surg*. 2021;62:68–72.
49. Ding R, Yang Z, Huang D, Wang Y, Li X, Zhou X, *et al*. Identification of parameters in routine blood and coagulation tests related to the severity of COVID-19. *Int J Med Sci*. 2021;18(5):1207–15.
50. Wang D, Li R, Wang J, Jiang Q, Gao C, Yang J, *et al*. Correlation analysis between disease severity and clinical and biochemical characteristics of 143 cases of COVID-19 in Wuhan, China: a descriptive study. *BMC Infect Dis*. 2020;20:1–9.
51. Yuan X, Huang W, Ye B, Chen C, Huang R, Wu F, *et al*. Changes of hematological and immunological parameters in COVID-19 patients. *Int J Hematol*. 2020 Oct;112(4):553–9.
52. Sun D, Li X, Guo D, Wu L, Chen T, Fang Z, *et al*. CT quantitative analysis and Its relationship with clinical features for assessing the severity of patients with COVID-19. *Korean J Radiol*. 2020 Jul;21(7):859–68.
53. Xu X, Yu M-Q, Shen Q, Wang L-Z, Yan R-D, Zhang M-Y, *et al*. Analysis of inflammatory parameters and disease severity for 88 hospitalized COVID-19 patients in Wuhan, China. *Int J Med Sci*. 2020;17(13):2052–62.
54. Zhang H, Cao X, Kong M, Mao X, Huang L, He P, *et al*. Clinical and hematological characteristics of 88 patients with COVID-19. *Int J Lab Hematol*. 2020 Jul 23;1–8.
55. Shao S, Zhao Z, Wang F, Chang D, Liu Y, Liu S, *et al*. Risk factors associated with disease aggravation among 126 hospitalized patients with COVID-19 in different places in China: A retrospective observational study. *Medicine (Baltimore)*. 2020 Nov;99(45):e22971.
56. Ren L, Yao D, Cui Z, Chen S, Yan H. Corona Virus Disease 2019 patients with different disease severity or age range: A single-center study of clinical features and prognosis. *Medicine (Baltimore)*. 2020 Dec;99(49):e22899.
57. Shi S, Nie B, Chen X, Cai Q, Lin C, Zhao G, *et al*. Clinical and laboratory characteristics of severe and non-severe patients with COVID-19: A retrospective cohort study in China. *J Clin Lab Anal*. 2021 Jan;35(1):e23692.
58. Xiao L-N, Ran X, Zhong Y-X, Li S-S. Clinical value of blood markers to

assess the severity of coronavirus disease 2019. *BMC Infect Dis.* 2021 Sep;21(1):921.

59. Omran D, Soda M Al, Bahbah E, Esmat G, Shousha H, Elgebaly A, *et al.* Predictors of severity and development of critical illness of Egyptian COVID-19 patients: A multicenter study. *PLoS One.* 2021 Sep;16(9):e0256203.
60. Waris A, Din M, Khalid A, Abbas Lail R, Shaheen A, Khan N, *et al.* Evaluation of hematological parameters as an indicator of disease severity in Covid-19 patients: Pakistan's experience. *J Clin Lab Anal.* 2021 Jun;35(6):e23809.
61. Wu D, Wu X, Huang J, Rao Q, Zhang Q, Zhang W. Lymphocyte subset alterations with disease severity, imaging manifestation, and delayed hospitalization in COVID-19 patients. *BMC Infect Dis.* 2021 Jul;21(1):631.
62. Fouad SH, Allam MF, Taha SI, Okba AA, Hosny A, Moneer M, *et al.* Comparison of hemoglobin level and neutrophil to lymphocyte ratio as prognostic markers in patients with COVID-19. *J Int Med Res.* 2021 Jul;49(7):3000605211030124.
63. Chen X, Zheng L, Ye S, Xu M, Li Y, Lv K, *et al.* Research on influencing factors and classification of patients with mild and severe COVID-19 symptoms. *Front Cell Infect Microbiol.* 2021;11:670823.
64. Cao C, He L, Ma J, Chen M, Li Y, Jiang Q, *et al.* Clinical features and predictors for patients with severe SARS-CoV-2 pneumonia at the start of the pandemic: a retrospective multicenter cohort study. *BMC Infect Dis.* 2021 Jul;21(1):666.
65. Du Y, Lu Z, Jin J, Shi T, Ding Y, Qian L, *et al.* Hematological characteristics of patients with novel coronavirus pneumonia in intensive care unit. *Int Immunopharmacol.* 2021;97:107697.
66. Amezcua-Guerra LM, Audelo K, Guzmán J, Santiago D, González-Flores J, García-Ávila C, *et al.* A simple and readily available inflammation-based risk scoring system on admission predicts the need for mechanical ventilation in patients with COVID-19. *Inflamm Res.* 2021 Jun;70(6):731–42.
67. Huang J, Qian C, Bian T, Chu M, Yin W, Pang Y, *et al.* A retrospective analysis from a single center for 60 COVID-19 patients with asymptomatic, mild to moderate, and severe conditions in Wuxi, China. *Medicine (Baltimore).* 2021 Jul;100(30):e26748.
68. Yang Q, Li J, Zhang Z, Wu X, Liao T, Yu S, *et al.* Clinical characteristics and a decision tree model to predict death outcome in severe COVID-19 patients. *BMC Infect Dis.* 2021 Aug;21(1):783.
69. Dubey DB, Mishra S, Reddy HD, Rizvi A, Ali W. Hematological and

serum biochemistry parameters as a prognostic indicator of severally ill versus mild Covid-19 patients: A study from tertiary hospital in North India. *Clin Epidemiol Glob Heal*. 2021;12:100806.

70. Eid RA, Attia AM, Hassan M, Shaker MA, Kamal MA. Demographic, clinical, and laboratory characteristics of patients with COVID-19 during the second and third waves of the pandemic in Egypt. *J Infect Public Health*. 2021.
71. Qiu F, Wu Y, Zhang A, Xie G, Cao H, Du M, *et al*. Changes of coagulation function and risk of stroke in patients with COVID-19. *Brain Behav*. 2021 Jun;11(6).
72. Zheng Y, Zhang Y, Chi H, Chen S, Peng M, Luo L, *et al*. The hemocyte counts as a potential biomarker for predicting disease progression in COVID-19: a retrospective study. *Clin Chem Lab Med*. 2020 Jun;58(7):1106–15.
73. Liu S, Luo H, Wang Y, Cuevas LE, Wang D, Ju S, *et al*. Clinical characteristics and risk factors of patients with severe COVID-19 in Jiangsu province, China: a retrospective multicentre cohort study. *BMC Infect Dis*. 2020 Aug;20(1):584.
74. National Institutes of Health. Coronavirus Disease 2019 (COVID-19) Treatment Guidelines. Bethesda: National Institutes of Health; 2021.
75. Xu Y, Chen Y, Tang X. Guidelines for the diagnosis and treatment of coronavirus disease 2019 (COVID-19) in China. *Glob Heal Med*. 2020 Apr;2(2):66–72.
76. National Health Commission & State Administration of Traditional Chinese Medicine. Diagnosis and treatment protocol for novel coronavirus pneumonia (Trial version 7). China: NCP; 2020.
77. National Health Commission & State Administration of Traditional Chinese Medicine. Diagnosis and Treatment Protocol for COVID-19 Patients (Tentative 8th edition). China: NCP; 2020.
78. World Health Organization. Clinical management of severe acute respiratory infection (SARI) when COVID-19 disease is suspected: interim guidance 28 January 2020. Jenewa: World Health Organization; 2020.
79. World Health Organization. Clinical management of severe acute respiratory infection (SARI) when COVID-19 disease is suspected: interim guidance 13 March 2020. Jenewa: World Health Organization; 2020.
80. Ministry of Health and Family Welfare Government of India. Clinical management protocol for COVID19 version 4. India: Ministry of Health and Family Welfare; 2020.
81. Badawy Abdelfattah E, Ahmed samar, El-Zahapy H, El Said A, Salem S,

- Tharwat A, *et al.* Hospital response to COVID-19 a consensus report on Ain Shams University Hospital strategy. *Sci Prepr.* 2020;(June).
82. Opal SM, Girard TD, Ely EW. The immunopathogenesis of sepsis in elderly patients. *Clin Infect Dis and Off Publ Infect Dis Soc Am.* 2005 Nov;41 Suppl 7:S504-12.
 83. Jaillon S, Berthenet K, Garlanda C. Sexual dimorphism in innate immunity. *Clin Rev Allergy Immunol.* 2019 Jun;56(3):308–21.
 84. Baratawidjaja KG, Rengganis I. *Imunologi dasar.* 11th ed. Jakarta: Badan Penerbit FKUI; 2014. 54–78 p.
 85. Li Y, Zhou W, Yang L, You R. Physiological and pathological regulation of ACE2, the SARS-CoV-2 receptor. *Pharmacol Res.* 2020 Jul;157:104833.
 86. Ramezani M, Simani L, Karimialavijeh E, Rezaei O, Hajiesmaeili M, Pakdaman H. The role of anxiety and cortisol in outcomes of patients with COVID-19. *Basic Clin Neurosci.* 2020;11(2):179–84.
 87. Panesar NS, Lam CWK, Chan MHM, Wong CK, Sung JJY. Lymphopenia and neutrophilia in SARS are related to the prevailing serum cortisol. Vol. 34, *European journal of clinical investigation.* 2004. p. 382–4.
 88. Cohen S, Janicki-Deverts D, Doyle WJ, Miller GE, Frank E, Rabin BS, *et al.* Chronic stress, glucocorticoid receptor resistance, inflammation, and disease risk. *Proc Natl Acad Sci U S A.* 2012 Apr;109(16):5995–9.
 89. Liu Z, Jin C, Wu CC, Liang T, Zhao H, Wang Y, *et al.* Association between Initial chest CT or clinical features and clinical course in patients with coronavirus disease 2019 pneumonia. *Korean J Radiol.* 2020 Jun;21(6):736–45.
 90. Sherwood L. *Fisiologi manusia: dari sel ke sistem.* 9th ed. Suyono J, Iskandar M, Isella V, Susanti F, Michael, Sanjaya N, *et al.*, editors. Jakarta; 2020. 448–472 p.
 91. Weiss G, Ganz T, Goodnough LT. Anemia of inflammation. *Blood.* 2019 Jan;133(1):40–50.
 92. Araya S, Wordofa M, Mamo MA, Yakob GT, Hordofa A, Negesso AE, *et al.* The magnitude of hematological abnormalities among COVID-19 patients in Addis Ababa, Ethiopia. *J Multidiscip Healthc.* 2021;14:545–54.
 93. Chen Y, Geng Y, Xu X, Chen X, Gao J, Li J, *et al.* The features comparison between patients in the ICU and general wards and between patients with different outcomes: a 2020 COVID-19 study. *Ann Palliat Med.* 2021 Jan;10(1):672–80.
 94. Rodriguez L, Pekkarinen PT, Lakshmikanth T, Tan Z, Consiglio CR, Pou C, *et al.* Systems-level immunomonitoring from acute to recovery phase of severe COVID-19. *Cell reports Med.* 2020 Aug;1(5):100078.

95. Tordjman M, Mekki A, Mali RD, Monnier H, Neveu S, Chassagnon G, *et al.* Determining extent of COVID-19 pneumonia on CT based on biological variables. *Respir Med.* 2020 Dec;175:106206.
96. Han H, Xu Z, Cheng X, Zhong Y, Yuan L, Wang F, *et al.* Descriptive, retrospective study of the clinical characteristics of asymptomatic COVID-19 Patients. *mSphere.* 2020 Oct;5(5):e00922-20.
97. Liang J, Nong S, Jiang L, Chi X, Bi D, Cao J, *et al.* Correlations of disease severity and age with hematology parameter variations in patients with COVID-19 pre- and post-treatment. *J Clin Lab Anal.* 2020 Nov 21;35(1).
98. Liu F, Xu A, Zhang Y, Xuan W, Yan T, Pan K, *et al.* Patients of COVID-19 may benefit from sustained lopinavir-combined regimen and the increase of eosinophil may predict the outcome of COVID-19 progression. *Int J Infect Dis IJID, Off Publ Int Soc Infect Dis.* 2020 Jun;95:183–91.
99. Hassani M, Leijte G, Bruse N, Kox M, Pickkers P, Vrisekoop N, *et al.* Differentiation and activation of eosinophils in the human bone marrow during experimental human endotoxemia. *J Leukoc Biol.* 2020 Nov;108(5):1665–71.
100. Lindsley AW, Schwartz JT, Rothenberg ME. Eosinophil responses during COVID-19 infections and coronavirus vaccination. *J Allergy Clin Immunol.* 2020 Jul;146(1):1–7.
101. Zhang B, Zhou X, Qiu Y, Song Y, Fan F, Jia F, *et al.* Clinical characteristics of 82 cases of death from COVID-19. *PLoS One.* 2020 Jul;15(7).
102. Camp J V, Jonsson CB. A role for neutrophils in viral respiratory disease. *Front Immunol.* 2017;8:550.
103. Abbas AK, Litchman AH, Pillai S. *Imunologi Dasar Abbas: Fungsi dan kelainan sistem Imun.* 5th ed. Kalim H, editor. Singapore: Elsevier; 2016. 12–36 p.
104. Hoffmann M, Kleine-Weber H, Schroeder S, Krüger N, Herrler T, Erichsen S, *et al.* SARS-CoV-2 cell entry depends on ACE2 and TMPRSS2 and is blocked by a clinically proven protease inhibitor. *Cell.* 2020 Apr;181(2):271-280.e8.
105. Qin C, Zhou L, Hu Z, Zhang S, Yang S, Tao Y, *et al.* Dysregulation of immune response in patients with coronavirus 2019 (COVID-19) in Wuhan, China. *Clin Infect Dis an Off Publ Infect Dis Soc Am.* 2020 Jul;71(15):762–8.
106. Guner Ozenen G, Sahbudak Bal Z, Umit Z, Bilen NM, Yildirim Arslan S, Yurtseven A, *et al.* Demographic, clinical, and laboratory features of COVID-19 in children: the role of mean platelet volume in predicting hospitalization and severity. *J Med Virol.* 2021 May;93(5):3227–37.

107. Zhan T, Liu M, Tang Y, Han Z, Cheng X, Deng J, *et al.* Retrospective analysis of clinical characteristics of 405 patients with COVID-19. *J Int Med Res.* 2020 Aug;48(8):300060520949039.
108. Asan A, Üstündağ Y, Koca N, Şimşek A, Sayan HE, Parildar H, *et al.* Do initial hematologic indices predict the severity of COVID-19 patients? *Turkish J Med Sci.* 2021 Feb;51(1):39–44.
109. Harapan H, Itoh N, Yufika A, Winardi W, Keam S, Te H, *et al.* Coronavirus disease 2019 (COVID-19): A literature review. *J Infect Public Health.* 2020 May;13(5):667–73.
110. Yilmaz A, Sabirli R, Seyit M, Ozen M, Oskay A, Cakmak V, *et al.* Association between laboratory parameters and CT severity in patients infected with Covid-19: A retrospective, observational study. *Am J Emerg Med.* 2021;42:110–4.
111. Guner Ozenen G, Sahbudak Bal Z, Umit Z, Bilen NM, Yildirim Arslan S, Yurtseven A, *et al.* Demographic, clinical and laboratory features of COVID-19 in children: The role of mean platelet volume in predicting the hospitalization and severity. *J Med Virol.* 2021 Feb 25;93(5):3227–37.
112. Bao C, Tao X, Cui W, Yi B, Pan T, Young KH, *et al.* SARS-CoV-2 induced thrombocytopenia as an important biomarker significantly correlated with abnormal coagulation function, increased intravascular blood clot risk and mortality in COVID-19 patients. *Exp Hematol Oncol.* 2020;9:1–8.
113. Liu J, Liu Y, Pan X, Lin P, Xiong H, Li C, *et al.* Neutrophil-to-lymphocyte ratio predicts critical illness patients with 2019 coronavirus disease in the early stage. *J Transl Med.* 2020;18:1–12.
114. Bastug A, Bodur H, Erdogan S, Gokcinar D, Kazancioglu S, Kosovali BD, *et al.* Clinical and laboratory features of COVID-19: Predictors of severe prognosis. *Int Immunopharmacol.* 2020 Nov;88:106950.
115. Deng Y-Y, Zheng Y, Cai G-Y, Chen X-M, Hong Q. Single-cell RNA sequencing data suggest a role for angiotensin-converting enzyme 2 in kidney impairment in patients infected with 2019-novel coronavirus. *Chin Med J (Engl).* 2020 May;133(9):1129–31.
116. Kashani HRK, Hajijafari M, Kashani FK, Salimi S, Khayat Kashani HR, Hajijafari M, *et al.* Predictive value of the preliminary findings in the severity of COVID-19 disease and the effect on therapeutic approaches. *Dermatol Ther.* 2021 Feb 2;34(2):e14828.