

DAFTAR PUSTAKA

- [1] R. Zhang, Y. Wang, D. Ma, S. Ahmed, W. Qin, and Y. Liu, “Effects of ultrasonication duration and graphene oxide and nano-zinc oxide contents on the properties of polyvinyl alcohol nanocomposites,” *Ultrason. Sonochem.*, vol. 59, no. May, p. 104731, 2019, doi: 10.1016/j.ultsonch.2019.104731.
- [2] E. Kamsiati, H. Herawati, and E. Y. Purwani, “POTENSI PENGEMBANGAN PLASTIK BIODEGRADABLE BERBASIS PATI SAGU DAN UBIKAYU DI INDONESIA / The Development Potential of Sago and Cassava Starch-Based Biodegradable Plastic in Indonesia,” *J. Penelit. dan Pengemb. Pertan.*, vol. 36, no. 2, p. 67, 2017, doi: 10.21082/jp3.v36n2.2017.p67-76.
- [3] “No Title,” no. 00, pp. 3–7, 2020, doi: 10.3390/fib6020028.
- [4] S. S. Udjiana, S. Hadiantoro, A. Takwanto, and A. W. Mustikarini, “Peningkatan Karakteristik Biodegradable Plastics dari Kulit Pisang Candi dengan Penambahan Filler Kalsium Silikat dan Clay,” vol. 4, no. November 2019, pp. 175–185, 2020.
- [5] C. Johansson, “Bio-nanocomposites for food packaging applications,” *Nanocomposites with Biodegrad. Polym. Synth. Prop. Futur. Perspect.*, vol. 9780199581, pp. 1–13, 2011, doi: 10.1093/acprof:oso/9780199581924.003.0014.
- [6] C. Muliamartana, F. V. Aurelia, and M. S. Queen, “Pembuatan Plastik Biodegradable dari Tepung Maizena, Tapioka, dan Kitosan,” no. 24, 2016.
- [7] A. M. Díez-pascual, *BASED ON Zn O-REINFORCED*. Elsevier Inc., 2017.
- [8] B. A. B. Iv and H. D. A. N. Pembahasan, “BAB IV HASIL DAN PEMBAHASAN Pada bagian ini akan dipaparkan tentang hasil penelitian dan pembahasan dari aplikasi,” pp. 48–62.
- [9] Z. X. Ooi, H. Ismail, and Y. P. Teoh, *Characterization and Properties of Biodegradable Polymer Film Composites Based on Polyvinyl Alcohol and*

- Tropical Fruit Waste Flour*. Elsevier Ltd, 2018.
- [10] E. Maryanti, I. Gustian, I. Bagaskara, and A. A. Bahan, “Pengaruh Penambahan Nanopartikel ZnO yang Disintesis Menggunakan Capping Agent Bawang Putih Terhadap Sifat Kuat Tarik dan Perpanjangan Putus Bioplastik dari Pati Ubi Jalar,” pp. 280–284, 2018.
 - [11] H. Abral, A. Hartono, F. Hafizulhaq, D. Handayani, E. Sugiarti, and O. Pradipta, “Characterization of PVA/cassava starch biocomposites fabricated with and without sonication using bacterial cellulose fiber loadings,” *Carbohydr. Polym.*, vol. 206, no. July 2018, pp. 593–601, 2019, doi: 10.1016/j.carbpol.2018.11.054.
 - [12] R. Gitawati, “DARI SUMATERA BARAT Pusat Biomedis dan Teknologi Dasar Kesehatan , Pusat Teknologi Terapan dan Epidemiologi Klinik Email : isnawatiani@yahoo.com CHARACTERIZATION OF 3 TYPES GAMBIR EXTRACT ((Uncaria gambir Roxb) FROM SUMATERA BARAT PENDAHULUAN Gambir (U,” pp. 201–208, 2012.
 - [13] H. Lucida, A. Bakhtiar, and A. Putri, “Formulasi Sediaan Antiseptik Mulut dari Katekin Gambir,” vol. 12, no. 1, 2007.
 - [14] W. H. Roxb and D. A. N. Biji, “Universitas Sumatera Utara,” 2020.
 - [15] M. H. Hussin and M. J. Kassim, “The corrosion inhibition and adsorption behavior of Uncaria gambir extract on mild steel in 1 M HCl,” *Mater. Chem. Phys.*, vol. 125, no. 3, pp. 461–468, 2011, doi: 10.1016/j.matchemphys.2010.10.032.
 - [16] A. Isnawati *et al.*, “CHARACTERIZATION OF 3 TYPES GAMBIR EXTRACT ((Uncaria gambir Roxb) FROM SUMATERA BARAT Gambir (Uncaria gambir Roxb) merupakan salah satu komoditas perkebunan Kandungan utama ekstrak Gambir,” pp. 201–208, 2012.
 - [17] Miksusanti, A. N. Fitri, Herlina, D. P. Wijaya, and T. Taher, “Optimization of chitosan–tapioca starch composite as polymer in the formulation of gingival mucoadhesive patch film for delivery of gambier (Uncaria gambir Roxb) leaf extract,” *Int. J. Biol. Macromol.*, vol. 144, pp. 289–295, 2020,

- doi: 10.1016/j.ijbiomac.2019.12.086.
- [18] P. J. P. Espitia, N. de F. F. Soares, J. S. dos R. Coimbra, N. J. de Andrade, R. S. Cruz, and E. A. A. Medeiros, “Zinc Oxide Nanoparticles: Synthesis, Antimicrobial Activity and Food Packaging Applications,” *Food and Bioprocess Technology*. 2012, doi: 10.1007/s11947-012-0797-6.
 - [19] B. M. Cherian *et al.*, “Cellulose nanocomposites with nanofibres isolated from pineapple leaf fibers for medical applications,” *Carbohydr. Polym.*, vol. 86, no. 4, pp. 1790–1798, 2011, doi: 10.1016/j.carbpol.2011.07.009.
 - [20] H. Hermansyah and E. S. Marbun, “Sintesis Bioplastik Dari Pati Ubi Jalar Dengan Penguat Logam ZnO dan Penguat Alami Clay,” *Jakarta Univ. Indones.*, 2012.
 - [21] D, “No Title,” *מצב תמונה: הקיום עליון*, vol. 66, pp. 37–39, 2012.
 - [22] D. M. Panaitescu, A. N. Frone, M. Ghiurea, and I. Chiulan, “Influence of storage conditions on starch/PVA films containing cellulose nanofibers,” *Ind. Crops Prod.*, vol. 70, pp. 170–177, 2015, doi: 10.1016/j.indcrop.2015.03.028.
 - [23] Z. Zhang *et al.*, “Mechanical properties, water swelling behavior, and morphology of swellable rubber compatibilized by PVA-g-PBA,” *Polym. Eng. Sci.*, vol. 44, no. 1, pp. 72–78, 2004, doi: 10.1002/pen.20006.
 - [24] M. Irfan, *Pengaruh Perebusan Pada Suspensi Nata De Coco Terhadap Kekuatan Tarik Dan Diskolorasi Film Selulosa Bakteri Nata De Coco*. 2019.
 - [25] A. Kurniawan, “Kekuatan Tarik Film Bakteri Nata De Coco Hasil Perlakuan Ultrasonik dan Penambahan Gambir”, Andalas University, 2021.
 - [26] A. Menyhárd *et al.*, “Direct correlation between modulus and the crystalline structure in isotactic polypropylene,” vol. 9, no. 3, pp. 308–320, 2015, doi: 10.3144/expresspolymlett.2015.28.
 - [27] R. Fahlevi and B. Santoso, “Karakteristik Edible Film Fungsional Pati Ganyong dengan Penambahan Filtrat Gambir (Uncaria gambir Roxb) dan Ekstrak Kenikir (Cosmos caudatus),” no. September, pp. 978–979, 2019.

