

## DAFTAR PUSTAKA

1. Murningsih M, Mafazaa H. Jenis-Jenis Lichen Di Kampus Undip Semarang. Bioma. 2016;18(1):20–9.
2. Ranković B. Lichen secondary metabolites: Bioactive properties and pharmaceutical potential. Springer. Switzerland; 2015.
3. Negi HR. Lichens : A Valuable Bioresource for Environmental Monitoring and Sustainable Development. Resonance. 2003;8(1):51–8.
4. Craword S. Ethnolichenology of *Bryoria fremontii*: wisdom of elders, population ecology, and nutritional chemistry. Kanada: University of victoria; 2007.
5. Septiana E. Potensi Lichen Sebagai Sumber Bahan Obat: Suatu Kajian Pustaka. J Biol. 2011;15(1):1–5.
6. Hasanah N, Gultom ES. Uji Aktivitas Aantibakteri Ekstrak Metanol Daun Kirinyuh (*Chromolaena odorata*) Terhadap Bakteri MDR (Multi Drug Resistant) Dengan Metode KLT Bioautografi. J BIOSAINS. 2020;6(2):45.
7. RI K. PERMENKES RI NO 2406/MENKES/PER/XII/2011 Pedoman Umum Penggunaan Antibiotik. In: Permenkes RI. 2011.
8. Cuthbert JB, Adamson RS. Some notes on the physiology of *teloschistes flavicans*. Trans R Soc South Africa. 1930;19(1):27–44.
9. Roziaty E. REVIEW : Kajian Lichen : Morfologi Habitat dan Bioindikator Kualitas Udara Ambien Akibat Polusi Kendaraan Bermotor. J Penelit Biol. 2016;2(1):54–66.
10. Hale ME. The Lichens. New York and London: Academic Press; 1973.

- 
11. AHMADJIAN V. Methods of Isolating and Culturing Lichen Symbionts and Thalli. *The Lichens*. 1973;(1967):653–9.
  12. Nash TH. *Lichen Biology*. second. New York: Cambridge University Press; 2008. 498 p.
  13. Bačkorová M, Jendželovský R, Kello M, Bačkor M, Mikeš J, Fedoročko P. Lichen secondary metabolites are responsible for induction of apoptosis in HT-29 and A2780 human cancer cell lines. *Toxicol Vitr*. 2012;26:8–62.
  14. Mosbach K. Biosynthesis of Lichen Substance. In: *The Lichens*. New York: Academic Press, INC.; 1973. p. 523–46.
  15. Huneck S, Yoshimura I. Identification of Lichen Substances. Springer. Berlin; 1996. 493 p.
  16. Marcano V, Rodriguez-Alcocer V, Morales Méndez A. Occurrence of usnic acid in *Usnea laevis* Nylander (lichenized ascomycetes) from the Venezuelan Andes. *J Ethnopharmacol*. 1999;66(3):343–6.
  17. Roziaty E. Review : Kajian Lichen : Morfologi, Habitat Dan Bioindikator Kualitas Udara Ambien Akibat Polusi Kendaraan Bermotor. *Bioeksperimen J Penelit Biol*. 2016;2(1):54–66.
  18. Tanas S, Odabasoglu F, Halici Z, Cakir A, Aygun H, Ali A, et al. Evaluation of anti-inflammatory and antioxidant activities of *peltigera rufescens* lichen species in acute and chronic inflammation models. *J Nat Med*. 2010;64(1):42–9.
  19. Studzińska-Sroka E, Dubino A. Lichens as a source of chemical compounds with anti-inflammatory activity. *Herba Polonica*. Poland; 2018. p. 56–64.
  20. Gupta VK, Darokar MP, Saikia D, Pal A, Fatima A, Khanuja SPS.

- Antimycobacterial activity of lichens. *Pharm Biol.* 2007;45(3):200–4.
21. Studzińska-Sroka E, Tomczak H, Malińska N, Marta Wrońska, Kleszcz R, Galanty A, et al. *Cladonia uncialis* as a valuable raw material of biosynthetic compounds against clinical strains of bacteria and fungi. *Acta Biochim Pol.* 2019;66(4).
  22. Luo H, Yamamoto Y, Kim JA, Jung JS, Koh YJ, Hur JS. Lecanoric acid, a secondary lichen substance with antioxidant properties from *Umbilicaria antarctica* in maritime Antarctica (King George Island). Springer. 2009;32:1033–40.
  23. Ingolfsdottir K, Sang Kook Lee, Bhat KPL, Lee K, Chai HB, Kristinsson H, et al. Evaluation of selected lichens from Iceland for cancer chemopreventive and cytotoxic activity. *Pharm Biol.* 2000;38(4):313–7.
  24. Nugraha AS, Pratoko DK, Damayanti YD, Lestari ND, Laksono TA, Addy HS, et al. Antibacterial and Anticancer Activities of Nine Lichens of Indonesian Java Island. *J Biol Act Prod from Nat.* 2019;9(1):39–46.
  25. Marantika V, Trimulyono G. Aktivitas Antifungi Ekstrak Lichen *Parmelia sulcata* terhadap Pertumbuhan Jamur *Alternaria porri*. *LenteraBio Berk Ilm Biol.* 2019;8(3).
  26. Schmeda-Hirschmann G, Tapia A, Lima B, Pertino M, Sortino M, Zacchino S, et al. A new antifungal and antiprotozoal depside from the Andean lichen *Protousnea poeppigii*. *Phyther Res.* 2008;22(3):349.
  27. Türk AÖ, Yilmaz M, Kivanç M, Türk H. The Antimicrobial Activity of Extracts of the Lichen *Cetraria aculeata* and Its Protolichesterinic Acid Constituent. *Zeitschrift fur Naturforsch - Sect C J Biosci.* 2003;58(11–12):850–4.
  28. Jayaprakasha GK, Jaganmohan Rao L. Phenolic constituents from the lichen

- Parmotrema stuppeum* (Nyl.) Hale and their antioxidant activity. J Biosci. 2000;55(11–12):1018–22.
29. Lohezic-Le Devehat F, Tomasi S, Elix JA, Bernard A, Rouaud I, Uriac P, et al. Stictic acid derivatives from the lichen *Usnea articulata* and their antioxidant activities. J Nat Prod. 2007;70(7):1218–20.
30. Nyati S, Scherrer S, Werth S, Honegger R. Green-algal photobiont diversity (*Trebouxia spp.*) in representatives of Teloschistaceae (Lecanoromycetes, lichen-forming ascomycetes). Lichenologist. 2014;46(2):189–212.
31. Almborn O. Revision of the lichen genus *Teloschistes* in central and southern Africa. Nord J Bot. 1989;8(5):521–38.
32. Søchting U, Frödén P. Chemosyndromes in the lichen genus *Teloschistes* (Teloschistaceae, Lecanorales). Mycol Prog. 2002;1(3):257–66.
33. Maulidiyah M, Hasan A, Irna WO, Adiba Nurdin IF, Kusmalawati T, . I, et al. Antifungal Potential Against Aspergilus Flavus: Secondary Metabolite Compound from Unique Organism of Lichen *Teloschistes Flavicans*. Int Res J Pharm. 2018;9(8):30–5.
34. GBIF. *Teloschistes flavicans* [Internet]. Nytt Mag. Natur. 7: 229. 2020. Available from: <https://www.gbif.org/species/2609981>
35. Pereira EC, Da Silva HN, Santos RA, Sudário APP, Rodrigues E Silva AA, De Sousa Maia MB. Determination of *Teloschistes flavicans* (sw) norm anti-inflammatory activity. Pharmacognosy Res. 2010;2(4):205–10.
36. Safitri A, Hakim A, Sofia BFD. Pengembangan Modul Praktikum Kimia Bahan Alam Berbasis Generik Sains: Isolasi Kafein Dari Bubuk Kopi. Chem

- Educ Pract. 2020;
37. Harborne JB. Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis. Springer Netherlands; 2012.
38. Sarker SD, Latif Z, Gray AI. Natural Product Isolation. In: Natural Products Isolation. 2006.
39. Ditjen POM DR. Parameter standar umum ekstrak tumbuhan obat, Jakarta: Departement Kesehatan Republik Indonesia. Edisi IV. Jakarta; 2000.
40. Lestyo W. Kromatografi Lapis Tipis. PT. Taman Kampus Presindo. Jember; 2011.
41. Gandjar, I.G., Rohman A. Kimia Analisis Farmasi. pustaka pelajar. 2007.
42. Sastrohamidjojo H. Kromatografi. Yogyakarta: Gajah Mada Press; 1985.
43. Bintang M. Biokimia: teknik penelitian. Jakarta: Penerbit Erlangga; 2010.
44. Suryelita S, Etika SB, Kurnia NS. Isolasi dan Karakterisasi Senyawa Steroid dari Daun Cemara Natal (*Cupressus funebris* Endl.). Berk Ilm Bid MIPA. 2017;18(1):86–94.
45. Sastrohamidjojo H. Dasar-Dasar Spektroskopi. Gadjah Mada University Press. 2013. 1–227 p.
46. Silverstein RM, Webster F x., Kiemle DJ. Silverstein - Spectrometric Identification of Organic Compounds 7th ed. New York: John Wiley & Sons, Inc.; 2005. 1–502 p.
47. Low KB. Encyclopedia of Microbiology. Microbiology. 2009.
48. Botz L. Bioassay | Bioautography. Molecular Sciences and Chemical Engineering. Elsevier Inc.; 2013. 1–8 p.

- 
49. Balouiri M, Sadiki M, Ibnsouda SK. Methods for in vitro evaluating antimicrobial activity: A review. *J Pharm Anal*. 2016;6(2):71–9.
50. Tika N, Tarina I, Agung S, Kusuma F. Deteksi Bakteri *Klebsiella pneumonia*. *Fak Farm*. 2015;15(2):119–26.
51. Bruce SK, Schick DG, Tanaka L, Jimenez EM, Montgomerie JZ. Selective medium for isolation of *Klebsiella pneumoniae*. *J Clin Microbiol*. 1981;13(6):1114–6.
52. Leanindha Erywiyatno dkk. pengaruh Madu Terhadap Pertumbuhan Bakteri *Streptococcus pyogenes*. *Anal Kesehat Sains*. 2012;1(1):30–7.
53. Verhaegh SJC, Schaar V, Su YC, Riesbeck K, Hays JP. Moraxella catarrhalis. In: *Molecular Medical Microbiology*: Second Edition. 2014. p. 1565–86.
54. Yusri Chan H. Perbandingan Pertumbuhan *Streptococcus Pneumoneae* Pada Media Agar Darah Domba Dengan Preinkubasi STHB (Supplemented Todd Hewitt Broth) dan Media Agar Darah Domba Gentamisin Tanpa Preinkubasi STHB. *J Kedokt Diponegoro*. 2018;7(1):711–23.
55. Staff pengajar bagian mikrobiologi universitas Indonesia. Buku Ajar Mikrobiologi Kedokteran. depok: Binarupa Aksara; 2002. 148 p.
56. Frengki. Isolasi, Elusidasi Struktur Dan Uji Bioaktivitas Kandungan Kimia Fraksi Etil Asetat Kulit Batang Tanaman *Calophyllum Macrophyllum* Scheff: universitas indonesia; 2010.
57. Condalab. Brain Heart Infusion Broth ( BHI Broth ) Microbiological test [Internet]. Condalab. 2020. p. 1–2. Available from: [www.condalab.com](http://www.condalab.com)
58. Mansouri S, Foroumadi A, Ghaneie T, Najar AG. Antibacterial activity of the crude extracts and fractionated constituents of *Myrtus communis*. *Pharm Biol*.

- 2001;39(5):399–401.
59. Nurmuhaimina SA, Maulia R, Yuniarti I, Umaningrum D. Uji Aktivitas Antioksidan Dari Ekstrak Campuran Tumbuhan Alang-Alang (*Imperata cylindrica*) Dan Lidah Ular (*Hedyotis corymbosa*) Sebagai Peredam Radikal Bebas Asam Linoleat. J Sains Dan Terap Kim. 2009;2(1):85–93.
  60. Elix JA, Stocker-Wörgötter E. Biochemistry and secondary metabolites. In: Lichen Biology, Second Edition. 2008.
  61. Ismed F, Hartati S, Mulyadi R, Putra HE, Vidian NP, Putra DP. Isolasi Senyawa Depside-Depsodone dari Lichen Sumatera (*Stereocaulon halei*) dan Uji Aktivitas Antimikroba serta Anti Tuberkulosis. J Ilmu Kefarmasian Indones. 2016;14(1):49–56.
  62. Pan X, Chen F, Wu T, Tang H, Zhao Z. The acid, bile tolerance and antimicrobial property of *Lactobacillus acidophilus* NIT. Food Control. 2009;20:598–602.
  63. Manojlovic NT, Vasiljevic PJ, Gritsanapan W, Supaphol R, Manojlovic I. Phytochemical and antioxidant studies of *Laurera benguelensis* growing in Thailand. Biol Res. 2010;43:169–76.
  64. Apriliyani SA, Martono Y, Riyanto CA, Mutmainah M, Kusmita K. Validation of UV-VIS Spectrophotometric Methods for Determination of Inulin Levels from Lesser Yam (*Dioscorea esculenta* L.). J Kim Sains dan Apl. 2018;21(4):161–5.
  65. Edwards HGM, Newton EM, Wynn-Williams DD, Coombes SR. Molecular spectroscopic studies of lichen substances 1: Parietin and emodin. J Mol Struct. 2003;49–59.
  66. Zhan C, Xiong A, Shen D, Yang L, Wang Z. Characterization of the Principal Constituents of Danning Tablets , a Chinese Formula Consisting of Herbs,

- Seven Approach, Uplc-dad-ms M S. Molecules. 2016;21:1–13.
67. Dachriyanus PD. analisis struktur senyawa organik secara spektroskopi. 2004.
  68. Sanjaya A, Avidlyandi A, Adfa M, Ninomiya M, Koketsu M. A new depsidone from *Teloschistes flavicans* and the antileukemic activity. J Oleo Sci. 2020;1–5.
  69. Ariswan. Struktur Kristal, Morfologi Permukaan dan Sifat Optik Bahan CdSe Hasil Preparasi dengan Teknik Close Spaced Vapor Transport (CSVT) untuk Aplikasi Sel Surya. Pros Pertem Ilm XXVII HFI Jateng DIY, Solo, 23 Maret 2013. 2013;
  70. Suyanto. In Silico Analysis of Depsidone as Anticancer. Der Pharma Chem. 2017;9(11):5–8.
  71. Maulidiyah M, Darmawan A, Hasan A, Wibowo D, Salim LOA, Ansharullah A, et al. Isolation, structure elucidation, and antidiabetic test of vicanicin compound from lichen *Teloschistes flavicans*. J Appl Pharm Sci. 2020;10(11):1–9.
  72. Silverstein RM, Webster FX, Kiemle DJ. Spectrometric identification of organic compounds 7ed. John Wiley & Sons, Inc. New York; 2005. 1–502 p.
  73. ISNAENI, A. TOTO POERNOMO FN. Profil Bioautogram Bakteriosin dalam Sedian Susu Probiotik. Dep Kim Farm Fak Farm Univ airlangga [Internet]. 2015;4(1):21–8. A74. Pratiwi ST. Mikrobiologi Farmasi. Erlangga. 2008.
  75. Utomo SB, Fujiyanti M, Lestari WP, Mulyani S. Uji Aktivitas Antibakteri Senyawa C-4-methoxyphenylcalix[4] resorcinarene Termodifikasi Hexadecyltrimethylammonium-Bromide terhadap bakteri *Staphylococcus aureus* dan *Escherichia coli*. J Kim dan Pendidik Kim. 2018;3(3):201–9.
  76. Aktivitas Antibakteri dan Karakteristik Gugus Fungsi dari Tunikita Policarpa Aurata. PHARMACON. 2015;4(2):32–44.

77. Octaviani M, Fadhl H, Yuneistya E. Uji Aktivitas Antimikroba Ekstrak Etanol dari Kulit Bawang Merah (*Allium cepa* L.) dengan Metode Difusi Cakram. *J Pharm Sci Res.* 2019;
78. Pelczar Jr, Michael J, Chan ECS. Dasar-Dasar Mikrobiologi 2. UI Press. Jakarta; 2009.
79. Weseler A, Geiss HK, Saller R, Reichling J. A novel colorimetric broth microdilution method to determine the minimum inhibitory concentration (MIC) of antibiotics and essential oils against *Helicobacter pylori*. *Pharmazie.* 2005;60(7):498–502.

