

DAFTAR PUSTAKA

- (1) Pestaño, L. D. B.; Jose, W. I.: Production of Solid Fuel by Torrefaction Using Coconut Leaves As Renewable Biomass. *International Journal Renewable Energy* 2016, 5 (3), 187–197.
- (2) Thomas, G. V.; Prabhu, S. R.; Reeny, M. Z.; Bopaiah, B. M.: Evaluation of Lignocellulosic Biomass from Coconut Palm as Substrate for Cultivation of *Pleurotus Sajor-Caju* (Fr.) Singer. *World Journal Microbiology and Biotechnology* 1998, 14 (6), 879–882.
- (3) Jabbarnia, A.; Ghazinezami, A.; Saeednia, L.: Electrospun Nanocomposite Membranes Incorporated with PVdF/PVP and Carbon Blacks for Supercapacitor Applications. *Proceedings of the 10th Annual GRASP symposium* 2014, 97–99.
- (4) Tetra, O. N.; Aziz, H.; Emriadi; Wahyuni, H.; Alif, A.: Performance of TiO₂-Carbon on Ceramic Template with Sodium Hydroxide Activation as Supercapacitor Electrode Materials. *Derpharma Chemica* 2016, 8 (17), 26–30.
- (5) Du, W.; Zhang, Z.; Du, L.; Fan, X.; Shen, Z.; Ren, X.; Zhao, Y.; Wei, C.; Wei, S.: Designing Synthesis of Porous Biomass Carbon from Wheat Straw and the Functionalizing Application in Flexible, All-Solid-State Supercapacitors. *Journal of Alloys Compound* 2019, 797, 1031–1040.
- (6) Sudhan, N.; Subramani, K.; Karnan, M.; Ilayaraja, N.; Sathish, M.: Biomass-Derived Activated Porous Carbon from Rice Straw for a High-Energy Symmetric Supercapacitor in Aqueous and Nonaqueous Electrolytes. *Energy and Fuels* 2017, 31 (1), 977–985.
- (7) Khan, A.; Senthil, R. A.; Pan, J.; Osman, S.; Sun, Y.; Shu, X.: A New Biomass Derived Rod-like Porous Carbon from Tea-Waste as Inexpensive and Sustainable Energy Material for Advanced Supercapacitor Application. *Electrochimica Acta* 2020, 335, 135588.
- (8) Muchammadsam, I. D.; Taer, E.; Farma, R.: Pembuatan Dan Karakterisasi Karbon Aktif Monolit Dari Kayu Karet Dengan Variasi Konsentrasi Koh Untuk Aplikasi Superkapasitor. *Jom FMIPA* 2015, 2 (1), 8–13.
- (9) Rosi, M.; Ekaputra, M. P.; Iskandar, F.; Abdullah, M.: Superkapasitor Menggunakan Polimer Hidrogel Elektrolit Dan Elektroda Nanopori Karbon *International Journal Of Electrochemical Science* 2012, 2014, 42–45.
- (10) Le Van, K.; Luong Thi, T. T.: Activated Carbon Derived from Rice Husk by NaOH Activation and Its Application in Supercapacitor. *Progress in Natural Science Materials International* 2014, 24 (3), 191–198.
- (11) Chmiola, J.; Yushin, G.; Dash, R. K.; Hoffman, E. N.; Fischer, J. E.; Barsoum, M. W.; Gogotsi, Y.: Double-Layer Capacitance of Carbide Derived Carbons in Sulfuric Acid. *Electrochemical Solid-State Letter* 2005, 8 (7), 357–360.
- (12) Ganesh, V.; Pitchumani, S.; Lakshminarayanan, V.: New Symmetric and Asymmetric Supercapacitors Based on High Surface Area Porous Nickel and Activated Carbon. *Journal Power Sources* 2006, 158, 1523–1532.
- (13) Li, X.; Wei, B.: Supercapacitors Based on Nanostructured Carbon. *Nano Energy* 2013, 2 (2), 159–173.
- (14) Suyati, L.; Nuryanto, R.; Anggrayni, R.: Pembuatan Dan Karakterisasi Elektrolit Padat NaMn 2-x Mg x O 4 : (I). *Journal Kimia Sains dan Aplikasi* 2010, 13 (131), 1–3.

- (15) Liou, T. H.: Development of Mesoporous Structure and High Adsorption Capacity of Biomass-Based Activated Carbon by Phosphoric Acid and Zinc Chloride Activation. *Chemical Engineering Journal* 2010, 158 (2), 129–142.
- (16) Wang, C.; Wu, D.; Wang, H.; Gao, Z.; Xu, F.; Jiang, K.: Biomass Derived Nitrogen-Doped Hierarchical Porous Carbon Sheets for Supercapacitors with High Performance. *Journal Colloid Interface Science* 2018, 523, 133–143.
- (17) Kumar, A.; Singh, K.; Bhattacharya, D.: Ultra Capacitor: Alternative Energy Storage Systems. *International Journal of scientific Engineering and Technology* 2013, 2(12), 1208-1210.
- (18) Marsh. Activated Carbon; Elsevier; North Shields; UK, 2006.
- (19) Sudibandriyo, M.: A generalized ono-kondo latice model for high pressure adsorption on carbon adsorbents. Graduate Collage of the Graduate of Oklahoma 1991, 8 (5), 55.
- (20) Arsène, M. A.; Bilba, K.; Junior, H. S.; Ghavami, K.: Treatments of Non-Wood Plant Fibres Used as Reinforcement in Composite Materials. *Material Research* 2013, 16 (4), 903–923.
- (21) Saifudin, M.; Muntini, S. Mujib, Saifuddin. Suweni Muntini: Perancangan Sensor Kelembaban Beras Berbasis Kapasitor. *Jurnal Sains Dan Seni Pomits* 2013, 1 (1), 1–6.
- (22) Marpaung, P. W.; Murti, M. A.; Ramdhani, M.: Desain Dan Implementasi L-c Meter Berbasis PC. Seminar Nasional Aplikasi dan Teknologi Informasi 2007, 2007 (Snati).
- (23) Topayung, D.: Effect of Electric Current and Process Time in The Thickness and Mass Layer Formed on Electroplating Steel Plates. *Jurnal Ilmu Sains* 2011, 11 (1), 97–101.
- (24) Sunardi; Abdullah.: Konversi Abu Layang Batu Bara Menjadi Zeolit Dan Pemanfaatannya Sebagai Adsorben Merkuri (II). *Sains Dan Terapan Kimia* 2012, 1 (1), 1–10.
- (25) Chaitra, K.; Vinny, T. R.; Sivaraman, P.; Reddy, N.; Hu, C.; Venkatesh, K.; Vivek, S. C.; Nagaraju, N.; Kathyayini, N.: KOH Activated Carbon Derived from Biomass-Banana Fibers as an Efficient Negative Electrode in High Performance Asymmetric Supercapacitor. *Journal of Energy Chemical* 2017, 26 (1), 56–62.
- (26) Apriani, R.; Faryuni, I. D.; Wahyuni, D.; Kunci, K.: Pengaruh Konsentrasi Aktivator Kalium Hidroksida (KOH) Terhadap Kualitas Karbon Aktif Kulit Durian Sebagai Adsorben Logam Fe Pada Air Gambut. *Prisma Fisika* 2013, 1 (2), 82–86.
- (27) Gunawan, B.; Azhari, C. D.: Karakteristik Spektrometri IR Dan Scanning Electron Microscopy (SEM) Sensor Gas Dari Bahan Polimer Poly Ethelyn Glycol (PEG). *Fakultas Teknik Universitas Muria Kudus* 1979, 1–17.
- (28) Sulistyani, M.: Optimasi Pengukuran Spektrum Vibrasi Sampel Protein Menggunakan Spektrofotometer Fourier Transform Infra Red (Ftir). *Indonesia Journal of Chemical Science* 2017, 6 (2), 173–180.
- (29) Li, S.; Han, K.; Si, P.; Li, J.; Lu, C.: High-Performance Activated Carbons Prepared by KOH Activation of Gulfweed for Supercapacitors. *International Journal of Electrochemical Science* 2018, 13 (2), 1728–1743.
- (30) Ravichandran, P.; Sugumaran, P.; Seshadri, S.; Basta, A. H.: Optimizing the Route for Production of Activated Carbon from Casuarina Equisetifolia Fruit Waste. *Research Society Open Science* 2018, 5 (7).

- (31) Aziz, H.; Norita Tetra, O.; Alif, A.; Perdana, Y A.: Performance Karbon Aktif Dari Limbah Cangkang Kelapa Sawit Sebagai Bahan Elektroda Superkapasitor Performance of Activated Carbon From Waste of Palm Oil Cangkang As Supplementary Superacapapor. *Jurnal Zarah* 2017, 5 (2), 1–6.
- (32) Anas, M.; Jahiding, M.; Ratna; Hasanah, A.; Kurniadi, D.: Analisis Ultimate Dan Sifat Struktur Arang Aktif Dari Kulit Biji Mete: Pengaruh Temperatur Aktivasi. *Universitas Haluoleo* 2014, 21–23.
- (33) Zheng, K.; Li, Y.; Zhu, M.; Yu, X.; Zhang, M.; Shi, L.: The Porous Carbon Derived from Water Hyacinth with Well-Designed Hierarchical Structure for Supercapacitors. *Journal of Power Source* 2017, 366, 270–277.
- (34) Thommes, M.; Kaneko, K.; Neimark, A. V.; Olivier, J. P.; Rodriguez-Reinoso, F.; Rouquerol, J.; Sing, K. S. W.: Physisorption of Gases, with Special Reference to the Evaluation of Surface Area and Pore Size Distribution. *Pure Applied Chemistry* 2015, 87 (9–10), 1051–1069.
- (35) Fitriana, V. N.: Sintesis Dan Karakterisasi Superkapasitor Berbasis Nanokomposit TiO₂/C, *Universitas Negeri Malang* 2014.
- (36) Sutrisno, B. A.: Studi Pengukuran Kapasitansi Dan Konstanta Dielektrik Pada Cabe Merah (*Capsicum Annum L.*) Giling. *Physic Student Journal* 2014, 2 (1), 2–4.
- (37) Rosdianty, A.: Pengaruh Suhu Pembakaran Terhadap Performance TiO₂/C Berpendukung Keramik Sebagai Elektroda Superkapasitor, *Universitas Andalas* 2015.
- (38) Oh, S. Y.; Yoo, D. Il; Shin, Y.; Seo, G.: FTIR Analysis of Cellulose Treated with Sodium Hydroxide and Carbon Dioxide. *Carbohydrate Research* 2005, 340 (3), 417–428.
- (39) Zhao, J.; Xiuwen, W.; Hu, J.; Liu, Q.; Shen, D.; Xiao, R.: Thermal Degradation of Softwood Lignin and Hardwood Lignin by TG-FTIR and Py-GC/MS. *Polymer Degradation and Stability* 2014, 108, 133–138.
- (40) Vandana, M.; Vijeth, H.; Ashokkumar, S. P.; Devendrappa, H.: Effect of Different Gel Electrolytes on Conjugated Polymer - Graphene Quantum Dots Based Electrode for Solid State Hybrid Supercapacitors. *Polymer Technology Material* 2020, 00 (00), 2068–2075.
- (41) Admin Alif, Olly Norita Tetra, Hermansyah Aziz.: Pengaruh Perlakuan Solketasi Dan Aktivator KOH Terhadap Kinerja Karbon Aktif Cangkang Kelapa Sawit Sebagai Elektroda Superkapasitor. *Jurnal Zarah* 2016, 5 (2), 38–43.
- (42) Kawano, T.; Kubota, M.; Onyango, M. S.; Watanabe, F.; Matsuda, H. Preparation of Activated Carbon from Petroleum Coke by KOH Chemical Activation for Adsorption Heat Pump. *Applied Thermal Engineering* 2008, 28 (8–9), 865–871.
- (43) Rashid, R. A.; Jawad, A. H.; Ishak, M. A. B. M.; Kasim, N. N.: FeCl₃-Activated Carbon Developed from Coconut Leaves: Characterization and Application for Methylene Blue Removal. *Sains Malaysiana* 2018, 47 (3), 603–610.
- (44) Jawad, A. H.; Rashid, R. A.; Ismail, K.; Sabar, S.: High Surface Area Mesoporous Activated Carbon Developed from Coconut Leaf by Chemical Activation with H₃PO₄ for Adsorption of Methylene Blue. *Desalination and Water Treatment* 2017, 74, 326–335.
- (45) Antika, R.: Pengaruh Elektrolit H₂SO₄ Terhadap Sifat Listrik Elektroda Campuran Zeolit Dari Bottom Ash Dan Resin Damar Sebagai Superkapasitor, *Research Chemical Intermed* 2014, 3(14), 1543-1546.

- (46) Rosi, M.; Iskandar, F.; Abdullah, M.; Khairurrijal.: Hydrogel-Polymer Electrolytes Based on Polyvinyl Alcohol and Hydroxyethylcellulose for Supercapacitor Applications. *International Journal Electrochemical Science* 2014, 9 (8), 4251–4256.
- (47) Rajasekaran, S. J.; Raghavan, V.: Facile Synthesis of Activated Carbon Derived from Eucalyptus Globulus Seed as Efficient Electrode Material for Supercapacitors. *Diamond and Related Material* 2020, 109 (July), 108038.
- (48) Zhan, Y.; Zhou, H.; Guo, F.; Tian, B.; Du, S.; Dong, Y.; Qian, L.: Preparation of Highly Porous Activated Carbons from Peanut Shells as Low-Cost Electrode Materials for Supercapacitors. *Journal Energy Storage* 2021, 34 (November 2020), 102180.
- (49) El-Merraoui, M.; Aoshima, M.; Kaneko, K.: Micropore Size Distribution of Activated Carbon Fiber Using the Density Functional Theory and Other Methods. *Langmuir* 2000, 16 (9), 4300–4304.
- (50) Susmita, R.; Afdhal, M.: Analisis Sifat Listrik Komposit Polianilin (Pani) Terhadap Penambahan Bottom Ash Sebagai Elektroda Superkapasitor. *Jurnal Fisika Unand* 2013, 2(2), 2302-8491.
- (51) Yang, H.: A Comparative Study of Supercapacitor Capacitance Characterization Methods. *Journal Energy Storage* 2020, 29, 101-316.
- (52) Rohmah, P. M.; Redjeki, A. S.: Pengaruh Waktu Karbonisasi Pada Pembuatan Karbon Aktif Berbahan Baku Sekam Padi Dengan Aktivator KOH. *Konversi* 2014, 3(1), 2252-7311
- (53) Tetra, O. N.: Superkapasitor Berbahan Dasar Karbon Aktif Dan Larutan Ionik Sebagai Elektrolit. *Jurnal Zarah* 2018, 6 (1), 39–46.

