

DAFTAR PUSTAKA

1. Burhan E, Susanto AD, Isbaniah F, Nasution SA, Ginanjar E, Pitoyo CW SA. Pedoman tatalaksana COVID-19 Edisi 3 Desember 2020. Pedoman Tatalaksana COVID-19. 2020. 15–18 p.
2. Tang D, Comish P, Kang R. The hallmarks of COVID-19 disease. *PLoS Pathog.* 2020;16(5):1–24.
3. Sackett K, Cunderlik M, Sahni N, Killeen AA, Olson APJ. Extreme hyperferritinemia: Causes and impact on diagnostic reasoning. *Am J Clin Pathol.* 2016;145(5):646–50.
4. Dahan S, Segal G, Katz I, Hellou T, Tietel M, Bryk G, et al. Ferritin as Marker of Severity in COVID-19 Patients: A Fatal Correlation. *Isr Med Assoc J.* 2020;22(1):1–7.
5. Perricone C, Bartoloni E, Bursi R, Cafaro G, Guidelli GM, Shoenfeld Y, et al. COVID-19 as part of the hyperferritinemic syndromes: the role of iron depletion therapy. *Immunol Res.* 2020;68(4):213–24.
6. Gandini O, Criniti A, Ballesio L, Giglio S, Galardo G, Gianni W, et al. Serum Ferritin is an independent risk factor for Acute Respiratory Distress Syndrome in COVID-19. *J Infect.* 2020;81(6):979–97.
7. Bozkurt FT, Tercan M, Patmano G, Bingol Tanriverdi T, Demir HA, Yurekli UF. Can Ferritin Levels Predict the Severity of Illness in Patients With COVID-19? *Cureus.* 2021;13(1):1–8.
8. Cheng L, Li H, Li L, Liu C, Yan S, Chen H, et al. Ferritin in the coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis. *J Clin Lab Anal.* 2020;34(10):1–18.
9. Cao P, Wu Y, Wu S, Wu T, Zhang Q, Zhang R, et al. Elevated serum ferritin level effectively discriminates severity illness and liver injury of coronavirus disease 2019 pneumonia. *Biomarkers.* 2021;26(3):207–12.
10. Ahmed S, Ansar Ahmed Z, Siddiqui I, Haroon Rashid N, Mansoor M, Jafri L. Evaluation of serum ferritin for prediction of severity and mortality in

- COVID-19- A cross sectional study. *Ann Med Surg.* 2021;63(February):1–6.
11. Chin TW, Shing C, Lo Y, Lui MM, Yin JC, Hung NI, et al. Frequency and Distribution of Chest Radiographic Findings in COVID-19 Positive Patients. *Radiology.* 2020;2:1–6.
 12. Gupta P, Halani A, Samuel T, Singh DP. Association of inflammatory biomarkers with radiological severity for COVID-19 patient risk stratification: An Indian perspective. *Asian J Med Sci.* 2021;12(4):1–7.
 13. El Bakry RAR, Sayed AIT. Chest CT manifestations with emphasis on the role of CT scoring and serum ferritin/lactate dehydrogenase in prognosis of coronavirus disease 2019 (COVID-19). *Egypt J Radiol Nucl Med.* 2021;52(1).
 14. Setiawati R, Widyoningroem A, Handarini T, Hayati F, Basja AT, Surya ARD, et al. Modified chest X-ray scoring system in evaluating severity of COVID-19 patient in dr. Soetomo general hospital Surabaya, Indonesia. *Int J Gen Med.* 2021;14:2407–12.
 15. Riveiro-Barciela M, Labrador-Horrillo M, Camps-Relats L, Gonzalez-Sans D, Ventura-Cots M, Terrones-Peinador M, et al. Simple predictive models identify patients with COVID-19 pneumonia and poor prognosis. *PLoS One.* 2020;15(1):1–14.
 16. Wang C, Wang Z, Wang G, Lau JYN, Zhang K, Li W. COVID-19 in early 2021: current status and looking forward. *Signal Transduct Target Ther.* 2021;6(1):114–28.
 17. Surendra H, Elyazar IR, Djaafara BA, Ekawati LL, Saraswati K, Adrian V, et al. Clinical characteristics and mortality associated with COVID-19 in Jakarta, Indonesia: A hospital-based retrospective cohort study. *Lancet Reg Heal - West Pacific.* 2021;9:108–14.
 18. DISKOMINFO Provinsi Sumbar. Data Pantauan COVID-19 Propinsi Sumatera Barat [Internet]. 2021;[cited 2021 August 15]. Available from: <http://corona.sumbarprov.go.id/>

19. Handayani D, Hadi DR, Isbaniah F, Burhan E, Agustin H. Penyakit Virus Corona 2019. *J Respirologi Indones*. 2020;40(1):119–29.
20. Zhou P, Yang X Lou, Wang XG, Hu B, Zhang L, Zhang W, et al. A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature*. 2020;579(7798):270–3.
21. Li X, Geng M, Peng Y, Meng L, Lu S. Molecular immune pathogenesis and diagnosis of COVID-19. *J Pharm Anal*. 2020;10(2):102–8.
22. Li G, Fan Y, Lai Y, Han T, Li Z, Zhou P, et al. Coronavirus infections and immune responses. *J Med Virol*. 2020;92(4):424–32.
23. Yuki K, Fujiogi M, Koutsogiannaki S. COVID-19 pathophysiology: A review. *Clin Immunol*. 2020;215(1):1–7.
24. Di Gennaro F, Pizzol D, Marotta C, Antunes M, Racalbutto V, Veronese N, et al. Coronavirus diseases (COVID-19) current status and future perspectives: A narrative review. *Int J Environ Res Public Health*. 2020;17(8):1–11.
25. Ye Q, Wang B, Mao J. The pathogenesis and treatment of the 'Cytokine Storm in COVID-19. *J Infect*. 2020;80(1):607–13.
26. Lingeswaran M, Goyal T, Ghosh R, Suri S, Mitra P, Misra S, et al. Inflammation, Immunity and Immunogenetics in COVID-19: A Narrative Review. *Indian J Clin Biochem*. 2020;35(3):260–73.
27. Beigel JH, Tomashek KM, Dodd LE, Mehta AK, Zingman BS, Kalil AC, et al. Remdesivir for the Treatment of Covid-19 — Final Report. *N Engl J Med*. 2020;383(19):1813–26.
28. Susilo A, Rumende CM, Pitoyo CW, Santoso WD, Yulianti M, Herikurniawan H, et al. Coronavirus Disease 2019: Tinjauan Literatur Terkini. *J Penyakit Dalam Indones*. 2020;7(1):45–7.
29. Salehi S, Abedi A, Balakrishnan S, Gholamrezanezhad A. Coronavirus disease 2019 (COVID-19): A systematic review of imaging findings in 919 patients. *Am J Roentgenol*. 2020;215(1):87–93.

30. Monrief T, Ramzy M, Long B, Gottlieb M, Hercz D. COVID-19 respiratory support in the emergency department setting. *Am J Emerg Med.* 2020;38(1):2160–8.
31. Nielsen Jeschke K, Bonnesen B, Hansen EF, Jensen JUS, Lapperre TS, Weinreich UM, et al. Guideline for the management of COVID-19 patients during hospital admission in a non-intensive care setting. *Eur Clin Respir J.* 2020;7(1):15–20.
32. Kappert K, Jahić A, Tauber R. Assessment of serum ferritin as a biomarker in COVID-19: bystander or participant? Insights by comparison with other infectious and non-infectious diseases. *Biomarkers.* 2020;25(8):616–25.
33. Rosário C, Zandman-Goddard G, Meyron-Holtz EG, D’Cruz DP, Shoenfeld Y. The Hyperferritinemic Syndrome: Macrophage activation syndrome, Still’s disease, septic shock and catastrophic antiphospholipid syndrome. *BMC Med.* 2013;11(1):1–7.
34. Hussein AM, Taha ZB, Gailan A, Akram K, Qasim D, Jalal R, et al. D-Dimer and Serum Ferritin as an Independent Risk Factor for Severity in COVID-19 Patients. *Mater today.* 2020;1(1):11–3.
35. Liu W, Zhang S, Nekhai S, Liu S. Depriving Iron Supply to the Virus Represents a Promising Adjuvant Therapeutic Against Viral Survival. *Curr Clin Microbiol Reports.* 2020;7(2):13–9.
36. Perdana WY, Jacobus DJ. Hecpidin dan Anemia Defisiensi Besi. *Cdk-235.* 2015;42(12):919–26.
37. Carcillo JA, Halstead ES, Hall MW, Nguyen TC, Reeder R, Aneja R, et al. Three Hypothetical Inflammation Pathobiology Phenotypes and Pediatric Sepsis-Induced Multiple Organ Failure Outcome. *Pediatr Crit Care Med.* 2017;18(6):513–23.
38. Ehsani S. COVID-19 and iron dysregulation: distant sequence similarity between hepcidin and the novel coronavirus spike glycoprotein. *Biol Direct.* 2020;15(1):1–13.
39. Gómez-Pastora J, Weigand M, Kim J, Wu X, Strayer J, Palmer AF, et al. Hyperferritinemia in critically ill COVID-19 patients – Is ferritin the

- product of inflammation or a pathogenic mediator? *Clin Chim Acta*. 2020;509:249–51.
40. Banchini DF, Vallisa D, Maniscalco P, Capelli P. Iron overload and hepcidin overexpression could play a key role in COVID infection, and may explain vulnerability in elderly, diabetics, and obese patients. *Acta Biomed*. 2020;91(3):1–8.
 41. Yang M, Lai CL. SARS-CoV-2 infection: can ferroptosis be a potential treatment target for multiple organ involvement? *Cell Death Discov*. 2020;6(1):1–6.
 42. Habib HM, Ibrahim S, Zaim A, Ibrahim WH. The role of iron in the pathogenesis of COVID-19 and possible treatment with lactoferrin and other iron chelators. *Biomed Pharmacother*. 2020;136(1):1–10.
 43. Alvarado González A. Programmed Cell Death. Review and Its Impact in Covid-19. *Clin Res Trials*. 2020;7(1):1–11.
 44. Deng F, Zhang L, Lyu L, Lu Z, Gao D, Ma X, et al. Increased levels of ferritin on admission predicts intensive care unit mortality in patients with COVID-19. *Med Clin (Barc)*. 2020;7(January):324–331.
 45. Lino K, Macedo G, Guimarães C, Santos L, Caroline A, Faustino R, et al. Serum ferritin at admission in hospitalized COVID-19 patients as a predictor of mortality. *Brazilian J Infect Dis*. 2021;5(2):1–6.
 46. Wasilewski PG, Mruk B, Mazur S, Póltorak-Szymczak G, Sklinda K, Walecki J. COVID-19 severity scoring systems in radiological imaging – A review. *Polish J Radiol*. 2020;85(1):e361–8.
 47. Kaleemi R, Hilal K, Arshad A, Martins RS, Nankani A, Haq TU, et al. The association of chest radiographic findings and severity scoring with clinical outcomes in patients with COVID-19 presenting to the emergency department of a tertiary care hospital in Pakistan. *PLoS One*. 2021;16(3):1–11.
 48. Yasin R, Gouda W. Chest X-ray findings monitoring COVID-19 disease course and severity. *Egypt J Radiol Nucl Med*. 2020;51(1).

49. Rodriguez-Morales AJ, Cardona-Ospina JA, Gutiérrez-Ocampo E, Villamizar-Peña R, Holguin-Rivera Y, Escalera-Antezana JP, et al. Clinical, laboratory and imaging features of COVID-19: A systematic review and meta-analysis. *Travel Med Infect Dis.* 2020;34(February):23–6.
50. Cozzi D, Albanesi M, Cavigli E, Moroni C, Bindi A, Luvarà S, et al. Chest X-ray in new Coronavirus Disease 2019 (COVID-19) infection: findings and correlation with clinical outcome. *Radiol Medica.* 2020;125(8):730–7.
51. Beigel JH, Tomashek KM, Dodd LE, Mehta AK, Zingman BS, Kalil AC, et al. Remdesivir for the Treatment of Covid-19 — Final Report. *N Engl J Med.* 2020;383(19):1813–26.
52. Atmaja KS, Wicaksana AA, Putra IW, Putra SW. Hubungan konsentrasi serum C- Reactive Protein dan D-dimer dengan derajat keparahan dan mortalitas pasien COVID-19. *Intisari Sain Medis.* 2021;12(2):680–5.
53. Tjahyadi RM, Astuti T, Listyoko AS. COVID-19 :Correlation Between CRP and LDH to Disease Severity and Mortality In Hospitalized COVID-19 Patients. *Medica Hosp J Clin Med.* 2020;7(1A):144–9.
54. Qin L, Li X, Shi J, Yu M, Wang K, Tao Y, et al. Gendered effects on inflammation reaction and outcome of COVID-19 patients in Wuhan. *J Med Virol.* 2020;92(11):2684–92.
55. Perrotta F, Corbi G, Mazzeo G, Boccia M, Aronne L, D’Agnano V, et al. COVID-19 and the elderly: insights into pathogenesis and clinical decision-making. *Aging Clin Exp Res.* 2020;32(8):1599–608.
56. Sadighi Akha AA. Aging and the immune system: An overview. *J Immunol Methods.* 2018;463(6):21–6.
57. Sensusiaty AD, Amin M, Nasronudin N, Rosyid AN, Ramadhan NA, Lathifah R, et al. Age, neutrophil lymphocyte ratio, and radiographic assessment of the quantity of lung edema (RALE) score to predict in-hospital mortality in COVID-19 patients: A retrospective study. *F1000Research.* 2021;9(1):1–13.
58. Mardewi, Gusti IA, Yustiani NT. Gambaran hasil laboratorium pasien COVID-19 di RSUD Bali Mandara: sebuah studi pendahuluan. *Intisari*

Sains Medis | Intisari Sains Medis. 2021;12(1):374–8.

59. Ni YN, Wang T, Liang BM, Liang ZA. The independent factors associated with oxygen therapy in COVID-19 patients under 65 years old. *PLoS One*. 2021;16(1 January):1–11.
60. Chen J, Jiang Q, Xia X, Liu K, Yu Z, Tao W, et al. Individual variation of the SARS-CoV-2 receptor ACE2 gene expression and regulation. *Aging Cell*. 2020;19(7):1–12.
61. Riou C, du Bruyn E, Stek C, Daroowala R, Goliath RT, Abrahams F, et al. Relationship of SARS-CoV-2-specific CD4 response to COVID-19 severity and impact of HIV-1 and tuberculosis coinfection. *J Clin Invest*. 2021;131(12):1–6.
62. Zhou A, Song Q, Peng Y, Deng D, Liao X, Huang P, et al. The Effect of Noninvasive Ventilation Support on COVID-19 Patients and Risk Factors for Invasive Ventilation – A Retrospective and Multicenter Study. *Int J Gen Med*. 2021;Volume 14(9):6085–92.
63. Jaspard M, Sow MS, Juchet S, Dienderé E, Serra B, Kojan R, et al. Clinical presentation, outcomes and factors associated with mortality: A prospective study from three COVID-19 referral care centres in West Africa. *Int J Infect Dis*. 2021;108:45–52.
64. Procopio G, Cancelliere A, Trecarichi EM, Mazzitelli M, Arrighi E, Perri G, et al. Oxygen therapy via high flow nasal cannula in severe respiratory failure caused by Sars-Cov-2 infection: a real-life observational study. *Ther Adv Respir Dis*. 2020;14:1–10.
65. Wang K, Zhao W, Li J, Shu W, Duan J. The experience of high-flow nasal cannula in hospitalized patients with 2019 novel coronavirus-infected pneumonia in two hospitals of Chongqing, China. *Ann Intensive Care*. 2020;10(1):0–4.
66. Slessarev M, Cheng J, Ondrejicka M, Arntfield R. Patient self-proning with high-flow nasal cannula improves oxygenation in COVID-19 pneumonia. *Can J Anesth*. 2020;67(9):1288–90.

67. Sathi S, Tiwari R, Verma S, Garg AK, Saini VS, Singh MK, et al. Role of Chest X-Ray in Coronavirus Disease and Correlation of Radiological Features with Clinical Outcomes in Indian Patients. *Can J Infect Dis Med Microbiol.* 2021;2021(3):1–8.
68. Hafiz M, Icksan AG, Harlivasari AD, Aulia R, Susanti F, Eldinia L. Clinical, radiological features and outcome of COVID-19 patients in a secondary Hospital in Jakarta, Indonesia. *J Infect Dev Ctries.* 2020;14(7):750–7.
69. Ghweil AA, Hassan MH, Khodeary A, Mohamed AO, Mohammed HM, Abdelazez AA, et al. Characteristics, outcomes and indicators of severity for covid-19 among sample of esna quarantine hospital's patients, egypt: A retrospective study. *Infect Drug Resist.* 2020;13:2375–83.
70. Richardson S, Hirsch JS, Narasimhan M, Crawford JM, McGinn T, Davidson KW, et al. Presenting Characteristics, Comorbidities, and Outcomes among 5700 Patients Hospitalized with COVID-19 in the New York City Area. *JAMA - J Am Med Assoc.* 2020;323(20):2052–9.
71. Khedr EM, Daef E, Mohamed-Hussein A, Mostafa EF, Zein M, Hassany SM, et al. Impact of comorbidities on COVID-19 outcome. *medRxiv.* 2020;2(3):1–26.
72. Karyono DR, Wicaksana AL. Current prevalence, characteristics, and comorbidities of patients with COVID-19 in Indonesia. *J Community Empower Heal.* 2020;3(2):77–82.
73. Guan, Wei-jie, Liang W, Yi Z, Heng-rui, Zi-sheng Chen YL, Liu X, et al. Comorbidity and its impact on 1.590 patients with COVID-19 in China: a nationwide analysis. *Euro Respiriol.* 2020;5(55):1–14.
74. Ahmed S, Ansar Ahmed Z, Siddiqui I, Haroon Rashid N, Mansoor M, Jafri L. Evaluation of serum ferritin for prediction of severity and mortality in COVID-19- A cross sectional study. *Ann Med Surg.* 2021;63(February):1–5.
75. Itelman E, Wasserstrum Y, Segev A, Avaky C, Negru L, Cohen D, et al. Clinical characterization of 162 COVID-19 patients in Israel: Preliminary

- Report from a Large Tertiary Center. *Isr Med Assoc J.* 2020;22(5):271–4.
76. Güner R, Hasanoğlu İ, Kayaaslan B, Aypak A, Kaya Kalem A, Eser F, et al. COVID-19 experience of the major pandemic response center in the capital: Results of the pandemic's first month in Turkey. *Turkish J Med Sci.* 2020;50(8):1801–9.
77. Zeng F, Huang Y, Guo Y, Yin M, Chen X. Association of inflammatory markers with the severity of COVID-19: A meta-analysis. *Int J Infect Dis.* 2020;96(1):467–74.
78. Eroglu SA, Cagavi Z, Yildiz T, Karakurt Z, Interest Group O behalf of C. Can the Usage of the Chest X-Ray Scoring During Hospitalization in Patients with COVID-19 Predict the Severity of the Disease? *Turkish Thorac J.* 2021;22(3):190–8.
79. Yilmaz A, Sabirli R, Seyit M, Ozen M, Oskay A, Cakmak V. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information. *Am J Emerg Med.* 2020;42(1):110–4.
80. Borghesi A, Zigliani A, Golemi S, Carapella N, Maculotti P, Farina D, et al. Chest X-ray severity index as a predictor of in-hospital mortality in coronavirus disease 2019: A study of 302 patients from Italy. *Int J Infect Dis.* 2020;96(1):291–3.
81. Galloway JB, Norton S, Barker RD, Brookes A, Carey I, Clarke BD, et al. A clinical risk score to identify patients with COVID-19 at high risk of critical care admission or death: An observational cohort study. *J Infect.* 2020;81(1):282–8.
82. Colman J, Zamfir G, Sheehan F, Berrill M, Saikia S, Saltissi F. Chest radiograph characteristics in COVID-19 infection and their association with survival. *Eur J Radiol Open.* 2021;8(1):36–42.
83. Carubbi F, Salvati L, Alunno A, Maggi F, Borghi E, Mariani R, et al. Ferritin is associated with the severity of lung involvement but not with

worse prognosis in patients with COVID-19: data from two Italian COVID- 19 units. *Sci Rep.* 2021;11(1):1–11.

84. Feld J, Tremblay D, Thibaud S, Kessler A, Naymagon L. Ferritin levels in patients with COVID-19: A poor predictor of mortality and hemophagocytic lymphohistiocytosis. *Int J Lab Hematol.* 2020;42(6):773– 9.
85. Qeadan F, Tingey B, Gu LY, Packard AH, Erdei E, Saeed AI. Prognostic values of serum ferritin and d-dimer trajectory in patients with covid-19. *Viruses.* 2021;13(3):1–12.
86. Suh HJ, Lee E, Park SW. Clinical Characteristics of COVID-19: Risk Factors for Early Oxygen Requirement after Hospitalization. *J Korean Med Sci.* 2021;36(19):1–7.
87. Melo AKG, Milby KM, Caparoz ALMA, Pinto ACPN, Santos RRP, Rocha AP, et al. Biomarkers of cytokine storm as red flags for severe and fatal COVID-19 cases: A living systematic review and meta-analysis. *PLoS One.* 2021;16(6):1–21.

