

DAFTAR PUSTAKA

1. Melyawati, Nilasari H, Sirait SP, Rihatmadja R, Soebaryo RW. Korelasi klinikopatologis pada kelainan kulit hiperpigmentasi. *Media Dermato-Venereologica Indonesia*. 2014;41(4):170–176.
2. Hindritiani R, Dhianawaty D, Sujatno M, Sutedja E, Setiawan. Penurunan aktivitas tirosinase dan jumlah melanin oleh fraksi etil asetat buah malaka (*Phyllanthus emblica*) pada *mouse melanoma B16 cell-line*. *Majalah Kedokteran Bandung*. 2009;45(38):118–124.
3. Pudasaini P, Neupane S. An Observational study to evaluate quality of life in patients with melasma in a tertiary level hospital of Pokhara. *Nepal Journal of Dermatology, Venereology and Leprology*. 2021;19(1):37–41.
4. Praharsini I, Suryawati N, Dewi H. Skor kualitas hidup dermatologi berkorelasi positif dengan melasma area and severity index. *Intisari Sains Medis*. 2017;8(3):189–192.
5. Mir MM, Jalali S. Prevalence of skin disease. *International Journal of Advances in Medical Sciences*. 2018;3(10):1–11.
6. Adil M, Amin SS, Arif T, Dorjay K, Raj D, Bansal R. Hyperpigmented skin conditions: A study of pattern and prevalence from a tertiary care hospital of north india. *International Journal of Current Advanced Research*. 2017;6(4):3562–3565.
7. Asditya A, Sukanto H. Studi Retrospektif : Profil pasien melasma. *Berkala Ilmu Kesehat Kulit dan Kelamin*. 2017;29(3):220–228.
8. Salim YF, Yenny SW, Lestari S. Insiden melasma Di Poliklinik Kulit dan Kelamin RSUP Dr. M. Djamil Padang Tahun 2012-2015. *Jurnal Kedokteran Andalas*. 2018;7:71–73.
9. Yenny SW. Clinico-Epidemiological Features of Melasma : A retrospective study from Dermatology-Venereology Department of Education Center Hospital in West Sumatera, Indonesia. *Int J PharmTech Res*. 2020;13(4):388–92.
10. Sagala Z, Mulyaningsih T, Yunita. Uji aktivitas inhibisi terhadap enzim tirosinase dari ekstrak etanol daun kemangi (*Ocimum americanum L.*)

Secara *in vitro*. Indonesia Natural Research Pharmaceutical Journal. 2019;4(1):37-47.

11. Purba EC. Kembang telang (*Clitoria ternatea* L.): Pemanfaatan dan bioaktivitas. Jurnal EduMatSains. 2020;4(2):111–124.
12. Suganya G, Sampath Kumar P, Dheepa B, Sivakumar R. In vitro antidiabetic, antioxidant and anti-inflammatory activity of *Clitoria Ternatea* L. Int J Pharm Pharm Sci. 2014;6(7):342–7.
13. Chayaratanasin P, Caobi A, Suparpprom C, Saenset S, Pasukamonset P, Suanpairintr N. *Clitoria ternatea* Flower Petal Extract Inhibits Adipogenesis and Lipid Accumulation in 3T3-L1 Preadipocytes by Downregulating Adipogenic Gene Expression. Molecules. 2019;24:1–16.
14. Salleh RM, Ong MT, Neda GD. Chemical composition and anti-proliferative properties of flowers of *Clitoria Ternatea*. Int Food Res J. 2013;20(3):1229–34.
15. Mahmad N, Taha RM, Othman R, Abdullah S, Anuar N, Elias H, et al. Anthocyanin as potential source for antimicrobial activity in *Clitoria ternatea* L. and *Dioscorea alata* L. Pigment Resin Technol. 2018;47(6):490–5.
16. Marpaung AM. Tinjauan manfaat bunga telang (*Clitoria Ternatea* L.) bagi kesehatan manusia. Journal of Functional Food and Nutraceutical. 2020;1(2):63–85.
17. Cahyaningsih E, Sandhi PE, Santoso P. Skrining fitokimia dan uji antioksidan ekstrak etanol bunga telang (*Clitoria Ternatea* L) dengan metode spektrofotometri UV-VIS . Jurnal Ilmiah Medicamento. 2019;5(1):51–57.
18. Sumartini, Ikrawan Y, Muntaha FM. Analisis bunga telang (*Clitoria Ternatea*) dengan variasi Ph Metode High Liquid Chromatograph-Tandem MASS spectrometry (LC-MS/MS). Pasundan Food Technology Journal. 2020;7(2):70–77.
19. Kazuma K, Noda N, Suzuki M. Flavonoid composition related to petal color in different lines of *Clitoria ternatea*. Phytochemistry. 2003;64(6):1133–1139.

20. Singh NK, Garabadu D, Sharma P, Shrivastava SK, Mishra P. Anti-allergy and anti-tusive activity of *Clitoria Ternatea* L. in experimental animals. *Journal of Ethno-pharmacology*. 2018;1-42.
21. Jaafar NF, Ramli ME, Salleh RM. Optimum extraction condition of *Clitoria ternatea* flower on antioxidant activities , total phenolic , total flavonoid and total anthocyanin contents. *Tropical Life Sciences Research*. 2020;31(2):1-17.
22. Abidin Z, Khaeriah U, Zuhrina, Pratama M, Baits M. Penentuan aktivitas penghambat tirosinase dari ekstrak kasar dan ekstrak terpurifikasi daun kelor (*Moringa oleifera* L.). *Indonesia Journal of Pharmaceutical Science and Technology*. 2019;1(1):52–58.
23. Sagala Z, Pratiwi RW, Azmi NU. Uji aktivitas inhibisi terhadap enzim tirosinase dari ekstrak etanol daun pepaya (*Carica papaya* L.) secara *in vitro*. 2015;105(3):129–133.
24. Lu H, Yang K, Zhan L, Lu T, Chen X, Cai X, et al. Optimization of flavonoid extraction in *dendrobium officinale* leaves and their inhibitory effects on tyrosinase activity. *Int J Anal Chem*. 2019;2019.
25. Chang TS. Natural melanogenesis inhibitors acting through the down-regulation of tyrosinase activity. *Materials*. 2012;5(9):1661–1685.
26. Khumairoh I, Puspitasari IM. *Kultur sel. Farmaka*. 2016;14(2):98–110.
27. Nakamura K, Yoshikawa N, Yamaguchi Y, Kagota S, Shinozuka K, Kunitomo M. Characterization of mouse melanoma cell lines by their mortal malignancy using an experimental metastatic model. *Life Sciences*. 2002;70(7):791–798.
28. Hamid MA, Sarmidi MR, Park CS. Mangosteen leaf extract increases melanogenesis in B16F1 melanoma cells by stimulating tyrosinase activity *in vitro* and by up-regulating tyrosinase gene expression. *International Journal of Molecular Medicine*. 2012;29(2):209–217.
29. Oktaviana M. Pengaruh pemberian katekin gambir (*Uncaria gambir roxn.*) terhadap ekspresi gen enzim tirosinase pada cell line mouse melanoma B16F10 (Tesis). 2020.
30. D'Mello S, Finlay GJ, Baguley BC, Amiri ME. Signaling pathways in

- melanogenesis. International Journal Molecular Sciences. 2016;17(7):1–18.
31. Ostrowski SM and Fisher DE. Pigmentation and melanocyte biology. In: Kang S, Amagai M, Bruckner AL, Enk AH, Margolis DJ, et al, editors. Fitzpatrick's Dermatology 9th ed. New York:McGraw-Hill. 2019:328-350.
 32. Pillaiyar T, Namasivayam V, Manickam M, Jung S. Inhibitors of Melanogenesis : An Updated Review. Journal of Medicinal Chemistry. 2018;61:7395–7418.
 33. Pillaiyar T, Manickam M, Namasivayam V. Skin whitening agents : medicinal chemistry perspective of tyrosinase inhibitors. Journal of Enzyme Inhibition and Medicinal Chemistry. 2017;32(1):403-425
 34. Ezzudin M, Rabeta MS. A potential of telang tree (*Clitoria ternatea*) in human health. Food Research. 2018;2(5):415–420.
 35. Adisakwattana S, Pasukamonset P, Chusak C. and Fisher DE. *Clitoria ternatea* beverages and antioxidant. In: Preedy VR, editors. Pathology : Oxidative Stress and dietary Antioxidant 9th ed. New York:Academic Press. 2020:189-196.
 36. Ulimaz TA, Ustari D, Aziza V, Suganda T, Concibido V, Levita J, dkk. Keragaman Genetik Bunga Telang (*Clitoria ternatea*) Asal Indonesia Berdasarkan Karakter Bunga dan Komponen Hasil pada Dua Lahan Berbeda. Jurnal AgroBiogen. 2020;16(1):1-6.
 37. Kshirsagar S, Thakur AS, Kshirsagar J. Immunomodulatory and antioxidative properties of *Clitoria ternatea*. International Journal Of Plant Sciences. 2015;10(2):158–162.
 38. Quazi S, Yogekar T. A Review on ethanopharmacological importance of *clitoria ternatea*. Scholars Academic Journal Biosciences. 2020;08(03):63–67.
 39. Afrianto WF, Tamnge F, Hasanah LN. Review: A Relation between ethnobotany and bioprospecting of edible flower butterfly pea (*Clitoria Ternatea*) in Indonesia. Asian Journal Of Ethnobiology. 2020;3(2):51-61.
 40. Jamil N, Mohd Zairi MN, Mohd Nasim NA, Pa'ee F. Influences of environmental conditions to phytoconstituents in *Clitoria ternatea* (Butterfly Pea Flower) – A Review. Journal of Sciences and Technology.

2018;10(2):208–228.

41. Anthika B, Kusumocahyo SP, Sutanto H. Ultrasonic approach in *Clitoria ternatea* (Butterfly Pea) extraction in water and extract sterilization by ultrafiltration for eye drop active ingredient. *Procedia Chemistry*. 2015;16(6):237–244.
42. Styawan AA, Rohmanti G. Penetapan kadar flavonoid metode AlCl₃ pada ekstrak metanol bunga telang (*Clitoria ternatea L*). *Jurnal Farmasi Sains dan Praktis*. 2020;6(2):134–141.
43. Chayaratanasin P, Barbieri MA, Suanpairintr N, Adisakwattana S. Inhibitory effect of *Clitoria Ternatea* flower petal extract on fructose-induced protein glycation and oxidation-dependent damages to albumin *in vitro*. *Biomedicine Complementary and Alternative Medicine*. 2015;15(1):1–9.
44. Vankar PS, Srivastava J. Evaluation of anthocyanin content in red and blue flowers. *International Journal of Food Engineering* 2010;6(4):1-11.
45. Azima S, Noriham A, Manshoor N. Phenolics, antioxidants and color properties of aqueous pigmented plant extracts: *Ardisia colorata var. elliptica*, *Clitoria ternatea*, *Garcinia mangostana* and *Syzygium cumini*. *Journal of Functional Foods*. 2017;38:232–241.
46. Phrueksanan W, Yibchok-Anun S, Adisakwattana S. Protection of *Clitoria ternatea* flower petal extract against free radical induced hemolysis and oxidative damage in canine erythrocytes. *Research in Veterinary Science*. 2014;97(2):1–7.
47. Abidin Z, Khaeriah U, Zuhriana, Pratama M, Baits M. penentuan aktivitas penghambat tirosinase dari ekstrak kasar dan ekstrak terpurifikasi daun Kelor (*Moringa oleifera L*). *Indonesia Journal Of Pharmaceutical Science and Technology*. 2019;1(1):52–58.
48. Nur S, Rumiati R, Lukitaningsih E. Skrining aktivitas antioksidan, antiaging dan penghambatan tyrosinase dari ekstrak etanolik dan etil asetat daging buah dan kulit buah Langsung (*Lansium domesticum corr*) secara *in vitro*. *Traditional Medicine Journal*. 2017;22(1):63.
49. Charissa M, Djajadisastra J, Elya B. Uji aktivitas antioksidan dan

- penghambatan tirosinase serta uji manfaat gel ekstrak kulit batang Taya (*Nauclea subdita*) terhadap Kulit. Jurnal Kefarmasian Indonesia. 2017;6(2):98–107.
50. Chen LH, Chen IC, Chen PY, Huang PH. Application of butterfly pea flower extract in mask development. Scientia Pharmaceutica. 2018;86(4):1-9.
51. Promden W, Viriyabancha W, Monthakantirat O, Umehara K, Noguchi H, De-Eknamkul W. Correlation between the potency of flavonoids on mushroom tyrosinase inhibitory activity and melanin synthesis in melanocytes. Molecules. 2018;23(6):1-11.
52. Burger P, Landreau A, Azoulay S, Michel T, Fernandez X. Skin whitening cosmetics: Feedback and challenges in the development of natural skin lighteners. Cosmetics. 2016;3(4):1–24.
53. Zolghadri S, Bahrami A, Hassan Khan MT, Munoz-Munoz J, Garcia-Molina F, Garcia-Canovas F, dkk. A comprehensive review on tyrosinase inhibitors. Journal Enzyme Inhibition And Medical Chemistry. 2019;34(1):279–309.
54. Battyani Z, Xerri L, Hassoun J, Bonerandi JJ, Grob JJ. Tyrosinase Gene Expression in Human Tissues. Pigment Cell Research. 1993;6(6):400–405.
55. de Assis LVM, MoraesMN, daSilveiraCruz-MachadoS, Castrucci AML. The effect of white light on normal and malignant murine melanocytes: A link between opsins, clock genes, and melanogenesis. Biochimica et Biophysica Acta - Molecular Cell Research. 2016;1863(6):1119–1133
56. Lee SG, Karadeniz F, Seo Y, Kong CS. Anti-melanogenic effects of flavonoid glycosides from *limonium tetragonum* (thunb.) bullock via inhibition of tyrosinase and tyrosinase-related proteins. Molecules. 2017;22(9):1–10.
57. Phu DH, Tho LH, Truong DVN, Hai NX, Mai NTT, Nhan NT. Flavonoids from the stem barks of *Swintonia griffithii* Kurz (Anacardiaceae) and their tyrosinase inhibitory activities. Vietnam Journal of Chemistry. 2019;57(5):581–584.
58. Shahrizal. Potensi ekstrak bunga telang (*Clitoria ternatea*) sebagai

- antioksidan dan inhibitor tirosinase. Skripsi. Institut Pertanian Bogor. 2019
59. Miyazawa M, Tamura N. Inhibitory compound of tyrosinase activity from the sprout of *Polygonum hydropiper* L. (Benitade). Biological Pharmaceutical Bulletin. 2007;30(3):595–597.
60. Phongpaichit S, Nikom J, Rungjindamai N, Sakayaroj J, Hutadilok-Towatana N, Rukachaisirikul V, et al. Biological activities of extracts from endophytic fungi isolated from *Garcinia plants*. FEMS Immunology and Medical Microbiology. 2007;51(3):517–525.
61. Martini NK, Ekawati IG, Timur Ina PT. Pengaruh suhu dan lama pengeringan terhadap karakteristik teh bunga telang (*Clitoria ternatea* L.). Jurnal Ilmu dan Teknologi Pangan. 2020;9(3):327–340.
62. Parveen N, Zaidi KU, Ali SA, Ali SA, Ali AS. Microarray as high throughput tool for tyrosinase gene expression analysis. MOJ Proteomics Bioinforma. 2017;6(2):250–253.
63. Sholikha M, Febriani A, Wahyuningrum A. Formulasi gel ekstrak lobak (*Raphanus sativus* L.) sebagai antioksidan dan inhibitor tirosinase. Jurnal Ilmu Kefarmasian. 2020;13(1):15–20.
64. Kim D, Park J, Kim J, Han C, Yoon J, Kim N, et al. Flavonoids as mushroom tyrosinase inhibitors: A fluorescence quenching study. Journal of Agricultural and Food Chemistry. 2006;54(3):935–941.
65. Azwanida ZN, Jonathan OE, Melanie-Jaynes H. Antioxidant, anti collagenase, anti elastase, and anti tyrosinase activities of an aqueous *Cosmos caudatus* Kunth (Asteraceae) leaf extract. Tropical Journal of Natural Product Research. 2020;4:1124–30.
66. Indrisari M, Sartini S, Miskad UA, Djawad K, Tahir KA, Nurkhairi N, et al. Photoprotective and inhibitory activity of tyrosinase in extract and fractions of *Terminalia catappa* L. Open Access Macedonia Journal Medical Science. 2021;9:263–270.
67. Choi MH, Shin HJ. Anti-melanogenesis effect of quercetin. Cosmetics. 2016;3(18):1-16.
68. Hindritiani R, Kurnia D, Setiawan, Sujatno M, Sutedja E. Penurunan sintesis melanin oleh ekstrak metanol buah *Phyllanthus emblica* pada

mouse melanoma B16 cell line. *Media Dermato-Venereologica Indonesia*. 2011;38(4):154–159.

