

## DAFTAR PUSTAKA

1. United Nations D of E and SA. World Population Ageing 2019. United Nations Department of Economic and Social Affairs, Population Division (2020). 2020. 64 p.
2. World Health Organization. Decade of healthy ageing: 2020. 220 p.
3. Statistik BP. Statistik Penduduk Lanjut Usia 2020. Badan Pus Stat. 2020.
4. Kementerian Kesehatan RI. Situasi Lanjut Usia di Indonesia. Jakarta; 2016.
5. Lin YT, Chen MC, Ho CC, Lee TS. Relationships among leisure physical activity, sedentary lifestyle, physical fitness, and happiness in adults 65 years or older in Taiwan. *Int J Environ Res Public Health*. 2020;17(14):1–12.
6. Ruiz Montero PJ, Castillo Rodríguez. Importance of physical fitness during the ageing process. *Sport Science*. 2016;9:64–6.
7. Fitria A, Lubis L, Purba A. Pengaruh Senam Jantung Sehat Seri-I Terhadap Daya Tahan Jantung-Paru, Kekuatan Otot Dan Kadar Tnf-A Plasma Pada Lanjut Usia. *J Ilmu Faal Olahraga Indones*. 2021;2(2):34.
8. Dharma US, Boy E. Peranan Latihan Aerobik dan Gerakan Salat terhadap Kebugaran Jantung dan Paru Lansia. *MAGNA MEDICA Berk Ilm Kedokt dan Kesehat*. 2020;6(2):122.
9. Kementerian Pemuda dan Olahraga. Laporan kerja Kementerian Pemuda dan Olahraga 2017. Kementeri Pemuda dan Olahraga. 2017.
10. Di P, Telaga P, Gubug M, Tahun G, Farid AF, Setiowati A. Tingkat Kesegaran Jasmani Peserta Senam Lansia Pasien Prolanis Di Poliklinik Telaga Medika Gubug Kabupaten Grobogan Tahun 2014. *J Sport Sci Fit*. 2014;3(3):7–12.
11. Armstrong N, Welsman J. Youth cardiorespiratory fitness: Evidence, myths and misconceptions. *Bull World Health Organ*. 2019;97(11):777–82.
12. Al-Mallah MH, Juraschek SP, Whelton S, Dardari ZA, Ehrman JK, Michos ED, et al. Sex Differences in Cardiorespiratory Fitness and All-Cause Mortality: The Henry Ford Exercise Testing (FIT) Project. *Mayo Clin Proc*. 2016;91(6):755–62.
13. Siagian FD, Boy E. Pengaruh Gerakan Salat dan Faktor Lain Terhadap Kebugaran Jantung dan Paru pada Lansia. *MAGNA MEDICA Berk Ilm Kedokt dan Kesehat*. 2020;6(2):107.
14. Pate RR, Kriska A. Physiological Basis of the Sex Difference in Cardiorespiratory Endurance. *Sport Med An Int J Appl Med Sci Sport Exerc*. 1984;1(2):87–9.
15. Nugraha AR, Berawi KN. Pengaruh High Intensity Interval Training (HIIT) terhadap Kebugaran Kardiorespirasi. *Jurnal Majority*. 2017;6(1):1–5.
16. Pharr JR, Coughenour CA, Bungum TJ. An assessment of the relationship of physical activity, obesity, and chronic diseases/conditions between active/obese and sedentary/ normal weight American women in a national sample. *Public Health*. 2018;156:117–23.
17. Roberts CE, Phillips LH, Cooper CL, Gray S, Allan JL. Effect of different types of physical activity on activities of daily living in older adults: Systematic review and meta-analysis. *J Aging Phys Act*. 2017;25(4):653–70.

18. van der Velde JHPM, Savelberg HHCM, van der Berg JD, Sep SJS, van der Kallen CJH, Dagnelie PC, et al. Sedentary behavior is only marginally associated with physical function in adults aged 40-75 years-the maastricht study. *Front Physiol.* 2017;8(4):1–9.
19. Myers J, Doom R, King R, Fonda H, Chan K, Kokkinos P, et al. Association Between Cardiorespiratory Fitness and Health Care Costs: The Veterans Exercise Testing Study. *Mayo Clin Proc.* 2018;93(1):48–55.
20. Chigom E. Non-communicable diseases. *World Health.* 1988.
21. Puciato D, Rozpara M, Borysiuk Z. Physical activity as a determinant of quality of life in working-age people in Wrocław, Poland. *Int J Environ Res Public Health.* 2018;15(4).
22. Navarrete-Villanueva D, Gómez-Cabello A, Marín-Puyalto J, Moreno LA, Vicente-Rodríguez G, Casajús JA. Frailty and Physical Fitness in Elderly People: A Systematic Review and Meta-analysis. *Sport Med.* 2021;51(1):143–60.
23. Schmidt SCE, Tittlbach S, Bös K, Woll A. Different Types of Physical Activity and Fitness and Health in Adults: An 18-Year Longitudinal Study. *Biomed Res Int.* 2017;2017:1785217.
24. Thivel D, Tremblay A, Genin PM, Panahi S, Rivière D, Duclos M. Physical Activity, Inactivity, and Sedentary Behaviors: Definitions and Implications in Occupational Health. *Front Public Heal.* 2018;6:1–5.
25. Pullyblank K, Strogatz D, Folta SC, Paul L, Nelson ME, Graham M, et al. Effects of the Strong Hearts, Healthy Communities Intervention on Functional Fitness of Rural Women. *J Rural Heal.* 2020;36(1):104–10.
26. Riskesdas Sumatra Barat. Laporan Provinsi Sumatera Barat Riskesdas 2018. Laporan Riskesdas Nasional 2018. 2018. 493 p.
27. Lavie CJ, Ozemek C, Carbone S, Katzmarzyk PT, Blair SN. Sedentary Behavior, Exercise, and Cardiovascular Health. *Circ Res.* 2019;124(5):799–815.
28. Nurjannah C, Rahfiludin MZ, Kartini A. Hubungan asupan makronutrien, indeks massa tubuh (IMT) dan aktivitas fisik dengan kesegaran jasmani pada lansia. *J Kesehat Masy.* 2018;6(5):317–25.
29. Talbot LA, Metter EJ, Fleg JL. Leisure-time physical activities and their relationship to cardiorespiratory fitness in healthy men and women 18-95 years old. *Med Sci Sports Exerc.* 2000;32(2):417–25.
30. Ridwan M, Lisnawati N, Enginelina E. Hubungan Antara Asupan Energi dan Aktivitas Fisik dengan Kebugaran. Ridwan M, Lisnawati N, Enginelina E. Hubungan Antara Asupan Energi dan Aktivitas Fisik dengan Kebugaran Jasmani. *J Holist Heal Sci.* 2017; n Jasmani. *J Holist Heal Sci.* 2017.
31. Wijaya NK, Ulfiana E, Wahyuni SD. Hubungan Karakteristik Individu, Aktivitas Fisik, dan Gaya Hidup dengan Tingkat Kebugaran Fisik pada Lansia. *Indones J Community Heal Nurs.* 2020;4(2):46.
32. Dinas Kesehatan. Profil Kesehatan Kabupaten Lima Puluh Kota. 2019.
33. Darmojo B. Buku Ajar Ilmu Kesehatan Lanjut Usia. Edisi 5. Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia; 2015. 7 p.
34. World Health Organization. Ageing. [https://www.who.int/health-topics/ageing#tab=tab\\_1](https://www.who.int/health-topics/ageing#tab=tab_1).
35. Kemenkes RI. Policy Paper Analisis Kebijakan Mewujudkan Lanjut Usia

- Sehat Menuju Lanjut Usia Aktif (Active Ageing). *Anal Determ Kesehat.* 2019;1–38.
36. Madden CC, Putukian M, Mccarty EC, Young CC. *Netter's Sports Medicine* Second edition. Elsevier; 2017.
  37. Amarya S, Singh K, Sabharwal M. *Ageing Process and Physiological Changes.* Intech. 2018;13:1-24.
  38. Boss GR, Seegmiller JE. Age-related physiological changes and their clinical significance. *West J Med.* 1981;135(6):434–40.
  39. Myers J, Kokkinos P, Nyelin E. Physical Activity, Cardiorespiratory Fitness, and the Metabolic Syndrome. *Nutrients.* 2019;11(7):1652.
  40. Ortega R, Grandes G, Sanchez A, Montoya I, Torcal J. Cardiorespiratory fitness and development of abdominal obesity. *Prev Med (Baltim).* 2019;118(November 2018):232–7.
  41. ACSM. *ACSM's Complete Guide to Fitness and Health.* ACSM's Complete Guide to Fitness and Health. 2017. 448 p.
  42. Zoeller RF. Gender Differences in Cardiorespiratory Fitness With Advancing Age: Is the Age-Associated Decline in VO<sub>2</sub>max More Rapid in Men and Do Older Men and Women Respond Differently to Exercise? *Am J Lifestyle Med.* 2008;2(6):492–9.
  43. Zeiher J, Ombrellaro KJ, Perumal N, Keil T, Mensink GBM, Finger JD. Correlates and Determinants of Cardiorespiratory Fitness in Adults: a Systematic Review. *Sport Med.* 2019;5(1):39.
  44. Guth LM, Roth SM. Genetic influence on athletic performance. *Curr Opin Pediatr.* 2013;25(6):653–658.
  45. Hoeger WWK, Hoeger SA, Fawson AL, Hoeger CI. Principles and labs for fitness and wellness. 2019;606.
  46. Yu R, Yau F, Ho S, Woo J. Cardiorespiratory fitness and its association with body composition and physical activity in Hong Kong Chinese women aged from 55 to 94 years. *Maturitas.* 2011;69(4):348–53.
  47. Afriwardi. *Ilmu Kedokteran Olahraga.* Jakarta: EGC; 2010. 37–42 p.
  48. Isnaeni P. Artikel Penelitian Hubungan Perilaku Merokok Dengan VO<sub>2</sub>Max Pada Pemain Futsal. 2014;3(1):1–6.
  49. Pollock RD, Duggal NA, Lazarus NR, Lord JM, Harridge SDR. Cardiorespiratory fitness not sedentary time or physical activity is associated with cardiometabolic risk in active older adults. *Scand J Med Sci Sport.* 2018;28(6):1653–60.
  50. Al-Mallah MH, Sakr S, Al-Qunaibet A. Cardiorespiratory Fitness and Cardiovascular Disease Prevention: an Update. *Curr Atheroscler Rep.* 2018;20(1):1.
  51. Kokkinos P, Narayan P. Cardiorespiratory Fitness in Cardiometabolic Diseases. *Cardiorespiratory Fitness in Cardiometabolic Diseases.* 2019.
  52. Vainshelboim B, Lima RM, Kokkinos P, Myers J. Cardiorespiratory Fitness, Lung Cancer Incidence, and Cancer Mortality in Male Smokers. *Am J Prev Med.* 2019;57(5):659–66.
  53. Meler NF, Lee D, Sul X, Blair SN. Physical Activity, Cardiorespiratory Fitness, and Incident Glaucoma. *HHS Public Access.* 2018;50(11):2253-2258.
  54. Indonesia KKR. *Buku Kesehatan Lanjut Usia.* Jakarta: Kementerian

- Kesehatan RI; 2016.
55. Kervio G, Carre F, Ville NS. Reliability and intensity of the six-minute walk test in healthy elderly subjects. *Med Sci Sports Exerc.* 2003;35(1):169–74.
  56. medicine american college of sport. ACSM's Guidelines for Exercise Testing and Prescription. 10th ed. USA: Wolters Kluwer; 2018.
  57. Santana MG, de Lira CAB, Passos GS, Santos CAF, Silva AHO, Yoshida CH, et al. Is the six-minute walk test appropriate for detecting changes in cardiorespiratory fitness in healthy elderly men? *J Sci Med Sport.* 2012;15(3):259–65.
  58. Nuraeni R, Akbar MR, Tresnasari C. Pengaruh Senam Lansia terhadap Tingkat Kebugaran Fisik pada Lansia Berdasar atas Uji Jalan 6 Menit. *J Integr Kesehat Sains.* 2019;1(2):121–6.
  59. Cahalin LP, Mathier MA, Semigran MJ, Dec GW, DiSalvo TG. The six-minute walk test predicts peak oxygen uptake and survival in patients with advanced heart failure. *Chest.* 1996;110(2):325–32.
  60. Harmsen WJ, Ribbers GM, Slaman J, Heijnenbroek-Kal MH, Khajeh L, van Kooten F, et al. The six-minute walk test predicts cardiorespiratory fitness in individuals with aneurysmal subarachnoid hemorrhage. *Top Stroke Rehabil.* 2017;24(4):250–5.
  61. Valenzuela PL, Castillo-García A, Morales JS, Izquierdo M, Serra-Rexach JA, Santos-Lozano A, et al. Physical exercise in the oldest old. *Compr Physiol.* 2019;9(4):1281–304.
  62. W. Larry Kenney, Jack H. Wilmore, David L. Costill. *Physiology of Sport and Exercise.* Sixth. Human Kinetics Publishers; 2015. 1164 p.
  63. Rhodes RE, Janssen I, Bredin SSD, Warburton DER, Bauman A. Physical activity: Health impact, prevalence, correlates and interventions. *Psychol Heal.* 2017;32(8):942–75.
  64. González K, Fuentes J, Márquez JL. Physical Inactivity , Sedentary Behavior and Chronic Diseases. 2017;111–5.
  65. Physical activity guidelines for Americans. *Okla Nurse.* 2008;53(4):25.
  66. Fao J, Consultation UNUE. Human energy requirements: report of a joint FAO/ WHO/UNU Expert Consultation. *Food Nutr Bull.* 2005;26(1):166.
  67. Nuzum H, Stickel A, Corona M, Zeller M, Melrose RJ, Wilkins SS. Review Article Potential Benefits of Physical Activity in MCI and Dementia. 2020.
  68. Lugo D, Pulido AL, Mihos CG, Issa O, Cusnir M, Horvath SA, et al. The effects of physical activity on cancer prevention, treatment and prognosis: A review of the literature. *Complement Ther Med.* 2019;44:9–13.
  69. Mcphee JS, French DP, Jackson D, Nazroo J, Pendleton N, Degens H. Physical activity in older age : perspectives for healthy ageing and frailty. *Biogerontology.* 2016;17(3):567-580.
  70. Warburton DER, Bredin SSD. Health benefits of physical activity: A systematic review of current systematic reviews. *Curr Opin Cardiol.* 2017;32(5):541–56.
  71. Tsai LT, Boyle E, Brønd JC, Kock G, Skjødt M, Hvid LG, et al. Associations between objectively measured physical activity, sedentary behaviour and time in bed among 75+ community-dwelling Danish older

- adults. *BMC Geriatr.* 2021;21(1):1–8.
72. Shin CN, Lee YS, Belyea M. Physical activity, benefits, and barriers across the aging continuum. *Appl Nurs Res.* 2018;44:107–12.
  73. Reiser LM, Schlenk EA. Clinical use of physical activity measures. *J Am Acad Nurse Pract.* 2009;21(2):87–94.
  74. Clemes SA, Biddle SJH. The use of pedometers for monitoring physical activity in children and adolescents: Measurement considerations. *J Phys Act Heal.* 2013;10(2):249–62.
  75. Colley RC, Butler G, Garriguet D, Prince SA, Roberts KC. Comparison of self-reported and accelerometer-measured physical activity in Canadian adults. *Heal Reports.* 2018;29(12):3–15.
  76. Craig CL, Marshall AL, Sjoström M, et al. Guidelines for data processing and analysis of the IPAQ-short and long forms. *Med Sci Sport Exerc.* 2003;35(8):1–7.
  77. WHO. *Global Physical Activity Questionnaire (GPAQ) Analysis Guide.* Geneva World Heal Organ. 2012;1–22.
  78. Cleland CL, Hunter RF, Kee F, Cupples ME, Sallis JF, Tully MA. Validity of the Global Physical Activity Questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour. *BMC Public Health.* 2014;14(1):1–11.
  79. Hoeger WWK, Hoeger SA, Fawson AL, Hoeger CI. *Fitness and Wellness.* Cengage Learning; 2019.
  80. Corbin CB. *Concepts of physical fitness : active lifestyles for wellness.* 2011. 12 p.
  81. Sherwood L. *Human Physiology From Cells to System.* Cengage Learning; 2013.
  82. Hall JE. *Guyton and Hall Textbook of Medical Physiology.* 12th ed. Philadelphia (PA): Elsevier; 2011.
  83. Dahlan S. *Langkah-langkah Membuat Proposal Penelitian Bidang Kedokteran Dan Kesehatan Seri 3.* 2nd ed. Seto CS, editor. Jakarta: 2010; 2010. 80 p.
  84. Dahlan S. *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan.* 3rd ed. Jakarta: Salemba Medika; 2010. 23–35 p.
  85. Herrmann SD, Heumann KJ, Der Ananian CA, Ainsworth BE. Validity and reliability of the global physical activity questionnaire (GPAQ). *Meas Phys Educ Exerc Sci.* 2013;17(3):221–35.
  86. Abadini D, Wuryaningsih CE. Determinan Aktivitas Fisik Orang Dewasa Pekerja Kantoran di Jakarta Tahun 2018. *J Promosi Kesehat Indones.* 2018;14(1):15.
  87. Bull FC, Maslin TS, Armstrong T. Global physical activity questionnaire (GPAQ): Nine country reliability and validity study. *J Phys Act Heal.* 2009;6(6):790–804.
  88. Dahlan S. *Statistik Untuk Kedokteran dan Kesehatan : Deskriptif, Bivariat dan Multivariat.* 6th ed. Jakarta: Epidemiologi Indonesia; 2014. 224 p.
  89. Ivanali K, Amir TL, Munawwarah M, Pertiwi AD. Hubungan Antara Aktivitas Fisik Pada Lanjut Usia Dengan Tingkat Keseimbangan. *J Ilm Fisioter.* 2021;21(1):51–7.

90. Kartika Sari AD, Wirjatmadi B. Hubungan Aktivitas Fisik Dengan Kejadian Konstipasi Pada Lansia Di Kota Madiun. *Media Gizi Indones*. 2017;11(1):40.
91. Putra KP, Kurniasari MD, Purnamasiwi A. Analisa hubungan aktivitas fisik terhadap kondisi fisik lansia di desa dan kota. *Semin Nas Pendidik Jasm UMMI ke-1 Tahun 2018*. 2018;(2):235–243.
92. Putra KP, Kurniasari MD, Adeoka Purnamasiwi. Analisa hubungan aktivitas fisik terhadap kondisi fisik lansia di desa dan kota. *Semin Nas Pendidik Jasm UMMI ke-1 Tahun 2018*. 2018;(2):235–243.
93. Rohmah UR, Kumaat NA. Profil Kebugaran Jasmani Lansia Dalam Menghadapi Masa New Normal Akibat Pandemi Covid-19 Dusun Domot Barat Rt: 02 Rw: 06 Desa Purwokerto Kecamatan Sregat Kabupaten Blitar. *J Kesehat Olahraga*. 2021;09(02):37–46.
94. Morardpour F, Koushkie Jahromi M, Fooladchang M, Rezaei R, Sayar Khorasani MR. Association between physical activity, cardiorespiratory fitness, and body composition with menopausal symptoms in early postmenopausal women. *Menopause*. 2020;27(2):230–7.
95. BJELICA B, MILANOVIĆ L, AKSOVIĆ N, ZELENOVIĆ M, BOŽIĆ D. Effects physical activity to cardiorespiratory changes. *Turkish J Kinesiol*. 2020;6(4):164-174.

