

## DAFTAR PUSTAKA

1. Jernigan RC. Treating cancer lightly. Vol. 16, Biophotonics International. 2009. 14–15 p.
2. WHO. Who report on cancer: setting priorities, investing wisely and providing care for all. World Health Organization. 2020. 160 p.
3. Global Cancer Observatory 2018. Indonesia - Global Cancer Observatory. WHO; International Agency for Research on Cancer, 2018.
4. RI KK. Hasil Utama Riset Kesehatan Dasar. Vol. 44, Journal of Physics A: Mathematical and Theoretical. 2018. 1–200 p.
5. Yanti YN. Gambaran Faktor Risiko Kejadian Kanker Serviks di RSUP Dr. M. Djamil Padang. 2018;(4).
6. Andrijono, Purwoto G, Sekarutami S M. Pedoman Nasional Pelayanan Kedokteran Kanker Serviks. Vol. 28, Kyklos. 2017. 158–160 p.
7. de Souza Lawrence L. Radiation Oncology Management of Stage I–III Cervix Cancer. Surg Oncol Clin N Am. 2017;26(3):477–89.
8. Viswanathan A, Thomadsen B. American Brachytherapy Society Cervical Cancer Brachytherapy Task Group. American Brachytherapy Society. 2012.
9. Andrijono, Purwoto G, Sekarutami S M. Panduan Penatalaksanaan Kanker Serviks. 2017. 15–17 p.
10. H.O. Wyckoff, A. Allisy, R.S. Caswell GEDA. Dose and volume specification for reporting intracavitary therapy in gynecology. J ICRU. 2012;
11. Adam F, Supriana N, Petrarizky AJ, Ramli I. Radioterapi Departemen Radioterapi. 2012;3(1):1–35.
12. Hareyama M, Sakata KI, Oouchi A, Nagakura H, Shido M, Someya M, et al. High-dose-rate versus low-dose-rate intracavitary therapy for carcinoma of the uterine cervix: A randomized trial. Cancer. 2002;94(1):117–24.
13. Lertsanguansinchai P, Lertbutsayanukul C, Shotelersuk K, Khorprasert C, Rojpornpradit P, Chottetanaprasith T, et al. Phase III randomized trial comparing LDR and HDR brachytherapy in treatment of cervical carcinoma.

- Int J Radiat Oncol Biol Phys. 2004;59(5):1424–31.
14. Einhorn N, Tropé C, Ridderheim M, Boman K, Sorbe B, Cavallin-Ståhl E. A systematic overview of radiation therapy effects in cervical cancer (Cervix uteri). *Acta Oncol (Madr)*. 2016;42(5–6):546–56.
  15. Sapienza LG, Jhingran A, Kollmeier MA, Lin LL, Calsavara VF, Gomes MJL, et al. Decrease in uterine perforations with ultrasound image-guided applicator insertion in intracavitary brachytherapy for cervical cancer: A systematic review and meta-analysis. *Gynecol Oncol*. 2018;151(3):573–8.
  16. Kim YJ, Kang HC, Kim YS. Impact of intracavitary brachytherapy technique (2D versus 3D) on outcomes of cervical cancer: a systematic review and meta-analysis. *Strahlentherapie und Onkol*. 2020;196(11):973–82.
  17. Mendez LC, Weiss Y, D’Souza D, Ravi A, Barbera L, Leung E. Three-dimensional-guided perineal-based interstitial brachytherapy in cervical cancer: A systematic review of technique, local control and toxicities. *Radiother Oncol*. 2017;123(2):312–8.
  18. Wang F, Tang Q, Lv G, Zhao F, Jiang X, Zhu X, et al. Comparison of computed tomography and magnetic resonance imaging in cervical cancer brachytherapy: A systematic review. *Brachytherapy*. 2017;16(2):353–65.
  19. Wang X, Fan L, Yan W, Bao S, Liu L. Comparison of accuracy and long-term prognosis between computed tomography-based and magnetic resonance imaging-based brachytherapy for cervical cancer: A meta-analysis. *J Med Imaging Radiat Oncol*. 2020;64(1):151–62.
  20. Tang X, Mu X, Zhao Z, Zhao H, Mao Z. Dose–effect response in image-guided adaptive brachytherapy for cervical cancer: A systematic review and meta-regression analysis. *Brachytherapy*. 2020;19(4):438–46.
  21. Lee KK, Lee JY, Nam JM, Kim CB, Park KR. High-dose-rate vs. low-dose-rate intracavitary brachytherapy for carcinoma of the uterine cervix: Systematic review and meta-analysis. *Brachytherapy*. 2015;14(4):449–57.
  22. Humphrey P, Bennett C, Cramp F. The experiences of women receiving brachytherapy for cervical cancer: A systematic literature review.

- Radiography. 2018;24(4):396–403.
23. Chow B, Warkentin B, Menon G. Radiobiological dose calculation parameters for cervix cancer brachytherapy: A systematic review. *Brachytherapy*. 2019;18(4):546–58.
  24. Venkatesulu BP, Mallick S, Rath GK. Patterns of care of cervical cancer in the elderly: A qualitative literature review. *J Geriatr Oncol*. 2017;8(2):108–16.
  25. Stewart AJ, Viswanathan AN. Current controversies in high-dose-rate versus low-dose-rate brachytherapy for cervical cancer. *Cancer*. 2006;107(5):908–15.
  26. D'Souza D, Baldassarre F, Morton G, Falkson C, Batchelar D. Imaging Technologies for High Dose Rate Brachytherapy for Cervical Cancer: A Systematic Review. *Clin Oncol*. 2011;23(7):460–75.
  27. Salem A, Salem AF, Al-Ibraheem A, Lataifeh I, Almousa A, Jaradat I. Evidence for the use PET for radiation therapy planning in patients with cervical cancer: A systematic review. *Hematol Oncol Stem Cell Ther*. 2011;4(4):173–81.
  28. Sapienza LG, Ning MS, Pellizzon AC de A, Jhingran A, Klopp AH, Lin LL, et al. Detection of air gaps around the cylinder by postinsertion computed tomography in vaginal cuff brachytherapy: A prospective series, systematic review, and meta-analysis. *Brachytherapy*. 2019;18(5):620–6.
  29. Sniadecki M, Swierzko A, Dabkowski M, Orłowska-Volk M, Wycinka E, Klasa-Mazurkiewicz D, et al. New therapeutic approaches in the treatment of node-positive cervical cancer patients based on molecular targets: A systematic review. *Ginekol Pol*. 2019;90(6):336–45.
  30. Liu R, Wang X, Tian JH, Yang K, Wang J, Jiang L, et al. High dose rate versus low dose rate intracavity brachytherapy for locally advanced uterine cervix cancer. *Cochrane Database Syst Rev*. 2014;2014(10).
  31. Wang X, Liu R, Ma B, Yang KH, Tian JH, Jiang L, et al. High dose rate versus low dose rate intracavity brachytherapy for locally advanced uterine cervix cancer. *Cochrane Database Syst Rev*. 2009;(1).
  32. Brockbank E, Kokka F, Pomel C, Reynolds K, Bryant A, Dickinson HO. Pre-

- treatment surgical para-aortic lymph node assessment in locally advanced cervical cancer. *Cochrane Database Syst Rev.* 2010;(4).
33. Li F, Lu S, Zhao H, Mu X, Mao Z. Three-dimensional image-guided combined intracavitary and interstitial high-dose-rate brachytherapy in cervical cancer: A systematic review. *Brachytherapy.* 2021;20(1):85–94.
  34. Horeweg N, Mittal P, Gradowska PL, Boere I, Chopra S, Nout RA. Adjuvant systemic therapy after chemoradiation and brachytherapy for locally advanced cervical cancer: A systematic review and meta-analysis. *Cancers (Basel).* 2021;13(8).
  35. Lu W, Lu C, Yu Z, Gao L. Chemoradiotherapy alone vs. chemoradiotherapy and hysterectomy for locally advanced cervical cancer: A systematic review and updated meta-analysis. *Oncol Lett.* 2021;21(2):1–12.
  36. Brockbank E RK, Brockbank E, Kokka F, Bryant A, Pomel C, Reynolds K. *Cochrane Database of Systematic Reviews* Pre-treatment surgical para-aortic lymph node assessment in locally advanced cervical cancer (Review) Pre-treatment surgical para-aortic lymph node assessment in locally advanced cervical cancer. *Pre-treatment surgi.* 2015;(3):2013–5.
  37. Sadozye AH. Re-irradiation in Gynaecological Malignancies: A Review. *Clin Oncol.* 2018;30(2):110–5.
  38. Wierzbicka A, Mańkowska-wierzbicka D, Cieślewicz S, Stelmach-mardas M, Mardas M. Interventions preventing vaginitis, vaginal atrophy after brachytherapy or radiotherapy due to malignant tumors of the female reproductive organs—a systematic review. *Int J Environ Res Public Health.* 2021;18(8).
  39. Bockel S, Espenel S, Sun R, Dumas I, Gouy S, Morice P, et al. Systematic review image-guided brachytherapy for salvage reirradiation: A systematic review. *Cancers (Basel).* 2021;13(6):1–22.
  40. Chung JH, Kang DH, Jo JK, Lee SW. Assessing the quality of randomized controlled trials published in the journal of Korean medical science from 1986 to 2011. *J Korean Med Sci.* 2012;27(9):973–80.

41. Conway A, Clarke MJ, Treweek S, Schünemann H, Santesso N, Morgan RL, et al. Summary of findings tables for communicating key findings of systematic reviews. *Cochrane Database Syst Rev*. 2017;2017(2).
42. Singh R, Bhatt M, Kumar R, Srivastava K, Grover R, Shukla P, et al. A prospective randomized comparison of concurrent chemoradiation with neoadjuvant and adjuvant chemotherapy with concurrent chemoradiation alone for locally advanced carcinoma cervix. *Indian J Med Paediatr Oncol*. 2019;40(3):353–7.
43. Gandhi AK, Sharma DN, Rath GK, Julka PK, Subramani V, Sharma S, et al. Early clinical outcomes and toxicity of intensity modulated versus conventional pelvic radiation therapy for locally advanced cervix carcinoma: A prospective randomized study. *Int J Radiat Oncol Biol Phys*. 2013;87(3):542–8.
44. Ghosh S, Rao P. High-Dose-Rate Orthogonal Intracavitary Brachytherapy with 9 Gy/Fraction in Locally Advanced Cervical Cancer: Is it Feasible?? *J Obstet Gynecol India*. 2016;66:452–8.
45. Patel FD, Kumar P, Karunanidhi G, Sharma SC, Kapoor R. Optimization of high-dose-rate intracavitary brachytherapy schedule in the treatment of carcinoma of the cervix. *Brachytherapy*. 2011;10(2):147–53.
46. Sridhar P, Giri G V, Thejaswini B, Nanda R, Ravi Kiran B, Aradhana. A comparison between intracavitary brachytherapy and interstitial brachytherapy in carcinoma cervix (stage IIB and stage IIIB): Prospective randomized study. *J Cancer Res Ther*. 2012;8(12):S148.
47. Rao BS, Das P, Subramanian BV, Jena A, Rashmi P, Konakalla VLA, et al. A comparative analysis of two different dose fractionation regimens of high dose rate intracavitary brachytherapy in treatment of carcinoma of uterine cervix: A prospective randomized study. *J Clin Diagnostic Res*. 2017;11(4):XC06-XC10.
48. Zuliani AC, Esteves SCB, Teixeira LC, Teixeira JC, De Souza GA, Sarian LO. Concomitant cisplatin plus radiotherapy and high-dose-rate brachytherapy versus radiotherapy alone for stage IIIB epidermoid cervical cancer: A

- randomized controlled trial. *J Clin Oncol*. 2014;32(6):542–7.
49. Scott AA, Yarney J, Vanderpuye V, Akoto Aidoo C, Agyeman M, Boateng SN, et al. Outcomes of patients with cervical cancer treated with low- Or high-dose rate brachytherapy after concurrent chemoradiation. *Int J Gynecol Cancer*. 2021;31(5):647–55.
50. Fanfani F, Vizza E, Landoni F, de Iaco P, Ferrandina G, Corrado G, et al. Radical hysterectomy after chemoradiation in FIGO stage III cervical cancer patients versus chemoradiation and brachytherapy: Complications and 3-years survival. *Eur J Surg Oncol*. 2016;42(10):1519–25.
51. Lauritano D, Boccalari E, Stasio D Di, Vella F Della, Carinci F, Lucchese A, et al. Prevalence of oral lesions and correlation with intestinal symptoms of inflammatory bowel disease: A systematic review. *Diagnostics*. 2019;9(3).

