

DAFTAR PUSTAKA

1. Dos Santos WG. Natural history of COVID-19 and current knowledge on treatment therapeutic options. *Biomed Pharmacother* [Internet]. 2020/07/03. 2020 Sep;129:110493. Available from: <https://pubmed.ncbi.nlm.nih.gov/32768971>
2. World Health Organization. WHO Coronavirus (COVID-19) Dashboard. <https://COVID19.who.int/>- Diakses Januari 2021.
3. Satuan Tugas Penangan COVID-19. Peta Sebaran COVID-19. <https://COVID19.go.id/peta-sebaran-COVID19-> Diakses Januari 2021
4. He X, Yao F, Chen J, Wang Y, Fang X, Lin X, et al. The poor prognosis and influencing factors of high D-dimer levels for COVID-19 patients. *Sci Rep* [Internet]. 2021;11(1):1–7.
5. Ozen M, Yilmaz A, Cakmak V, Beyoglu R, Oskay A, Seyit M, et al. American Journal of Emergency Medicine D-Dimer as a potential biomarker for disease severity in COVID-19. *Am J Emerg Med* [Internet]. 2021;40:55–9.
6. Guan WJ, Ni ZY, Hu Y, Liang WH, Ou CQ, He JX. Orginal. 2016;3154(01):18–27.
7. Yu B, Li X, Chen J, Ouyang M, Zhang H, Zhao X, et al. Evaluation of variation in D-dimer levels among COVID-19 and bacterial pneumonia: a retrospective analysis. *J Thromb Thrombolysis* [Internet]. 2020 Oct;50(3):548–57.
8. Francone M, Iafrate F, Masci GM, Coco S, Cilia F, Manganaro L, et al. Chest CT score in COVID-19 patients: correlation with disease severity and short-term prognosis. *Eur Radiol*. 2020;30(12):6808–17.
9. Vidali S, Morosetti D, Cossu E, Luisi MLE, Pancani S, Semeraro V, et al. D-dimer as an indicator of prognosis in SARS-CoV-2 infection: a systematic review. *ERJ Open Res*. 2020;6(2):00260–2020.
10. Litmanovich DE, Chung M, Kirkbride RR, Kicska G, Kanne JP. Review of Chest Radiograph Findings of COVID-19 Pneumonia and Suggested Reporting Language. *J Thorac Imaging*. 2020;35(6):354–60.
11. Yasin R, Gouda. Chest X-ray findings monitoring COVID-19 disease course and severity. *Egyptian Journal of Radiology and Nuclear Med*. 2020;193(51):2-18.
12. Pascarella G, Strumia A, Piliego C, Bruno F, Del Buono R, Costa F, et al. COVID-19 diagnosis and management: a comprehensive review. *J Intern Med*. 2020 Aug;288(2):192–206.
13. Gupta N, Zhao Y-Y, Evans CE. The stimulation of thrombosis by hypoxia. *Thromb Res*. 2019 Sep;181:77–83.

14. Eltzschig HK, Carmeliet P. Hypoxia and inflammation. *N Engl J Med.* 2011 Feb;364(7):1-3.
15. Susilo A, Rumende CM, Pitoyo CW, Santoso WD, Yulianti M, Herikurniawan H, et al. Coronavirus Disease 2019: Tinjauan Literatur Terkini. *J Penyakit Dalam Indones.* 2020;7(1):45-7.
16. World Health Organization. Q&As on COVID-19 and related health topics. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/question-and-answers-hub>- Diakses Januari 2021
17. Ge H, Wang X, Yuan X, Xiao G, Wang C, Deng T, et al. The epidemiology and clinical information about COVID-19. *Eur J Clin Microbiol Infect Dis.* 2020;39(6):1011–9.
18. Dhar Chowdhury S, Oommen AM. Epidemiology of COVID-19. Vol. 11, *Journal of Digestive Endoscopy.* 2020;11(1). p. 3–7.
19. Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet (London, England).* 2020 Feb;395(10223):497–506.
20. Zhou P, Yang X-L, Wang X-G, Hu B, Zhang L, Zhang W, et al. A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature.* 2020 Mar;579(7798):270–3.
21. Rothan HA, Byrareddy SN. The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. *J Autoimmun.* 2020 May;109(102433): 2-3.
22. PDPI. Pneumonia COVID-19 Diagnosis dan Penatalaksanaan di Indonesia. Perhimpunan Dokter Paru Indonesia. PDPI: Jakarta; 2020. p. 3-7.
23. Diseases. NC for I and RD (U. S). D of V, editor. Interim clinical guidance for management of patients with confirmed coronavirus disease (COVID-19) [Internet]. Atlanta, GA; (Coronavirus Disease 2019 (COVID-19)). Available from: <https://stacks.cdc.gov/view/cdc/89980>
24. WHO. What We Know About the COVID-19 Immune Response. https://www.who.int/docs/default-source/coronavirus/risk-comms-updates/update-34-immunity-2nd.pdf?sfvrsn=8a488cb6_2- Diakses Maret 2021
25. Oliveira DS, Medeiros NI, Gomes JAS. Microbial Pathogenesis Immune response in COVID-19 : What do we currently know ?. *Microbial Pathogenesis.* 2020 Jan;148(104484):2-4.
26. Yang L, Liu S, Liu J, Zhang Z, Wan X, Huang B, et al. COVID-19: immunopathogenesis and Immunotherapeutics. *Signal Transduct Target Ther [Internet].* 2020;5(1):1–8.
27. Burhan E, Susanto AD, Nasution SA, Ginanjar E, Pitoyo CW, Susilo A, et al. Pedoman Tatalaksana COVID-19 Edisi 3. Jakarta: Perhimpunan Dokter Paru Indonesia (PDPI); 2020. p. 6-7.

28. Michel L, Rassaf T, Totzeck M. Biomarkers for the detection of apparent and subclinical cancer therapy-related cardiotoxicity. *J Thorac Dis.* 2018 Dec;10(35):4282–95.
29. Ryu SH, Min SW, Kim JH, Jeong HJ, Kim GC, Kim DK, et al. Diagnostic Significance of Fibrin Degradation Products and D-Dimer in Patients With Breast Cancer-Related Lymphedema. *Ann Rehabil Med.* 2019 Feb;43(1):81–6.
30. Payus AO, Rajah R, Febrany DC, Mustafa N. Pulmonary Embolism Masquerading as Severe Pneumonia: A Case Report. Vol. 7, Open access Macedonian journal of medical sciences. 2019 Feb;7(3):396–9.
31. Linkins L-A, Takach Lapner S. Review of D-dimer testing: Good, Bad, and Ugly. *Int J Lab Hematol.* 2017 May;39(1):98–103.
32. Bounds EJ, Kok SJ. D Dimer [Internet]. University of Illinois COM Peoria: StatPearls Publishing, Treasure Island (FL); 2020. Available from: <http://europepmc.org/abstract/MED/28613718>.
33. Stone J, Hangge P, Albadawi H, Wallace A, Shamoun F, Knuttien MG, et al. Deep vein thrombosis: Pathogenesis, diagnosis, and medical management. *Cardiovasc Diagn Ther.* 2017;7(Suppl 3):S276–84.
34. Gutiérrez García I, Pérez Cañadas P, Martínez Uriarte J, García Izquierdo O, Angeles Jódar Pérez M, García de Guadiana Romualdo L. D-dimer during pregnancy: establishing trimester-specific reference intervals. *Scand J Clin Lab Invest* [Internet]. 2018;78(6):439–42.
35. Verma N. Age-adjustment of the D-dimer cut-off value to improve the exclusion of thromboembolic events in older patients. 2013;(October):1–6.
36. Schouten HJ, Geersing GJ, Koek HL, Zuithoff NPA, Janssen KJM, Douma RA, et al. Diagnostic accuracy of conventional or age adjusted D-dimer cut-off values in older patients with suspected venous thromboembolism: Systematic review and meta-analysis. *BMJ.* 2013;346(7910):1–13.
37. Poterucha TJ, Libby P, Goldhaber SZ. More than an anticoagulant: Do heparins have direct anti-inflammatory effects?. *Thromb Haemost.* 2017 Feb;117(3):437–38.
38. Kumar DR, Hanlin E, Glurich I, Mazza JJ, Yale SH. Virchow's contribution to the understanding of thrombosis and cellular biology. *Clin Med Res.* 2010 Dec;8(3–4):168–72.
39. Hook KM, Abrams CS. The loss of homeostasis in hemostasis: new approaches in treating and understanding acute disseminated intravascular coagulation in critically ill patients. *Clin Transl Sci.* 2012 Feb;5(1):85–92.
40. Keser G. Inflammation-Induced Thrombosis: Mechanisms, Disease Associations and Management. *Curr Pharm Des.* 2012;18(11):1478–93.
41. Iba T, Levy JH, Raj A, Warkentin TE. Advance in the Management of Sepsis-Induced Coagulopathy and Disseminated Intravascular

- Coagulation. J Clin Med. 2019 May;8(5):2-5.
42. Ito T. PAMPs and DAMPs as triggers for DIC. J intensive care. 2014 Feb;2(1):3-5.
 43. Zhang H, Penninger JM, Li Y, Zhong N, Slutsky AS. Angiotensin-converting enzyme 2 (ACE2) as a SARS-CoV-2 receptor: molecular mechanisms and potential therapeutic target. Intensive Care Med. 2020 Apr;46(4):586–90.
 44. Liu PP, Blet A, Smyth D, Li H. The Science Underlying COVID-19: Implications for the Cardiovascular System. Circulation. 2020 Jul;142(1):68–78.
 45. Guler N, Siddiqui F, Fareed J. Is the Reason of Increased D-Dimer Levels in COVID-19 Because of ACE-2-Induced Apoptosis in Endothelium ?.Clin Appl Thromb Hemost. 2020;26:19–21.
 46. Ortega-Paz L, Capodanno D, Montalescot G, Angiolillo DJ. Coronavirus disease 2019-associated thrombosis and coagulopathy: Review of the pathophysiological characteristics and implications for antithrombotic management. J Am Heart Assoc. 2021;10(3):1–24.
 47. Wang L, He W, Yu X, Hu D, Bao M, Liu H, et al. Coronavirus disease 2019 in elderly patients: Characteristics and prognostic factors based on 4-week follow-up. J Infect. 2020 Jun;80(6):639–45.
 48. Zhang J-J, Dong X, Cao Y-Y, Yuan Y-D, Yang Y-B, Yan Y-Q, et al. Clinical characteristics of 140 patients infected with SARS-CoV-2 in Wuhan, China. Allergy. 2020 Jul;75(7):1730–41.
 49. Zhang G, Zhang J, Wang B, Zhu X, Wang Q, Qiu S. Analysis of clinical characteristics and laboratory findings of 95 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a retrospective analysis. 2020;1–10.
 50. Han H, Yang L, Liu R, Liu F, Wu K-L, Li J, et al. Prominent changes in blood coagulation of patients with SARS-CoV-2 infection. Clin Chem Lab Med. 2020 Jun;58(7):1116–20.
 51. Tang N, Li D, Wang X, Sun Z. Abnormal coagulation parameters are associated with poor prognosis in patients with novel coronavirus pneumonia. J Thromb Haemost. 2020 Apr;18(4):844–7.
 52. Wu C, Chen X, Cai Y, Xia J, Zhou X, Xu S, et al. Risk Factors Associated With Acute Respiratory Distress Syndrome and Death in Patients With Coronavirus Disease 2019 Pneumonia in Wuhan, China. JAMA Intern Med. 2020 Jul;180(7):934–43.
 53. Yu H-H, Qin C, Chen M, Wang W, Tian D-S. D-dimer level is associated with the severity of COVID-19. Thromb Res [Internet]. 2020/07/27. 2020 Nov;195:219–25.

54. Gungor B, Atici A, Baycan OF, Alici G, Ozturk F, Tugrul S, et al. Elevated D-dimer levels on admission are associated with severity and increased risk of mortality in COVID-19: A systematic review and meta-analysis. *Am J Emerg Med.* 2021 Jan;39:173–9.
55. Zhou F, Yu T, Du R, Fan G, Liu Y, Liu Z, et al. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *Lancet (London, England).* 2020 Mar;395(10229):1054–62.
56. Blanco N, Leekha S, Magder L, Jackson SS, Tammaro PD, Lemkin D, et al. Admission Laboratory Values Accurately Predict In-hospital Mortality: a Retrospective Cohort Study. *J Gen Intern Med.* 2020;35(3):719–23.
57. Ventura-Díaz S, Quintana-Pérez J V., Gil-Boronat A, Herrero-Huertas M, Gorospe-Sarasúa L, Montilla J, et al. A higher D-dimer threshold for predicting pulmonary embolism in patients with COVID-19: a retrospective study. *Emerg Radiol.* 2020;27(6):679–89.
58. Eman M, Daef E, Mohamed-hussein A, Mostafa EF, Hassany SM, Galal H, et al. Impact of comorbidities on COVID-19 outcome. Preprint. 2020;1–26.
59. Surendra H, Elyazar I, Djaafara B, Ekawati I, Saraswati K, Adrian V, dkk. Clinical Characteristic and Mortality Associated with COVID-19 in Jakarta, Indonesia : A Hospital Based Retrospective Cohort Study. *The Lancet Regional Health.* 2021;9:100-8,
60. Viradanti T, Kusmala YY, The relation between -dimer level and chest x-ray (CXR) scoring in COVID-19 patients: What we can learn from. *Advances in Health Sciences Research.* 2021; 37: 149-152.
61. Long H, Nie L, Xiang X, Li H, Zhang X, Fu X, et al. D-dimer and prothrombin time are the significant indicators of severe COVID-19 and poor prognosis. *BioMed Research International.* 2020; 1-10.
62. Wen S, Prasad A, Freeland K, Podury S, Patel J, Subedi R, et al. Clinical characteristics and outcomes of COVID-19 in West Virginia. *Viruses.* 2021; 13(835): 1-14.
63. Chen J, Jiang Q, Xia X, Liu K, Yu Z, Tao W, et al. Individual variation of the SARS-CoV-2 receptor ACE2 gene expression and regulation. *Aging Cell.* 2020;19(7):1–12
64. Garcia-Alvarado FJ, Munoz-Hernandez MA, Guel EM, Gonzales-Martinez R, Corral MA, Delgrado-Aguirre HA. Risk factors and clinical phenotypes associated with severity in patients with COVID-19 in Northeast Mexico. *Vector-Borne and Zoonotic Disease.* 2021: 1-7.
65. Liu J, Liu Y, Xiang P, Pu L, Xiong H, Li C. Neutrophil-to-lymphocyte Ratio predicts critical illness patients with 2019 coronavirus disease in the early stage. *Journal of Translational Medicine.* 2020;18(1):206-18.

66. Eroglu SA, Cagavi Z, Yildiz T, Karakurt Z. Can the usage of the chest x-ray scoring during hospitalization in patients with COVID-19 predict the severity of the disease. *Turk Thorac J.* 2021; 22(3): 190-98.
67. Setiawati R, Widyoningroem A, Handarini T, Hayati F, Basja AT, Putri AR, dkk. Modified chest x-ray scoring system in evaluating severity of COVID-19 patient in Dr. Soetomo General Hospital Surabaya, Indonesia. *International Journal of General Medicine.* 2021; 14: 2407-12.
68. Baratella E, Crivelli P, Marrocchio C, Bozzato AM, Vito AD, Madeddu G, et al. Severity of lung involvement on chest x-rays in SARS-coronavirus-2 infected patients as a possible tool to predict clinical progression: an observational retrospective analysis of the relationship between radiological, clinical, and laboratory data. *J Bras Pneumol.* 2020; 46(5): 1-8.
69. Zhao R, Su Z, Komissarov AA, Liu S, Yi G, Idell S, et al. Associations of D-dimer on admission and clinical features of COVID-19 patients: a systematic review, meta-analysis, and meta-regression. *Front Immunol.* 2021; 12: 1-12.
70. Wool GD, Miller JL. The impact of COVID-19 disease on platelets and coagulation. *Pathobiology.* 2021; 88: 15-27.
71. Yao Y, Cao J, Wang Q, Shi Q, Liu K, Luo Z, et al. D-dimer as a biomarker for disease severity and mortality in COVID-19 patients: a case control study. *Journal of Intensive Care.* 2021; 8(49): 1-11.
72. Bakr HM, Almanseekanaa LH, Awad W, Al-Yassiry KAR. Correlation of D-dimer and CRP levels with the presence of severe dyspnea in patients with COVID-19 infection. *Biochem Cell Arch.* 2021; 21(1): 267-68.
73. Zhan H, Chen H, Liu C, Cheng L, Yan S, Li H, et al. Diagnostic value of D-dimer in COVID-19: a meta-analysis and meta-regression. *Clinical and Applied Thrombosis/Hemostasis.* 2021; 27: 1-10.
74. Mahardhika GS, Tedjomartono TD, Buwono PW. High D-dimer and CRP levels in an asymptomatic COVID-19 patient: a case report and brief literature review. *Seminar Nasional Riset Kedokteran.* 2021: 167-77.