

DAFTAR PUSTAKA

1. Muslim S, Salman, Fitriani L, Suharti N, Erizal Z, Febriyenti, et al. Use of bioblend polystyrene/starch for coating urea granules as slow release fertilizer. *J Chem Pharm Res.* 2015;7(11):478–484.
2. Yang Z, Peng H, Wang W, Liu T. Crystallization behavior of poly(ϵ -caprolactone)/layered double hydroxide nanocomposites. *J Appl Polym Sci.* 2010;116(5):2658–2667.
3. Kamus Besar Bahasa Indonesia KBBI [Internet]. 2016. Available from: <https://kbbi.web.id/pupuk>
4. Chen S, Yang M, Ba C, Yu S, Jiang Y, Zou H, et al. Preparation and characterization of slow-release fertilizer encapsulated by biochar-based waterborne copolymers. *Sci Total Environ* [Internet]. 2018;615:431–7. Available from: <https://doi.org/10.1016/j.scitotenv.2017.09.209>
5. Lateef A, Nazir R, Jamil N, Alam S, Shah R, Khan MN, et al. Synthesis and characterization of zeolite based nano-composite: An environment friendly slow release fertilizer. *Microporous Mesoporous Mater* [Internet]. 2016;232:174–83. Available from: <http://dx.doi.org/10.1016/j.micromeso.2016.06.020>
6. El Sharkawi HM, Tojo S, Chosa T, Malhat FM, Youssef AM. Biochar-ammonium phosphate as an uncoated-slow release fertilizer in sandy soil. *Biomass and Bioenergy.* 2018;117:154–160.
7. Salmiaton Ali 1, Firoozeh Danafar 1 2, 1. Controlled-Release Fertilizers: Advances and Challenges. *Life Sci J.* 2015;7(6–1):33–45.
8. Mustafa NS, Omer MAA, Garlnabi MEM, Ismail HA, Ch CH. Reviewing of General Polymer Types, Properties and Application in Medical Field. *Int J Sci Res.* 2016;5(8):212–221.
9. Gad SE, Services GC. *Polymer Classes.* 2014;3:1045–1050.
10. Wang Q, Dong F, Dai J, Zhang Q, Jiang M, Xiong Y. Recycled-oil-based polyurethane modified with organic silicone for controllable release of coated fertilizer. *Polymers (Basel).* 2019;11
11. Bi S, Barinelli V, Sobkowicz MJ. Degradable controlled release fertilizer composite prepared via extrusion: Fabrication, characterization, and release mechanisms. *Polymers (Basel).* 2020;12(2):11–3.

12. Hachemi R, Belhaneche-Bensemra N, Massardier V. Elaboration and characterization of bioblends based on PVC/PLA. *J Appl Polym Sci.* 2014;131(7):1–7.
13. Brito GF, Agrawal P, Araújo EM, Mélo TJA De. Polylactide / Biopolyethylene Bioblends. 2012;22:427–9
14. Mizanur Rahman M, Karim R, Mustafa AI, Khan MA. Preparation and characterization of bioblends from gelatin and linear low density polyethylene (LLDPE) by extrusion method. *J Adhes Sci Technol.* 2012;26(8–9):1281–94.
15. Imre B, Pukánszky B. Compatibilization in bio-based and biodegradable polymer blends. *Eur Polym J.* 2013;49(6):1215–33.
16. Sempeho SI, Kim HT, Mubofu E, Hilonga A. Meticulous Overview on the Controlled Release Fertilizers. *Adv Chem.* 2014;2014:1–16.
17. Anggraini D, Lukman A, Mulyani R. Formulasi Tablet Lepas Lambat Natrium Diklofenak Menggunakan Pati Pisang Kepok (*Musa balbisiana* L) Sebagai Matriks. *J Sains Farm Klin.* 2016;3(1):25.
18. Trenkel. Slow and Controlled-Release and stabilized Fertilizers. Vol. 53, *Journal of Chemical Information and Modeling.* 2013. 1689–1699
19. A. Shaviv & R. L. Mikkelsen. Controlled-release fertilizers to increase efficiency of nutrient use and minimize environmental degradation - A review. *Fertil Res.* 1993;1–2:1-12.
20. A S. Controlled Release Fertilizers. *Iifa International Workshop on Enhanced Efficiency Fertilizers.*, Int Fertil Ind Assoc. 2005;
21. Liu G, Zotarelli L, Li Y, Dinkins D, Wang Q. Controlled-Release and Slow-Release Fertilizers as Nutrient Management Tools 1 Controlled-Release Fertilizers Slow-Release Fertilizers. 2017;1–6.
22. Kishor S. Amale^{1*}, Kishor S. Salunkhe¹, Sachin S. Gaikwad¹ MJC. A REVIEW ON FLUIDIZED BED TECHNOLOGY. *IjptonlineCom* [Internet]. 2010;2(3):367–92. Available from: <http://www.ijptonline.com/wp-content/uploads/2009/10/367-392.pdf>
23. Jacobs DF. Variation in nutrient release of polymer-coated fertilizers. *Natl Proc For Conserv Nurs Assoc* 2004. 2004;35(Figure 1):113–8.
24. Hanafi, M. M.; Eltaib, S. M.; Ahmad MB. Physical and chemical characteristics of controlled release compound fertilizer. *Eur Polym J.* 2000;38:2086.
25. Ten Feizi, Wengang Chai (2004) Oligosaccharide microarrays to decipher the glyco code. *Nature Reviews Molecular Cell Biology* 5(7) 582–588. doi:10.1038/nrm1428.PMID 15232576.
26. Aktas Eken G, Acar MH. Polysulfone-based amphiphilic copolymers: Effect of hydrophilic

- content on morphology and performance of ultrafiltration membranes. *J Appl Polym Sci.* 2020;137(4):23–6.
27. Aryanti PTP, Joscarita SR, Wardani AK, Subagjo S, Ariono D, Wenten IG. The influence of PEG400 and acetone on polysulfone membrane morphology and fouling behaviour. *J Eng Technol Sci.* 2016;48(2):135–49.
 28. Shen Y, Du C, Zhou J. Aqueous Polyacrylate / Poly (silicone- co -acrylate) Emulsion Coated Fertilizers for Slow Nutrient-Release Application. 2014;40369:1–7.
 29. Liang D, Du C, Ma F, Shen Y, Wu K, Zhou J. Degradation of Polyacrylate in the Outdoor Agricultural Soil Measured by FTIR-PAS and LIBS. 2018;1–9.
 30. Chi R, Cheung F, Ng TB, Wong JH, Chan WY. Chitosan: An Update on Potential Biomedical and Pharmaceutical Applications. 2015. 5156–5186 p.
 31. Hamid NNA, Mohamad N, Hing LY, Dimin MF, Azam MA, Hassan MHC, et al. The Effect of Chitosan Content to Physical and Degradation Properties of Biodegradable Urea Fertilizer. *J Sci Innov Res.* 2013;2(5):893–902.
 32. Dyah W, Rengga P, Mubarak MA, Cahyarini NS. *Jurnal Bahan Alam Terbarukan* Phosphate release from Slow Release fertilizer using a mixture of Chitosan and potato Flour as a coating. 2019
 33. Alvarado-cordero E, Oca-vásquez GM De, Pereira-reyes R, Vega-baudrit J. Production of Polyhydroxybutyrate (PHB) by *Bacillus megaterium* DSM 32 from Residual Glycerol of the Bioenergy Industry. 2017;(July).
 34. Kumaravel S, Hema R, Lakshmi R. Production of Polyhydroxybutyrate (Bioplastic) and its Biodegradation by *Pseudomonas Lemoignei* and *Aspergillus Niger*. 2010;7:1–4.
 35. Begum, S. A., Rane, A. V., & Kanny, K. *Applications of compatibilized polymer blends in automobile industry. Compatibilization of Polymer Blends*, (2020). 563
 36. McKeen, L. (2018). *Styrenic Plastics. The Effect of Sterilization Methods on Plastics and Elastomers*, 91–138. doi:10.1016/b978-0-12-814511-1.00004-4 [sci-hub.do/10.1016/B978-0-12-814511-1.00004-4](https://doi.org/10.1016/B978-0-12-814511-1.00004-4)
 37. Harper c. *Plastics Materials and Processes: A Concise Encyclopedia*. USA: John Wiley & Sons Inc; 2003.
 38. Samsudin SA, Hassan A, Mokhtar M. Chemical Resistance Evaluation of Polystyrene / Polypropylene Blends : Effect of Blend Compositions and SEBS Content. *Malaysian Polym J.* 2006;1(1):11–24.
 39. Hinüber C, Häussler L, Vogel R, Brüinig H, Heinrich G, Werner C. Hollow fibers made from a poly(3-hydroxybutyrate)/poly-ε-caprolactone blend. *sExpress Polym Lett.*

- 2011;5(7):643–52.
40. Liau CP, Bin Ahmad M, Shameli K, Yunus WMZW, Ibrahim NA, Zainuddin N, et al. Preparation and characterization of polyhydroxybutyrate/polycaprolactone nanocomposites. *Sci World J.* 2014;2014(May).
 41. Azimi B, Nourpanah P, Rabiee M, Arbab S. Poly (ϵ -caprolactone) fiber: An overview. *J Eng Fiber Fabr.* 2014;9(3):74–90.
 42. Sultana LMM and N. Comparison on in Vitro Degradation of Polycaprolactone and Polycaprolactone/Gelatin Nanofibrous Scaffold. *Malaysian J Anal Sci.* 2017;21(3):627–32.
 43. Gunatillake PA & Adhikari R. Biodegradable synthetic polymers for tissue engineering. *Artic pubchem.* 2003;5:1–16.
 44. Tay F R, Pashley D H, Williams M C, Raina R, Loushine R J WRN. Susceptibility of a polikaprolakton-based root canal filling material to degradation. I. Alkaline hydrolysis. *J Endod.* 2005;31.
 45. Gunatillake PA & Adhikari R. Biodegradable synthetic polymers for tissue engineering. *Artic pubchem.* 2003;5:1–16.
 46. Himmah NIF, Djajakirana G, Darmawan D. Nutrient Release Performance of Starch Coated NPK Fertilizers and Their Effects on Corn Growth. *SAINS TANAH - J Soil Sci Agroclimatol.* 2018;15(2):104.
 47. Haq M, Burgueño R, Mohanty AK MM. Hybrid bio-based composites from blends of unsaturated polyester and soybean oil reinforced with nanoclay and natural fibers. *Compos Sci Technol.* 2008;68(16–18):3344–51.
 48. Brito GF, Agrawal P, Araújo EM MT de. Polylactide/Biopolyethylene bioblends. *Polímeros.* 22(5):427.
 49. Ashwin K, Karthick K, Arumugam KP. Applications_Biodegradable_Materials. *Biochem Bioinforma [Internet].* 2011;1(3):1–4. Available from: <http://www.ijbbb.org/papers/32-B004.pdf>
 50. Djamaan A, Suardi M, Mayerni R, Arief S, Dewi B, Merwanta S, et al. Formulation Of Slow-Release Npk Double- Coated Granules Using Bioblend Polymer By Spray. 2018;49(6):1032–1040.
 51. Tomaszewska M, Jarosiewicz A. Use of polysulfone in controlled-release NPK fertilizer formulations. *J Agric Food Chem.* 2002;50(16): 2–9
 52. Suardi M, Ben ES, Djamaan A. Slow-Release NPK Double-Coating Granules Using Bioblends Polystyrene – Polycaprolactone as a Coating Polymer. 2020;13(1):59–64.
 53. Djamaan A, Suardi M, Mayerni R, Dewi B, Putri NR, Merwanta S, et al. Use of Bioblend

- Polystyrene-Poly (3-Hydroxybutyrate) As the Coating Material of the Npk Slow Release Fertilizer Use of Bioblend Polystyrene-Poly (3-Hydroxybutyrate) As the Coating Material of the Npk Slow Release Fertilizer. *Int Res J Pharm.* 2018;9(10):73–79.
54. Lubkowski K. Coating fertilizer granules with biodegradable materials for controlled fertilizer release. *Environ Eng Manag J.* 2014;13(10):2573–2581
55. Wu L, Liu M. Preparation and properties of chitosan-coated NPK compound fertilizer with controlled-release and water-retention. *Carbohydr Polym.* 2008;72(2):240–247.
56. Costa MME, Cabral-Albuquerque ECM, Alves TLM, Pinto JC, Fialho RL. Use of polyhydroxybutyrate and ethyl cellulose for coating of urea granules. *J Agric Food Chem.* 2013;61(42):9984–999.
57. Ben ES, Rizal K, Djamaan A. Formulation of Slow Release NPK Granules with Addition of Polystyrene-Polycaprolactone Matrix and and Its Effect on the Growth of Chilli (*Capsicum annum L.*). 2020;13(8):48–54.
58. Santamaría Vanegas J, Rozo Torres G, Barreto Campos B. Characterization of a κ -Carrageenan Hydrogel and its Evaluation as a Coating Material for Fertilizers. *J Polym Environ.* 2019;27(4):774–783.
59. Qiao D, Liu H, Yu L, Bao X, Simon GP, Petinakis E, et al. Preparation and characterization of slow-release fertilizer encapsulated by starch-based superabsorbent polymer. *Carbohydr Polym.* 2016;147:146–154.
60. Vudjung C, Saengsuwan S. Biodegradable IPN Hydrogels Based on Pre-vulcanized Natural Rubber and Cassava Starch as Coating Membrane for Environment-Friendly Slow-Release Urea Fertilizer. *J Polym Environ.* 2018;26(9):3967–3980.

