

DAFTAR PUSTAKA

- A'yunin, Q., R. Aunu., dan S. H. Idham. 2019. Perilaku Kunjungan dan Efisiensi Penyerbukan *Heterotrigona itama* (Cockerell) dan *Tetragonula laeviceps* (Smith) (Hymenoptera: Apidae) pada Labu Siam. *Jurnal Ilmu Pertanian Indonesia (JIPI)*. 3: 247-257.
- Abduh, M. Y. A., M. Adam, R. E. Fadhlullah, R., Putra, dan Manurung. 2020. Production of propolis and honey from *Tetragonula laeviceps* cultivated in Modular *Tetragonula* Hives *Heliyon*. 6: 205-405.
- Agussalim, A., N. Agus, Umami, dan I. G. S. Budisatria. 2017. Variasi Jenis Tanaman Pakan Madu Sumber Nektar dan Polen Berdasarkan Ketinggian Tempat Di Yogyakarta. *Buletin Peternakan*. 4: 448-460.
- Amano, K. 2004. Attempts to Introduce Stingless Bees For The Pollination Of Crops In Greenhouse Conditions In Japan. Laboratory of Apiculture. *National Institute of Livestock and Grassland Science Tsukuba*. Ibaraki 30: 50-90. Japan.
- Azlan, A., D. Yoza, dan M. Mardiansyah. 2016. Tingkat Keberhasilan Perpindahan Koloni *Trigona* spp. Pada Sarang Buatan Di Hutan Larangan Adat Desa Rumbio Kabupaten Kampar. *JOM Faperta UR*. 2: 1-7.
- Banziger, H., S. Pumikong, dan K. Srimuang. 2011. The remarkable nest entrance of tear drinking *Pariotrigona klossi* and other stingless bees nesting in limestone cavities (Hymenoptera: Apidae). *Kans Entomol Soc*. 84: 22-35.
- Borror dan DeLong's. 2005. *Introduction to the Study of Insects 7th Edition*. USA.
- Chinh, T. X., M. J. Sommeijer, W. J. Boo, dan C. D. Michener. 2005. Nest and colony characteristics of three stingless bee species in vietnam with the first Description of the nest of *Lisotrigona carpenteri* (Hymenoptera: Apidae: Meliponini). *Journal of the Kansas Entomological Society*. 78: 363-372.
- De Brito Sanchez, M. G. 2011. Taste perception in honey bees. *Chemical Senses*. 8: 675-692.
- Dinas Pertanian dan Kelautan Kota Medan. 2015. *UPTD Pengembangan Bibit Hortikultura dan Peternakan*.

- Dollin, A. E., L. J. Dollin, dan S. F. Sakagami. 1997. Australian stingless bees of the genus *Trigona* (Hymenoptera: Apidae). *Invertebrate Systematics*. 6: 861-896.
- Eltz, T. 2001. *Ecology of Stingless Bee (Apidae, Meliponini) in Lowland Dipterocarp Forest in Sabah, Malaysia, and An Evaluation of Logging Impact on Populations and Communities*. Universtat Wurzburg. Munchen.
- Engel, M. S., S. Kahono, dan D. Peggie. 2018. A key to the genera and subgenera of stingless bee in Indonesia (Hymenoptera: Apidae). *Treubia*. 45: 65-86.
- Erwan, dan B. Y. E. Yanuartati. 2012. *Breeding of Queen Bee and Farm Business Developing as Business Activity at the Beekeepers Group in West Lombok Regency*. Mataram.
- Febrianti, A. M. Iskandar, dan Muflihati. 2020. Bentuk Pintu Masuk Sarang *Trigona* Spp Di Kawasan Hutan Mangrove Surya Perdana Mandiri Kelurahan Setapak Besar Singkawang Utara. *Jurnal Hutan Lestari*. 3: 620 – 627.
- Franck, P., E. Cameron, X. G. Good, Y. Rasplus, dan B. P. Oldroyd. 2004. Nest Architecture and Genetic Differentiation In a Species Complex of Australian Stingless Bees. *Molecular Ecology*, 13: 2317-2331.
- Free, J. B. 1993. *Insect Pollination of crops*. Second edition. Academic Press.
- Guntoro, Y. P. 2013. *Aktivitas dan Produktivitas Lebah Trigona laeviceps di Kebun Polikultur dan Monokultur Pala (Myristica fragrans)*. Skripsi. Institut Pertanian Bogor. Bogor.
- Hadisoesilo, S. 2001. Keanekaragaman spesies lebah madu asli Indonesia. *Biodiversitas* 2: 123-128.
- Hamid, S. A., M. S. Salleh, K. Thevan, dan N. A. Hashim. 2016. Distribution and morphometrical variations of stingless bees (Apidae: Meliponini) in Urban and Forest Areas of Penang Island, Malaysia. *J Trop Resour Sustain Sci*. 4: 1-5.
- Hamzah, D. 2011. *Produksi lebah madu (Apis cerana) yang dipelihara pada sarang tradisional dan modern di desa Kaupan Kecamatan Tambang Kabupaten Kampar*. Skripsi. Fakultas Pertanian dan Peternakan. Universitas Islam Negeri Sultan Syarif Kasim, Pekanbaru.
- Handani, M., M. Natalina, dan E. Febrita. 2015. Inventarisasi serangga polinator di lahan pertanian kacang panjang (*Vigna cylindrica*) kota pekanbaru dan pengembangannya untuk sumber belajar pada konsep pola interaksi makhluk hidup di smp. *Jurnal Online Mahasiswa Unri*. 1-11.

- Haryanto, B., Z. Hasan, Kuswandi dan I. M. Artika. 2012. Penggunaan propolis untuk meningkatkan produktivitas ternak sapi Peranakan Ongole (PO). *JITV Vol. 17* No 3 p.202.
- Heard, T. A. 2016. *The Australian Native Bee Book*. Queensland, Australia: Sugarbag Bees.
- Herwina, H., S. Salmah, M. N. Janra, Mairawita, J. Nurdin, Jasmi, Yaherwandi, Rusdimansyah, dan D. A. Sari. 2021. Stingless bee-keeping (Hymenoptera: Apidae: Meliponini) and Its Potency for Other Related-Ventures in West Sumatra. *Journal of Physics: Conference Series*. 1-10.
- Herwina, H., S. Salmah, Jasmi, Yaherwandi, Mairawita, M. N. Janra, Rusdimansyah, B. Y. Christy, D. A. Sari, dan G. Putri. 2021. West Sumatran Stingless Bees (Hymenoptera: Apidae: Meliponini): What can be told from its Local Distribution. *IOP Conference Series: Earth and Environmental Science*. 1-7.
- Inoue, T., S. Salmah, I. Abbas, dan Y. Erniwati. 1985. Foraging behaviour of individu workers and foraging dynamic of colonies of three Sumatran stingless bees. *Res. Popul. Ecol. 2*: 373-392.
- Iqbal, M., Y. Defri, dan E. S. Budiani. 2016. Karakteristik Habitat *Trigona* spp. Di Hutan Larangan Adat Desa Rumbio Kabupaten Kampar. *Jom Faperta*. 3: 2-5.
- Jalil, A. H. 2014. *Beescape for Meliponines: Conservation of Indo-Malayan Stingless Bees*. Singapore (SG): Partridge Publishing.
- Jayuli, M., M. Junus, dan I. W. Nursita. 2018. Pengaruh Ketinggian Terhadap Diameter Polen Lebah Madu (*Apis Cerana*) Di Kabupaten Malang. *Jurnal Ternak Tropika*. 1: 9-21.
- Junus, M. 2017. *Produksi Lebah Madu*. Malang: UB Press.
- Kahono, S., P. Chantawannakul, dan M. S. Engel. 2018. Social Bees and the Current Status on Beekeeping in Indonesia: *Springer Nature Singapore Pte*. 287-306.
- Kelly, N., M. S. N. Farisyah, T. K. Kumara, dan P. Marcela. 2014. Species Diversity and External Nest Characteristics of Stingless Bees in Meliponiculture. *Tropical Agricultural Science*. 3: 293-298.
- Koeniger, N., G. Koeniger, dan S. Tingek. 2010. *Honey Bees of Borneo: Exploring the centre of Apis diversity*. Natural History Publications (Borneo). Kota Kinabalu, Sabah, Malaysia.

- Koetz, A. H. 2013. Ecology, behaviour dan control of *Apis cerana* with a focus on relevance to the Australian incursion. *Insects*. 4: 558–592.
- Kozin, R. B. 1976. *Pollination of entomophilous agricultural crops by bees*. American Publisher Co. PVT. LTD.
- Lee, S., R. K. Duwal, dan W. J. Lee. 2016. Hemolin, an immunoglobulin-like peptide, opsonizes nonself targets for phagocytosis and encapsulation in *Spodoptera exigua*, a lepidopteran insect. *Journal of Asia-Pacific Entomology*. 19: 947 - 956.
- Lima, F. V. O., R. Silvestre, dan J. B. P. Balestieri. 2013. Nest Entrance Types of Stingless Bees (Hymenoptera: Apidae) in a Tropical Dry Forest of Mid-Western Brazil. *Sociobiology*. 4: 421-428.
- Linnaeus, C. 1758. *Systema Naturae per Regna tria Naturae, secundum Classes, Ordines, Genera, Species, cum Characteribus, Differentiis Synonymis, Locis*. 1:1-824.
- Marchese, J. I., D. A. Delaney, dan G. J. Johnson. 2012. *Best management practices on using commercial bumble bees on horticultural crops in Delaware*. University of Delaware's Weekly Crop Update.
- Mello, B. C. B. dan M. Hubinger. 2012. Antioxidant Activity and Polyphenol Contents in Brazilian Green Propolis Extracts Prepared with The Use of Ethanol and Water as Solvents in Different pH Values. *International Journal of Food Science Technology*. 47: 2510-2518.
- Michener, C. D. 2000. *The Bees of The World*. London: John Hopkins University Press. Momose.
- Michener, C. D. 2007. *The Bees of The World*. The Johns Hopkins University Press, Maryland (US).
- Michener, C. D. 2013. *The Meliponini*. In *Pothoney: a Legacy of Stingless Bees* (Eds. P. Vit, S. R. M. Pedro and D. W. Roubik). New York: Springer Verlag.
- Norowi, M. H., M. J. Fahimie, A.S. Sajap, J. Rosliza, dan R. Suri. 2010. *Conservation and sustainable utilization of stingless bees for pollination services in agricultural ecosystems in Malaysia*. *International Seminar on Enhancement of Functional Biodiversity Relevent to Sustainable Food*. Production in ASPAC Tsukuba. Japan.

- Novita, R. Saepudin, dan Sutriyono. 2013. Analisis Morfometrik Lebah Madu Pekerja Apis cerana Budidaya pada Dua Ketinggian Tempat yang Berbeda. *Jurnal Sains Peternakan Indonesia*. 8 : 41-56.
- Nur'aini, dan H. Purwanto. 2021. Morphology, morphometrics, and molecular characteristics of Apis cerana and Apis nigrocincta from Central Sulawesi, Indonesia. *Jurnal Biologi Tropis*. 2: 368-382.
- Oldroyd, B. P., dan S. Wongsiri. 2009. *Asian honey bees: biology, conservation, and human interactions*. CA. US: Harvard University Press.
- Pracaya. 2003. *Hama Penyakit Tanaman*. Jakarta: Penebar Swadaya. 428 hal.
- Pribadi, A. 2020. Produktivitas Panen Propolis Mentah Lebah Trigona itama Cockerell (Hymenoptera: Apidae) Menggunakan Propolis Trap dan Manipulasi Lingkungan di Riau. *Majalah Ilmiah Biologi Biosfera: A Scientific Journal*. 2: 60-68.
- Pribadi, A. 2020. The Influence of Vegetation Compositions on Asian Giant Honey Bee (Apis dorsata Fabr.) in Kampar Regency. *IOP Conference Series: Earth and Environmental Science*, 533, 012045.
- Pribadi, A., dan M. E. Wiratmoko. 2019. Karakteristik Madu Lebah Hutan (Apis dorsata Fabr.) dari Berbagai Bioregion di Riau. *Jurnal Penelitian Hasil Hutan*. 3: 185-200.
- Priccillia, R. H., Jasmi, dan E. Amri. 2018. Model Gerbang (Hymenoptera: Meliponidae) Untuk Penangkaran Di Korong Kuliék Sungai Buluah Timur Batang Anai Kabupaten Padang Pariaman. 1-7.
- Purnomo, A. Pribadi, S. Janneta, dan Suhendar. 2012. Teknik Produksi Raw Propolis Lebah Trigona Itama dengan Modifikasi Kotak dan Lingkungan. *Kuok*.
- Radloff, S. E., C. Hepburn, dan H. R. Hepburn. 2010. Population structure and classification of Apis cerana. *Apidologie*. 41: 589-601.
- Rasmussen, C. 2008. Catalog of the Indo-Malayan/Australasian lebah tanpa sengat (Hymenoptera: Apidae: Meliponini). *Zootaxa*. 1935: 1-80.
- Rasmussen, C. J. C., M. S. Thomas, dan Engel. 2017. A New Genus of Eastern Hemisphere Stingless Bees (Hymenoptera: Apidae) with a Key to the Supraspecific Groups of Indomalayan and Australasian Meliponini. *American Museum Novitates* No. 3888, 33p.

- Rosyidi, D., L. E. Radiati, S. Minarti, Y. Antonini, R. G. Costa, dan R. P. Martins. 2006. 'Floral preferences of a neotropical stingless bee, *Melipona quadrifasciata* Lepeletier (apidae: meliponina) in urban forest fragment'. *Braz. J. Biol.* 2: 463-471.
- Roubik, D. W. 1983. Nest and colony characteristics of stingless bees from Panama, *J. Kans. Entomol. Soc.* 56: 327–355.
- Roubik, D. W. 1989. *Ecology and Natural History of Tropical Bees*. Cambridge: Cambridge University Press.
- Roubik, D. W. 2006. Stingless Bee Nesting Biology, *J. Apidologie.* 37: 124-143.
- Roubik, D. W., dan J. E. M Patino. 2009. *Trigona corvina* : An Ecological Study Based on Unusual Nest Structure and Pollen Analysis. *Psyche.* 1-7.
- Sadam, B., N. Hariani, dan S. Fachmy. 2016. Jenis Lebah Madu Tanpa Sengat (Stingless Bee) di Tanah Merah Samarinda. *Prosiding Seminar FMIPA UNMUL.* 374-378.
- Sakagami, S. F. 1978. *Tetragonula* stingless bee of the continental Asia and Sri Lanka (Hymenoptera, Apidae). *Journal of the Faculty of Science, Hokkaido University, Series VI, Zoology.* 21: 165-247.
- Salmah, S. 2017. *Biologi dan Keanekaragaman Stingless Bee*. Disampaikan pada: Seminar Nasional Perlebahan “Konservasi Keragaman Lebah Indonesia untuk Mendukung Ketahanan Pangan dan Kesehatan Masyarakat” 19 Agustus 2017 di Auditorium FMIPA, Institut Pertanian Bogor.
- Salmah, S., T. Inoue, dan S. F. Sakagami. 1990. *Ananalysis of Apid Bee Richness (Apidae) in Central Sumatra. Dalam Sakagami, S.F., R. Ogushi, dan D.W. Roubik (eds.), Natural History of Social Wasps and Bees in Equatorial Sumatra.* hal. 139-174. Hokkaido Univ. Press, Sapporo.
- Samsudin, S. F., R. M. Mohammad, dan R. H. Izfa. 2018. Taxonomic study on selected species of Stingless bee (Hymenoptera: Apidae: Meliponini) in peninsular Malaysia. Centre for Insect Systematics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, 43600 Bangi, Malaysia. 2: 203-258.
- Sanjaya, V., D. Astiani, dan L. Sisilia. 2019. Studi Habitat Dan Sumber Pakan Lebah Kelulut Di Kawasan Cagar Alam Gunung Nyiut Desa Pisak Kabupaten Bengkayang. *Jurnal Hutan Lestari.* 2 : 786-798.
- Sarwono, B. 2001. *Lebah Madu*. Agro Media Pustaka. Jakarta.

- Schwarz, H. F. 1939. The Indo-Malayan species of *Trigona*. *Bull Am Mus Nat Hist.* 76: 83-141.
- Segueni, N., A. Zellagui, F. Moussaoui, M. Lahouel, dan S. Rhouati. 2016. Flavonoids from Algerian propolis. *Arabian Journal of Chemistry.* 1: 425-428.
- Sidiq, H., M. Meiardhy, Arbainsyah, dan R. Abrar. 2020. *Budidaya Lebah Madu Kelulut Sebagai Alternatif Mata Pencaharian Masyarakat*. Disampaikan pada Pelatihan Daring Budidaya Lebah Kelulut, yang diselenggarakan atas kerjasama Goodhope Asia Holdings Ltd, Environmental Leadership & Training Initiative (ELTI), Tropenbos Indonesia dan Swaraowa.
- Sihombing, D. T. H. 2005. *Ilmu Ternak Lebah Madu*. Gajah Mada University Press. Yogyakarta.
- Siregar, H. C. H., A. M. Fuah, dan Y. Octaviany. 2011. *Propolis madu multikhasiat*. Penebar swadaya. Jakarta.
- Siti Fatimah, S., M. Mohd Razif, dan R. Izfa. 2018. Taxonomic Study on Selected Species of Stingless Bee (Hymenoptera: Apidae: Meliponini) in Peninsular Malaysia. *Serangga.* 2: 203-258.
- Situmorang, O. P. R., dan A. Hasanudin. 2014. *Panduan Manual Budidaya Lebah Madu*. Balai Penelitian Kehutanan Aek Nauli. Sibaganding.
- Smith, D. R. 2012. Key to Workers of Indo-Malayan Stingless Bees-v.1.1. In: Smith DR, editor. Stingless Bees Workshop 11th International Conference of the Asian Apicultural Association; 2012 Sept 26-Oct 2; Terengganu, Malaysia. (*Terengganu (MY): Kansas Univ Pr.*). 1-42.
- Suheriyanto, D. 2008. *Ekologi serangga*. Penerbit UIN Malang Press.
- Suprianto, A. N., dan C. G. A. G. N. Kirana. 2020. Morphological Character and Conserved Region of Elongation Factor 1 α (EF1 α) Gene Analysis in *Lepidotrigona terminata*. *Metamorfosa: Journal of Biological Sciences.* 2: 30-39.
- Suriawanto, N. T., S. Atmowidi, dan Kahono. 2017. Nesting sites characteristics of stingless bees (Hymenoptera: Apidae) in Central Sulawesi, Indonesia. *Journal of Insect Biodiversity.* 10 : 1-9.
- Syafrizal, D. Tarigan, dan R. Yusuf. 2014. Keragaman dan Habitat Lebah *Trigona* spp pada Hutan Sekunder Tropis Basah di Hutan Pendidikan Lempake, Samarinda, Kalimantan Timur. *Jurnal Teknologi Pertanian.* 1:34-38.

- Trianto, M., dan H. Purwanto. 2020. Morphological and morphometrics characteristics of Stingless Bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Jurnal Biodiversitas*. 21: 2619-2628.
- Trianto, M., F. Marisa, dan H. Krisman. 2020. *Tetragonula laeviceps* (Hymenoptera: Apidae: Meliponini): Morphology, Morphometric, and Nest Structure. *Bioeduscience*. 2: 188-194.
- Trinh, T. H., K. Shaari, A. Basit, B. Azeem, A. dan Shuib. 2014. Use of multi-diffusion model to study the release of urea from urea fertilizer coated with Polyurethane-like coating (PULC). *APCBEE Procedia*. 8: 146-150.
- Verma, L. R. dan P. Dulta. 1986. Foraging behaviour of *Apis cerana indica* and *Apis mellifera* in pollinating apple flowers. *Journal of Apicultural Research*. 1: 197-201.
- Walji, H. 2001. *Terapi Lebah Daya Kekuatan dan Khasiat, Lebah Madu dan Serbuk Sari*. Jakarta: Prestasi Pustaka.
- Wicaksono, A. 2017. *Morfologi, Aktivitas Terbang, dan Musuh Alami Lebah *Lepidotrigona terminata* SMITH (Hymenoptera: Apidae: Melliponinae)*. Tesis. Institut Pertanian Bogor. <https://delphipages.live/id/ilmu/bug-moluska-invertebrata-lainnya/serangga/bee>.

