

DAFTAR PUSTAKA

- Agustin, I., Haryanti, P., & Nisa, K. (2015). Terapi konservatif dan terapi pengganti ginjal sebagai penatalaksanaan pada gagal ginjal kronik. *Majority*, 4(1), 49–54. url: index.php/majority/article/view/1447
- Achmad, A. (2019). *Physical Theraphy Special Test II*. Makassar: Profesional physiotherapy
- Agarwal, A., Gupta, S., Sharma, R, K. (2005). Role of oxidative stress in female reproduction. *Reprod Biol Endocrinol*, 3(28), 1-21. doi: 10.1186/1477-7827-3-28
- Aini, N., & Wahyuni, E, S. (2018). Hubungan dukungan keluarga dengan kepatuhan diet pasien gagal ginjal kronik yang menjalani hemodialisa di RSUD Dr. H. Abdul Moeloek. *Jurnal Kesehatan Holistik*, 12(1), 1-9. doi: 10.33024/hjk.v12i1.104
- Aisara, S., Azmi, S., & Yanni, M. (2018). Gambaran klinis penderita penyakit ginjal kronik. *Jurnal Kesehatan Andalas*, 7(1), 42–50.
- Aisyah, S, 2018. *Prosedur pemeriksaan fisik*. Edisi 1. Yogyakarta: Nuha Medika
- Ajzen. (1985). *From intentions to action : atheory of planned behavior*. New York : Springer
- Ajzen, I., & Fishbein, M. (1975). *Belief, attitude, intention, and behavior. An introduction to theory and research*. MA: Addison-Wesley
- Alfonso, A. A., & Mongan, A. E. (2016). Gambaran kadar kreatinin serum pada pasien penyakit ginjal kronik stadium 5 non dialisis. *Jurnal E-Biomedik (EBm)*, 4(1), 178–183. <https://doi.org/10.35790/ebm.4.1.2016.10862>
- Alford, B. A., & Beck, A. T. (1997). *The integrative power of cognitive theraphy*.

New York: Guilford Press.

- Alikari, V., Fradelos, E. C., Tzavella, F., Koukia, E., Papathanasiou, L, V., Stathoulis, J., Et Al. (2015). Integrating chronic kidney disease patient's spirituality in thei care: health benefits and research perspectives. *Mater Sociomed*, 27(5), 354-358. doi: 10.5455/msm.2015.27.354-358
- Alqahtani, N, A., Al-Metrek, M. A., Al-Alsheikh, K., & Elnazer, W. H. (2019). Quality of life among patients with chronic renal failure on hemodialysis at the military hospital in Southern Region of Saudi Arabia. *MOJ Anatomy & Physiology*, 6(5), 6–9. doi: <https://doi.org/10.15406/mojap.2019.06.00265>
- Anjarwati, A., & Hidayat, B. (2018). Health related-quality of life in ckd and dialysis patients in asian countries : A systematic review. *Arkesmas*, 3(2), 50–55. doi: <https://doi.org/10.22236/arkesmas.v3i2.3007>
- Anzwar Saifuddin. (2016). *Teori sikap manusia dan pengukurannya*. Edisi 2. Yogyakarta: Pustaka Pelajar
- Arova, F. N. (2013). *Gambaran self-care management pasien gagal ginjal kronis dengan hemodialisis di wilayah Tangerang Selatan tahun 2013*. Jakarta: Fakultas Kedokteran dan Ilmu Kesehatan Universitas Islam Negeri Syarif Hidayatullah.
- Aru W, Sudoyo. (2009). *Buku ajar ilmu penyakit dalam*. Jilid II. Edisi V. Jakarta: Interna Publishing
- Asri Setyaningsih., Puspita, D., Rosyidi, M, I. (2013). Perbedaan kadar ureum dan creatinin pada klien yang menjalani hemodialisa dengan hollow fiber baru dan hollow fiber re use di RSUD Ungaran. *Jurnal Keperawatan Medikal Bedah*. 1(1), 15-24. doi: index.php/JKMB/article/view/937

- Awad, N., Langi, Yuanita A., & Pandelaki, K. (2013). Gambaran faktor resiko pasien diabetes melitus tipe II di poliklinik endokrin RSUD Prof. Dr. R.D Kandou Manado. *Jurnal e-Biomedik (eBM)*, 1(1), 45-9. doi: 10.35790/ebm.v1i1.1160
- Ayunda, A. (2017). Hubungan kepatuhan diet dan kualitas hidup pasien gagal ginjal kronik yang menjalani hemodialisis di rumah sakit umum daerah Sidoarjo. *Prosiding Hefa*. Denpasar : Program Sarjana Keperawatan STIKes Cendikia Utama Kudus.
- Badan Penelitian dan Pengembangan. (2018). *Hasil utama riset kesehatan dasar*. <https://www.kemkes.go.id/resources/download/info-terkini/hasil-risikesdas-2018.pdf>
- Balestra, C., & Dottori, D. (2012). Aging society, health, and environment. *Journal of Population Economics*, 25(3), 1045-1076. doi: 10.1007/s00148-011-0380-x
- Black, J. M., & Hawks, Jane H. (2014). *Keperawatan medikal bedah manajemen klinis untuk hasil yang diharapkan* (E. A. Suslia, F. Ganiarji, P. P. Lestari, & A. R. W. Sari). Edisi 8. Elsevier.
- Braja, M., Ameratunga, J., & Sivakugan, N. (2016). Correlations of soil and rock properties in geotechnical engineering. India: Springer.
- Broom, Glen M., Cutlip, Scott M., & Center, Allen H. (2006). *Effective public relations*. Edisi 9. Jakarta: Kencana Prenada Media Group.
- Bures, V., Cech, P., Mikulecka, J., Daniela, P., Kuca, K. (2016). The effect of cognitive training on the subjective perception of well-being in older adults. *Journal Peer J*, 4(7), 1-23. doi: 10.7717/peerj.2785

- Burnie, R. M., Pruijm, M., Wuerzner, G. et al. (2015). Drug adherence in chronic kidney disease and dialysis. *Nephrol Dial Transplant*, 30(1), 39–44. doi : 10.1093/ndt/gfu015
- Cahyaning Pramesti, A. (2017). Evaluation of knowledge and compliance of nurses on the use Personal Protective Equipment (PPE) in Intensive Care Unit (ICU) RSUD Panembahan Senopati Bantul Yogyakarta. *Jurnal Medicoeticolegal Dan Manajemen Rumah Sakit*, 6(3), 187–193. doi: <https://doi.org/10.18196/jmmr.6144>
- Chrysostomo, S., Stathakis, C., Petrikkos, G., Daikos, G., Gompou, A., Perrea, D. (2010). Assessment of prealbumin in hemodialysis and renal-transplant patients. *Journal of Renal Nutrition*, 20(1), 44–51. doi: 10.1053/j.jrn.2009.04.001
- Cleary, J., & Drennan. J. (2005). Quality of life of patients on haemodialysis for end-stage renal disease. *Journal of Advanced Nursing*, 51(6), 577– 586. doi: 10.1111/j.1365-2648.2005.03547.x.
- Corwin., Elizabeth, J. (2012). *Buku saku patofisiologi*. Edisi 3. Jakarta: EGC Semarang: CV Agung Semarang
- Costa, G., Pinhiero, M., Mandieros, S. de, & et al. (2016). Quality of life of patients with kidney disease undergoing hemodialysis. *Enfermería Global*, 15(43), 59–73. doi: <https://doi.org/10.6018/eglobal.15.3.213891>
- Choi, M. H., & Choi, H. M. (2018). Chronic kidney disease in neurogenic bladder. *Nephrology (Carlton, Vic.)*, 23(3), 231–236. doi: <https://doi.org/10.1111/nep.12990>
- Choi Tung, Lo. (2011). *The impact of entrepreneurship education on*

entrepreneurial intention of engineering students. Hongkong: City University.

Cresswell, J. (2014). Research design. qualitative, quantitative and mixed methods approaches. *Thousand Oaks, CA: Sage*, 12(5), 40-46. doi: 10.5539/elt.v12n5p40

Denita, N., Indrasari., Diyah, C. (2015). *Perbedaan ureum dan kreatinin pada pasien gagal ginjal kronik berdasarkan lama menjalani terapi hemodialisis di RS PKU Muhammadiyah Yogyakarta*. Yogyakarta: Program Sarjana STIKES Aisyiyah.

DeWall, C.N., Baumeister, R.F., Stillman, T., & Gailliot, M.T. (2005). Violence restrained: Effect of self regulation and its depletion on aggression. *Journal of Experimental Social Psychology*, 43(1), 62-76. doi: <https://doi.org/10.1016/j.jesp.2005.12.005>

Dharma, K. K. (2017). *Metodologi penelitian keperawatan : Panduan melaksanakan dan menerapkan hasil penelitian*. Jakarta: Trans Info Media.

Dong, X., Yi, X., Ding, M., Gao, Z., McDonough, D. J., Yi, N., & Qiao, W. (2020). A longitudinal study of a multicomponent exercise intervention with remote guidance among breast cancer patients. *International Journal of Environmental Research and Public Health*, 17(10), 1–13. doi: <https://doi.org/10.3390/ijerph17103425>

Ellis RJB, Welch JL. (2016). Medication-taking behaviors in chronic kidney disease with multiple chronic conditions: a meta-ethnographic synthesis of qualitative studies. *J Clin Nurs*, 26(5-6):586-598. doi: 10.1111/jocn.13588.

Elvsaa, I. K. O., Giske, L., Fure, B., & Juvet, L. K. (2017). Multicomponent

lifestyle interventions for treating overweight and obesity in children and adolescents: A systematic review and meta-analyses. *Journal of Obesity*, 1(2), 1-14. doi: 10.1155/2017/5021902

Farida, H., Hapsari, H, I., Afni, A, C, N. (2015). *Pengaruh dokumentasi timbang terima pasien dengan metode Situation, Background, Assessment, Recomendaton (SBAR) terhadap insiden keselamatan pasien di ruang medikal bedah RS. Panti Waluyo Surakarta*. Surakarta: STIKes Kusuma Husada

Goudarzian, A., Sharif Nia, H., Okamoto, Y., M. Rhee, C., McFarlane, P., & Ghorban Nejad, F. (2015). Adverse effects of hemodialysis on kidney patients: how good the evidence is. *International Journal of Medical Investigation*, 4(4), 357-361. doi: researchgate.net/publication/290394073

Guyton, A, C., Hall J, E. (2007). *Buku ajar fisiologi kedokteran*. Edisi 11. Jakarta: EGC

Hardono., Arinta., Rihiantoro, T. (2016). Peningkatan kadar albumin pada pasien gagal ginjal kronik yang menjalani hemodialisa. *Jurnal Ilmu Kesehatan*, 1(1), 1-7. doi: 10.30604/jika.v1i1.9

Hariansyah., Humaedi., & Widada. (2019). *Gambaran ureum dan kreatinin pada pasien gagal ginjal kronis di RSUD Karawang*. 1(4), 8–14. uri: <http://repository.binawan.ac.id/id/eprint/567>

Hasnawati. (2016). Gambaran hasil pemeriksaan ureum darah pada usia lanjut. *Media Analis Kesehatan*, VIII (2). Jakarta: Universitas Binawan

Hays, R., Amin, N., Leplege, A., & Carter, W. (1997). *Kidney Disease Quality of Life Short Form (KDQOL-SF), Version 1.2. A manual for use and scoring*

(*French Questionnaire, France*), January, 68.

Headley, S. A., Hutchinson, J. C., Thompson, B. A., Ostroff, M. L., Doyle-campbell, C. J., Cornelius, A. E., ... & Germain, M. J. (2019). *A personalized multi-component lifestyle intervention program leads to improved quality of life in persons with chronic kidney disease. Springfield, (MA,) USA 2Western.*

Hefnawy, G. R. M. (2020). Impact of end-stage renal disease and hemodialysis in physical and psychosocial status of elderly patients. *Bioscience Research*, 17(1):1-12. doi : 10.1053/ajkd.2001.26824

Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., A.O'Callaghan, C., Lasserson, D. S., & Hobbs, F. D. R. (2016). Prevalence of chronic kidney disease: A systematic review and meta-analysis. *PLOS ONE*, 71(3), 244–254. doi <https://doi.org/10.5414/CNP71244>

Husna, H., & Maulina, N. (2015). Hubungan antara lamanya hemodialisis dengan kualitas hidup pasien penyakit ginjal kronik di Rumah Sakit Umum Cut Meutia Kabupaten Aceh Utara. *Jurnal Kedokteran dan Kesehatan Malikussaleh*, 1(2), 39–46. uri: <https://ojs.unimal.ac.id/index.php/averrous/article/view/404>

Hutagaol, E. V. (2017). Peningkatan kualitas hidup pada penderita gagal ginjal kronik yang menjalani terapi hemodialisis melalui psychological intervention di unit hemodialisis RS Royal Prima Medan tahun 2016. *Jurnal Ilmiah Penelitian Kesehatan*, 2(1), 1–211. doi: 10.1080/13507486.2015.1047603

Husada, Nuraini. (2018). Pengaruh cognitive behavior therapy (cbt) terhadap pasien dengan gagal ginjal kronik di unit hemodialisis Rumah Sakit Husada

Jakarta. *Jurnal Kesehatan Holistic*, 2(1), 62-91. doi:
<https://doi.org/10.33377/jkh.v2i1.33>

Ibrahim, I., Suryani, I., & Ismail. (2017). Hubungan asupan protein dengan kadar ureum dan kreatinin pada pasien gagal ginjal kronik yang sedang menjalani hemodialisa di unit hemodialisa RS PKU Muhammadiyah Yogyakarta. *Jurnal Nutrisia*. 9(1), 1-6. doi: 10.29238/jnutri.v19i1.34

Ikizler, T. A., Burrowes, J. D., Byham-Gray, L. D., Campbell, K. L., Carrero, J. J., Chan, W., ... & Cuppari, L. (2020). KDOQI clinical practice guideline for nutrition in CKD: 2020 update. *American Journal of Kidney Diseases*, 76(3), S1–S107. doi: <https://doi.org/10.1053/j.ajkd.2020.05.006>

Indonesian Renal Registry (IRR). (2016). *Report of indonesian renal registry*. Perkumpulan Nefrologi Indonesia. Edisi 9. 1-46.

Intan, P. (2012). *Perbandingan glomerulus filtration rate (gfr) menggunakan metode cockroaf-gault dan metode clearance creatinine urin 24 jam pada pasien gagal ginjal kronik yang dirawat di smf penyakit dalam Rumah Sakit Abdul Moeloek Bandar Lampung*. Lampung: Fakultas Kedokteran Universitas Lampung Bandar Lampung

Ipo, A., Aryani, T., Suri, M. (2016). Hubungan jenis kelamin dan frekuensi hemodialisa dengan kualitas hidup pasien gagal ginjal kronik yang menjalani hemodialisa di RSUD Raden Mattaher Jambi. *Jurnal Akademika Baiturrahim*, 5(2), 45-55. doi: jab.stikba.ac.id/index.php/jab/article/view/7/7

Irawan, H., Alimansur, M., Zainal. (2017). Faktor demografi dan depresi pada klien gagal ginjal kronik stadium 5 di ruang hemodialisis RSUD Gambiran Kota Kediri. *Adi Husada Nursing Journal*, 3(2), 40-44. doi:

<https://adikusada.ac.id/jurnal/index.php/AHNP/article/view/95>

- Ison, Laili, M. K. (2016). *Manajemen cairan pada pasien hemodialisis untuk meningkatkan kualitas hidup*. Jawa Timur: Unmuh Ponorogo Press.
- Jia, T., Bi, S. H., Lindholm, B., & Wang, T. (2016). Effect of multi-dimensional education on disease progression in pre-dialysis patients in China. *Renal Failure*, 34(1), 47–52. doi: 10.3109/0886022X.2011.623560
- Jia, M., Wang, C., Zhang, Y., Zheng, Y., Zhang, L., ... Wang, P. (2012). Sugary beverage intakes and obesity prevalence among junior high school students in Beijing. *Asia Pacific Journal of Clinical Nutrition*. 21(3), 425-430. doi: <https://pubmed.ncbi.nlm.nih.gov/22705434/>
- Kalantar, Z., Balogun, R. A., Rahman, E. M., Balogun, S. A., Lott, E. H., ... Koyesdi, C. P. (2015). Association of depression and antidepressant use with mortality in a large cohort of patients with nondialysis-dependent CKD. *Clinical Journal of American Society of Nephrology*, 7(11), 1793–1800. doi: 10.2215/CJN.02650312
- Karuniawati, E., & Supadmi, W. (2016). Kepatuhan penggunaan obat dan kualitas hidup pasien hemodialisis di RS PKU Muhammadiyah Yogyakarta periode maret 2015. *Jurnal farmasi sains dan komunitas*, 13(2), 73–80. doi: <https://doi.org/10.24071/jpsc.2016.130205>
- Kee Lefever, J. (2018). *Pedoman pemeriksaan laboratorium dan diagnostik*. Buku Kedokteran : EGC.
- Kementrian Kesehatan RI. 2018. *Riset Kesehatan Dasar*. Jakarta: Kemenkes RI.
- Keltner, D., & Cordaro, D. T. (2017). *Understanding multimodal emotional expressions: Recent advances in basic emotion theory*. In J.-M. Fernández-

- Dols & J. A. Russell (Eds). *The science of facial expression*, 57–75. Oxford University Press.
- Klein, J. D., Blount, M. A., & Sands JM. (2011). Urea transport in the kidney. *Compr Physiol*, 1(2), 699–729. doi: 10.1002/cphy.c100030
- Knapp, P., & Megan Watkins. (2005). *Technologies for teaching and assessing writing*. Australia: University of New South Wales
- Kuniawati., Desak, P., Widyawati., Ika Yuni., & Mariyanti, H. (2014). *Edukasi dalam meningkatkan kepatuhan intake cairan pasien Penyakit Ginjal Kronik (PGK) on hemodialisis*, 1-7. Surabaya : Fakultas Keperawatan Universitas Airlangga.
- Kusman, I. (2005). *Kualitas hidup pasien gagal ginjal kronik yang menjalani terapi hemodialisis*. Bandung: Fakultas Keperawatan Universitas Padjajaran.
- Lazarus, E. R. (2019). Effectiveness of education and exercise on quality of life among patients undergoing hemodialysis. *Clinical Epidemiology and Global Health*, 7(3), 402–408. doi: <https://doi.org/10.1016/j.cegh.2018.07.003>
- LeMone., Pricilla, K. M., Bauldoff., Gerence., Gubrud, P. (2017). *Medical surgical nursing critical thinking for person-center care three edition, Vol 1*. Melbourne: Pearson Australia group pty ltd.
- Lindberg. (2010). *Eccesive fluid overload among haemodialysis patient : prevalence, individual characteristic and self regulation fluid intake*. Swedish: Faculty Of Medicine Universitas Upsaliensis Uppsala. doi: urn:nbn:se:uu:diva-121983
- Lou, X., Li, Y., Shen, H., Juan, J., & He, Q. (2019). Physical activity and somatic symptoms among hemodialysis patients: A multi-center study in Zhejiang,

- China. *BMC Nephrology*, 20(1), 1–9. doi: 10.1186/s12882-019-1652-z
- Lockwood. (1992). Social and system integration: lockwood, habermas, giddens. *Sociology, European Societies*, 31(1), 111–119. doi: <https://doi.org/10.1177/0038038597031001008>
- Luthfianto, D., & Suprihhadi, H. (2017). Pengaruh kualitas layanan dan gaya hidup terhadap keputusan pembelian cafe jalan Korea. *Jurnal Ekonomi Bisnis*, 22(1), 12-18. e-ISSN : 2461-0593
- M., Suryaningsih., Sahara., Kanine, M., Wowiling, F. (2013). Hubungan dukungan keluarga dengan depresi pada pasien penyakit ginjal kronik diruang hemodialisis RSUP Prof. Dr. Rd. Kandou Manado. *Ejournal Keperawatan*, 1(1), 1-6. doi: 10.35790/jkp.v1i1.2244
- Mahjubian, A., Bahraminejad, N., & Kamali, K. (2018). The effects of group discussion based education on the promotion of self-management behaviors in hemodialysis patients. *Journal of Caring Sciences*, 7(4), 225–232. doi: 10.15171/jcs.2018.034
- Makmur, N. W., Tasa, H., Sukriyadi, (2013). Pengaruh hemodialisis terhadap kadar ureum dan kreatinin darah pada pasien gagal ginjal kronik yang menjalani hemodialisis di ruang hemodialisis (HD) Rsup Dr. Wahidin Sudirohusodo Makassar. *Jurnal Ilmiah Kesehatan Diagnosis*, 1(2), 58-64. doi: <http://ejournal.stikesnh.ac.id/index.php/jikd/article/view/375>
- Manda, A., & Majid, I. (2012). *Analisis pengaruh sikap, norma subyektif dan efikasi diri terhadap intensi berwirausaha pada mahasiswa fakultas ekonomi Universitas Syiah Kuala*. Semarang: Fakultas Ekonomi Universitas Negeri Semarang.

- Manuntun A. (2018). *Terapi Kognitif Pada Pasien Hipertensi. Edisi 1*. Malang: Wineka Media.
- Marsinova, D., Mardiani, & Kurniyati. (2019). Psychoeducation on quality of life and ureum levels of hemodialysis creatinine patients at Curup General Hospital Rejang Lebong regency. *Advances in Health Sciences Research*, 14(1), 48–50. doi: <https://doi.org/10.2991/icihc-18.2019.12>
- Maulana, I. (2019). *Hubungan pengetahuan tentang gangguan jiwa terhadap sikap masyarakat pada penderita gangguan jiwa di desa sokaraja wetan*. Purwokerto: Universitas Muhammadiyah.
- Mersal. H., Bijol, V., Sparks, M. A., Sise, M. E., Izzedine, H., & Jhaveri, K. D. (2020). Pathophysiology and pathology of acute kidney injury in patients with COVID-19. *Advances in chronic kidney disease*, 27(5), 365–376. doi: <https://doi.org/10.1053/j.ackd.2020.09.003>
- Medway, M., Tong, A., Craig, J. C., Kim, S., Mackie, F., McTaggart, S., ... Wong, G. (2015). Parental Perspectives on the financial impact of caring for a child with CKD. *American Journal of Kidney Diseases*, 65(3), 384-393. doi: <https://doi.org/10.1053/j.ajkd.2014.07.019>
- Melo, OS., Ribeiro, LRR., Costa, ALRC. (2015). Community impact of integrity therapy for renal patients people during session hemodialysis. *Revista de Pesquisa: Cuidado é Fundamental Online*, 7(2), 2200-2214. doi: <https://doi.org/10.9789/2175-5361.2015.v7i2.2200-2214>
- Misra, A., Tandon, N., Ebrahim, S., Sattar, N., Alam, D., Shrivastava, U., ... & Jafar, T. H. (2017). Diabetes, cardiovascular disease, and chronic kidney disease in South Asia: Current status and future directions. *BMJ (Online)*,

357, 1–5. doi: <https://doi.org/10.1136/bmj.j1420>

Mitch, W. E., Goldberg, A. L. (1996). Mechanisms of muscle wasting. The role of the ubiquitin-proteasome pathway. *N Engl J Med*, 335(25), 1897–1905. doi: 10.1056/NEJM199612193352507

Moeloek, N. D. F. A. (2018). *Upaya peningkatan promotif preventif bagi kesehatan ginjal di Indonesia*. Hasil riset kesehatan dasar kementerian kesehatan RI. Jakarta: Hari Ginjal Sedunia (World Kidney Day)

Moncrieft, A. E., Llabre, M. M., McCalla, J. R., Gutt, M., Mendez, A. J., ... & Schneiderman, N. (2016). Effects of a multicomponent life-style intervention on weight, glycemic control, depressive symptoms, and renal function in low-income, minority patients with type 2 diabetes: Results of the community approach to lifestyle modification for diabetes random. *Psychosomatic Medicine*, 78(7), 851–860. doi: <https://doi.org/10.1097/PSY.0000000000000348>

Moore, H., Reams, S. M., Wiesen, K., Nolph, K. D., Ramesh, K., & Laothong, C. (2003). National kidney foundation council on renal nutrition survey: past-present clinical practices and future strategic planning. *Journal of Renal Nutrition*, 13(3), 233-240. doi: 10.1016/S1051-2276(03)00075-X

Muraven, M., & Baumeister, R. F. (2000). Self-regulation and depletion of limited resources: Does self-control resemble a muscle. *Psychological bulletin*, 126(2), 247–259. doi: <https://doi.org/10.1037/0033-2909.126.2.247>

Narva, A. S., Norton, J. M., & Boulware, L. E. (2016). Educating patients about CKD: The path to self-management and patient-centered care. *Clinical Journal of the American Society of Nephrology*, 11(4), 694–703. doi:

10.2215/CJN.0768071

- Nayana, M., Punjani, N., Juurlink, D. N., Finelli, A., Austin, P. C., Kulkarni, G. S., Uleryk, E., & Hamilton, R. J. (2017). Statin use and kidney cancer survival outcomes: A systematic review and meta-analysis. *Cancer treatment reviews*, 52, 105–116. doi: 10.1016/j.ctrv.2016.11.009
- Neff, Kristin. (2011). *Self-compassion: stop beating yourself up and leave insecurity behind*. Newyork: Willian Marrow, An Imprint of Harper Collins Publishers.
- Notoatmodjo, S. (2007). *Promosi Kesehatan dan Ilmu Perilaku*. Jakarta : Rineka Cipta.
- Notoadmodjo, S. (2015). *Metodologi penelitian kesehatan. Edisi 1*. Jakarta: Rineka Cipta.
- Nurchayati, S. (2011). *Analisis faktor-faktor yang berhubungan dengan kualitas hidup pasien penyakit ginjal kronik yang menjalani hemodialisa di Rumah Sakit Islam Fatimah Cilacap dan RSUD Banyumas*. Jakarta: Fakultas Kedokteran Universitas Indonesia
- Nursalam. (2017). *Metodologi penelitian ilmu keperawatan: pendekatan praktis. Edisi 4 Seri 2*. Jakarta: Salemba Medika.
- Nursalam. (2018). *Manajemen keperawatan aplikasi dalam praktik keperwatan profesional. Edisi 3 Seri 1*. Jakarta: Salemba Medika.
- Ogunseitan, O. A. (2019). Quality of life and environmental health assessment. *Encyclopedia of Environmental Health*, 11(3), 439-447. doi: 10.1016/B978-0-12-409548-9.11188-1
- Okubo, R., Kai, H., Kondo, M., Saito, C., Yoh, K., Morito, N., Usui, J., &

- Yamagata, K. (2014). Health-related quality of life and prognosis in patients with chronic kidney disease: a 3-year follow-up study. *Clinical and Experimental Nephrology*, 18(5), 697–703. doi: 10.1007/s10157-013-0901-x
- Padma, W. S., I Sri Arjani, I. A. M., & Jirna, I. N. (2017). Gambaran kadar kreatinin serum pada penderita diabetes mellitus tipe 2 di rumah sakit umum pusat Sanglah Denpasar. *Meditory The Journal of Medical*, 5(2), 107-117. doi: <http://repository.poltekkes-denpasar.ac.id/id/eprint/3323>
- Pantara, P. D. (2016). *Hubungan antara kadar ureum dan kadar hemoglobin pada pasien gagal ginjal kronik*. Semarang: Universitas Muhamadiyah Purwokerto. doi: <http://repository.ump.ac.id/id/eprint/1589>
- Parsons, T. L., Toffelmire, E. B., & King-VanVlack, C. E. (2006). Exercise training during hemodialysis improves dialysis efficacy and physical performance. *Archives of Physical Medicine and Rehabilitation*, 87(5), 680–687. doi: 10.1016/j.apmr.2005.12.044
- Perkumpulan Nefrologi Indonesia (PERNEFRI). (2017). *Report of Indonesian renal registry 2016*. Perkumpulan Nefrologi Indonesia. 10th edition. 2016, 1-46 p.
- Perkumpulan Nefrologi Indonesia (PERNEFRI). (2018). *Report of Indonesian renal registry*. Perkumpulan Nefrologi Indonesia. 10th edition. doi: <https://www.indonesianrenalregistry.org/data/IRR>
- Porter, A. C., Fitzgibbon, M. L., Michael, J., Fitzgibbon, L., Fischer, M. J., ... & Schiffer, L. (2017). Insights in internal medicine quality of life among patients with end-stage renal disease on hemodialysis in a patient-centered medical home intervention insights in internal medicine. *Insights in Internal*

Medecine, 1(3), 2–10. doi: 10.1007/s11606-019-05154-9

Phillip. (2016). Beliefs about back pain and pain management behaviours, and their associations in the general population: a systematic review. *Wiley Journals*, 23, 15-30. doi: <https://doi.org/10.1002/ejp.1285>

Potter, P. (2018). *Fundamental of nursing: konsep, proses and practice*. Edisi 7. Jakarta: EGC.

Price, S. A., & Wilson, L. M. (2018). *Patofisiologi : konsep klinis proses proses penyakit*. Jakarta: EGC.

Pujiani, & Masruroh. (2017). Program psikoedukasi terhadap peningkatan kualitas hidup pasien gagal ginjal kronik. *Jurnal EduNursing*, 1(1), 47–56. doi: <http://journal.unipdu.ac.id>

Rafii, F., Yekta, Z. P., Parvizy, S., Mohammadi, N., Editors, A., Akbari, N., Peyrovi, H., Rafii, F., Seyedfatemi, N., Ghezaljah, T. N., Seyedoshohadaee, M., Manager, E., Ghamari, F., Management, S., Sarbakhsh, A., Board, E., Akbari, N., Ahmadi, Z., Sharif, F., ... Care, C. N. (2015). *Client-Centered Nursing Care*. 1(4).

Rafiudin. R. 2004. *Insomnia Dan Gangguan Tidur Lainnya*. Edisi 5 seri 2. Jakarta : PT Elex Media Komputindo

Rahma Dani., Gama Tri Utami, B. (2015). Hubungan motivasi, harapan, dan dukungan petugas terhadap kepatuhan pasien gagal ginjal kronik untuk menjalani hemodialisis. *Jurnal Online Mahasiswa*, 2(2), 1362-1371. doi: <http://jom.unri.ac.id/index.php/JOMPSIK/article/view/8308>

Rajiv, A., Peixoto, A, J., Santos, S, F, F., & Zoccali, C. (2006). Pre and post dialysis blood pressures are imprecise estimates of interdialytic ambulatory

blood pressure. *Clinical Journal American Society of Nephrology*, 1(3), 389-298. doi: 10.2215/CJN.01891105

Reto, F., Hinsch, C., Rauschnabel, P., & Schlegelmilch, B (2018). Religiousness and environmental concern: a multilevel and multi-country analysis of the role of life satisfaction and indulgence. *Journal of Business Research*, 91(1), 304-312. doi: 10.1016/j.jbusres.2018.06.017

Restu., Pranandari., & Woro Supadmi. (2015). Faktor risiko gagal ginjal kronik di unit hemodialisis RSUD Wates Kulon Progo. *Majalah Farmaseutik*. 11(2), 316-320. doi: <https://doi.org/10.22146/farmaseutik.v11i2.24120>

Rivana, E., Permana, I., Wardaningsih, S., Yuniarti, F, A. (2018). Efektifitas zikir dan psikoedukasi terhadap kualitas hidup pasien kusta. *Jurnal Dinamika Kesehatan*, 9(2), 286-294. URI: <https://ojs.dinamikakesehatan.unism.ac.id/index.php/dksm/article/view/344>

Robert, A., Al Saeed, A., Alzaid, A., & Al Saban, F.(2018). Factors associated with health related quality of life among saudi patients with type ii diabetes melitus: a cross- sectional survey. *Journal of Diabetes and Metabolism*, 38(3), 220-229. doi: <https://doi.org/10.4093/dmj.2014.38.3.220>

RISKESDAS. (2018). *Riset kesehatan dasar dalam angka Provinsi Sumatera Barat*. Badan penelitian dan pengembangan kesehatan kementerian kesehatan RI.

Rivana, E., Permana, I., Wardaningsih, S., & Yuniarti, F. A. (2018). Efektifitas zikir dan psikoedukasi terhadap kualitas hidup pasien kusta. *Dinamika Kesehatan*, 9(2), 286–294. doi: <https://doi.org/10.33859/dksm.v9i2>

Robinson, B, M., Akizawa, T., Jager, K, J., Kerr, P, G., Saran, R., Pisoni, R, L.

- (2016). Factors affecting outcomes in patients reaching end-stage kidney disease worldwide: differences in access to renal replacement therapy, modality use, and haemodialysis practices. *The Lancet*, 388(10041), 294-306 . doi: 10.1016/S0140-6736(16)30448-2
- Sacher, R, A., & Pherson, R, A. (2004). *Tinjauan klinis hasil pemeriksaan laboratorium. Edisi 11*. Jakarta: EGC
- Sagala, P, S., Deddy. (2015). Analisa faktor-faktor yang mempengaruhi kualitas hidup pasien gagal ginjal kronik yang menjalani hemodialisa di Rumah Sakit Umum Pusat Haji Adam Malik Medan. *Ejournal Keperawatan*, 1(1), 8-16. doi: JURNALKEPERAWATAN/article/view/217/220
- Saran, R., Robinson, B., Abbott, K. C., Agodoa, L. Y. C., Bragg-Gresham, J., Balkrishnan, R., Dietrich, X., ... Shahinian, V. (2018). Us renal data system 2017 annual data report: Epidemiology of kidney disease in the united states. *American Journal of Kidney Diseases*, 71(3), A7. doi: <https://doi.org/10.1053/j.ajkd.2018.01.002>
- Sacher, R. A., and McPherson, R. A. (2004). *Tinjauan klinis hasil pemeriksaan laboratorium*, 519. Jakarta: EGC.
- Sekarwiri, E. (2008). *Hubungan antara kualitas hidup dan sense of community*. Jakarta: Universitas Indonesia Fakultas Psikologi
- Setyaningsih, A., Puspita, D., & Rosyidi, M. I. (2013). Perbedaan kadar ureum & creatinin pada klien yang menjalani hemodialisis dengan hollow fiber baru dan hollow fiber re use di RSUD Ungaran. *Jurnal Keperawatan Medikal Bedah*, 1(1), 15–24. doi: <https://doi.org/103.97.100.145>
- Setyawati, B., & Syauqy, A. (2014). Perbedaan asupan protein, zat besi, asam

- folat dan vitamin b12 anemia dan tidak anemia di Puskesmas Tanggunharjo. *Journal of Nutrition College*, 3(1), 228–234. doi: 10.14710/jnc.v3i1.4601
- Sevick, M. A., Woolf, K., Mattoo, A., Katz, S. D., Li, H., St-Jules, D. E., ... & Goldfarb, D. S. (2018). The Healthy Hearts and Kidneys (HHK) study: Design of a 2 × 2 RCT of technology-supported self-monitoring and social cognitive theory-based counseling to engage overweight people with diabetes and chronic kidney disease in multiple lifestyle changes. *Contemporary Clinical Trials*, 64, 265–273. doi: <https://doi.org/10.1016/j.cct.2017.08.020>
- Siadat, Z. D., Hasandokht, T., Farajzadegan, Z., & Paknahad, Z. (2013). Effects of multicomponent lifestyle modification on blood pressure control in health centers: Design of the study. *Journal of Research in Medical Sciences*, 18(4), 308–313. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3793376/>
- Silva-Tinoco, R., Cuatecontzi-Xochitiotzi, T., De La Torre-Saldaña, V., León-García, E., Serna-Alvarado, J., Guzmán-Olvera, E., Cabrera, D., Gay, J. G., & Prada, D. (2020). Role of social and other determinants of health in the effect of a multicomponent integrated care strategy on type 2 diabetes mellitus. *International Journal for Equity in Health*, 19(1), 1–11. doi: <https://doi.org/10.1186/s12939-020-01188-2>
- Smeltzer, S. C., & Bare, B. G. (2006). *Buku ajar keperawatan medikal bedah Brunner & Suddarth. Edisi 8 Seri 2*. Jakarta : EGC.
- Smeltzer, S. C., & Bare, B. G. (2013). *Buku ajar keperawatan medikal bedah. Edisi 8*. Jakarta: EGC.
- Stavroula., Kanaka-Gantenbein, C., Chrousos, G.P. et al. (2019). Growth hormone

axis in patients with chronic kidney disease. *Hormones*, 18(1), 71–73. doi: <https://doi.org/10.1007/s42000-018-0066-9>

Sugiyono. (2019). *Metode penelitian kuantitatif, kualitatif, dan R&D. Edisi 2 Seri 1*. Jakarta: Alfabeta.

Suhanda, P. (2015). Faktor-faktor yang mempengaruhi kualitas hidup pasien gagal ginjal kronis yang menjalani terapi haemodialisa di RSUD Kabupaten Tangerang. *Jurnal Medikes*, 2(2), 160-168. doi: 10.36743/medikes.v2i2.114

Sukandar, E. (2016). *Nefrologi klinik*. Edisi 3. Bandung: Fakultas Kedokteran UNPAD.

Suryawan, D., Arjani, I., & Sudarmanto, I. (2016). Gambaran kadar ureum dan kreatinin serum pada pasien GGK yang menjalani terapi hemodialisis di RSUD Sanjiwani Gianyar. *Journal Meditory*, 4(2), 145–153. doi: <https://ejournal.poltekkes-denpasar.ac.id/index.php/M/article/view/64/27>

Suwanti., Kurrahmah, T., Rosyidi, M. I., & Wakhid, A. (2017). Gambaran kualitas hidup pasien gagal ginjal kronis yang menjalani terapi hemodialisis. *Jurnal Keperawatan*, 5(2), 107–114. doi: 10.26714/jkj.5.2.2017.107-114

Tallis, K. (2015). How to improve the quality of life in patients living with end stage renal failure. *Renal Society of Australia Journal*, 13(1), 68-79. doi: <https://pubmed.ncbi.nlm.nih.gov/18446733/>

Theofilou, P. (2013). Quality of life: definition and measurement. *Europe's Journal Psychology*, 9(1), 150-162. doi: 10.5964/ejop.v9i1.337

Theofilou. (2017). Measuring health: related quality of life in hemodialysis patients. Psychometric properties of the missoula-vitas quality of life index (mvqoli-15) in greece. *Health Psychology Research*, 1(2), 74-78. doi:

10.4081/hpr.2013.e17

- Tsang, W. T., & Wang, S. (2015). Grating masks suitable for ion-beam machining and chemical etching. *Applied Physics Letters*, 25(7), 415–418. doi: <https://doi.org/10.1063/1.1655531>
- Ullu, A. M. A., Listyawati., Nurina, R., & Wahyuningrum, S. A. (2018). Hubungan status nutrisi dengan kualitas hidup pasien gagal ginjal kronik yang menjalani hemodialisis di RSUD Prof. Dr. W. Z. Johannes. *Cendana Medikal Journal*, 15(3), 425–437. doi: 10.35508/cmj.v6i3.1456
- Um-e-Kalsoom, Khan, S., & Ahmad, I. (2020). Impact of hemodialysis on the wellbeing of chronic kidney diseases patients: a pre-post analysis. *Middle East Current Psychiatry*, 27(54). 1-5. doi: 10.1186/s43045-020-00060-x
- Umum, S., Prof, P., Manado, R. D. K., Wua, T. C. M., Langi, F. L. F. G., Kaunang, W. P. J. (2019). Kualitas hidup pasien hemodialisis di unit hemodialisis. *Jurnal KESMAS*, 8(7), 127–136. doi: 10.1186/s43045-020-00060-x
- United States Renal Data System (USRDS). (2020). *Annual data report*. United State of America. doi: <https://doi.org/10.1053/j.ajkd.2018.01.002>
- Vassalotti, J. (2021). Recent international progress in preventive nephrology and the road less traveled ahead. *International Society of Nephrology*, 6(3): 565–567. doi: 10.1016/j.ekir.2021.01.016
- Verdiansah, 2016. Pemeriksaan fungsi ginjal. *Open Journal Systems*, 43(2). doi: <http://www.cdkjournal.com/index.php/CDK/article/view/25>
- Webster, A. C., Nagler, E. V., Morton, R. L., & Masson, P. (2017). Chronic Kidney Disease. *The Lancet*, 389(10075), 1238–1252. doi: 10.1016/S0140-

6736(16)32064-5

- Widhyari, S.D., Esfandiari, A., Cahyono, A.D. (2015). Profil kreatinin dan nitrogen urea darah pada anak sapi friesian holstein yang disuplementasi ZN. *Acta Veterinaria Indonesiana*, 3 (2), 45-50. doi: 10.29244/avi.3.2.45-50
- Wijaya, A. S., & Putri, Y. M. (2013). *KMB 1 keperawatan medikal bedah keperawatan dewasa teori dan contoh askep. Edisi 1*. Yogyakarta: Nuha Medika.
- Wolfe & Higgins. (2008). Self-control and perceived behavioral control: an examination of college student drinking. *Applied Psychology in Criminal Justice*, 4(01), 108-135.
- Yani, A., Nursoleha, N., & Zein, L. F. (2020). Tata laksana gizi holistik pada pasien penyakit ginjal kronik dengan hipertensi. *Journal of Holistic and Health Science*, 4(2), 58–66. doi: <https://doi.org/10.51873/jhhs.v4i2.83>
- Yulianti, A., Baroya, N., & Ririanty, M. (2014). Perbedaan kualitas hidup lansia yang tinggal di komunitas dengan di pelayanan sosial lanjut usia. *Pustaka kesehatan*, 2(1), 87–94. doi: index.php/JPK/article/view/601
- Yunus, I. M., Bengkulu, H., & Lina, L. F. (2019). Effect of education on life quality of hemodialysis chronic kidney failure patient. *International Conference on Inter-Professional Health Collaboration (ICIHC 2018)*, 14, 62–65. doi: <https://doi.org/10.2991/icihc-18.2019.16>
- Zang, Y., Devleeschauwer, B., Bolger, P. M., Goodman, E., & Gibb, H. J. (2019). Global burden of late-stage chronic kidney disease resulting from dietary exposure to cadmium, 2015. *Environmental Research*, 169, 72–78. doi: <https://doi.org/10.1016/j.envres.2018.10.005>