

DAFTAR PUSTAKA

- (1) Halaweish, F. Food Preservative Activity of Phenolic Compounds in Orange Peel Extracts (*Citrus Sinensis* L.). **2010**, 53 (January), 233–240.
- (2) Foo, K. Y.; Hameed, B. H. Preparation, Characterization and Evaluation of Adsorptive Properties of Orange Peel Based Activated Carbon via Microwave Induced K_2CO_3 Activation. *Bioresour. Technol.* **2012**, 104, 679–686. <https://doi.org/10.1016/j.biortech.2011.10.005>.
- (3) Ukkakimapan, P.; Sattayarut, V.; Wanchaem, T.; Yordsri, V.; Phonyiem, M.; Ichikawa, S.; Obata, M.; Fujishige, M.; Takeuchi, K.; Wongwiryapan, W.; Endo, M. Preparation of Activated Carbon via Acidic Dehydration of Durian Husk for Supercapacitor Applications. *Diam. Relat. Mater.* **2020**, 107 (November 2019), 107906. <https://doi.org/10.1016/j.diamond.2020.107906>.
- (4) Dhelipan, M.; Arunchander, A.; Sahu, A. K.; Kalpana, D. Activated Carbon from Orange Peels as Supercapacitor Electrode and Catalyst Support for Oxygen Reduction Reaction in Proton Exchange Membrane Fuel Cell. *J. Saudi Chem. Soc.* **2017**, 21 (4), 487–494. <https://doi.org/10.1016/j.jscs.2016.12.003>.
- (5) Jawad, A. H.; Al-Heetimi, D. T. A.; Mastuli, M. S. Biochar from Orange (*Citrus Sinensis*) Peels by Acid Activation for Methylene Blue Adsorption. *Iran. J. Chem. Chem. Eng.* **2019**, 38 (2), 91–105.
- (6) Tetra, O. N.; Aziz, H.; Emriadi; Wahyuni, H.; Alif, A. Performance of TiO_2 -Carbon on Ceramic Template with Sodium Hydroxide Activation as Supercapacitor Electrode Materials. *Der Pharma Chem.* **2016**, 8 (17), 26–30.
- (7) Aziz, H.; Tetra, O. N.; Alif, A.; Syukri; Ramadhan, W. Electrical Properties of Supercapacitor Electrode-Based on Activated Carbon from Waste Palm Kernel Shells. *undefined* **2016**.
- (8) Wang, C. H.; Wen, W. C.; Hsu, H. C.; Yao, B. Y. High-Capacitance KOH-Activated Nitrogen-Containing Porous Carbon Material from Waste Coffee Grounds in Supercapacitor. *Adv. Powder Technol.* **2016**, 27 (4), 1387–1395. <https://doi.org/10.1016/j.apt.2016.04.033>.
- (9) Ahmed, S.; Ahmed, A.; Rafat, M. Supercapacitor Performance of Activated Carbon Derived from Rotten Carrot in Aqueous, Organic and Ionic Liquid Based Electrolytes. *J. Saudi Chem. Soc.* **2018**, 22 (8), 993–1002. <https://doi.org/10.1016/j.jscs.2018.03.002>.
- (10) Huang, G. G.; Liu, Y. F.; Wu, X. X.; Cai, J. J. Activated Carbons Prepared by the KOH Activation of a Hydrochar from Garlic Peel and Their CO_2 Adsorption Performance. *Xinxing Tan Cailiao/New Carbon Mater.* **2019**, 34 (3), 247–257. [https://doi.org/10.1016/S1872-5805\(19\)60014-4](https://doi.org/10.1016/S1872-5805(19)60014-4).
- (11) Li, D.; Ma, T.; Zhang, R.; Tian, Y.; Qiao, Y. Preparation of Porous Carbons with High Low-Pressure CO_2 uptake by KOH Activation of Rice Husk Char. *Fuel* **2015**, 139, 68–70. <https://doi.org/10.1016/j.fuel.2014.08.027>.
- (12) SONG, C.; REN, K.; LONG, S.; ZHU, Y.; TENG, Z.; WANG, M.; ZHANG, J.; HAN, K. Preparation of Activated Carbon from Unburned Carbon in Biomass Fly Ash and Its Supercapacitor Performance. *J. Fuel Chem. Technol.* **2021**, 49 (12), 1936–1942. [https://doi.org/10.1016/S1872-5813\(21\)60129-9](https://doi.org/10.1016/S1872-5813(21)60129-9).
- (13) Li, Y.; Van Zijll, M.; Chiang, S.; Pan, N. KOH Modified Graphene Nanosheets

- for Supercapacitor Electrodes. *J. Power Sources* **2011**, 196 (14), 6003–6006. <https://doi.org/10.1016/j.jpowsour.2011.02.092>.
- (14) Liu, Z.; Zhu, Z.; Dai, J.; Yan, Y. Waste Biomass Based-Activated Carbons Derived from Soybean Pods as Electrode Materials for High-Performance Supercapacitors. *ChemistrySelect* **2018**, 3 (21), 5726–5732. <https://doi.org/10.1002/slct.201800609>.
- (15) Tetra, O. N. Superkapasitor Berbahan Dasar Karbon Aktif Dan Larutan Ionik Sebagai Elektrolit. *J. Zarah* **2018**, 6 (1), 39–46. <https://doi.org/10.31629/zarah.v6i1.293>.
- (16) Le Van, K.; Luong Thi, T. T. Activated Carbon Derived from Rice Husk by NaOH Activation and Its Application in Supercapacitor. *Prog. Nat. Sci. Mater. Int.* **2014**, 24 (3), 191–198. <https://doi.org/10.1016/j.pnsc.2014.05.012>.
- (17) Pandiarajan, A.; Kamaraj, R.; Vasudevan, S.; Vasudevan, S. OPAC (Orange Peel Activated Carbon) Derived from Waste Orange Peel for the Adsorption of Chlorophenoxyacetic Acid Herbicides from Water: Adsorption Isotherm, Kinetic Modelling and Thermodynamic Studies. *Bioresour. Technol.* **2018**, 261 (March), 329–341. <https://doi.org/10.1016/j.biortech.2018.04.005>.
- (18) Mastragostino, M.; Soavi, F.; Arbizzani, C. Electrochemical Supercapacitors. *Advances in Lithium-Ion Batteries*. 2002, pp 481–505. https://doi.org/10.1007/0-306-47508-1_17.
- (19) Hartanto. Pembuatan Karbon Aktif Dari Tempurung Kelapa Sawit Dengan Metode Aktivasi Kimia. *J. Sains Mater. Indones.* **2010**, 12 (1), 12–16.
- (20) Yustinah, Y. Ekstraksi Minyak Atsiri Dari Kulit Jeruk Sebagai Bahan Tambahan Pada Pembuatan Sabun. *J. Konversi* **2016**, 5 (1), 25. <https://doi.org/10.24853/konversi.5.1.25-30>.
- (21) Hariyati, M. N. Ekstraksi Dan Karakterisasi Pektin Dari Limbah Proses Pengolahan Jeruk Pontianak (*Citrus Nobilis* Var *Microcarpa*). **2006**.
- (22) Khaerunnisa, G.; Sarto, S.; Sutijan, S.; Syamsiah, S. Pengaruh Steam Pretreatment Terhadap Degradasi Selulosa Dan Limonen Pada Limbah Jeruk Dalam Produksi Biohidrogen. *J. Rekayasa Proses* **2018**, 12 (1), 1. <https://doi.org/10.22146/jrekpros.31163>.
- (23) Kanakaraju, P.; Rao, M. P. *Design and Development of Portable Digital LCR Meter by Auto Balancing Bridge Method-Channel Analog Multiplexer/Demultiplexer, Operational Amplifier and PCB with Minimum Components*; 2016; Vol. 130.
- (24) Saifudin, M.; Melania, S. M. Perancangan Sensor Kelembaban Beras Berbasis Kapasitor. *Jurnal Sains dan Seni Pomits*. 2013, pp 1–6.
- (25) Marpaung, P. W.; Murti, M. A.; Ramdhani, M. Desain Dan Implementasi L-c Meter Berbasis Pc. **2007**, 2007 (Snati).
- (26) Topayung, D. Effect of Electric Current and Process Time in The Thickness and Mass Layer Formed on Electroplating Steel Plates. *J. Ilm. Sains* **2011**, 11 (1), 97–101.
- (27) Sunardi; Abdullah. Konversi Abu Layang Batu Bara Menjadi Zeolit Dan Pemanfaatannya Sebagai Adsorben Merkuri (II). *Sains Dan Terap. Kim.* **2012**, 1 (1), 1–10.
- (28) Wogo, H. E.; Segu, J. O.; Ola, P. D. Sintesis Silika Gel Terimobilisasi Dithizon

- Melalui Proses Sol-Gel. *Sains dan Terap. Kim.* **2011**, 5 (1), 84–95.
- (29) Roque-Malherbe, R. M. A. *Adsorption and Diffusion in Nanoporous Materials*; CRC Press, 2007. <https://doi.org/10.1201/9781420046762>.
- (30) Lu, W.; Hartman, R.; Qu, L.; Dai, L. Nanocomposite Electrodes for High-Performance Supercapacitors. *J. Phys. Chem. Lett.* **2011**, 2 (6), 655–660. <https://doi.org/10.1021/jz200104n>.
- (31) El-Merraoui, M.; Aoshima, M.; Kaneko, K. Micropore Size Distribution of Activated Carbon Fiber Using the Density Functional Theory and Other Methods. *Langmuir* **2000**, 16 (9), 4300–4304. <https://doi.org/10.1021/LA991242J>.
- (32) Thommes, M.; Kaneko, K.; Neimark, A. V.; Olivier, J. P.; Rodriguez-Reinoso, F.; Rouquerol, J.; Sing, K. S. W. Physisorption of Gases, with Special Reference to the Evaluation of Surface Area and Pore Size Distribution (IUPAC Technical Report). *Pure Appl. Chem.* **2015**, 87 (9–10), 1051–1069. <https://doi.org/10.1515/PAC-2014-1117/PDF>.
- (33) Apriani, R.; Diah Faryuni, I.; Wahyuni, D.; Kunci, K.; Aktif, K.; Durian, K.; Hidroksida, K.; Fe, A. Pengaruh Konsentrasi Aktivator Kalium Hidroksida (KOH) Terhadap Kualitas Karbon Aktif Kulit Durian Sebagai Adsorben Logam Fe Pada Air Gambut. *Prism. Fis.* **2013**, 1 (2), 82–86.
- (34) Sujatno, A.; Salam, R.; Bandriyana, B.; Dimiyati, A. Studi Scanning Electron Microscopy (Sem) Untuk Karakterisasi Proses Oksidasi Paduan Zirkonium. *J. Forum Nukl.* **2017**, 9 (1), 44. <https://doi.org/10.17146/jfn.2015.9.1.3563>.
- (35) Erna Setyaningsih, N.; Muttaqin, R.; Mar, I. Physics Communication Optimalisasi Waktu Pelapisan Emas-Palladium Pada Bahan Komposit Alam Untuk Karakterisasi Morfologi Dengan Scanning Electron Microscopy (SEM)-Energy Dispersive X-Ray Spectroscopy (EDX). *Phys. Comm* **2017**, 1 (2), 36–40.
- (36) Sulistyani, M.; Huda, N. *Indonesian Journal of Chemical Science Optimasi Pengukuran Spektrum Vibrasi Sampel Protein Menggunakan Spektrofotometer Fourier Transform Infrared (FT-IR)*; 2017; Vol. 6.
- (37) Ortiz-Martínez, A. K.; Godínez, L. A.; Martínez-Sánchez, C.; García-Espinoza, J. D.; Robles, I. Preparation of Modified Carbon Paste Electrodes from Orange Peel and Used Coffee Ground. New Materials for the Treatment of Dye-Contaminated Solutions Using Electro-Fenton Processes. *Electrochim. Acta* **2021**, 390. <https://doi.org/10.1016/j.electacta.2021.138861>.
- (38) Yan, Y.; Xu, M.; Luo, Y.; Ma, J.; Pang, H.; Xue, H. Preparation of N, P Co-Doped Activated Carbons Derived from Honeycomb as an Electrode Material for Supercapacitors †. **2017**. <https://doi.org/10.1039/c7ra08759d>.
- (39) Jamilatun, S.; Setyawan, M. Pembuatan Arang Aktif Dari Tempurung Kelapa Dan Aplikasinya Untuk Penjernihan Asap Cair. *Spektrum Ind.* **2014**, 12 (1), 73. <https://doi.org/10.12928/si.v12i1.1651>.
- (40) Marsh, H.; Rodríguez-Reinoso, F. Activated Carbon. *Act. Carbon* **2006**. <https://doi.org/10.1016/B978-0-08-044463-5.X5013-4>.
- (41) Thommes, M.; Kaneko, K.; Neimark, A. V.; Olivier, J. P.; Rodriguez-Reinoso, F.; Rouquerol, J.; Sing, K. S. W. Physisorption of Gases, with Special Reference to the Evaluation of Surface Area and Pore Size Distribution (IUPAC Technical

- Report). *Pure Appl. Chem.* **2015**, *87* (9–10), 1051–1069. <https://doi.org/10.1515/PAC-2014-1117>.
- (42) Erlina.; Umiatin., dan; Budi, E. Pengaruh Konsentrasi Larutan KOH Pada Karbon Aktif Tempurung Kelapa Untuk Adsorpsi Logam Cu. *Pros. Semin. Nas. Fis.* **2015**, *IV*, 55–60.
- (43) Sania, G. Pemanfaatan Karbon Aktif Dari Ampas Biji Kopi Aceh Dengan Aktivator NaOH Sebagai Bahan Elektroda Superkapasitor. **2018**, 1–73.
- (44) Sutrisno, B. A. Studi Pengukuran Kapasitansi Dan Konstanta Dielektrik Pada Cabe Merah (*Capsicum Annum L.*) Giling. *Phys. Student J.* **2014**, *2* (1), 2–4.
- (45) Alif, Admin; Tetra, Olly Norita; Aziz, H. Pengaruh Aktivasi Dengan KOH Terhadap Performance TiO₂/C Berpendukung Keramik Sebagai Elektroda Superkapasitor. **2016**, *5*, 38–43.
- (46) . Yantika, R. Pengaruh Elektrolit H₂SO₄ Terhadap Sifat Listrik Elektroda Campuran Zeolit Dari Bottom Ash Dan Resin Damar Sebagai Superkapasitor. *Skripsi* **2014**.
- (47) Liamprawat, T.; Verasarut, P.; Kaewtrakulchai, N.; Panomsuwan, G.; Chutipaijit, S.; Puengjinda, P.; Fuji, M.; Eiad-ua, A. Synthesis of Porous Carbon Materials from Water Hyacinth via Hydrothermal Carbonization Assisted Chemical Activation for Carbon-Based Electrode Applications. *AIP Conf. Proc.* **2020**, 2279 (1), 130004.
- (48) Akmal, C. Pemanfaatan Karbon Aktif Dari Ampas Kopi Sebagai Bahan Elektroda Superkapasitor Dengan Aktivator ZnCl₂. *Skripsi* **2020**.
- (49) Aliza, R. Pengaruh Suhu Pembakaran Terhadap Performance TiO₂/C Berpendukung Keramik Sebagai Elektroda Superkapasitor. **2015**.

