

## BIBLIOGRAPHY

- Anderson, J.W., Baird, P., Davis R.H., Ferreri, S., Knudtson, M., Koraym, A., Waters, V., Williams, C.L. 2009. Health benefits of dietary fiber. *Nutr Rev.* 67: 188–205.
- Anik, H. 2010. *Manfaat Serat dalam Menu Makanan*. In: Santoso, A. 2011. Serat Pangan (Dietary Fiber) dan manfaatnya bagi kesehatan. *Magistra.* 35-40
- Aucott, L.S, 2008. Influences of weight loss on long-term diabetes outcomes. *Proc Nutr So.* 67:54–59
- Badman, M.K, Pissios, P., Kennedy, A.R., Koukos, G., Flier, J.S. 2007. Hepatic fibroblast growth factor 21 is regulated by PPAR alpha and is a key mediator of hepatic lipid metabolism in ketotic states. *Cell Metab.* 5: 426-437
- Badman, M.K., Koester, A., Flier, J.S., Kharitonov, A., Maratos-Flier, E. 2009. Fibroblast growth factor 21-deficient mice demonstrate impaired adaptation to ketosis. *Endocrinology* 150:4931–4940
- Bahadoran, Z., Mirmiran, P., Hosseini-Eshafani, F., Azizi, F. 2013. Fast food consumption and the risk of metabolic syndrome after 3-years of follow-up: Tehran Lipid and Glucose Study. *Eur. J. Clin. Nutr.* 67: 1303–1309
- Baroroh, H.N., Nugroho, A.E., Lukitaningsih, E., Nurrochmad, A. 2021. Immune enhancing Effect of Bengkoang (*Pachyrhizus erosus* (L.) Urban) Fiber Fractions on Mouse Peritoneal Macrophages, Lymphocytes, and Cytokines. *Journal of Natural Science, Biology and Medicine.* 12:84-92
- Berglund, E.D, Li C.Y, Bina, H.A, Lynes, S..E, Michael, M.D, Shanafelt, A.B, Kharitonov, A, Wasserman, D.H. 2009. Fibroblast growth factor 21 controls glycemia via regulation of hepatic glucose flux and insulin sensitivity. *Endocrinology.* 50:4084–4093
- Bobbert, T., Schwarz, F., Rosinky, A.F., Andreas, F.H., Pfeiffer., Mohlig M., Mai, K., Spranger, J. 2013. Fibroblast growth factor 21 predicts the metabolic syndrome and type 2 diabetes in Caucasians. *Diabetes Care* 36, 145–149
- Buckman, E.S., Oduro, I., Plahar A.W., Tortoe, C. 2017. Determination of the chemical and function properties of yam bean (*Pachyrhizus erosus* (L.) Urban) flour food system. *Food Sci Nutr.* 00:1-7.
- Burke, S.J, Bardof, H.M., Martin, T.M., Burk, D.H., Noland, R.C., Cooley, C.R., Karlstad, M.D., Johnson, W.D. 2018. Liquid Sucrose Consumption Promotes Obesity and Impairs Glucose Tolerance without Altering Circulating Insulin Levels. *HHS Public Access.* 7: 1188-1196

- Cefalu, W.T. 2001. Insulin resistance: cellular and clinical concepts. *Exp Biol Med (Maywood)*. 226:13-26.
- Cerf, M.E. 2007. High fat diet modulation of glucose sensing in the beta-cell. *Med Sci Monit* 13:RA12–7
- Cherbut, C. 2002. Inulin and oligofructose in the dietary fibre concept. *British Journal of Nutrition*. 87( 2) : 159–162.
- Cuevas-Ramos, D., Almeda-Valdes, P., Aguilar-Salinas, C.A., Cuevas-Ramos, G., Cuevas-Sosa, A.A., Gomez-Perez, F.J., The role of fibroblast growth factor 21 (FGF21) on energy balance, glucose and lipid metabolism. *Curr Diabetes Rev*. 2009;5(4):216–220.
- Cyphert, H.A., Alonge, K.M., Ippagunta, S.M, Hillgartner, F.B. 2014. Glucagon stimulates hepatic FGF21 secretion through a PKA- and EPAC-dependent posttranscriptional mechanism. *PLoS One*. 9:e94996.
- D alessio, D. 2016. Is GLP-1 a hormone: whether and when ?. *Journal of Diabetes Investigation*. Volume 7: 51-55
- De Ferranti, S and Mozaffarian, D. 2008. The perfect storm: obesity, adipocyte dysfunction, and metabolic consequences. *Clin Chem*. 54: 945–955.
- Deer, J., Juraj, K., Marlies, O., Peter, R. 2015. Dietary models of insulin resistance. *Metabolism*. 64: 163–171
- Diza, Y.H, Wahyuningsih, T., Hermianti, W. 2016. *Penentuan Jumlah Bakteri Asam Laktat (Bal) Dan Cemaran Mikroba Patogen Pada Yoghurt Bengkuang Selama Penyimpanan*.
- Emanuelli, B., Sara, G.V., Graham, S., Christine, C., Kristin, I.S., Manimozhiyan, A., Mervyn, D.M., Andrew, C.A., Alexei, K., C.Ronald, K. 2015. Interplay between FGF21 and insulin action in the liver regulates. *The Journal of Clinical Investigation*. 125: 515-527
- Erickson Anjeza and Regis Moreau. 2016. The regulation of *FGF21* gene expression by metabolic factors and nutrients. *Horm Mol Biol Clin Invest*. 30: 1-14
- Fisher, F.M., Sandra, K., Bruce, M.S. 2012. FGF21 regulates PGC-1 and browning of white adipose tissues in adaptive thermogenesis. *Genes Dev*. 26: 271 – 281
- Fisher, F.M., Chui, P.C., Antonellis, P.J., Bina, H.A., Kharitononkov, A., Flier, J.S., Maratos-Flier, E. 2010. Obesity is a fibroblast growth factor 21 (FGF21)-resistant state. *Diabetes*. 59:2781-9.
- Fisher, F.M and Eleftheria, M.F. 2016. Understanding the Physiology of FGF21. *The Annual Review of Physiology: California*

- Fuji, H., Iwasel, M., Ohkuma, T., Ogata—Kaizu, S., Ide, H., Kikuchi, Y., Idewaki, Y., Joudai, T., Hirakawa, Y., Uchida, K., Sasaki, S., Nakamura, U. and T Kitazono, T. 2013. Impact of dietary fiber intake on glycemic control, cardiovascular risk factors and chronic kidney disease in Japanese patients with type 2 diabetes mellitus: the Fukuoka Diabetes Registry. *Nutrition Journal*, 12:159
- Gallego-Escuredo, J.M., Gomez-Ambrosi, J., Catalan, V., Domingo, P., Giralt, M., Funbeck, G., Villaroya, F. 2014. Opposite alterations in FGF21 and FGF19 levels and disturbed expression of the receptor machinery for endocrine FGFs in obese patients. *Int J Obes (Lond)*. 39:121–129
- Galman, C., Lundasen, T., Kharitonov, A., Bina, H.A., Eriksson, M., Hafstrom, I., Dahlin, M., Amark, P., Angelin, B., Rudling, M. 2008. The Circulating metabolic regulator FGF21 is induced by prolonged fasting and PPAR $\alpha$  activation in man. *Cell Metab*. 8:169–74.
- Geng, L., B. Liao., Leigang, J., Huang, Z., Triggle, C., Ding, H., Zhng, J., Huang, Y., Zhuofeng, L., Xu, A. 2019. Exercise Alleviates Obesity- Induced Metabolic Dysfunction via Enhancing FGF21 Sensitivity in Adipose Tissue. *Cell Reports*. 26: 2738-2752.
- Gonzalez, S.R, Ramirez, I.P, Cruz, D.A, Corona, M.G, Gomez, M.R, Mora, O, Camacho, R.R. 2018. Polyphenol-rich peach (*Prunus persica* L.) by-product exerts a greater beneficial effect than dietary fiber-rich by-product on insulin resistance and hepatic steatosis in obese rats. *Journal of Functional Foods* 45: 58–66
- Goto, T., Kim, Y., Funakoshi, K., Teraminami, A., Uemura, T., Hirai, S., Lee, J.Y., Makishima, M., Nakata, R., Inoue, H., Senju, H., Matsunaga, M., Horio, F., Takashi, N., Kawada, T. 2011. Farnesol, an isoprenol, improves metabolic abnormalities in mice via both PPAR $\alpha$  dependent and independent pathways. *Am J Physiol Endocrine Metab*. 301: 1022-1032.
- Grooms, K.N., Mark, J.O., Quyen, P., Luc, D. 2013. Dietary fiber intake and cardiometabolic risks among US adults, NHANES 1999-2010. *Am. J. Med*. 126 : 1059–1067
- Gupte, J., Yang, L., Wu, X., Weiszmann, J., Hecht, R., Lemon, B. 2011. The FGFR D3 Domain Determines Receptor Selectivity For Fibroblast Growth Factor 21. *Journal of Molecular Biology*. 408:491–502
- Hale, C., Chen, M.M., Stanislaus, S., Chinookoswong, N., Hager, T., Wang, M., V'eniand, M.M., Xu, J. 2012. Lack of overt FGF21 resistance in two mouse models of obesity and insulin resistance. *Endocrinology*. 153(1):69–80.
- Hao, L, Kuan, H.H., Kyoto, I., Sudathip, S.T., Joshua, D.L., Catharine, R. 2016. Fibroblast Growth Factor 21 (Fgf21) Gene Expression Is Elevated in the Liver of Mice Fed a High-Carbohydrate Liquid Diet and Attenuated by a



Lipid Emulsion but Is Not Upregulated in the Liver of Mice Fed a High-Fat Obesogenic Diet. *The Journal of Nutrition*. 146 :184-190

Harstra, V.A., Kristen, E.C., Fredrik, B., Max, N. 2015. Insight into the Role of The Microbiome in Obesity and Type 2 Diabetes. *Diabetes Care*. 38 (1): 159-165

Hariri, N and Thibault, L. 2010. High-fat diet-induced obesity in animal models. *Nutr Res Rev*. 23 : 270–299

Hill, J.O., Melanson, E.L, and Wyatt, H.T. 2000. Dietary Fat Intake and Regulation of Energy Balance: Implication for Obesity. *Journal Nutrition*. 130:284-8

Hurt, R.T., Kulisek, C., Buchanan, L.A, Mc Clave, S.A. 2010. The obesity epidemic: challenges, health initiatives, and implications for gastroenterologists. *Gastroenterology and Hepatology*. 12:780-792

Iggman, D., Gustaffson, B., Berglund, L., Vessby, B., Marckmann, P., Riserus, U. 2011. Replacing dairy fat with rapeseed oil causes rapid improvement of hyperlipidaemia: a randomized controlled study. *J Intern Med*. 270: 356–64 .

Inagaki, T., Dutchak, P., Zhao, G., Ding, X., Gautron, L., Parameswara, V., Li, Y., Goetz, R., Mohammadi, M., Esser, V., Elmquist, J.K., Gerard, R.D, Burgess, S.C., Hammer, R.E., Mangelsdorf, D.J., Kliewer, S.A. 2007, Endocrine regulation of the fasting response by PPARalpha-mediated induction of fibroblast growth factor 21. *Cell Metab*. 5 :415–425.

Kahn, S.E., Hull, R.L., Utzschneider, K.M. 2006. Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*. 444: 840–846.

Kalra, S. 2014. Alpha glucosidase inhibitors. *J Pak Med Assoc*. 64: 474-476.

Karundeng, R., Wangko, S., Kalang, S.J.R. 2014. Jaringan Lemak Putih dan Jaringan lemak coklat, aspek histofisiologi. *Jurnal Biomedik*.6: 8-16.

Kharitonov, A., Dimarchi, R. 2015. FGF21 revolutions: recent advances illuminating FGF21 biology and medicinal properties. *Trends. Endocrinol. Metab* 26(11): 608-617

Kharitonov, A., Larsen, P. 2011. FGF21 reloaded: challenges of a rapidly growing field. *Trends Endocrinol Metab*. 22:81–86

Kim, K.H and Myung, S.L. 2014. FGF21 as a Stress Hormone: The Roles of FGF21 in Stress Adaptation and the Treatment of Metabolic Diseases. *Diabetes and Metabolism Journal*. 38 : 245-251

Kim, S.K. 2009. Introduction of yam bean (*Pachyrhizus* spp.) in Korea. *Korean J Plant Re*. 22: 546-551.

- Koh, A., De Vadder, F., Kovatcheva-Datchary, P. & Backhed, F. From Dietary Fiber to Host Physiology: Short-Chain Fatty Acids as Key Bacterial Metabolites. *Cell*. 165: 1332–1345
- Koksal, B. 2016. Effect of Streptozotocin on Plasma Insulin Levels of Rats and Mice: A Meta-analysis Study. *Journal of Medical Sciences*. 3(3): 380-383
- Kumalasari, I.D., Nishi, K., Harmayani, E., Raharjo, S. 2014. Immunomodulatory activity of Bengkuang (*Pachyrhizus erosus*) fiber extract in Vitro and in Vivo. *Cytotechnology*. 66: 75—85
- Laeger, T., Tara, M.H., Diana, C.A., Leanne, M.R., George, A.B., Robert, C.N., Heike, M., Susan, M.H., Thomas, W.G., Michael W.S., Christopher, D.M. 2014. FGF 21 is an endocrine signal of protein restriction. *The Journal of Clinical Investigation*. 124: 3913- 3922.
- Lang, P., Solveig, H., Huige, L., Ning, X. 2019. Effects of different Diets Used In Diet- Induced Obesity Models On Insulin Resistance and Vascular Dysfunction in C57BL/6 Mice. *Scientific Reports*. 9: 1-14
- Larraufie, P., Roberts, G.P., McGavigan, A.K., Kay, R.G., Li, J., Leiter, A., Melvin, A., Biggs, E.K., Ravn, P., Davy, K., Hornigold, D.C., Yeo, G.S.H., Hardwick, R.H., Reimann, F., Gribble, F.M. 2019. Important role of the GLP-1 axis for glucose homeostasis after bariatric surgery. *Cell Rep*. 26(6):399–408
- Lazar, M.A. 2005. How obesity causes diabetes: not a tall tale. *Science*. 307: 373–375
- Li, H., Gao, Z., Zhang, J., Ye, X., Xu, A., Ye, J., Jia, W. 2012. Sodium Butyrate Stimulates Expression of Fibroblast Growth Factor 21 in Liver by Inhibition of Histone Deacetylase 3. *Diabetes*. 61:797–806.
- Li, X., Fan, X., Ren, F., Zhang, Y., Shen, C., Ren, G., Sun, J., Zhang, N., Wang, W., Ning, G., Yang, J. 2011. Serum FGF21 levels are increased in newly diagnosed type 2 diabetes with nonalcoholic fatty liver disease and associated with hsCRP levels independently. *Diabetes Res Clin Pract* . 93:10–16.
- Li, X., Guo, J., Ji, K., Zhang, P. 2016. Bamboo shoot fiber prevents obesity in mice by modulating the gut mmicrobiota. *Scientific Reports*. 6:32953.
- Lin, X., Yuan, B.L., Huijun, H. 2017. Metabolic role of fibroblast growth factor 21 in liver, adipose and nervous system tissues (Review). *Biomedical Reports*. 6: 495-502
- Liu, Q., Shuo, W., Meng, W., Xin, H., Yugang, C., Yi, S., Pingtian, X., Mingwei, Z., Shaozhuang, L.,Guangyong, Z., Sanyuan, H. 2019. Improved FGF21 Sensitivity and Restored FGF21 Signaling Pathway in High-Fat Diet/Streptozotocin- Induced Diabetic Rats After Duodenal-Jejunal Bypass and Sleeve Gastrectomy. *Frontiers in Endocrinology*. 10: 1-13

- Lozano, I., William, B., Elodie, S., Claude, P., Michael, P., Natthalie, J., Eric, M., Severine, S., Stephanie, D. 2016. High-Fructose and High- Fat Diet- Induced Disorders In Rats: Impact On Diabetes Risk, Hepatic and Vascular complications. *BioMed Central*. 13: 1-13
- Lyon, M.R, Reichert, R.G. 2010. In Wang and Elizabeth.2012. The effect of a novel viscous polysaccharide along with lifestyle changes on short-term weight loss and associated risk factors in overweight and obese adults: an observational retrospective clinical program analysis. *Altern Med Rev*.15(1):68–75.
- Markan, K., Meghan, C.N., Magdalene, K.A., Maxwell, D.A., David, J.M., Steven, A.K., Moosa, M., Matthew, J.P. 2014. Circulating FGF21 Is Liver Derived and Enhances Glucose Uptake During Refeeding and Overfeeding. *Diabetes*. 63: 4057- 4063.
- Marques, C., Manuela, M., Sonia, N., Joana, L., Joana, F., Diogo, P., Ana, F., Conceicao, C. 2016. High-fat diet-induced obesity Rat model: a comparison between Wistar and Sprague-Dawley Rat. *Taylor and Francis Group*. 5: 11-21
- Mraz, M., Bartlova, M., Lacinova, Z., Michalsky, D., Kasalicky, M., Haluzikova, D., Matoulek, M., Dostalova, I., Humenanska, V., Haluzik, M. 2009. Serum concentrations and tissue expression of a novel endocrine regulator fibroblast growth factor-21 in patients with type 2 diabetes and obesity. *Clin Endocrinol (Oxf)*. 71:369–75.
- Mussury, R.M, Scalon, S.P, Silva, M.A, Silva, T.F, Gomes, H., Gassi, R. 2013. Postharvest conservation of the tuberous roots of *Pachyrhizus ahipa* (Wedd) Parodi. *An Acad Bras Cienc* 85: 761-768.
- Nadimin, Sri D, Sadariah. 2009. Pengaruh pemberian diit tinggi 11. serat terhadap penurunan kadar gula darah pasien DM tipe-II di RSUD Salewang Kab. Maros. *Media Gizi Pangan*. VII(1):1-5
- Nadkarni, P., Chepurny, O.G., Holz, G.G. 2016. Regulation of glucose homeostasis by GLP-1. *Prog Mol Biol Transl Sci*, 2014; 121:23–65; doi:10.1016/B978-0-12-800101-1.00002-8
- Nair, A.N.S., Reshma, V.R.N., Aroma, P.R.N., Akhila, S.N., Sabu, T., Ani, J.J., Sabulai, B. 2020. Antidiabetes constituents, cycloartenol and 24-methylenecycloartanol, from *Ficus Krishnae*. *Plos One*: 1-21
- Nishimura, T., Yuhki, N., Morichika, K., Nobuyuki, I. 2000. Identification of a novel FGF, FGF-21, preferentially expressed in the liver. *Biochim Biophys Acta* 1492: 203–206.
- Nomaguchi, K., Tanaka, M., Eriko, M., Muneo, Y., Tomohiro, T., Keiji, I., Tsuyoshi, G., Teruo, K. 2011. Aloe Vera phyosterols act as ligands for PPAR



and improve the expression levels of PPAR target genes in the livers of mice with diet-induced obesity. *Obesity Research and Clinical Practice*. 5: e190-e201.

- Noman, A.S.M., Hoque, MA., Haque, M.M., Pervin, F., Karim, M.R. 2007. Nutritional and anti-nutritional components in *Pachyrhizus erosus* L. tuber. *Food Chem*. 102: 1112–1118
- Nurhamidah. 2016. *Pengaruh Pemberian Ekstrak Bengkuang (Pachyrhizus erosus) Terhadap Kadar Gula Darah, Kadar Immunoglobulin A (IgA) dan Vili Usus pada Tikus Putih (Rattus Norvegicus) Diabetes Mellitus*. Universitas Andalas. Padang
- Nurrochmad, A., Fransiska, L., Caecilia, G.W., Endang, L. 2010. Phytoestrogens of *Pachyrhizus erosus* prevent bone loss in an ovariectomized rat model of osteoporosis. *Int J Phytomed*. 2: 363–372
- Nygaard, E.B., Meller, C.L., Klevit, P., Grove, K.L., Andersen, B. 2014. Increased fibroblast growth factor 21 expression in high-fat diet-sensitive non-human primates (*Macaca mulata*). *International journal of obesity*. 38: 183-191
- Ogden, C.L., Susan, Z.Y., Margaret, D.C., Katherine, M.F. 2007. The epidemiology of obesity. *Gastroenterology* 132 :2087–2102.
- Oishi, K., Konishi, M., Murata, Y., Itoh, N. 2011. Time-imposed daily restricted feeding induces rhythmic expression of Fgf21 in white adipose tissue of mice. *Biochem Biophys Res Commun* . 412:396–400.
- Oishi, K., Tomita, T. 2011. Thiazolidinediones are potent inducers of fibroblast growth factor 21 expression in the liver. *Biol Pharm Bull* . 34:1120–1121.
- Park, C.J. and Han, J.S, 2015. Hypoglycemic Effect of Jicama (*Pachyrhizus erosus*) Extract on Streptozotocin—Induced Diabetic Mice. *Prev. Nutr. Food Sci*. 20 :88-93.
- Pathoff, J.M. 2017. A new frontier in FGF21 biology. *Endocrinology*. 1- 2.
- Paz-Filho, G., Claudio, M., Carina, B.F., Kevin, B.W., Ma-Li, W., Julio, L.2012. Leptin: Molecular mechanisms, systemic proinflammatory effects, and clinical implications. *Arquivos Brasileiros De Endocrinologia & Metabologia*. 9: 597–607.
- Picchi, M.G., Andresa, M.M., Marina, R.B., Camila, P.D., Maria, A.G., Guilherme, V.P., Alceu, A.J. 2011. A High Fat Diet As A Model of Fatty Liver Disease in Rat. *Acta Cirurgica Brasileira*, 26: 25-30
- Pothoff, M.J. 2017. FGF21 and metabolic disease in 2016: A new frontier in FGF21 biology. *Nat Rev Endocrinol*. 13(2): 74–76.

- Rachdaoui, Nadia. 2020. Insulin: The Friend and the Foe in th Development of Type 2 Diabetes Mellitus. *International Journal of Molecular Sciences*. 21, 1770: 1-21
- Rahmawati, F.C., Kis, D., Nyoman, S. 2017. Pengaruh yogurt sinbiotik pisang terhadap kadar glukosa dan insulin tikus sindrom metabolik. *Jurnal Gizi Klinik Indonesia*. Vol(1) 1:10-18
- Reaven, G. 2004. The metabolic syndrome or the insulin resistance syndrome? Different names, different concepts, and different goals. *Endocrinol Metab Clin North Am*. 33: 283-303.
- Rias, Y.A and Ekawati, S. 2017. The relationship between bodyweight and glucose in diabetic rats. *Jurnal Wiyata*. Vol (4) 1: 72-77
- Roberfroid, M. 2005. Inulin-type fructans : functional food ingredients. *CRC Press : Boca Raton*.
- Rodri' guez, R., Ana, J., Juan, F.B., Rafael, G. 2006. Dietary fibre from vegetable products as source of functional ingredients. *Trends Food Sci Tech*. 17: 3–1
- Ruiz- Rocio, G., Paula, S., Maria, P.R., Julio, S., Beatriz, S., Marisol, F.A., Mariano, R.G. 2012. Leptin Drives Fat distribution During Diet in Mice. *Revista Endocrinologia Nutritio Articulo*. 59: 354-361
- Rusli, F., Deelen, J., Andriyani, E., Boekschoten, M.V., Lute, C., Beekman, M., Steegenga, W.T. 2016. Fibroblast growth factor 21 reflects liver fat accumulation and dysregulation of signalling pathways in the liver of C57BL/6J mice. *Sci Rep*. 6:30484.
- Sa' nchez, J., Palou, A., Pic o', C. 2009 Response to carbohydrate and fat refeeding in the expression of genes involved in nutrient partitioning and metabolism: striking effects on fibroblast growth factor-21 induction. *Endocrinology* 150:5341–5350
- Saisho, Y. 2016. Pancreas Volume and Fat Deposition in Diabetes and Normal Physiology: Consideration of the Interplay Between Endocn'ne and Exocn'ne Pancreas. *The Review of Diabetic Studies*, 13 : 2-3
- Santoso, P., Amelia, A. & Rahayu, R., 2019. Jicama (*Pachyrhizus erosus*) fiber prevents excessive blood glucose and body weight increase without affecting food intake in mice fed with high-sugar diet. *Journal of Advanced Veterinary and Animal Research*, 6: 222-230.
- Santoso, P., Maliza, R., Fadhilah, Q., Insani, S.J. 2019. Beneficial Effect of *Pachyrhizus erosus* Fiber As A Supplemental Diet to Counteract High Sugar-Induced Fatty Liver Disease in Mice. *Romanian Journal of Diabetes Nutrition & Metabolic Diseases*. 26: 353- 360



- Santoso, P., Maliza, R., Fadhilah, Q., Insani, S.J., Rahayu, R. 2021. Preventive effect of jicama (*Pachyrhizus erosus*) fiber against diabetes development in mice fed with high-fat diet. *Journal of Applied Pharmaceutical Science*. 11: 137-143
- Sasmita, M. 2017. *Hubungan antara obesitas dengan peningkatan kadar gula darah sewaktu pada mahasiswa kedokteran universitas sumatera utara angkatan 2013-2016*. Skripsi. Universitas Sumatera Utara.
- Schmittgen, D. T. dan K. J. Livak. 2008. Analyzing Real-Time PCR Data By The Comparative CT Method. *Nature Protocols*. 3(6): 1101-1108.
- Schroeder, N., Gallaher, D.D., Arndt, E.A., Marquart, L. 2009. Influence of whole grain barley, whole grain wheat, and refined rice-based foods on short-term satiety and energy intake. *Appetite*. 53(3):363–369.
- Stephen, L., Berkowitz, K.B., Barb, S., Want, L. 2004. Glucose Metabolism and Regulation: Beyond Insulin and Glucagon. *Diabetes Spectrum*. 17: 183-190
- Straiger, H., Keuper, M., Berti, L., Angelis, M.H., Haring, H.U. 2017. Fibroblast Growth Factor 21-Metabolic Role in Mice and Men. *Academicoup*: 468-488
- Sudha, M.R., Prashant, C., Kalpana, D., Sekhar, B., Kaiser, J. 2009. Probiotics as complementary therapy for hypercholesterolemia. *Biol Med*. 4:1–13.
- Tan, Si., Jose, A., Caparros-Martin., Vance, B., Matthews., Henrietta Koch., Fergal O’Gara., Kevin D. 2018. Isoquercetin and inulin synergistically modulate the gut microbiome to prevent development of the metabolic syndrome in mice fed a high fat diet. *Scientific Reports*. 8:10100
- Tanajak, P. 2017. Letter to the Editor: Parameters, Characteristics, and Criteria for Defining the Term “FGF21 Resistance”. *Endocrinology*.158(5): 1523–1524.
- Thaptimthong, T., Kasemsuk, T., Sibmooh, N., UncheIn, S. 2016. Platelet inhibitory effects of juices from *Pachyrhizus erosus* L. root and *Psidium guajava* L. fruit: a randomized controlled trial in healthy volunteers. *BMC Complementary and Alternative Medicine*, 16:269. doi: 10.1186/s12906-016-1255-1
- Tucker, L. A. and Thomas, K. S, 2009. Increasing total fiber intake reduces risk of weight and fat gains in women. *J. Nutr.* 139: 576–581
- Uebanso, T., Taketani, Y., Fukaya, M., Sato, K., Takei, Y., Sato, T., Sawada, N., Amo, K., Harada, N., Arai, H., Yamamoto, H., Takeda, E. 2009. Hypocaloric high-protein diet improves fatty liver and hypertriglyceridemia in sucrose-fed obese rats via two pathways. *Am J Physiol Endocrinol Metab*. 297:E76–84.

- Upadhyay, J., Olivia, F., Nikolaos, P., Wael, G., Christos, M. 2017. Obesity as a disease. *Med Clin N Am.* 17:1-21
- Van Steenis, C.G. 2005. *Flora*. Jakarta. PT Pradnya Pramita.
- Villaroya, J., Pavel, F., Ibon, R.A., Marta, G., Dasa, M., Francesc, V., Jan, K., Anna, P. 2014. Fibroblast Growth Factor-21 and the beneficial effects of long-chain n-3 polyunsaturated fatty acids. *Lipids.* 49: 1081-1089.
- Wang, X., Aiguo, G., Mengjie, C., Fangfang, G., Min, Z., Xiaoqi, Z., Liegang, L., Nianghong, Y. 2012. Increased Hypothalamic Inflammation Associated with the Susceptibility to Obesity in Rats Exposed to High-Fat Diet. *Experimental Diabetes Research.* 2012: 1-8
- Weickert, M.O., Pfeiffer, A.F. 2008. Metabolic effects of dietary fiber consumption and prevention of diabetes. *J. Nutr.* 138, 439–442.
- Weitkunat, K. 2015. Effects of dietary inulin on bacterial growth, short-chain fatty acid production and hepatic lipid metabolism in gnotobiotic mice. *J Nutr Biochem.* 26: 929–937.
- Wente, W., Efanov, A.M., Brenner, M., Kharitononkov, A., Koster, A., Sandusky, G.E., Sewing, S., Treinies, I., Zitzer, H., Gromada, J. 2006. Fibroblast growth factor-21 improves pancreatic beta-cell function and survival by activation of extracellular signalregulated kinase 1/2 and Akt signaling pathways. *Diabetes.* 55:2470–8.
- Woo, Y.C, Xu, A., Wang, Y., Lam, K.S. 2013. Fibroblast growth factor 21 as an emerging metabolic regulator: clinical perspectives. *Clin Endocrinol* 78:489–496. doi:10.1111/cen.12095
- Wu, Y., Liu, C., Sun, H., Vijayakumar, A., Giglou, P.R., Qiao, R. Oppenheimer, J., Yakar, S. and LeRoith, D. 2011. Growth Hormone receptor regulates beta cell hyperplasia and glucose-stimulated insulin secretion in obese mice. *The Journal of Clinical Investigation*, 6 (12).
- Xu, J., Shanaka, S., Narumo, C., Ywone, Y., Todd, H., Jennifer, P., Hongfei, G., Jen, W., Shu-Chen, L., Melissa, G., Jim, B., Randy, H., Yue-Sheng, L., Richard, L., Murielle, M.V. 2009. Acute glucose-lowering and insulin-sensitizing action of FGF21 in insulin-resistant mouse models-association with liver and adipose tissue effects. *Am J Physiol Endocrinol Metab.* 297: 1105-1114
- Yang, C., Weiqin, L., Tao, L., Pan, Y., Min, Y., Yangning, H., Xianhan, J., Cong, W., Fen, W., Mong, H., Sai, J., Randy, L.J., Chongjuan, W., Robert, Y.T., Marsha, L.F., Wallace, L., Keehan., Yongde, L. 2013. Activation of Liver FGF21 in hepatocarcinogenesis and during hepatic stress. *BMC Gastroenterology.* 13: 1-14

- Yang, Z., Milyahara, H., Takeo, J., Katayama, M. 2012. Diet in fat and sucrose induces rapid onset of obesity-related metabolic syndrome partly through rapid response of genes involved in lipogenesis, insulin signalin and inflammation in mice. *Diabetology & Metabolic Syndrome*. 4: 1-10
- Yasmina. A.R. 2014. *Perbedaan Kadar Glukosa Darah Puasa Sebelum Dan Setelah Pemberian Sari Bengkuang (Pachyrrhizus Erosus) Pada Wanita Pradiabetes*. Universitas Diponegoro: Semarang
- Yie, J., Wang, W., Deng, L., Tam, L.T., Stevens, J., Chen, M.M. 2012. Understanding the Physical Interactions in the FGF21/FGFR/beta-Klotho Complex: Structural Requirements and Implications in FGF21 Signaling. *Chemical Biology & Drug Design*. 56: 398–410
- Zhang, X., Dennis, C.Y., Michal, K., David, S., Zhi-Ghuang, Z., Feng, L., Rachel, L.C., Wing-sun, C., Annette, W.K., Karen, S.L., Aimin, X. 2008. Serum FGF21 Levels Are Increased in Obesity and Are Independently Associated With the Metabolic Syndrome in Humans. *Diabetes Original Article*. 57: 1246–1253
- Zhang, Y., Sun, S., Jia, H., Qi, Y., Zhang, J., Lin, L., Chen, Y., Wang, W., & Ning, G. (2020). The Optimized Calculation Method for Insulin Dosage in an Insulin Tolerance Test (ITT): A Randomized Parallel Control Study. *Frontiers in endocrinology*.11: 1-7

