

DAFTAR PUSTAKA

- Arikunto, S. (2013). *Prosedur penelitian suatu pendekatan praktek*. Rineka Cipta.
- Aziz, A., Hidayat, A., & Wijayanti, E. (2020). Predictor factors of phlebitis incidence for children in hospital private in Sidoarjo , Indonesia. *A Multifaceted Review Journal in the Field of Pharmacy*, 11(6), 249–253. <https://doi.org/10.31838/srp.2020.6.39>
- Babu, B., & Ealias, J. (2016). Effectiveness of planned teaching programme on knowledge regarding prevention and management of thrombophlebitis in cancer patients receiving chemotherapy among staff nurses. *IOSR Journal of Nursing and Health Science*, 05(05), 21–24. <https://doi.org/10.9790/1684-0505032124>
- Baghcheghi, N., Koohestani, H. R., & Rezaei, K. (2011). A comparison of the cooperative learning and traditional learning methods in theory classes on nursing students' communication skill with patients at clinical settings. *Nurse Education Today*, 31(8), 877–882. <https://doi.org/10.1016/j.nedt.2011.01.006>
- Cahyadi, L. O. R., Harun, A. A., & Indriastuti, D. (2020). Gambaran pengetahuan perawat mengenai resiko kejadian phlebitis di Kabupaten Konawe Selatan. *Jurnal Keperawatan*, 04(01), 1–5.
- CDC. (2017). Guideline intravascular catheter-related infection (BSI). *Cdc*, (October), 1–80.
- Dahlan, M. S. (2011). *Statistik untuk kedokteran dan kesehatan* (Edisi 5). Jakarta: Salemba Medika.
- Darma, K. K. (2011). *Metodologi penelitian keperawatan* (Pertama). Jakarta: CV. Trans Info Media.

- DATIN Kemenkes RI. (2017). Infodatin perawat 2017.
- Daud, A., & Mohamad, F. (2021). Patient characteristics related to phlebitis in the east coast of peninsular malaysia hospital. *Jurnal Keperawatan Indonesia*, 24(1), 25–31.
<https://doi.org/10.7454/jki.v24i1.1097>
- Davidson, A., Hayward, A., Simpson, J., & Masih, E. (2020). Intravenous (IV) medication and fluid therapy administration through a peripheral venous cannula policy.
- Delima, M., Andriani, Y., & Gustinawati. (2018). Penerapan cuci tangan five momen dengan angka kejadian infeksi nosokomial. *Prosiding Seminar Kesehatan Perintis*, 1(2), 8–16.
- Deshmukh, M., & Shinde, M. (2014). Impact of structured education on knowledge and practice regarding venous access device care among nurses. *Nature and Science*. ISSN (Online): 2319-7064 Impact Factor (2012): 3.358.
- Dewi, N. (2017). Pengaruh praktik injeksi intravena oleh perawat terhadap kejadian plebitis di Rumah Sakit Pusat Infeksi Sulianti Saroso tahun 2016. *Jurnal Ilmu Kesehatan*, 7, 144–153.
- Edward. (2011). *Penuntun praktikum keterampilan kritis II untuk mahasiswa D-3 keperawatan*. Jakarta: Salemba Medika.
- El-Seadi, A. W., Maria, A. M., And, R. E. A., & El-Hay, S. A. A. (2020). Effect of implementing a protocol of nursing care on peripheral venous access complications for patients undergoing chemotherapy. *Tanta scientific*, 19(1), 34–59.
- Goodman, M. S., & Thompson, V. S. (2018)., *Public health research methods for partnerships and practice*. New York: CRC Press.

<https://doi.org/10.1201/9781315155722>

Gorski, L. A. (2016). The 2016 Infusion therapy standards. *The Infusion Nurses Society*, 35(1), 10–18.

Gorski, L. A. (2017). Infusion therapy standards, 35(1), 10–18.

Horan, T. C., Andrus, M., & Dudeck, M. A. (2008). CDC/NHSN Surveillance definition of health care-associated infection and criteria for specific types of infections in the acute care setting. *American Journal of Infection Control*, 36(5), 309–332.
<https://doi.org/10.1016/j.ajic.2008.03.002>

Igarashi, A., Okuno, T., Shimizu, T., Ohta, G., & Ohshima, Y. (2020). Mechanical stimulation is a risk factor for phlebitis associated with peripherally inserted central venous catheter in neonates. *Pediatrics International*, 1–20.
<https://doi.org/10.1111/ped.14476>

Infusion Nurses Society. (2016). Infusion therapy standards of practice. *Journal of Infusion Nursing*, 39, 1–169.

INS. (2011a). Infusion nursing standards of practice. *Infusion Nursing Society*, 34(1), 115.

INS. (2011b). Infusion nursing standards of practice. *Journal of Infusion Nursing*, 34(1S), 1–115.

Jahrin, B. K., Salvi, R., Naik, N., & Yangad, S. (2019). Effect of structured teaching programme on knowledge and practice regarding the use of Visual Infusion Phlebitis scale among staff nurses. *International Journal of Science and Research (IJSR)*, 9(9), 110–121.

KARS. (2017). *Standar Nasional Akreditasi Rumah Sakit Edisi 1*.

Kementrian Kesehatan Republik Indonesia. (2008). Menteri Kesehatan Republik Indonesia Nomor : 129/Menkes/SK/II/2008 Tentang Standar Pelayanan Minimal Rumah Sakit, 1–55.

Kementrian Kesehatan Republik Indonesia. (2017a). Peraturan Menteri Kesehatan Republik Indonesia Nomor 27 tahun 2017 Pedoman pencegahan dan pengendalian infeksi di fasilitas pelayanan kesehatan..

Kementrian Kesesehatan Republik Indonesia. (2017b). Peraturan Menteri Kesehatan RI Nomor 11 Tahun 2017 tentang Keselamatan pasien.

Kementrian Kesehatan Republik Indonesia. (2020). Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/425/2020 tentang Standar profesi perawat. *Menteri Kesehatan Republik Indonesia*.

Kerie, S., Tilahun, A., & Mandesh, A. (2018). Triage skill and associated factors among emergency nurses in Addis Ababa, Ethiopia 2017: A cross-sectional study. *BMC Research Notes*, *11*(1), 4–9. <https://doi.org/10.1186/s13104-018-3769-8>

Kokila. S. (2019). A study to assess the effectiveness of structured teaching programme (stp) regarding prevention of central line associated blood stream infection in terms of knowledge and skill among staff nurses in Selected Hospital at Dharmapuri. Disertasi University Dharmapuri.

Lv, L., & Zhang, J. (2019). The incidence and risk of infusion phlebitis with peripheral intravenous catheters: A meta-analysis. *Journal of Vascular Access*, 1–8. <https://doi.org/10.1177/1129729819877323>

M.Collantes, L. (2020). Structured educational program and peripheral intravenous first-

time insertion rate in Saudi Arabia, 4(2), 365–385.

Melo Conceição, C., Antonio Jose dos Santos, A. V., Ferreira Dantas, A. S., Alves Bemerguy, R. E., Rêgo da Cruz, E., Moura Garcia, J. V., ... Pereira Cruz Ramos, A. M. (2020). Analysis of nursing team knowledge about phlebitis and its related factors. *International Journal for Innovation Education and Research*, 8(6), 351–366. <https://doi.org/10.31686/ijer.vol8.iss6.2427>

Muharika, D., & Agus, F. R. (2019). Peningkatan Pemahaman mahasiswa dalam mata kuliah statistika melalui metode pemberian tugas terstruktur. *Jurnal Pendidikan teknologi Informasi*, 6(1), 80–86.

Muhibbin, S. (2013). *Psikologi pendidikan, dengan pendekatan baru*. (PT6768 Remaja Rosdakayra, Ed.).

Nimran, U. (1997). *Perilaku organisasi*. (Nicholson, Ed.) (Edition re). Surabaya: CV. Citra Media.

Notoatmodjo, S. (2012). *Promosi kesehatan dan ilmu perilaku*. Jakarta: PT Rineka Cipta.

Notoatmodjo, S. (2014). *Metodologi penelitian kesehatan*. Jakarta: PT Rineka Cipta.

Notoatmodjo, S. (2016). *Metodologi penelitian kesehatan*. Jakarta: PT Rineka Cipta.

Rahayu, S., & dkk. (2015). *Hubungan pengetahuan dan sikap perawat dengan tindakan pemasangan infus*. (N. News, Ed.) (Edisi 3).

Ramayanti, R., Semiarty, R., & Lestari, Y. (2019). Analisis pelaksanaan program pencegahan dan pengendalian infeksi nosokomial di RSUD Pasaman Barat (Standar Akreditasi Versi 2012). *Jurnal Kesehatan Andalas*, 8(3), 617. <https://doi.org/10.25077/jka.v8i3.1050>

Rani, S. (2020). A study to evaluate the effectiveness of structured teaching programme

on palliative care in terms of knowledge among staff nurses in Selected Hospital of New Delhi. *International Journal of Nursing & Midwifery Research*, 07(01), 8–12. <https://doi.org/10.24321/2455.9318.202002>

Ray-Barruel, G., Polit, D. F., Murfield, J. E., & Rickard, C. M. (2014). Infusion phlebitis assessment measures: A systematic review. *Journal of Evaluation in Clinical Practice*, 20(2), 191–202. <https://doi.org/10.1111/jep.12107>

Rimba Putri, I. R. (2016). Pengaruh lama pemasangan infus dengan kejadian flebitis pada pasien rawat inap di Bangsal Interne dan Syaraf Rumah Sakit Nur Hidayah Bantul. *Jurnal Ners dan Kebidanan Indonesia*, 4(2), 90. [https://doi.org/10.21927/jnki.2016.4\(2\).90-94](https://doi.org/10.21927/jnki.2016.4(2).90-94)

Rusmiati, (2020). Hubungan keterampilan perawat dalam pemasangan infus dengan angka kejadian plebitis pada pasien di RSUD Sultan Imanuddin Pangkalan Bun Kalimantan Tengah. STiKes Borneo Cendekia Medika Pangkalan Bun.

Saeed, N. A. H. A. A. H., Hamzah, I. H., & Nitavid, A. (2021). Structured teaching programme enhances the knowledge of mothers to take care of children with leukaemia. *Journal of Public Health (Germany)*, (February). <https://doi.org/10.1007/s10389-019-01107-y>

Sengupta, M. (2019). Use of Visual Infusion Phlebitis (VIP) score to care and control intravenous (IV) infusion related phlebitis. *International Journal of Integrative Medical Sciences*, 6(5), 836–838. <https://doi.org/10.16965/ijims.2019.117>

Nurhayati, (2011). Hubungan karakteristik perawat pelaksana dengan kemampuan kepala ruangan melakukan bimbingan (coaching) menurut persepsi perawat pelaksana di ruang rawat inap *Rumah Sakit Haji Jakarta*.

Sugiyono, (2017). *Metode penelitian kuantitatif, kualitatif dan R&D* (25 ed.). Bandung:

Alfabeta cv.

Suliman, M., Saleh, W., Al-shiekh, H., Taan, W., & AlBashtawy, M. (2020). The incidence of peripheral intravenous catheter phlebitis and risk factors among pediatric patients. *Journal of Pediatric Nursing*, *50*, 89–93. <https://doi.org/10.1016/j.pedn.2019.11.006>

Suyatna, (2014). *Paradigma dalam pembelajaran di perguruan tinggi*.

Tzolos, E., & Salawu, A. (2014). Improving the frequency of Visual Infusion Phlebitis (VIP) scoring on an oncology ward. *BMJ Quality Improvement Reports*, *3*(1), u205455.w2364. <https://doi.org/10.1136/bmjquality.u205455.w2364>

Urbanetto, J. de S., Peixoto, C. G., & May, T. A. (2016). Incidence of phlebitis associated with the use of peripheral iv catheter and following catheter removal. *Revista Latino-Americana de Enfermagem*, *24*, 1–9. <https://doi.org/10.1590/1518-8345.0604.2746>

Varinder, K., Jasbir, K., & Devi, T. R. (2018). Effectiveness of a training programme on intravenous cannulation therapy: An interventional study. *International Journal of Science and Research*, *9*(2), 2018–2020. <https://doi.org/10.21275/SR20204170111>

Vijayan, A. (2015). Effect of structured teaching programme on knowledge and skills on neonatal resuscitation. *International Journal of Advanced Research*, *3*(7), 1200–1205.

Villa, G., Chelazzi, C., Giua, R., Tofani, L., Zagli, G., Boninsegni, P., ... Romagnoli, S. (2018). In-line filtration reduces postoperative venous peripheral phlebitis associated with cannulation: A randomized clinical trial. *Anesthesia and Analgesia*, *127*(6), 1367–1374. <https://doi.org/10.1213/ANE.00000000000003393>

WHO, (2002). Prevention of hospital-acquired infections A practical guide 2nd edition
World. *World Health Organization*, 1–72.

WHO, (2011). Report on the burden of endemic health care-associated infection
worldwide clean care is safer care. *World Health Organization*, 34.

Wulyaningsih, (2017). Model PEMBELAJARAN tugas terstruktur untuk meningkatkan
motivasi dan prestasi belajar dalam mengenal makna peninggalan sejarah. *Jurnal
Riset dan Konseptual*, 2(01), 51–57. <https://doi.org/doi.10.28926/Fbriliant.v2i1.24>

Ying, C. X., Yusuf, A., & Keng, S. L. (2020). Perceptions of risk factors for phlebitis
among Malaysian nurses. *British Journal of Nursing*, 29(2), S18–S23.
<https://doi.org/10.12968/bjon.2020.29.2.S18>

Yuhelma, Y., Arif, Y., & Merdawati, L. (2020). Hubungan pengetahuan plebitis dengan
keterampilan tenaga kesehatan dalam menerapkan problem solving for better health
pada plebitis di Rumah Sakit X. *Jurnal Kesehatan Andalas*, 8(4), 231–237.
<https://doi.org/10.25077/jka.v8i4.1145>

