


DAFTAR PUSTAKA

- [1] A. W. PRATAMA, “Preparasi Dan Karakterisasi Nanoselulosa Secara Hidrolisis Dengan Variasi Konsentrasi Asam,” 2016, [Online]. Available: <https://repository.unej.ac.id/handle/123456789/78875>.
- [2] M. Ioelovich, “Optimal Conditions for Isolation of Nanocrystalline Cellulose Particles,” *Nanosci. Nanotechnol.*, vol. 2, no. 2, pp. 9–13, 2012, doi: 10.5923/j.nn.20120202.03.
- [3] W. Nugroho, “Pembuatan Cellulose Powder dari Ampas Tebu dengan Variasi Konsentrasi dan Volume Larutan H₂SO₄No Title,” Universitas Gajah Mada, 2014.
- [4] D. A. Nugroho and P. Aji, “Characterization of Nata de Coco Produced by Fermentation of Immobilized *Acetobacter xylinum*,” *Agric. Agric. Sci. Procedia*, vol. 3, pp. 278–282, 2015, doi: 10.1016/j.aaspro.2015.01.053.
- [5] A. Saputra and H. Anindita, “Synthesis of nata de coco Fiber Composite with Conductive Filler as an Eco-friendly Semiconductor Material,” *Int. J. Technol.*, vol. 6, p. 1198, Dec. 2015, doi: 10.14716/ijtech.v6i7.1772.
- [6] W. hidayat Yesa, “Sifat Mekanik dan Serapan Uap Air dari Bionanokomposit Bermatriks Polyvinyl Alcohol (PVA) dengan Penguat Cellulose Nanofiber (CNF) Ampas Jahe dan Zinc Oxide (ZnO),” Universitas Andalas, 2020.
- [7] A. Wicaksono, *Polimer (Makromolekul)*. Surabaya: Politeknik Perkapalan Surabaya.
- [8] É. Pecoraro, D. Manzani, Y. Messaddeq, and S. J. L. Ribeiro, “Bacterial cellulose from glucanacetobacter xylinus: Preparation, properties and applications,” *Monomers, Polym. Compos. from Renew. Resour.*, pp. 369–383, 2007, doi: 10.1016/B978-0-08-045316-3.00017-X.
- [9] P. R. D. Harya, “Ekstraksi Serat Selulosa Dari Tanaman Eceng Gondok

(Eichornia Crassipes) Dengan Variasi Pelarut Ekstraksi Serat Selulosa Dari Tanaman Eceng Gondok (Eichornia Crassipes) Dengan Variasi Pelarut,” 2012.

- [10] T. Rahayu and E.Rohaeti, *Sifat Mekanik Selulosa Bakteri dari Air Kelapa dengan Penambahan Kitosan*, no. 1. .
- [11] T. Tsuchida and F. Yoshinaga, “Production of bacterial cellulose by agitation culture systems,” *Pure Appl. Chem.*, 1997, doi: 10.1351/pac199769112453.
- [12] D. Ciechańska, “Multifunctional bacterial cellulose/chitosan composite materials for medical applications,” *Fibres Text. East. Eur.*, 2004.
- [13] H. Suryanto, “Analisis struktur serat selulosa dari bakteri,” *Pros. SNTT 2017 – Politek. Negeri Malang*, 2017.
- [14] N. Pratiwi, *Pengelolahan Nata de Coco*. Kompasiana, 2015.
- [15] N. Halib, M. C. I. M. Amin, and I. Ahmad, “Physicochemical Properties and Characterization of Nata de Coco from Local Food Industries as a Source of Cellulose,” *Sains Malaysiana*, 2012.
- [16] M. Iguchi, S. Yamanaka, and A. Budhiono, “Bacterial cellulose - a masterpiece of nature’s arts,” *J. Mater. Sci.*, 2000, doi: 10.1023/A:1004775229149.
- [17] J. L. Minor, “Hornification -Its origin and meaning,” *Progrress Pap. Recycl.*, 1994.
- [18] widya fatriasari and nanang masruchin and euis Hermiati, *selulosa - karakteristik dan pemanfaatannya*, vol. 66. LIPI Press, 2012.
- [19] S. Park, “Drying behavior of cellulose fibers characterized by thermal analysis,” *N.C. State - Diss.*, 2006.
- [20] S. R., “Karakterisasi Plastik Biodegradable dari Campuran Kitosan dan Polivinil Alkohol Menggunakan Metode Tanpa Pelarut.”

- 
- [21] M. Aditya and P. R. Ariyanti, “Manfaat Gambir (*Uncaria gambir Roxb*) sebagai Antioksidan Benefits of Gambir (*Uncaria gambir Roxb*) as Antioxidant,” *Majority*, vol. 5, no. September, pp. 129–133, 2016.
 - [22] Sabarni, “Teknik Pembuatan Gambir (*Uncaria gambir Roxb*) Secara Tradisional,” *J. Islam. Sci. Technol.*, vol. 1, no. 1, pp. 105–112, 2015.
 - [23] N. Shuzhen, H. Zhang, P. Godwin, H. Dai, and H. Xiao, “ZnO nanoparticles enhanced hydrophobicity for starch film and paper,” *Mater. Lett.*, vol. 230, Jul. 2018, doi: 10.1016/j.matlet.2018.07.075.
 - [24] W. Cheng, J. Chen, D. Liu, X. Ye, and F. Ke, “Impact of ultrasonic treatment on properties of starch film-forming dispersion and the resulting films,” *Carbohydr. Polym.*, vol. 81, no. 3, pp. 707–711, 2010, doi: <https://doi.org/10.1016/j.carbpol.2010.03.043>.
 - [25] H. Abral, G. J. Putra, M. Asrofi, J.-W. Park, and H.-J. Kim, “Effect of vibration duration of high ultrasound applied to bio-composite while gelatinized on its properties.,” *Ultrason. Sonochem.*, vol. 40, no. Pt A, pp. 697–702, Jan. 2018, doi: 10.1016/j.ultsonch.2017.08.019.
 - [26] T. P.A., *FISIKA untuk Sains dan Teknik*. Erlangga.
 - [27] Y. A, “Karakterisasi sinyal akustik untuk mendekripsi keabnormalan jaringan tubuh menggunakan ultrasonik,” Universitas Indonesia, 2008.
 - [28] H. N, “Sintesis nanosfer berbasis ferrofluid dan poly lactic acid (PLA) dengan metode sonifikasi,” 2009.
 - [29] “ASTM D638-14.pdf.” .