

DAFTAR PUSTAKA

- [1] Agresti, A. 1990. *Categorical Data Analysis*. New York: John Wiley & Sons.
- [2] Anton, H., dan C. Rorres, 2013. *Elementary linier Algebra, Applications Version. Edisi ke-11*. Wiley, New York.
- [3] Bain, L., J. dan M.Engelhardt. 1992. *Introduction to Probability and Mathematical Statistics Second Edition*. Duxbury Press, California
- [4] Coelho, CM., LFB. DeMelo,MAL. Sabato, EMV. Magni, A. Hirsch, dan R.J. Young. 2008. Habitat use by wild maned wolves (*Chrysocyon brachyurus*) in transition zone environment. *Journal of Mammalogy* 89(1): 97-104.
- [5] Djohan, W. 2005. Diktat MA3171. Institut Teknologi Bandung, Bandung.
- [6] GISGeography. 2021. What is NDVI (Normalized Difference Vegetation Index)? URL: <https://gisgeography.com/ndvi-normalized-difference-vegetation-index/>. Diakses tanggal 14 Juni 2021.
- [7] Huber, M. 2018. resource Selection Functions for Modeling Animal Movement – Case Study: African Buffalo Claremont McKenna College Step-Selection Functions for Modeling Animal Movement Case Study: African Buffalo.
- [8] Hebblewhite, M., M. Percy, dan EH. Merrill. 2007. Are all global positioning system collars created equal?: Correcting habitat-induced bias

using threebrands in the central Canadian Rockies. *Journal of Wildlife Management* 71(6): 2026-2033.

- [9] Indra, M., N.S. 2016. Komparasi Metode Interpolasi Natural Cubic Spline dengan Clamped Cubic Spline. <https://informatika.stei.itb.ac.id/rinaldi.munir/MetNumLan/2015-2016/Makalah2016/Makalah-MetnumLan-2016-02.pdf>, diakses pada 10 Januari 2021.
- [10] IUCN/SSC. 1996. Status Survey and Conservation Action Plan Wild Cats. IUCN/SSC Cat Specialist Group. IUCN Publication Services Unit. Cambridge.
- [11] Manly, B.F., L. McDonald, D.L. Thomas, TL. McDonald, dan WP. Erickson. 2002. Resource Selection by Animals Statistical Design and Analysis for Field Studies-Springer. New york.
- [12] Nowell, K., dan P. Jackson. 1996. *Wild Cats: Status Survey and Conservation Action Plan*. Gland: IUCN.
- [13] Nugraha, J. 2019. Analisis Tabel Kontingensi Menggunakan Model log-linier. Universitas Islam Indonesia, Yogyakarta.
- [14] OBrien, T. G., M. F. Kinnaird, dan H. T. Wibisono. 2003. Crouching tiger,hidden prey: Sumatran tiger and prey populations in a tropical forestlandscape. *Animal Conservation* 6:131-139
- [15] Rabinowitz, AR. 1986. Jaguar predation on domestic livestock in Belize. *Wildlife Society Bulletin* 14(2): 170-174.

- [16] Prasetyo, L.B., E.K. Damayanti, S.I.S. Purnama, M.S. Moy, D. Gunaryadi, A. Rafiastanto, dan Y. Suryadinata. 2015. Konservasi Biodiversitas di Sub-Regional Sumatra Bagian Selatan: Pengarusutamaan Nilai, Status, Monitoring Keanekaragaman Hayati dan Ekosistem. *Laporan Seminar Nasional Konservasi Biodiversitas di Sub-Regional Sumatra Bagian Selatan, Palembang.*
- [17] Priatna, D. 2012. *Pola Penggunaan Ruang Dan Model Kesesuaian Habitat Harimau Sumatra (Panthera Tigris Sumatrae Pocock, 1929) Pasca Translokasi Berdasarkan Pemantauan Kalung Gps.* Disertasi. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor : Institut Pertanian Bogor.
- [18] Setijati I, Sastrapradja., SA. Soemartono, dan MA Rifai. 1992. *Khasanah Flora dan Fauna Nusantara.* Yayasan Obor Indonesia. Jakarta.
- [19] Slater, P., dan R. M. Alexander. 1986. *The Encyclopedia of Animal Behaviour and Biology. Volume VIII.* Equinox (Oxford) Ltd. London.
- [20] S.I, Autumn. 2016. *Lecture 27-Poisson regression* The Poisson log-linear model Statistical inference, pp. 1 - 4, [.https://web.stanford.edu/class/archive/stats/stats200/stats200.1172/Lecture27.pdf](https://web.stanford.edu/class/archive/stats/stats200/stats200.1172/Lecture27.pdf), diakses pada 20 juni 2021.
- [21] Walpole, R.E., R.H. Myers, S.LMyers, dan Ye, K. 2002. *Probability and Statistics for Engineers and Scientist. Ninth Edition.* Pearson ducation nc, New York