

## DAFTAR KEPUSTAKAAN

- Abegunde, S. M., Idowu, K. S., Adejuwon, O. M., & Adeyemi-Aejolu, T. (2020). A review on the influence of chemical modification on the performance of adsorbents. *Resources, Environment and Sustainability*, 1(August), 100001. <https://doi.org/10.1016/j.resenv.2020.100001>
- Aguayo-Villarreal, I. A., Ramírez-Montoya, L. A., Hernández-Montoya, V., Bonilla-Petriciolet, A., Montes-Morán, M. A., & Ramírez-López, E. M. (2013). Sorption mechanism of anionic dyes on pecan nut shells (*Carya illinoinensis*) using batch and continuous systems. *Industrial Crops and Products*, 48, 89–97. <https://doi.org/10.1016/j.indcrop.2013.04.009>
- Agustina, S., Swantara, I. M. D., & Suartha, I. N. (2015). Isolasi kitin, karakterisasi, dan sintesis kitosan dari kulit udang. *Jurnal Kimia*, 9(2), 271–278.
- Al-Ghouti, M. A., & Da'ana, D. A. (2020). Guidelines for the use and interpretation of adsorption isotherm models: A review. *Journal of Hazardous Materials*, 393(November 2019), 122383. <https://doi.org/10.1016/j.jhazmat.2020.122383>
- Al-Mossawi, A., & Al-Garawi, Z. (2018). *Qualitative Tests of Amino Acids and Proteins and Enzyme Kinetics* (Vol. 1, Issue 1). Mustansiriyah University.
- Alseddig, A., Eljiedi, A., & Kamari, A. (2017). Removal of Methyl Orange and Methylene Blue Dyes from Aqueous Solution Using Lala Clam ( *Orbicularia orbiculata* ) Shell. *Proceedings of the International Conference on Education, Mathematics and Science 2016 (ICEMS2016) in Conjunction with 4th International Postgraduate Conference on Science and Mathematics 2016 (IPCSM2016)*, 40003. <https://doi.org/10.1063/1.4983899>
- Anjaneya, O., Souche, S. Y., Santoshkumar, M., & Karegoudar, T. B. (2011). Decolorization of sulfonated azo dye Metanil Yellow by newly isolated bacterial strains : *Bacillus* sp . strain AK1 and *Lysinibacillus* sp . strain AK2. *Journal of Hazardous Materials*, 190(1–3), 351–358. <https://doi.org/10.1016/j.jhazmat.2011.03.044>
- Antonino, R. S. C. M. de Q., Fook, B. R. P. L., Lima, V. A. de O., Rached, R. Í. de F., Lima, Eunice Paloma, N., Lima, R. J. da S., Covas, C. A. P., & Fook, M. V. L. F. (2017). Preparation and Characterization of Chitosan Obtained from Shells of Shrimp. *Marine Drugs*, 15(141), 1–12. <https://doi.org/10.3390/md15050141>
- Babuponnusami, A., & Velmurugan, S. (2017). Investigation on adsorption of dye (Reactive Red 35) on Egg shell powder. *International Journal of ChemTech Research*, 10(1), 565–572.
- Baxter, A., Dillon, M., Anthony Taylor, K. D., & Roberts, G. A. F. (1992). Improved method for i.r. determination of the degree of N-acetylation of chitosan. *International Journal of Biological Macromolecules*, 14(3), 166–169. [https://doi.org/10.1016/S0141-8130\(05\)80007-8](https://doi.org/10.1016/S0141-8130(05)80007-8)
- Bello, O. S. (2013). Adsorptive removal of malachite green with activated carbon prepared from oil palm fruit fibre by KOH activation and CO<sub>2</sub> gasification. *South African Journal of Chemistry*, 66, 32–41.
- Berber-villamar, N. K., Rosa, A., Morales-barrera, L., Flores-ortiz, M., Cristiani-urbina, E., & Cha, G. M. (2018). Corncob as an effective , eco-friendly , and

- economic biosorbent for removing the azo dye Direct Yellow 27 from aqueous solutions. *Plos One*, 13(4), 1–30.
- Boros B. V., G., M., A., M., & V., O. (2016). Use of Ninhydrin Reaction for Estimation of Acetylation Degree of Chitosan. *New Frontiers in Chemistry*, 25(2), 95–105.
- Boumchita, S., Lahrichi, A., Benjelloun, Y., Lairini, S., Nenov, V., & Zerrouq, F. (2017). Application of peanut shell as a low-cost adsorbent for the removal of anionic dye from aqueous solutions. *Journal of Materials and Environmental Science*, 8(7), 2353–2364.
- Carijo, P. M., Simões, G., Lima, É. C., Oliveira, M. L. S., & Dotto, G. L. (2019). Functionalization of corn stover with 3-aminopropyltriethoxysilane to uptake Reactive Red 141 from aqueous solutions. *Environmental Science and Pollution Research*.
- Chadir, Z., Furqani, F., Zein, R., & Munaf, E. (2015). Utilization of Annona muricata L. seeds as potential adsorbents for the removal of rhodamine B from aqueous solution. *Journal of Chemical and Pharmaceutical Research*, 7(4), 879–888.
- Chadir, Z., Zein, R., Sagita, D. T., & Munaf, E. (2015). Bioremoval of methyl orange dye using durian fruit ( Durio zibethinus ) Murr seeds as biosorbent. *Journal of Chemical and Pharmaceutical Research*, 7(1), 589–599.
- Chan, S. L., Tan, Y. P., Abdullah, A. H., & Ong, S. T. (2016). Equilibrium, kinetic and thermodynamic studies of a new potential biosorbent for the removal of Basic Blue 3 and Congo Red dyes: Pineapple (Ananas comosus) plant stem. *Journal of the Taiwan Institute of Chemical Engineers*, 61, 306–315. <https://doi.org/10.1016/j.jtice.2016.01.010>
- Chandra, P. P., Visakoti, V., & Naidu, D. A. (2019). Studies on Biosorption of Alizarin Red dye using Prawn Shell Waste Powder. *International Research Journal of Engineering and Technology (IRJET)*, 6(2).
- Chawla, S. ., Kanatt, S. ., & Sharma, A. . (2015). Chitosan. *Polysaccharides*, January 2016, 1–24. <https://doi.org/10.1007/978-3-319-16298-0>
- Crini, G., & Badot, P. (2008). Application of chitosan , a natural aminopolysaccharide , for dye removal from aqueous solutions by adsorption processes using batch studies : A review of recent literature. *Progress in Polymer Science*, 33, 399–447.
- Dada, A. ., Olalekan, A. ., Olatunya, A. ., & Dada, O. (2012). Langmuir, Freundlich, Temkin and Dubinin–Radushkevich Isotherms Studies of Equilibrium Sorption of Zn 2+ Unto Phosphoric Acid Modified Rice Husk. *IOSR Journal of Applied Chemistry*, 3(1), 38–45. <https://doi.org/10.9790/5736-0313845>
- Dai, L., Yao, Z., Yang, W., Xia, M., & Ye, Y. (2017). Crab Shell: A Potential High-Efficiency and Low-Cost Adsorbent for Dye Wastewater. *Fresenius Environmental Bulletin*, 26(8), 4991–4998.
- Deniz, F. (2014). Optimization of biosorptive removal of dye from aqueous system by cone shell of calabrian pine. *Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/138986>
- Deshannavar, U. B., Murgod, A. A., Golangade, M. S., Koli, P. B., Samyak, B., & Naik, N. M. (2012). Photo-Oxidation Process – Application for Removal of Color from Textile Industry Effluent. *Research Journal of Chemical Sciences*, 2(10), 75–79.

- Dey, S. C., Al-amin, M., Rashid, T. U., Sarker, M., & Shamsuddin, S. (2016). Preparation , characterization and performance evaluation of chitosan as an adsorbent for remazol red. *International Journal of Latest Research in Engineering and Technology (IJLRET)*, 2(2), 52–62.
- Dompeipen, E. J., Kaimudin, M., Dewa, R. P., Riset, B., Ambon, I., Cengkeh, J. K., & Ambon, B. M. (2016). Isolasi kitin dan kitosan dari limbah kulit udang. *Majalah Biam*, 12(1), 32–38.
- El-Imache, A., & Ouazzani, K. (2018). The Olive Core, a Promoter Material for the Adsorption of Dyes: Effects on Certain Parameters, Kinetic and Thermodynamic Study. *Oriental Journal of Chemistry*, 34(6), 2859–2866. <https://doi.org/10.13005/ojc/340624>
- El-sayed, M., & Nada, A. A. (2017). Polyethylenimine – functionalized amorphous carbon fabricated from oil palm leaves as a novel adsorbent for Cr ( VI ) and Pb ( II ) from aqueous solution. *Journal of Water Process Engineering*, 16, 296–308. <https://doi.org/10.1016/j.jwpe.2017.02.012>
- El Fargani, H., Lakhmiri, R., El Farissi, H., Albourine, A., Safi, M., & Cherkaoui, O. (2017). Removal of anionic dyes by silica-chitosan composite in single and binary systems: Valorization of shrimp co-product “Crangon-Crangon” and “Pandalus Borealis.” *Journal of Materials and Environmental Science*, 8(2), 724–739.
- Elwakeel, K. Z., Elgarahy, A. M., & Mohammad, S. H. (2017). Use of beach bivalve shells located at Port Said coast (Egypt) as a green approach for methylene blue removal. *Journal of Environmental Chemical Engineering*, 5(1), 578–587. <https://doi.org/10.1016/j.jece.2016.12.032>
- FAO. (2017). Food and Agriculture Organization. Increased Production of Farmed Shrimp Leads to Improved International Trade. GLOBEFISH—analysis and Information on World Fish Trade (Diakses Februari 2022).
- Fauzia, S., Aziz, H., Dahlan, D., Namieśnik, J., & Zein, R. (2019). Adsorption of Cr(VI) in aqueous solution using sago bark (*metroxylon sagu*) as a new potential biosorbent. *Desalination and Water Treatment*, 147, 191–202. <https://doi.org/10.5004/dwt.2019.23577>
- Fauzia, S., Furqani, F., Zein, R., & Munaf, E. (2015). Adsorption and reaction kinetics of tetrazine by using *Annona muricata* L seeds. *Journal of Chemical and Pharmaceutical Research*, 7(1), 573–582.
- Felista, M. M., Wanyonyi, W. C., & Ongera, G. (2020). Adsorption of anionic dye (Reactive black 5) using macadamia seed Husks: Kinetics and equilibrium studies. *Scientific African*, 7, e00283. <https://doi.org/10.1016/j.sciaf.2020.e00283>
- Furqoni, F., Zein, R., & Munaf, E. (2015). Biosorption of Pb ( II ) And Zn ( II ) from aqueous solutionusing langsat ( *Lansium domesticum* Corr ) fruit peel. *Journal of Chemical and Pharmaceutical Research*, 7(1), 546–555.
- Gao, Y., Xu, S., Yue, Q., Wu, Y., & Gao, B. (2016). Chemical preparation of crab shell-based activated carbon with superior adsorption performance for dye removal from wastewater. *Journal of the Taiwan Institute of Chemical Engineers*, 61, 327–335. <https://doi.org/10.1016/j.jtice.2015.12.023>
- Garg, D., Kumar, S., Sharma, K., & Majumder, C. B. (2019). Application of waste peanut shells to form activated carbon and its utilization for the removal of Acid

- Yellow 36 from wastewater Deepak. *Groundwater for Sustainable Development*, january. <https://doi.org/10.1016/j.gsd.2019.01.010>
- Gautam, R. K., Gautam, P. K., Banerjee, S., Rawat, V., Soni, S., Sharma, S. K., & Chattopadhyaya, M. C. (2015). Removal of tartrazine by activated carbon biosorbents of Lantana camara: Kinetics, equilibrium modeling and spectroscopic analysis. *Journal of Environmental Chemical Engineering*, 3(1), 79–88. <https://doi.org/10.1016/j.jece.2014.11.026>
- Godbey, W. T., Wu, K. K., & Mikos, A. G. (1999). Poly(ethylenimine) and its role in gene delivery. *Journal of Controlled Release*, 60(2–3), 149–160. [https://doi.org/10.1016/S0168-3659\(99\)00090-5](https://doi.org/10.1016/S0168-3659(99)00090-5)
- Gong, X., Yang, D., Wang, N., Sun, S., Nie, J., & Ma, G. (2020). Polyethylenimine Grafted Chitosan Nanofiber Membrane as Adsorbent for Selective Elimination of Anionic Dyes. *Fibers and Polymers*, 21(10), 2231–2238. <https://doi.org/10.1007/s12221-020-1321-7>
- Guo, X., Wei, Q., Du, B., Zhang, Y., Xin, X., Yan, L., & Yu, H. (2013). Removal of Metanil Yellow from water environment by amino functionalized graphenes ( NH 2 -G ) – Influence of surface chemistry of NH 2 -G. *Applied Surface Science*, 284, 862–869. <https://doi.org/10.1016/j.apsusc.2013.08.023>
- Gupta, N. K., Gupta, A., Ramteke, P., Sahoo, H., & Sengupta, A. (2019). Biosorption-a green method for the preconcentration of rare earth elements (REEs) from waste solutions: A review. *Journal of Molecular Liquids*, 274, 148–164. <https://doi.org/10.1016/j.molliq.2018.10.134>
- Harrache, Z., Abbas, M., Aksil, T., & Trari, M. (2019). Thermodynamic and kinetics studies on adsorption of Indigo Carmine from aqueous solution by activated carbon. *Microchemical Journal*, 144(September 2018), 180–189. <https://doi.org/10.1016/j.microc.2018.09.004>
- Hevira, L., Rahmi, A., & Zein, R. (2020). *The fast and of low-cost-adsorbent to the removal of cationic and anionic dye using chicken eggshell with its membrane*. 10(3), 294–301.
- Hevira, L., Zilfa, Z., Rahmayeni, Ighalo, O. J., & Zein, R. (2020). Biosorption of Indigo Carmine from Aqueous Solution by Terminalia Catappa Shell. *Journal of Environmental Chemical Engineering*, 8(5), 104290. <https://doi.org/10.1016/j.jece.2020.104290>
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., Aziz, H., & Zein, R. (2021). Terminalia catappa shell as low-cost biosorbent for the removal of methylene blue from aqueous solutions. *Journal of Industrial and Engineering Chemistry*, 97, 188–199. <https://doi.org/10.1016/j.jiec.2021.01.028>
- Hu, Z., & Gao, Z. (2018). High-surface-area activated red mud for efficient removal of methylene blue from wastewater. *Adsorption Science & Technology*, 36(1–2), 62–79. <https://doi.org/10.1177/0263617416684348>
- Ibrahim, M. ., & Ibrahim, M. . (2018). Adsorption of Alkali Blue, Metanil Yellow and Neutral Red dyes Using Copper (II) Oxide particles: Kinetic and Thermodynamic Studies. *ChemSearch Journal*, 9(2), 13 – 23.
- Iqbal, J., Wattoo, F. H., Wattoo, M. H. S., Malik, R., Tirmizi, S. A., Imran, M., & Ghangro, A. B. (2011). Adsorption of acid yellow dye on flakes of chitosan

- prepared from fishery wastes. *Arabian Journal of Chemistry*, 4(4), 389–395. <https://doi.org/10.1016/j.arabjc.2010.07.007>
- Isiuku, B. O., & Onyeokoro, J. O. (2018). Batch Biosorption of Metanil Yellow from Aqueous Solution on Egg Membrane : Kinetics and Mechanism. *International Journal of Chemical, Material and Environmental Research*, 5(2), 155–164.
- Jaya, I., Syaputra, J., Sabda, D., Prasetya, B., & Pangga, D. (2017). Pembuatan Kitosan dari Cangkang Udang sebagai Adsorben Emas ( Au ). *Lensa: Jurnal Kependidikan Fisika*, 5(2), 48–54.
- KKP. (2016). Kementrian Kelautan Dan Perikanan. MEA Centre Sektor Kelautan Dan Perikanan (Diakses Desember 2021).
- Koilparambil, D., Rebello, S., Disease, C., & Shanavas, J. (2014). A Simple and Effective Method for Extraction of High Purity Chitosan from Shrimp Shell Waste. *Proc. of the Intl. Conf. on Advances In Applied Science and Environmental Engineering - ASEE 2014.*, January.
- Kooh, M. R. R., Lim, L. B. L., Lim, L. H., & Dahri, M. K. (2016). Separation of toxic rhodamine B from aqueous solution using an efficient low-cost material, Azolla pinnata, by adsorption method. *Environmental Monitoring and Assessment*, 188(2), 108.
- Kumari, S., Rath, P., & A, S. H. K. (2016). Chitosan from shrimp shell ( Crangon crangon ) and fish scales ( Laberorohita ): Extraction and characterization. *African Journal of Biotechnology*, 15(24), 1258–1268. <https://doi.org/10.5897/AJB2015.15138>
- Kurniyati, R., Sumarni, W., & Latifah. (2015). Pengaruh chitosan beads dan chitosan beads sitrat sebagai penurun kadar fosfat dan ABS (Alkyl benzene sulfonate). *Indonesian Journal of Chemical Science*, 4(2252), 36–41.
- Li, X., Wang, Z., Ning, J., Gao, M., Jiang, W., Zhou, Z., & Li, G. (2018). Preparation and characterization of a novel polyethyleneimine cation-modified persimmon tannin bioadsorbent for anionic dye adsorption. *Journal of Environmental Management*, 217, 305–314. <https://doi.org/10.1016/j.jenvman.2018.03.107>
- Liu, B., & Huang, Y. (2011). Polyethyleneimine modified eggshell membrane as a novel biosorbent for adsorption and detoxification of Cr(VI) from water. *Journal of Materials Chemistry*, 21, 17413–17418. <https://doi.org/10.1039/c1jm12329g>
- Long, J. H. W. S. (2013). *Synthesis And Characterisation Of Chitosan From Shrimp Shells*.
- Lusiana, R. A., Siswanta, D., & Mudasir. (2016). Preparation of citric acid crosslinked chitosan/poly(Vinyl alcohol) blend membranes for creatinine transport. *Indonesian Journal of Chemistry*, 16(2), 144–150. <https://doi.org/10.14499/ijc-v16i2p144-150>
- Ma, J., Li, J., Guo, Q., Han, H., Zhang, S., & Han, R. (2020). Waste peanut shell modified with polyethyleneimine for enhancement of hexavalent chromium removal from solution in batch and column modes. *Bioresource Technology Reports*, 12(September), 100576. <https://doi.org/10.1016/j.biteb.2020.100576>
- Malakootian, M., & Heidari, M. R. (2018). Reactive orange 16 dye adsorption from aqueous solutions by psyllium seed powder as a low-cost biosorbent: kinetic and equilibrium studies. *Applied Water Science*, 8(7), 1–9.

- <https://doi.org/10.1007/s13201-018-0851-2>
- Mangaleswaran, L., Thirulogachandar, A., Rajasekar, V., Muthukumaran, C., & Rasappan, K. (2015). Batch and fixed bed column studies on nickel (II) adsorption from aqueous solution by treated polyurethane foam. *Journal of the Taiwan Institute of Chemical Engineers*, 55, 112–118. <https://doi.org/10.1016/j.jtice.2015.03.034>
- Meng, F., Wang, L., Pei, M., Guo, W., & Liu, G. (2017). Adsorption of metanil yellow from aqueous solution using polyaniline-bentonite composite. *Colloid and Polymer Science*, 295(7), 1165–1175. <https://doi.org/10.1007/s00396-017-4098-5>
- Messaoudi, E. N., Elkhomri, M., Dbik, A., Bentahar, S., Lacherai, A., & Bakiz, B. (2016). Biosorption of Congo red in a fixed-bed column from aqueous solution using jujube shell: Experimental and mathematical modeling. *Journal of Environmental Chemical Engineering*, 4(4), 3848–3855.
- Mohan, C. (2003). *A guide for the preparation and use of buffers in biological systems*. EMD Biosciences.
- Naghizadeh, A., & Nabizadeh, R. (2016). Removal of Reactive Blue 29 Dye By Adsorption on Modified Chitosan in The Presence of Hydrogen Peroxide. *Environment Protection Engineering*, 42(1). <https://doi.org/10.5277/epc160112>
- Nair, V., Panigrahy, A., & Vinu, R. (2014). Development of novel chitosan-lignin composites for adsorption of dyes and metal ions from wastewater. *Chemical Engineering Journal*, 254(October), 491–502. <https://doi.org/10.1016/j.cej.2014.05.045>
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret fir spectroscope of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>
- Nath, P. P., Sarkar, K., Tarafder, P., & Paul, G. (2013). Development of a Visible Spectrophotometric Method for The Quantitative Determination of Metanil Yellow in Different Food Samples. *International Journal of Pharma and Bio Sciences*, 4(2), 685–692.
- Ngginak, J., Semangun, H., Mangimbulude, J. C., & Rondonuwu, F. S. (2013). Komponen Senyawa Aktif pada Udang Serta Aplikasinya dalam Pangan. *Sains Medika*, 5(2), 128–145.
- Niero, G., Corrêa, A. X. R., Trierweiler, G., Matos, A. J. F., Corrêa, R., Bazani, H. A. G., & Radetski, C. M. (2019). Using modified fish scale waste from *Sardinella brasiliensis* as a low-cost adsorbent to remove dyes from textile effluents. *aJournal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering*, 0(0), 1–8. <https://doi.org/10.1080/10934529.2019.1631091>
- Nurmala, A. N., Budi Susatyo, E., & Mahatmanti, F. W. (2018). Sintesis Kitosan dari Cangkang Rajungan Terkomposit Lilin Lebah dan Aplikasinya sebagai Edible Coating pada Buah Stroberi. *J. Chem. Sci*, 7(3). <http://journal.unnes.ac.id/sju/index.php/ijcs>
- Ooi, J., Lee, L. Y., Hiew, B. Y. Z., Thangalazhy-Gopakumar, S., Lim, S. S., & Gan, S. (2017). Assessment of fish scales waste as a low cost and eco-friendly adsorbent

- for removal of an azo dye: Equilibrium, kinetic and thermodynamic studies. *Bioresource Technology*, 245(July), 656–664. <https://doi.org/10.1016/j.biortech.2017.08.153>
- Ouahabi, I. E., Slimani, R., Benkaddour, S., Hiyane, H., Rhallabi, N., Cagnon, B., Haddad, M. ., Antri, S. ., & Lazar, S. (2018). Adsorption of textile dye from aqueous solution onto a low cost conch shells. *Journal of Materials and Environment*, 9(7), 1987–1998.
- Pathania, D., Sharma, S., & Singh, P. (2017). Removal of methylene blue by adsorption onto activated carbon developed from Ficus carica bast. *Arabian Journal of Chemistry*, 10, S1445–S1451. <https://doi.org/10.1016/j.arabjc.2013.04.021>
- Patil, P. S. (2016). Decolorization , Degradation and Kinetic Study of Textile Dye Navy Blue HE2R using Immobilized Bacterial Consortium PMB11. *Journal of Environmental Science and Pollution Research*, 2(3), 99–102.
- Purnamawati, H., Utami, B., Kimia, P., Keguruan, F., Maret, U. S., & A, J. I. S. (2014). Pemanfaatan Limbah Kulit Buah Kakao ( Theobroma cocoa L .) Sebagai Adsorben Zat Warna Rhodamin B. *Prosiding Seminar Nasional Fisika Dan Pendidikan Fisika (SNFPF) Ke-5 2014*, 5, 12–18.
- Ragadhita, R., & Nandiyanto, A. B. D. (2021). How to calculate adsorption isotherms of particles using two-parameter monolayer adsorption models and equations. *Indonesian Journal of Science and Technology*, 6(1), 205–234. <https://doi.org/10.17509/ijost.v6i1.32354>
- Ramadhani, P., Zein, R., Chaidir, Z., & Hevira, L. (2019). Pemanfaatan Limbah Padat Pertanian dan Perikanan Sebagai Biosorben untuk Penyerap Berbagai Zat Warna : Suatu Tinjauan. *Jurnal Zarrah*, 7(2), 46–56.
- Reddy, M. C. ., Sivaramakrishna, L., & Reddy, A. . (2012). The use of an agricultural waste material , Jujuba seeds for the removal of anionic dye ( Congo red ) from aqueous medium. *Journal of Hazardous Materials*, 203–204, 118–127.
- Ribeiro, C., Scheufele, F. B., Espinoza-Quiñones, F. R., Módenes, A. N., da Silva, M. G. ., Vieira, M. G. ., & Borba, C. . (2015). Characterization of Oreochromis niloticus fish scales and assessment of their potential on the adsorption of reactive blue 5G dye. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 482, 693–701.
- Rokni, S., Haji, R., Mohammad, S., Miralinaghi, M., & Moniri, E. (2020). Efficient adsorption of anionic dyes onto magnetic graphene oxide coated with polyethylenimine : Kinetic , isotherm , and thermodynamic studies. *Research on Chemical Intermediates*, 46(4), 2247–2274. <https://doi.org/10.1007/s11164-020-04090-2>
- Saba, T., Minhas, F., Malik, M. I., Talpur, F. N., Jabbar, A., & Bhanger, M. I. (2018). Efficient Removal of Reactive Orange 107 Dye from Aqueous Media by Shrimp Shell Derived Chitosan Functionalized Magnetic Nanoparticles. *American Journal of Analytical Chemistry*, 9, 633–653. <https://doi.org/10.4236/ajac.2018.912046>
- Sabur, M. A., Khan, A. A., & Safiullah, A. (2015). Treatment of Textile Wastewater by Coagulation Precipitation Method. *Journal of Scientific Research*, 4(3). <https://doi.org/10.3329/jsr.v4i3.10777>

- Sadaf, S., & Bhatti, H. N. (2014). Evaluation of peanut husk as a novel, low cost biosorbent for the removal of Indosol Orange RSN dye from aqueous solutions: Batch and fixed bed studies. *Clean Technologies and Environmental Policy*, 16(3), 527–544. <https://doi.org/10.1007/s10098-013-0653-z>
- Salamat, S., Hadavifar, M., & Rezaei, H. (2019). Preparation of nanochitosan-STP from shrimp shell and its application in removing of malachite green from aqueous solutions. *Journal of Environmental Chemical Engineering*, 7(5), 103328. <https://doi.org/10.1016/j.jece.2019.103328>
- Santos, C. S., & Fernandez-lafuente, R. (2017). Enzyme biocatalysts the design of immobilized enzyme biocatalysts. *Journal of Materials Chemistry B*, 5(August), 7461–7490. <https://doi.org/10.1039/c7tb01639e>
- Sarode, S., Upadhyay, P., Khosa, M. A., Mak, T., Shakir, A., Song, S., & Ullah, A. (2019). Overview of wastewater treatment methods with special focus on biopolymer chitin-chitosan. *International Journal of Biological Macromolecules*, 121, 1086–1100. <https://doi.org/10.1016/j.ijbiomac.2018.10.089>
- Sawasdee, S., & Watcharabundit, P. (2016). Effect of temperature on brilliant green adsorption by shrimp shell: Equilibrium and kinetics. *Chiang Mai University Journal of Natural Sciences*, 15(3), 221–236. <https://doi.org/10.12982/cmujns.2016.0017>
- Sen, S. K., Raut, S., Bandyopadhyay, P., & Raut, S. (2016). Fungal decolouration and degradation of azo dyes: A review. *Fungal Biology Reviews*, 30(3), 112–133. <https://doi.org/10.1016/j.fbr.2016.06.003>
- Siddiqui, S. H. (2018). The removal of Cu<sup>2+</sup>, Ni<sup>2+</sup> and Methylene Blue ( MB ) from aqueous solution using Lu ff a Actangula Carbon : Kinetics , thermodynamic and isotherm and response methodology. *Groundwater for Sustainable Development*, 6(December 2017), 141–149. <https://doi.org/10.1016/j.gsd.2017.12.008>
- Sivarajasekar, N., Balasubramani, K., Mohanraj, N., Prakash Maran, J., Sivamani, S., Ajmal Koya, P., & Karthik, V. (2017). Fixed-bed adsorption of atrazine onto microwave irradiated Aegle marmelos Correa fruit shell: Statistical optimization, process design and breakthrough modeling. *Journal of Molecular Liquids*, 241, 823–830. <https://doi.org/10.1016/j.molliq.2017.06.064>
- Song, J., Wang, Y., & Qiu, J. (2019). High Adsorption Performance of Methyl Blue from Aqueous Solution Using Hyper- branched Polyethyleneimine Grafted MWCNTs as an Adsorbent. *ES Materiais & Manufacturing*, 2019(3), 29–37. <https://doi.org/10.30919/esmm5f193>
- Srisorachatr, S., & Sriromreun, P. (2013). Removal of acid blue 158 from solution by sunflower seed hull. *ASEAN Journal of Chemical Engineering*, 13(1), 25–32. <https://doi.org/10.22146/ajche.49722>
- Subramani, S. E., & Thinakaran, N. (2016). Isotherm , kinetic and thermodynamic studies on the adsorption behaviour of textile dyes onto chitosan. *Process Safety and Environmental Protection*, 106, 1–10. <https://doi.org/10.1016/j.psep.2016.11.024>
- Suhaili, R., Muliati, A., & Zein, R. (2016). Biosorption of Cadmium and Zinc by Tanjung Fruit Husk ( Mimusops elengi L .). *Der Pharma Chemica*, 8(7), 55–61.

- Suryawanshi, N., Jujjavarapu, S. E., & Ayothisiraman, S. (2019). Marine shell industrial wastes—an abundant source of chitin and its derivatives: constituents, pretreatment, fermentation, and pleiotropic applications-a revisit. *International Journal of Environmental Science and Technology*, 16(7), 3877–3898. <https://doi.org/10.1007/s13762-018-02204-3>
- Suyono, T., Yuser, M. , Munaf, E., Aziz, H., Tjong, D. H., & Zein, R. (2015). Removal of Pb (II) ions by using Papaya (Carica papaya L ) leaves and Petai (Parkia Speciosa Hassk) peels as biosorbent. *Journal of Chemical Pharmaceutical Research*, 7(9), 100–106.
- Suzaimi, N. D., Goh, P. S., Malek, N. A. N. N., Lim, J. W., & Ismail, A. F. (2019). Performance of branched polyethyleneimine grafted porous rice husk silica in treating nitrate-rich wastewater via adsorption. *Journal of Environmental Chemical Engineering*, 7(4), 103235. <https://doi.org/10.1016/j.jece.2019.103235>
- Taylor, P., Xu, Z., Li, W., Xiong, Z., Fang, J., Li, Y., & Wang, Q. (2015). *Desalination and Water Treatment Removal of anionic dyes from aqueous solution by adsorption onto amino-functionalized magnetic nanoadsorbent*. March, 37–41. <https://doi.org/10.1080/19443994.2015.1012748>
- Thamaraiselvan, C., Michael, N., & Oren, Y. (2018). Selective Separation of Dyes and Brine Recovery from Textile Wastewater by Nanofiltration Membranes. *Chemical Engineering and Technology*, 41(2), 185–293. <https://doi.org/10.1002/ceat.201700373>
- Thirunavukkarasu, A., Muthukumaran, K., & Nithya, R. (2018). Adsorption of acid yellow 36 onto green nanoceria and amine functionalized green nanoceria: Comparative studies on kinetics, isotherm, thermodynamics, and diffusion analysis. *Journal of the Taiwan Institute of Chemical Engineers*, 93, 211–225. <https://doi.org/10.1016/j.jtice.2018.07.006>
- Togue Kamga, F. (2019). Modeling adsorption mechanism of paraquat onto Ayous (*Triplochiton scleroxylon*) wood sawdust. *Applied Water Science*, 9(1), 1–7. <https://doi.org/10.1007/s13201-018-0879-3>
- Uzunoğlu, D., & Özer, A. (2016). Adsorption of Acid Blue 121 dye on fish (*Dicentrarchus labrax*) scales, the extracted from fish scales and commercial hydroxyapatite: equilibrium, kinetic, thermodynamic, and characterization studies. *Desalination and Water Treatment*, 57(30), 14109–14131. <https://doi.org/10.1080/19443994.2015.1063091>
- Wahyuni, Ridhay, A., & Nurakhirawati. (2016). Pengaruh waktu proses deasetilasi kitin dari cangkang bekicot (*Achatina fulica*) terhadap derajat deasetilasi. *KOVALEN*, 2(1), 1–7.
- Wang, X., Jiang, C., Hou, B., Wang, Y., Hao, C., & Wu, J. (2018). Carbon composite lignin-based adsorbents for the adsorption of dyes. *Chemosphere*, 206, 587–596. <https://doi.org/10.1016/j.chemosphere.2018.04.183>
- Wong, Y. C., Ranjini, K. N., & Wan-Nurdiyana, W. A. (2014). Removal of congo red and acid yellow 36 dye using orange peel and rice husk as absorbents. *Oriental Journal of Chemistry*, 30(2), 529–539. <https://doi.org/10.13005/ojc/300217>
- Wong, Tumari, H. H., Ngadi, N., Mohamed, N. B., Hassan, O., Mat, R., Aishah, N., & Amin, S. (2019). Adsorption of anionic dyes on spent tea leaves modif i ed with

- polyethyleneimine ( PEI-STL ). *Journal of Cleaner Production*, 206, 394–406. <https://doi.org/10.1016/j.jclepro.2018.09.201>
- Yu, S., Feng, M., Wu, P., Liu, H., Liu, S., & Fu, J. (2021). Polyethyleneimine-grafted polyphosphazene microspheres for rapid and efficient capture of anionic dyes from wastewater. *Materials Today Chemistry*, 21(100525). <https://doi.org/10.1016/j.mtchem.2021.100525>
- Zein, R., Ramadhani, P., Aziz, & Suhaili, R. (2018). Biosorben cangkang pensi (Corbicula moltkiana) sebagai penyerap zat warna metanil yellow ditinjau dari pH dan model kesetimbangan adsorpsi. *Jurnal Litbang Industri*, 8(June), 11–16. <https://doi.org/10.24960/jli.v8i1.3844.23-30>
- Zein, R., Suhaili, R., Earnestly, F., Indrawati, & Munaf, E. (2010). Removal of Pb(II), Cd(II) and Co(II) from aqueous solution using Garcinia mangostana L. fruit shell. *Journal of Hazardous Materials*, 181(1–3), 52–56.
- Zein, Astuti, A. W., Wahyuni, D., Furqani, F., & Munaf, E. (2015). Removal of Methyl Red from Aqueous Solution by Neplhelium lappaceum. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 6(3), 86–97.
- Zein, Tomi, Z. B., Fauzia, S., & Zilfa, Z. (2020). Modification of rice husk silica with bovine serum albumin (BSA) for improvement in adsorption of metanil yellow dye. *Journal of the Iranian Chemical Society*, 17(10), 2599–2612. <https://doi.org/10.1007/s13738-020-01955-6>
- Zhang, Y. zhuo, Li, J., Zhao, J., Bian, W., Li, Y., & Wang, X. jie. (2016). Adsorption behavior of modified Iron stick yam skin with Polyethyleneimine as a potential biosorbent for the removal of anionic dyes in single and ternary systems at low temperature. *Bioresource Technology*, 222, 285–293. <https://doi.org/10.1016/j.biortech.2016.09.108>
- Zhang, Z., Chen, H., Wu, W., Pang, W., & Yan, G. (2019). Bioresource Technology Efficient removal of Alizarin Red S from aqueous solution by polyethyleneimine functionalized magnetic carbon nanotubes. *Bioresource Technology*, 293(September), 122100. <https://doi.org/10.1016/j.biortech.2019.122100>
- Zhou, Y., Fan, N., & Xia, M. (2018). Adsorption of Congo red from aqueous solution onto shrimp shell powder. *Adsorption Science & Technology*, 1–21. <https://doi.org/10.1177/0263617418768945>
- Zilfa, Rahmayeni, Stiadi, Y., & Adril. (2018). Utilization of Natural Zeolite Clinoptilolite-Ca as a Support of ZnO Catalyst for Congo-red Degradation and Congo-red Waste Applications with Photolysis. *Oriental Journal of Chemistry*, 34(2), 887–893.
- Zuhroh, N., Prasetya, A., & Haryani, S. (2016). Adsorpsi Krom(VI) oleh Arang Aktif Serabut Kelapa Serta Imobilisasinya pada Batako. *Jurnal MIPA*, 39(1), 57–62.