

DAFTAR PUSTAKA

- [1] World Health Organization, “Weekly Epidemiological Update on COVID-19,” 2020.
- [2] A. E. Gorbalenya *et al.*, “The species Severe acute respiratory syndrome-related coronavirus: classifying 2019-nCoV and naming it SARS-CoV-2,” *Nat. Microbiol.*, vol. 5, no. 4, pp. 536–544, 2020, doi: 10.1038/s41564-020-0695-z.
- [3] WHO, *Infection prevention and control of epidemic and pandemic prone acute respiratory infections in health care*. Geneva, 2014.
- [4] J. Liu *et al.*, “Community Transmission of Severe Acute Respiratory,” *Emerg. Infect. Dis.*, vol. 26, no. 6, pp. 1320–1323, 2020.
- [5] J. F. W. Chan *et al.*, “A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster,” *Lancet*, vol. 395, no. 10223, pp. 514–523, 2020, doi: 10.1016/S0140-6736(20)30154-9.
- [6] C. Huang *et al.*, “Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China,” *Lancet*, vol. 395, no. 10223, pp. 497–506, 2020, doi: 10.1016/S0140-6736(20)30183-5.
- [7] R. M. Burke *et al.*, “Active Monitoring of Persons Exposed to Patients with Confirmed COVID-19 — United States, January–February 2020,” *MMWR. Morb. Mortal. Wkly. Rep.*, vol. 69, no. 9, pp. 245–246, 2020, doi: 10.15585/mmwr.mm6909e1.
- [8] WHO and W. Aylward, Bruce, Liang, “Report of the WHO- China Joint Mission on Coronavirus Disease 2019 (COVID-19),” *WHO- China Jt. Mission Coronavirus Dis. 2019*, vol. 2019, no. February, pp. 16–24, 2020.
- [9] L. Hamner *et al.*, “High SARS-CoV-2 Attack Rate Following Exposure at a Choir Practice,” *Morb. Mortal. Wkly. Rep. High*, vol. 69, no. 19, pp. 606–610, 2020.
- [10] I. Ghinai *et al.*, “First known person-to-person transmission of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) in the USA,” *Lancet*, vol. 395, no. 10230, pp. 1137–1144, 2020, doi: 10.1016/S0140-6736(20)30607-3.
- [11] R. Pung *et al.*, “Investigation of three clusters of COVID-19 in Singapore: implications for surveillance and response measures,” *Lancet*, vol. 395, no. 10229, pp. 1039–1046, 2020, doi: 10.1016/S0140-6736(20)30528-6.

- [12] L. Luo *et al.*, “Modes of contact and risk of transmission in COVID-19 among close contacts,” *medRxiv*, p. 2020.03.24.20042606, Jan. 2020, doi: 10.1101/2020.03.24.20042606.
- [13] C. Chen and B. Zhao, “Some questions on dispersion of human exhaled *droplets* in ventilation room: Answers from numerical investigation,” *Indoor Air*, vol. 20, no. 2, pp. 95–111, 2010, doi: 10.1111/j.1600-0668.2009.00626.x.
- [14] P. Y. Chia *et al.*, “Detection of air and surface contamination by SARS-CoV- 2 in hospital rooms of infected patients,” *Nat. Commun.*, vol. 11, no. 1, 2020, doi: 10.1038/s41467-020-16670-2.
- [15] T. C. Hsiao, H. C. Chuang, S. M. Griffith, S. J. Chen, and L. H. Young, “COVID-19: An aerosol’s point of view from expiration to transmission to viral-mechanism,” *Aerosol Air Qual. Res.*, vol. 20, no. 5, pp. 905–910, 2020, doi: 10.4209/aaqr.2020.04.0154.
- [16] F. U. Indarniati, & Ermawati, “Perancangan Alat Ukur Tegangan Permukaan dengan Induksi Elektromagnetik,” *J. Fis. Dan Apl.*, vol. 4, no. 1, 2008, doi: <https://doi.org/10.12962/j24604682.v4i1.948>.
- [17] P. Lissa Sugiri, “Analisis Gaya Apung (*Buoyancy*) Pada Sistem Perpipaan Gas Di Area Flowline Dan Trunkline,” *J. Geomine*, vol. 4, no. 3, pp. 94–97, 2017, doi: <https://doi.org/10.33536/jg.v4i3.71>.
- [18] W. W. Nazaroff, “Indoor particle dynamics.,” *Indoor Air*, vol. 14 Suppl 7, pp. 175–183, 2004, doi: 10.1111/j.1600-0668.2004.00286.x.
- [19] S. W. Xie X, Li Y, Chwang AT, Ho PL, “How far *droplets* can move in indoor environments – revisiting the Wells evaporation–falling curve,” *Indoor Air*, vol. 17, no. 3, pp. 211–225, 2007, doi: <https://doi.org/10.1111/j.1600-0668.2007.00469.x>.
- [20] J. H. Mittal, R., Ni, R., & Seo, “The flow physics of COVID-19,” *J. Fluid Mech.*, vol. 894, pp. 1–14, 2020, doi: [Journal of Fluid Mechanics](https://doi.org/10.1017/jfm.2020.405).
- [21] A. C. Almstrand, A.C., Bake, B., LJUNGSTRÖM, E., LARSSON, P., BREDBERG, A., MIRGORODSKAYA, E. & OLIN, “Effect of airway opening on production of exhaled particles,” *J. Appl. Physiol*, vol. 108, no. 3, pp. 584–588, 2010.
- [22] J. B. Moriarty, & J. A. Grotberg, “Flow-induced instabilities of a mucous bilayer,” *J. Fluid Mech*, vol. 108, no. 3, pp. 1–22, 1999.
- [23] A. Malashenko, A. Tsuda, & S. Haber, “Propagation and breakup of liquid menisci and aerosol generation in small airways,” *J. Aerosol Med. Pulm. Drug Deliv*, vol. 22, no. 4, pp. 341–353, 2009.
- [24] M. W. Mittal, R. Erath, B. D. & Plesniak, “Fluid dynamics of human phonation and speech,” *Annu. Rev. Fluid Mech*, vol. 45, pp. 437–467, 2009.
- [25] Y. Feng, T. Marchal, T. Sperry, and H. Yi, “Influence of wind and relatif

humidity on the social distancing effectiveness to prevent COVID-19 airborne transmission: A numerical study,” *J. Aerosol Sci.*, vol. 147, no. May, p. 105585, 2020, doi: 10.1016/j.jaerosci.2020.105585.

- [26] A. M. Sallam, Hwang, & H.C Ned, ‘Human Red Blood Cell Hemolysis in a Turbulen Shear Flow: Contribution of Reynolds Shear Stresses’. pp783 – 797, 1984.
- [27] C. Rhie, Chow, Li, "Numerical study of the turbulen flow past an airfoil with trailing edge separation" . *AIAA Journal*. 21 (11): 1525–1532, 1983. doi:10.2514/3.8284
- [28] K. Reddy, D. Silva, Krishnendu, Sinha, "Hypersonic turbulen flow simulation of Fire II reentry vehicle afterbody"(PDF). *AIAA Journal*. 1983.
- [29] S. B. Pope, *Turbulen Flows*. Cambridge: Cambridge University Press, 2000.
- [30] K. Hanjalic, & B. Launder, "A Reynolds stress model of turbulence and its application to thin shear flows". *Journal of Fluid Mechanics*. 52 (4): 609–638, 1972. doi:10.1017/S002211207200268X.
- [31] B. E. Launder and D. B. Spalding, “The numerical computation of turbulen flows,” *Comput. Methods Appl. Mech. Eng.*, vol. 3, no. 2, pp. 269–289, Mar. 1974, doi: 10.1016/0045-7825(74)90029-2.
- [32] R. M.Effros, K. W.Hoagland, M.Bosbous, et al, Dilution of respiratory solutes in exhaled condensates, *American Journal of Respiratory and Critical Care Medicine*. 165 p663-669, 2002.
- [33] Yang S, GWM Lee, C. M.Chen, et al, The size and concentration of droplets generated by coughing in human subjects, *Journal of Aerosol Medicine-Deposition Clearance and Effects in the Lung*. 20 p484-494, 2007.

